

Emulation of the EINSTEIN DVT Anticoagulation Trial in Healthcare Claims Data

NCT04736420

10th May, 2026

1. Title Page

Title	Emulation of the EINSTEIN DVT Anticoagulation Trial in Healthcare Claims Data
Research question & Objectives	The EINSTEIN DVT trial compares the efficacy and safety of rivaroxaban with subcutaneous enoxaparin followed by warfarin in patients with acute, symptomatic deep-vein thrombosis (DVT). Our objective is to emulate the design of EINSTEIN DVT using healthcare claims data and benchmark our results against the trial.
Protocol version	Version 1
Last update date	May 10, 2026
Contributors	Primary investigator contact information: Dr. Nils Krüger, nkruger1@bwh.harvard.edu Dr. Shirley Wang, swang1@bwh.harvard.edu Contributor names: Dr. Krüger implemented the study design in the Aetion Evidence Platform. He is responsible for the validity of the design and analytic choices. All implementation steps are recorded and the implementation history is archived in the platform.
Study registration	Site: clinicaltrials.gov Identifier: NCT04736420
Sponsor	Organization: Food and Drug Administration Contact: Dr. Marie Bradley, marie.bradley@fda.hhs.gov
Conflict of interest	Dr. Krüger has no conflict of interest. Dr. Wang has consulted for Cytel Inc, ICA Group, and MITRE an FFRDC for Centers for Medicare and Medicaid for unrelated work.

Table of contents

1. Title Page	1
2. Abstract	3
3. Amendments and updates	3
4. Rationale and background	4
5. Research question and objectives	4
Table 2 Primary and secondary research questions and objective	4
6. Research methods	6
6.1 Study design	6
6.2 Study design diagram	7
6.3 Setting	8
6.3.1 Context and rationale for definition of time 0 (and other primary time anchors) for entry to the study population	8
6.3.2 Context and rationale for study inclusion criteria:	8
6.3.3 Context and rationale for study exclusion criteria	8
6.4 Variables	8
6.4.1 Context and rationale for exposure(s) of interest	8
6.4.2 Context and rationale for outcome(s) of interest	8
6.4.3 Context and rationale for follow up	9
Table 1. Operational Definitions of Follow Up	9
6.4.4 Context and rationale for covariates (confounding variables and effect modifiers, e.g. risk factors, comorbidities, comedications)	10
Table 2. Operational Definitions of Covariates	10
6.5 Data analysis	37
6.5.1 Context and rationale for analysis plan	37
Table 3. Primary, secondary, and subgroup analysis specification	37
Table 4. Sensitivity analyses – rationale, strengths and limitations	38
6.5.2 Comparison of Results Between Database Studies and RCTs	40
6.6 Data sources	40
6.6.1 Context and rationale for data sources	40
Table 5. Metadata about data sources and software	41
6.7 Data management	41
6.8 Quality control	43
6.9 Study size and feasibility	44
7. Limitation of the methods	44
8. Protection of human subjects	44

9. References	45
10. Appendices	45
1 Target Trial Framework, Operational Definitions, and Data Fitness Assessment	45
2 Code algorithms	45
3 Flowchart for cohort assembly	45
4 1st feasibility assessment	45
5 2nd feasibility assessment	45
6 Balance Assessment - PS Distribution and C-Statistic	45
7 Balance Assessment - Table 1	45

2. Abstract

This is a non-randomized, non-interventional study that is part of the *Randomized Controlled Trials Duplicated Using Prospective Longitudinal Insurance Claims: Applying Techniques of Epidemiology* (RCT-DUPLICATE) initiative (www.rctduplicate.org) of the Brigham and Women's Hospital, Harvard Medical School.

This study is part of a series that applies the Benchmark, Expand, and Calibration (BenchExCal) approach, in which an initial trial emulation is benchmarked against a completed randomized controlled trial (RCT) to inform a subsequent database study for related clinical questions or expanded indications. In this empirical example, the related clinical question has also been evaluated in a completed randomized trial, allowing comparison of the expanded database emulation with the corresponding RCT findings.^{1,2}

It is intended to emulate, as closely as is possible in healthcare insurance claims data, the EINSTEIN DVT trial described below. Although many features of the trial cannot be directly replicated in healthcare claims, key design features, including outcomes, exposures, and inclusion/exclusion criteria, were selected to proxy those features from the trial. Randomization cannot be achieved in healthcare claims data but was proxied through a statistical balancing of measured covariates according to standard practice. Investigators assume that the RCT provides guidance on the reference standard treatment effect estimate. However, failure to replicate RCT findings is not necessarily indicative of the inadequacy of the healthcare claims data for emulation for a range of possible reasons and does not provide information on the validity of the original RCT finding.

The EINSTEIN DVT trial demonstrated the non-inferiority efficacy of rivaroxaban, an oral factor Xa inhibitor, compared with enoxaparin and warfarin, a low-molecular-weight heparin and vitamin K antagonist, in patients with acute, symptomatic, proximal deep-vein thrombosis (DVT) for the outcome of recurrent venous thromboembolism (VTE) as the composite of DVT or nonfatal or fatal pulmonary embolism (PE).³ In this emulation of EINSTEIN DVT, the initial anticoagulation phase could not be emulated because administration of low-molecular-weight heparin during hospitalizations is incompletely captured in claims data. Therefore, treatment strategies were defined based on initiation of outpatient oral anticoagulation.

This database study is designed to emulate EINSTEIN DVT. It will be a new-user active comparative cohort study, conducted using three national United States claims databases, where we compare the effect of rivaroxaban versus warfarin on the outcome of recurrent thromboembolism as a composite of deep-vein thrombosis or fatal or non-fatal pulmonary embolism after 365 days.

Optum: Eligible cohort entry period from July 1, 2011 to March 31, 2019.

Marketscan: Eligible cohort entry period from July 1, 2011 to March 31, 2019.

Medicare: Eligible cohort entry period from July 1, 2011 to March 31, 2019.

3. Amendments and updates

Version date	Version number	Section of protocol	Amendment or update	Reason
--------------	----------------	---------------------	---------------------	--------

May 10, 2026	1	All sections	<p>This version of the emulation of EINSTEIN DVT is part of a demonstration project funded byFDA that aims to apply a Benchmark, Expand, and Calibrate approach. This study builds on a previous protocol for emulating EINSTEIN DVT that was developed for an earlier part of the RCT-DUPLICATE project with a different objective. The changes include:</p> <ul style="list-style-type: none"> • Refining the operational definitions of inclusion and exclusion criteria • Changing assessment windows for various design elements (e.g., covariate assessment window, eligibility criteria) of the study • Adding additional variables to the propensity score 	<p>This project builds on a previous version of an emulation of EINSTEIN DVT that was conducted for different objectives than this study. This protocol includes updates to align the study design with other components of the BenchExCal approach. Differences in results between the versions of EINSTEIN DVT emulations may occur due to the differences in objectives and design/implementation.</p>
--------------	---	--------------	---	---

4. Rationale and background

The purpose of this protocol is to specify the emulation of the EINSTEIN DVT trial (NCT00440193). Rivaroxaban became available on July 1, 2011, when it was approved for prophylaxis of venous thromboembolism (VTE) after hip and knee arthroplasty.⁴ Apart from the approval for the prophylaxis of VTE after hip or knee arthroplasty, rivaroxaban has later also been approved for the treatment of acute and also recurrent VTE, the prevention of stroke and systemic embolism in nonvalvular atrial fibrillation, the reduction in risk of major cardiovascular events in patients with coronary artery disease (CAD) or peripheral artery disease (PAD), and in pediatric populations.⁴

The EINSTEIN DVT trial enrolled 3449 participants between March, 2007 and September, 2009. The primary end point was Recurrent VTE as the composite of DVT or nonfatal or fatal pulmonary embolism. During a follow-up period of 365 days in the intention-to-treat group, 36 of 1731 (2.1%), composite events occurred in the treatment group as compared to 51 of 1718 (3.0%) composite events occurred in the comparator group. This corresponds to a hazard ratio of 0.68 (95% confidence interval [CI], 0.44 to 1.04) supporting noninferiority of rivaroxaban to standard therapy.^{3,5}

5. Research question and objectives

Table 1. Primary and secondary research questions and objective

A. Primary research question and objective

Objective:	To evaluate the comparative effect of rivaroxaban vs warfarin on the risk of recurrent VTE, as the composite of DVT or nonfatal or fatal pulmonary embolism, in patients having acute, symptomatic, proximal DVT.
Hypothesis:	We hypothesize that rivaroxaban will be noninferior to standard therapy of warfarin, in patients having acute, symptomatic proximal DVT.
Population (<i>mention key inclusion-exclusion criteria</i>):	Patients aged 18 years or older diagnosed with proximal DVT. Additional eligibility criteria aligned with the EINSTEIN DVT trial.
Exposure:	Rivaroxaban.
Comparator:	Warfarin.
Outcome:	Recurrent VTE as the composite of DVT or nonfatal or fatal pulmonary embolism within 365 days.
Time (<i>when follow up begins and ends</i>):	One day after first prescription fill of either exposure or comparator until first of outcome, end of observation in data, end of study period, death, discontinuation (10 day grace window and risk-window), nursing home admission, date of augmentation, switch to comparator/exposure or other NOAC.

Setting:	Study drug treatment in the outpatient setting, outcomes are considered when the occurrence is documented in inpatient care setting or death occurs.
Main measure of effect:	Hazard ratio.

B. Secondary research question (Negative control outcome) and objective

Objective:	To evaluate the comparative effect of rivaroxaban vs warfarin on the control outcome fractures and falls.
Hypothesis:	We hypothesize that rivaroxaban will not have a different effect from warfarin. Additional eligibility criteria aligned with the EINSTEIN DVT trial. In addition, patients will be excluded with fractures and falls prior to the follow-up time window (30 days) when studying the negative outcome, respectively.
Population (mention key inclusion-exclusion criteria):	Patients aged 18 years or older diagnosed with proximal DVT.
Exposure:	Rivaroxaban.
Comparator:	Warfarin.
Outcome:	Fractures and falls.
Time (when follow up begins and ends):	One day after first prescription fill of either exposure or comparator until first of outcome, end of observation in data, end of study period, death, discontinuation (10 day grace window and risk-window), nursing home admission, date of augmentation, switch to comparator/exposure or other NOAC.
Setting:	Study drug treatment in the outpatient setting, outcomes are considered when the occurrence is documented in any care setting.
Main measure of effect:	Hazard ratio.

6. Research methods

6.1 Study design


Research design (e.g. cohort, case-control, etc.): New user active comparator cohort study.

Rationale for study design choice: The new user active-comparator design may be able to address concerns with confounding by indication. It accomplishes this, in large part, through judicious selection of an appropriate active-comparator group. While selection of an appropriate comparator in

the design phase is crucial, cohort studies often require additional adjustment of measurable confounders. A common method for adjusting for confounding is via a propensity score.

6.2 Study design diagram

Figure 1. Exposure-based cohort entry where the cohort entry date is selected after application of exclusion criteria.



6.3 Setting

6.3.1 Context and rationale for definition of time 0 (and other primary time anchors) for entry to the study population

Time 0 in the database study was defined to emulate randomization to treatment of rivaroxaban vs warfarin in the trial design. Time 0 is the day of first outpatient prescription of either of the study drugs. See appendix tables 1 and 2 for operational definitions and detailed code algorithms.

6.3.2 Context and rationale for study inclusion criteria:

Study inclusion criteria were defined to emulate the inclusion criteria for EINSTEIN DVT. See appendix tables 1 and 2 for operational definitions and detailed code algorithms. A flowchart of the study cohort assembly is provided in Appendix 3.

6.3.3 Context and rationale for study exclusion criteria

Study exclusion criteria were defined to emulate the exclusion criteria for EINSTEIN DVT. See appendix tables 1 and 2 for operational definitions and detailed code algorithms. A flowchart of the study cohort assembly is provided in Appendix 3.

6.4 Variables

6.4.1 Context and rationale for exposure(s) of interest

The exposure and comparator were defined to emulate the agents compared for EINSTEIN DVT, Rivaroxaban and Warfarin. See appendix tables 1 and 2 for operational definitions and detailed code algorithms.

Algorithm to define duration of exposure effect:

Assuming the supply of the drug extends beyond the last day's prescription supply, we allow a 10 day gap between the dispensation (grace period) and also add 10 days at the end of the last day's supply (exposure risk window).

6.4.2 Context and rationale for outcome(s) of interest

The primary outcome for the database study was defined to emulate the primary outcome for the trial, recurrent VTE defined as the composite of deep-vein thrombosis or nonfatal or fatal pulmonary embolism. See appendix tables 1 and 2 for operational definitions and detailed code algorithms.

Negative control analysis: control outcomes of interest include: Fractures and falls. This is a negative control outcome where no difference in effect is expected for rivaroxaban vs warfarin.

6.4.3 Context and rationale for follow up

Both on-treatment (OT) and intention-to-treat (ITT) analyses will be conducted. Adherence in clinical practice databases is expected to be lower than in the trial, therefore the OT analysis will be the primary analysis. The OT analysis targets the relative hazard of outcomes while on treatment and may more closely emulate the effect observed in highly adherent trial participants. Both OT and ITT will be conducted up until 365 days after index and compared to the hazard ratio observed in the trial.

Table 1. Operational Definitions of Follow Up

The follow up starts at the day after the first outpatient prescription of the study drug

Follow up start	Day 1	
Follow up end¹	Select all that apply	Specify
Date of outcome	Yes	
Date of death	Yes	Part of the primary outcome.
End of observation in data	Yes	Date of disenrollment.
Day X following index date (specify day)	Yes	365 days.
End of study period (specify date)	Yes	Optum: March 31, 2020; Marketscan: March 31, 2020; Medicare: March 31, 2020.
End of exposure (specify operational details, e.g. stockpiling algorithm, grace period)	Yes	10 days grace window and 10 days risk window.
Date of add to/switch from exposure (specify algorithm)	Yes	Date of augmentation or switching from an exposure to a comparator and vice versa.
Other date (specify)	Yes	Censor upon starting any other NOAC, or nursing home admission (loss of observability).

¹ Follow up ends at the first occurrence of any of the selected criteria that end follow up.

6.4.4 Context and rationale for covariates (confounding variables and effect modifiers, e.g. risk factors, comorbidities, comedications)

We identified a series of covariates that were likely confounders due to being strong risk factors for the outcomes of interest that were associated with choice of treatment. These include demographics, disease severity related variables, comorbid conditions, comedications, frailty, healthcare utilization and markers of health seeking behaviour. Covariate coding may be subject to changes before final treatment-effect estimation if propensity score diagnostics indicate sparse cells, unstable estimates, quasi-separation, or inadequate overlap.

Table 2. Operational Definitions of Covariates

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Demographics									
Age	Cohort entry date	Continuous	[0, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	n/a
Gender	Male, Female (last observed value in the baseline)	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	n/a
Race	White, Black, Other (Asian, Hispanic, American Native), Unknown/missing	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	n/a
Region	Northeast, South, Midwest, West, Unknown/missing	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	n/aS
Lifestyle risk factors									

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Smoking / Tobacco use		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM, CPT, HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin		
Overweight 25.0 to 29.9		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin		
Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin		
Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin		
Class 3 (high-risk) obesity if BMI is equal to or greater than 40		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin		
Unspecified obesity		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin		
Cardio-/Cerebrovascular-related conditions									
Previous cardiac procedure (CABG or PTCA or Stent)		Binary	[-365;0]	Any	ICD-9-PCS, ICD-10-PCS, CPT	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Previous MI		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Unstable angina		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Stable angina		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Coronary atherosclerosis and ischemic heart diseases		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other atherosclerosis		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Stroke		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
TIA		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other cerebrovascular disease		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Cerebrovascular procedure		Binary	[-365;0]	Any	ICD-9-PCS, ICD-10-PCS, CPT	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Heart failure		Binary	[-365;0]		ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Cardiac devices (pacemakers, cardiac lead, implantable cardioverter defibrillator, others)		Binary	[-365;0]	Any	ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
PVD of the arteries diagnosis		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM,	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
PVD of the veins diagnosis		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM,	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
PVD surgery (arteries/ veins)		Binary	[-365;0]	Any	ICD-9-PCS, ICD-10-PCS, CPT	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other major CV surgery		Binary	[-365;0]	Any	ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT	Any	Exposure: Rivaroxaban Reference: Enoxaparin	n/a	
Other cardiac dysrhythmia		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Valve disorders		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Cardiac conduction disorders		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Edema		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Hypertension		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Systemic embolism		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
DVT		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Post-thrombotic syndrome		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Pulmonary Embolism		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other Cardiovascular diseases		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Diabetes complications									
Diabetic end-organ-damage diseases		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Hypoglycemia		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
							Reference: Warfarin		
Hyperglycemia/D KA/HONK		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Diabetes related disorders		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Renal-related conditions									
Kidney disease		Binary	[-365;0]	Any	ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
AKI		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
CKD	Stage 1+2; Stage 3	Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other comorbidities									
Hyperlipidemia		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Liver disease		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Immobility related diseases		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
							Reference: Warfarin		
Systemic diseases of connective tissue		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Osteoporosis		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Fractures/ falls		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Mobility impairment		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Psychiatric diseases (depression, anxiety and psychosis)		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Sleep disorders		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Dementia		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Delirium		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
COPD		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Asthma		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Obstructive sleep apnea		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Pneumonia		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
History of any malignancy		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Skin diseases		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Erectile dysfunction		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Gastrointestinal diseases with bleeding		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Urogenital bleed		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Other bleeds		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM, ICD-10-PCS, CPT	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Anemia		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Previous joint replacement of hip or knee		Binary	[-365;0]	Any	ICD-9-CM, ICD-10-CM, ICD-9-PCS, ICD-10-PCS, CPT, HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Medication									
ACEi / ARB		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Beta blockers		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Calcium channel blockers		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Nitrates		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other hypertensives		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Loop diuretics		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Thiazide		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other diuretics		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Oral anticoagulants		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Previous use of heparin and other low-molecular weight heparins		Binary	[-365;-1]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Fondaparinux		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other direct thrombin inhibitors		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
P2Y12 inhibitors		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Aspirin		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
							Reference: Warfarin		
Lipid-lowering therapy		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Anti-arrhythmics		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Insulins		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Other diabetic medications		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
COPD/asthma medication		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
NSAIDs		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Opioids		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Gastroprotective agents		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Estrogens, progestins, androgens		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Oral Immunosuppressants		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Oral corticosteroids		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Antidepressants		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Antipsychotics		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Anticonvulsants		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Benzodiazepines		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Anxiolytic drugs		Binary	[-365;0]	n/a	generic, HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Antibiotics		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
							Reference: Warfarin		
PGP inducers		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
CYP inhibitors		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
CYP inducers		Binary	[-365;0]	n/a	generic	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Healthcare Utilization									
Electrocardiogram		Binary	[-365;0]	n/a	ICD-9-PCS, ICD-10-PCS, CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Echocardiogram		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Colonoscopy		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Fecal occult blood (FOB) test		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Flu vaccine		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Pneumonia vaccine		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
PSA test or Prostate exam for DRE		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Bone mineral density		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
D-dimer tests		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
PT or aPTT tests		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
INR (prothrombin) tests ordered		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
HbA1c tests ordered		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Pap smear		Binary	[-365;0]	n/a	ICD-9_CM, ICD-10-CM, CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Mammogram		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Duplex scan		Binary	[-365;0]	n/a	CPT/HCPC	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Distinct medication prescriptions		Binary	[-365;0]	n/a	CPT/HCPCS	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Number of Emergency Department (ED)		Continuous	[-365;0]	n/a	n/a	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Number of Hospitalizations		Continuous	[-365;0]	n/a	n/a	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Number of Office visits		Continuous	[-365;0]	n/a	n/a	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Pharmacy out-of-pocket cost, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Unique brand medications, median (iqr), mean (sd)**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Unique generic medications, median (iqr), mean (sd)**		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	

Characteristic	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis is Position ³	Applied to study populations:	Measurement characteristics / validation	Source for algorithm
Ratio of unique brand to generic medications, median (iqr), mean (sd)		Continuous	[-365, 0]	n/a	n/a	n/a	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Comorbidity Scores									
Combined comorbidity score, 365 days		Categorical	[-365;0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
Frailty score, 365 days		Categorical	[-365;0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
HAS-BLED score		Categorical	[-365;0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	
CHA2DS2 VASc score		Categorical	[-365;0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Rivaroxaban Reference: Warfarin	n/a	

¹IP = inpatient, OP = outpatient, ED = emergency department, OT = other, n/a = not applicable

²See appendix for listing of clinical codes for each study parameter

³Specify whether a diagnosis code is required to be in the primary position (main reason for encounter)

6.5 Data analysis

6.5.1 Context and rationale for analysis plan

The studies will use a propensity score (PS) 1:1 nearest neighbor matching with a caliper of 0.01 on the propensity score scale. The propensity score will be estimated as the probability of initiating rivaroxaban vs warfarin given the baseline patient characteristics using multivariable logistic regression models. As diagnostics for PS models, the study will evaluate distributional covariate balance using standardized differences and c-statistics post-matching. The study will estimate the hazard ratio for rivaroxaban vs warfarin on a composite recurrent DVT or fatal or nonfatal PE outcome in the matched population. Across all analyses, results from the three databases will be pooled via fixed effects meta-analysis.

Table 3. Primary, secondary, and subgroup analysis specification

A. Primary analysis

Hypothesis:	Rivaroxaban decreases the occurrence of recurrent venous thromboembolism (VTE), as the composite of deep-vein thrombosis or nonfatal or fatal pulmonary embolism after having acute, symptomatic, proximal DVT.
Exposure contrast:	Rivaroxaban vs warfarin.
Outcome:	Composite of recurrent deep-vein thrombosis or fatal or nonfatal pulmonary embolism.
Analytic software:	Aetion, SAS 9.4, R.4.4.0.
Model(s): <i>(provide details or code)</i>	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure.
Confounding adjustment method	<i>Name method and provide relevant details, e.g. bivariate, multivariable, propensity score matching (specify matching algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.</i>
	1:1 Propensity score nearest-neighbor matching with a caliper of 0.01 on the propensity score scale.
Missing data methods	<i>Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.</i>
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	<i>List all subgroups</i>
	N/A.

B. Secondary Analysis

Hypothesis:	Rivaroxaban has no increased or decreased risk of fractures and falls (negative control outcome) compared to warfarin in the population diagnosed with acute, symptomatic, proximal DVT.
Exposure contrast:	Rivaroxaban vs warfarin.
Outcome:	Fractures and falls (negative control outcome).
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): <i>(provide details or code)</i>	Outcome model: Cox proportional hazards Follow-up time*status(0) = exposure.
Confounding adjustment method	<i>Name method and provide relevant details, e.g. bivariate, multivariable, propensity score matching (specify matching algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.</i>
	1:1 Propensity score nearest-neighbor matching with a caliper of 0.01 on the propensity score scale.
Missing data methods	<i>Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.</i>
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	<i>List all subgroups</i>
	N/A

Table 4. Sensitivity analyses – rationale, strengths and limitations

	What is being varied? How?	Why? (What do you expect to learn?)	Strengths of the sensitivity analysis compared to the primary	Limitations of the sensitivity analysis compared to the primary
Fractures and falls as a negative control outcome.	We are changing the outcome to fractures and falls as there is expected to be no differential causal effect from rivaroxaban or warfarin.	We will evaluate the potential impact of residual confounding on this outcome for which there is not expected to be a causal effect of treatment.	Evaluates the robustness of the interpretation of the primary analysis by evaluating the potential magnitude of unmeasured confounding.	This analysis assumes that the confounding structure is the same or similar for the negative control outcome as the outcome of interest.
Broader definition of primary end point.	Instead of requiring an inpatient discharge diagnosis in the primary position, we will allow an	Helps determine whether restricting to primary-position DVT and PE diagnoses omits relevant cases or whether including	Increases sensitivity for capturing DVT and PE.	Some hospitalizations may reflect not new, but rather previous events.

	inpatient diagnosis in any position.	secondary diagnoses introduces misclassification.		
Change in grace and risk windows	The grace period and exposure risk window will be varied by shortening them to 7 days.	To assess the potential impact of exposure misclassification arising from uncertainty in the duration of treatment effects and medication adherence.	Evaluates the robustness of the primary findings to alternative assumptions regarding exposure definition and risk attribution.	Alternative risk windows may not accurately reflect the true duration of drug exposure or biological effect. Shorter windows may underestimate treatment effects by missing delayed events.
Re-weighted population distribution.	We will re-weight the population distribution of the pooled database study cohorts to reflect that of the RCT.	We will learn about potential effect modification due to different distributions of key characteristics such as age/sex in the RCT vs the database study.	The population distributions will be more aligned.	The measurement of these population characteristics may be measured differently in the RCT vs database study, with different levels of specificity and sensitivity.

Apply benchmark, expand, calibrate (BenchExCal) sensitivity and tipping point analysis.	We will use the observed difference in result from emulation of RECORD1 to recalibrate the result from the database study emulation of EINSTEIN DVT. We will conduct a tipping point analysis with a range of plausible estimates of the expected difference.	We expect to learn about the performance of BenchExCal in an example where we emulate an RCT for an expanded indication and an RCT result for the expanded indication is available.	The analysis will calibrate the primary result based on expected differences due to bias and/or design emulation differences and propagate uncertainty regarding the impact of these factors into the frequentist primary result.	The ability to appropriately calibrate the result depends on how “close” the clinical context and confounding structure is between the initial and expanded indication. The approach assumes that the net effect of bias and design emulation differences is similar.
---	---	---	---	---

6.5.2 Comparison of Results Between Database Studies and RCTs

We will attempt to benchmark the results of the primary analysis from the database study against the composite end point of recurrent VTE defined as the composite of deep-vein thrombosis or nonfatal or fatal pulmonary embolism observed in the EINSTEIN DVT trial. Consequently, failure to replicate the RCT findings is not necessarily indicative of the inadequacy of the healthcare claims data for emulation for a range of possible reasons, nor does failure to replicate provide information about the validity of the trial result.

Assessment of concordance in results between the database study-trial pair will use the metrics previously implemented in the RCT-DUPLICATE initiative, namely statistical significance agreement, estimate agreement, and standardized difference agreement. In this project, “full” statistical significance agreement was defined by estimates and confidence intervals on the same side of null; estimate agreement was defined by whether estimates for the trial emulation fell within the 95% CI for the trial results; standardized difference agreement between treatment effect estimates from trials and emulations was defined by standardized differences $|Z| < 1.96$ ($Z = \frac{(\theta_{RCT} - \theta_{RWE})}{\sqrt{\hat{\sigma}_{RCT}^2 + \hat{\sigma}_{RWE}^2}}$ where θ are the treatment effect estimates and the $\hat{\sigma}^2$ are associated variances). In addition, “partial” significance agreement was defined as meeting pre-specified non-inferiority criteria even though a more highly powered database study may have indicated superiority.^{6,7}

6.6 Data sources

6.6.1 Context and rationale for data sources

Reason for selection: The study will be conducted in 3 US health care claims databases: Optum Clinformatics (2004-2020), Merative MarketScan (2012-2020), and Medicare (2007-2020).

Strengths of data source(s): Each data source contains deidentified, longitudinal, date-stamped information on patient enrollment, demographics, inpatient/outpatient diagnosis and procedures, admission and discharge dates, and medication dispensation. The death data is captured in the Optum

database from inpatient discharge status, social security death master file, and deaths scraped from obituaries or other sources. The death data in MarketScan is captured from the social security death master file and inpatient discharge status. It is recognized that the social security death master file has high specificity and positive predictive value for deaths. While this data resource has under captured deaths since 2011, the capture of deaths is not expected to be differential between compared exposure groups. The death data is captured in the Medicare database from inpatient discharge status, and social security death master file.⁸⁻¹⁰

Limitations of data source(s): Patient healthcare encounters are only observable when they are enrolled in an insurance plan that contributes to the database. Patients may change insurance plans for multiple reasons. Both Optum Clinformatics and Merative MarketScan are primarily employer based insurance databases where patients may disenroll with job changes. Patients in Medicare may move in and out of fee-for-service plans. We are excluding person-time in health maintenance organization (HMO) plans due to concerns about the completeness of capture of diagnoses and procedures. This means that we require patients to be enrolled in Medicare parts AB and D during the baseline assessment window and censor patients if they switch to part C. In claims data, dispensing data for inpatient medication is unavailable. Diagnoses reflect billing practices, therefore algorithms (preferably validated) are needed for accurate phenotyping of patient conditions. Services that are not covered by insurance do not appear in the data. The cause of death is not recorded for databases not linked to NDI, and the performance of NDI at identifying cardiovascular causes of death may be suboptimal.¹⁰ The completeness of death ascertainment differs across the three databases. Optum captures deaths from multiple sources, including inpatient discharge status, the Social Security Death Master File, and obituary-based sources, whereas Medicare includes death information from inpatient discharge records, the Social Security Death Master File, and National Death Index linkages. In contrast, death ascertainment in MarketScan is more limited and is primarily based on inpatient discharge status, resulting in undercapture of deaths occurring outside the hospital setting. Although this limitation may reduce the sensitivity of mortality ascertainment, it is not expected to differ systematically between treatment groups and therefore is unlikely to introduce substantial differential bias in comparative effect estimates.

Data source provenance/curation: Information about Optum Clinformatics and Merative MarketScan can be found in data dictionaries and user guides that are provided to clients. Information about Medicare data provenance and curation can be found on the ResDac website.¹¹

Table 5. Metadata about data sources and software

	Data 1	Data 2	Data 3
Data Source(s):	Optum Clinformatics	Merative MarketScan	Medicare
Study Period:	January 1, 2004 - March 31, 2020	December 31, 2012 - March 31, 2020	January 1, 2007 - March 31, 2020
Eligible Cohort Entry Period:	July 1, 2011 - March 31, 2019	July 1, 2011 - March 31, 2019	July 1, 2011 - March 31, 2019
Data Version (or date of last update):	Jan 2026	May 2025	Jan 2024

Data sampling/extraction criteria:	n/a	n/a	Patients were extracted on the basis of having a dispensation for any anticoagulant drug in any of the years of data
Type(s) of data:	Administrative healthcare claims	Administrative healthcare claims	Administrative healthcare claims
Data linkage:	n/a	n/a	Linkage to National Death Index
Conversion to CDM*:	n/a	n/a	n/a
Software for data management:	Aetion Evidence Platform® (2026)	Aetion Evidence Platform® (2026)	Aetion Evidence Platform® (2026)

*CDM = Common Data Model

6.7 Data management

Tracking data: The Data Use Agreement (DUA) Custodian (Principal Investigator) and the Division Operations Manager (Winta Tekle) are responsible for receiving and creating a record of new data associated with the given request. The Operations Manager is responsible for all indexing and archiving of documents and electronic media related to data that the Division receives and will log data location, data contents, and associated DUA and Institutional Review Board (IRB) numbers in the Division's centralized tracking system.

Handling and storage: In-scope data will be stored utilizing Mass General Brigham approved information systems – i.e., Division servers and Mass General Brigham network storage.

Archiving: Data retention and any removal will be executed by the Division Operations Manager (Winta Tekle) and Data Manager (Todd MacGarvey). The Division follows Mass General Brigham enterprise record retention policies and follow the terms of the agreement through which the in-scope data was received.

Information security: The Division follows Mass General Brigham's Enterprise Information Security Program (EISP). The EISP helps by providing assurance that Mass General Brigham information and information systems are protected from unauthorized access, use, disclosure, duplication, modification, or destruction in order to maintain their confidentiality, integrity, and availability. To that end, the EISP policies, standards and procedures create an information security framework that is aligned with the recommendations of the International Organization for Standardization's (ISO) publication 27001 and the National Institute of Standards and Technology's (NIST) publication 800-53 Family of Controls and MGB regulatory and legal requirements (as a HIPAA covered entity).

Mass General Brigham workforce members are required to complete new workforce privacy and information security training upon hire and annually thereafter. Refresh training is provided as appropriate. Mass General Brigham workforce members are required to review and sign a Confidentiality Agreement upon hire and annually thereafter. Additionally, we follow Enterprise Information Security and Privacy policies, including Managing Workforce Members Information Security Responsibilities Policy, which was developed to help assure that Mass General Brigham workforce members are competent and eligible to support the information security responsibilities associated with their role. Mass General Brigham workforce, including Division staff, are required to comply with Enterprise Information Security and Privacy Policies.

Facilities: The research team uses a highly secure, state-of-the-art, computing facility housed at Mass General Brigham's Corporate Data Centers in Needham and Marlborough, Massachusetts as well as Amazon Web Services (AWS). We maintain redundant storage for maximal data integrity and high-speed data access.

The Division uses Mass General Brigham corporate provisioned servers to analyze and store data in connection with this project. There are strict access controls enforced by technical means to ensure that only study staff who have been approved to conduct data analyses and contracted data engineers are able to access data (e.g., Mass General Brigham Authentication (Active Directory) utilized; auditing, logging, and monitoring enabled; firewalls enabled; etc.). All Division servers used in this study are accessible to authorized staff only through the MGB network and utilizing VPN as appropriate (i.e., users must be on the network and logged into VPN to access). Mass General Brigham has a network information security monitoring team and in-scope servers are enrolled in enterprise security tools (e.g., vulnerability scanning service, antivirus, etc.).

The Division also uses AWS. In-scope AWS services / resources have undergone review and assessment by Mass General Brigham's Information Security Risk Assessment Team/ InfoSec Risk Management Team as required and in alignment with NIST 800-30: Guide for Conducting Risk Assessments. In-scope AWS servers are for our exclusive use (reserved instances), are covered under our organization's Business Associate Agreement with AWS. In-scope servers are housed in anonymous facilities that are not branded as AWS facilities. Physical access is strictly controlled both at the perimeter and at building ingress points by professional security staff utilizing video surveillance, intrusion detection systems, and other electronic means.

Security attributes and controls for the Division's use of in-scope AWS in connection with this project include: encryption at rest and in transit (industry standard AES-256 encryption, SSL/TSL), anti-malware, latest OS updates and patches as well as anti-virus; multi-factor authentication (MFA), Identity and Access Management, including SSO; auditing and logging; principle of least privilege, including for traffic and ports (e.g., deny all default configurations), use of VPC enabled Step functions, etc.; separation between environments; minimum necessary (out of the box AWS roles are not used as they can be overly permissive); all data would reside in the US domestic regions – use only US east HIPAA compliant region; performance monitoring enabled and reviewed as per internal processes; passwords compliant with enterprise password policy and, as appropriate, more protective password requirements; etc. Our Division's AWS use is also subject to ongoing evaluation and monitoring as well – e.g., vulnerability scanning and management, access review, etc.

A data file list will be maintained in Amazon S3 and tracked through Cloudtrail and Cloudwatch. Reporting of data file availability for any file stored in an S3 bucket will be controlled by MGB.

Amazon EC2, Amazon EBS, and Amazon VPC are integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in Amazon EC2, Amazon EBS, and Amazon VPC. CloudTrail captures all API calls for Amazon EC2, Amazon EBS, and Amazon VPC as

events, including calls from the console and from code calls to the APIs. MGB IT/security staff have full access to CloudTrail to ensure that CloudTrail monitoring is available at all times. Amazon CloudWatch Events delivers a near-real-time stream of system events that describe changes in AWS resources. Amazon CloudTrail can log, continuously monitor, and retain account activity related to actions across the MGB AWS infrastructure. CloudTrail provides event history of MGB AWS account activity. This event history simplifies security analysis, resource change tracking, and troubleshooting and complies with requirements to ensure the data file inventory is controlled by MGB.

Backups: Backups are created using industry recognized Cryptographic mechanisms (e.g., 256-bit AES encryption) as appropriate and required. Data are backed up within the MGB network from the MGB Needham data center to the MGB Marlborough data center via replication/mirroring and volume-level snapshots. AWS Backup supports both instance-level backups as Amazon Machine Images (AMIs) and volume-level backups as separate snapshots based on the resource tags. AMIs allow MGB IT and security staff to create backups of all S3 and EC2 instances.

In addition to the safeguards listed above, the Division follows enterprise privacy and information security policies and maintains internally procedures in connection with this project to safeguard the data in connection with this project as appropriate and required including: Physical Security and Environmental Controls for Electronic Information Policy; IT Access Control Standards for Users policy; Safeguarding Fax Copiers Printers Telephone Use and Pagers; Physical Removal and Transport of Protected Health Information and Personal Information policy, etc.

6.8 Quality control

Senior Programmers and Research Specialists perform QA/QC on raw or common data model converted data via SAS/R/Aetion software. The protocol will be iteratively developed and pre-specified data checks including feasibility counts and balance on baseline covariates will be conducted with outputs reviewed by MGB team members. Team members will review code lists to ensure fidelity to intended algorithms.

6.9 Study size and feasibility

See appendix 4 (first feasibility matching on age, sex, comorbidity score) and appendix 5 (second feasibility matching on all predefined propensity score variables). Propensity score distribution plots with c-statistics are available in appendix 6. Table 1 showing prevalence of baseline characteristics and standardized differences in distribution are available in appendix 7.

7. Limitation of the methods

As we are using secondary data and the data were not collected for research purposes, some important variables may not be collected or will be measured imperfectly. We have selected validated algorithms when possible and we have created proxies for important variables that are not directly captured in the data to reduce confounding by unmeasured factors.

When comparing results from an RCT to a database study that emulates the design, we assume that the findings from the single RCT are internally valid.

Although we plan to emulate the important features of each trial as closely as possible in healthcare claims, there may be some elements of the RCT design that are not emulable with a database study, which means that the real-world evidence obtained from the database study and trial will address slightly different clinical questions. For example, in routine clinical care, adherence to treatment is typically not as high as it is in an RCT with strong measures in place to encourage adherence to the study protocol. This means that there is more discontinuation and short-term medication use in the patients identified in claims databases than trial participants.

Apparent agreement between RCT and database study results could occur if the effects of multiple factors (chance, emulation differences, bias) cancel each other out.

Apparent agreement between RCT and database study results could occur if the effects of multiple factors (chance, emulation differences, bias) cancel each other out.

8. Protection of human subjects

This study has been approved by the Brigham and Women's Hospital Institutional Review Board.

9. References

1. Wang SV, Russo M, Glynn RJ, Bradley MC, He J, Concato J, et al. A Benchmark, Expand, and Calibration (BenchExCal) Trial Emulation Approach for Using Real-World Evidence to Support Indication Expansions: Design and Process for a Planned Empirical Evaluation. *Clin Pharmacol Ther.* 2025 Jun;117(6):1820–8. doi:10.1002/cpt.3621 PubMed PMID: 40067205; PubMed Central PMCID: PMC12087693.
2. Schneeweiss S, Krüger N. Non-Randomized Database Analyses to Complement Randomized Clinical Trials: Promising Approaches for Cardiovascular Medicine. *Circulation.* 2025 May 27;151(21):1495–7. doi:10.1161/CIRCULATIONAHA.125.073235 PubMed PMID: 40424331.
3. The EINSTEIN Investigators. Oral Rivaroxaban for Symptomatic Venous Thromboembolism. *N Engl J Med.* 2010 Dec 23;363(26):2499–510. doi:10.1056/NEJMoa1007903
4. Drugs.com [Internet]. [cited 2025 Jul 9]. Xarelto (rivaroxaban) FDA Approval History. Available from: <https://www.drugs.com/history/xarelto.html>
5. Bayer. Oral Direct Factor Xa Inhibitor Rivaroxaban in Patients With Acute Symptomatic Deep-Vein Thrombosis or Pulmonary Embolism [Clinical trial registration] [Internet]. clinicaltrials.gov; 2014 Jan [cited 2025 Aug 30]. Clinical trial registration no.: NCT00440193. Available from: <https://clinicaltrials.gov/study/NCT00440193>
6. Wang SV, Schneeweiss S, RCT-DUPLICATE Initiative, Franklin JM, Desai RJ, Feldman W, et al. Emulation of Randomized Clinical Trials With Nonrandomized Database Analyses: Results of 32 Clinical Trials. *JAMA.* 2023 Apr 25;329(16):1376–85. doi:10.1001/jama.2023.4221 PubMed PMID: 37097356; PubMed Central PMCID: PMC10130954.
7. Franklin JM, Pawar A, Martin D, Glynn RJ, Levenson M, Temple R, et al. Nonrandomized Real-World Evidence to Support Regulatory Decision Making: Process for a Randomized Trial Replication Project. *Clin Pharmacol Ther.* 2020 Apr;107(4):817–26. doi:10.1002/cpt.1633 PubMed PMID: 31541454.
8. Hill ME, Rosenwaike I. The Social Security Administration's Death Master File: the completeness of death reporting at older ages. *Soc Secur Bull.* 2001 2002;64(1):45–51. PubMed PMID: 12428517.
9. Death Information in the Research Identifiable Medicare Data | ResDAC [Internet]. [cited 2025 Jul 9]. Available from: <https://resdac.org/articles/death-information-research-identifiable-medicare-data>
10. Olubowale OT, Safford MM, Brown TM, Durant RW, Howard VJ, Gamboa C, et al. Comparison of Expert Adjudicated Coronary Heart Disease and Cardiovascular Disease Mortality With the National Death Index: Results From the REasons for Geographic And Racial Differences in Stroke (REGARDS) Study. *J Am Heart Assoc.* 2017 May 3;6(5):e004966. doi:10.1161/JAHA.116.004966 PubMed PMID: 28468785; PubMed Central PMCID: PMC5524068.
11. Request and Use CMS Data | ResDAC [Internet]. [cited 2025 Jul 9]. Available from: <https://resdac.org/>

10. Appendices

See accompanying excel files.

1 Target Trial Framework, Operational Definitions, and Data Fitness Assessment

2 Code algorithms

- 2a Exposure
- 2b Inclusion
- 2c Exclusion
- 2d Outcome
- 2e Negative control outcome
- 2f Algorithm sources

3 Flowchart for cohort assembly

4 1st feasibility assessment

5 2nd feasibility assessment

6 Balance Assessment - PS Distribution and C-Statistic

7 Balance Assessment - Table 1

Appendices

- 1 Target Trial Framework, Operational Definitions and Data Fitness Assessment
- 2 Code algorithms
 - 2a Exposure
 - 2b Inclusion
 - 2c Exclusion
 - 2d Outcome
- 3 Flowchart for cohort assembly
- 4 1st feasibility assessment
- 5 2nd feasibility assessment
- 6 Balance Assessment - PS Distribution and C-Statistic
- 7 Balance Assessment - Table 1

	EINSTEIN-DVT	OPTUM	MARKETSCAN	MEDICARE	Notes	Color coding	Score
Treatment assignment (time 0, index date)	Multinational, double-blind randomization to treatment Rivaroxaban vs Enoxaparin followed by Warfarin after elective total hip arthroplasty	Non-randomized initiation of treatment A vs B (first eligible entry to study population) Code type: RX Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Both exposure and comparator and any strength Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A Code type: RX Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Both exposure and comparator and any strength Source of algorithm: N/A Measurement characteristics: N/A	Non-randomized initiation of treatment A vs B (first eligible entry to study population) Code type: RX Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Both exposure and comparator and any strength Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A Code type: RX Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Both exposure and comparator and any strength Source of algorithm: N/A Measurement characteristics: N/A	Non-randomized initiation of treatment A vs B (first eligible entry to study population) Code type: RX Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Both exposure and comparator and any strength Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A Code type: RX Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Both exposure and comparator and any strength Source of algorithm: N/A Measurement characteristics: N/A	Algorithm detail: Warfarin initiation was used to operationalize the comparator because enoxaparin is a short-term bridging therapy that is incompletely captured in prescription claims data.		3
Exposure	Rivaroxaban (15mg twice daily for 3 weeks followed by 20 mg once daily)						
Comparator	Subcutaneous enoxaparin followed by warfarin (or acenocoumarol) for 3, 6, or 12 months as a vitamin K antagonist						
Primary Outcome	Recurrent venous thromboembolism defined as the composite of DVT (Deep vein thrombosis) or nonfatal or fatal pulmonary embolism (PE)						
Follow up start	Randomization date						
Follow up end	1 year after randomization				Algorithm detail: Patients are included in case of presence of a DVT code (Ia) with simultaneous absence of PE code (Ib). Defined using procedure codes PLUS (include only with patient enrolled (with allowable gaps) between index procedure and CED AND exclude if index hospitalization is more than 10 days).		2
Causal estimand	Per-protocol population						
Effect estimation	Cox proportional hazards regression model						
Inclusion criteria							
Exclusion Criteria	1 Confirmed acute symptomatic proximal DVT (Ia) without symptomatic PE (Ib)	Applied before/after selection of index date: Before Assessment window: [-14, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Inpatient, ED Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-14, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Inpatient, ED Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-14, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Inpatient, ED Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A			
	1 Legal lower age limitations	Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: N/A Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: N/A Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: N/A Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A			
	2 Thrombectomy, insertion of a caval filter, or use of a fibrinolytic agent to treat the current episode of DVT or PE	Applied before/after selection of index date: Before Assessment window: [-14, 0] Code type: ICD-10-CM, ICD-9-PCS, ICD-10-PCS, HCPCS, CPT Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-14, 0] Code type: ICD-10-CM, ICD-9-PCS, ICD-10-PCS, HCPCS, CPT Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-14, 0] Code type: ICD-10-CM, ICD-9-PCS, ICD-10-PCS, HCPCS, CPT Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A			
	3 Other indications for VKA than DVT and/or PE	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM, CPT Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: NDC, Generic, ICD-9-CM, ICD-10-CM, CPT Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: NDC, Generic, ICD-9-CM, ICD-10-CM, CPT Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A			
	4 More than 48 hours pre-randomization treatment with therapeutic dosages of anti-coagulant treatment or more than a single dose of VKA prior to randomization	Applied before/after selection of index date: N/A Assessment window: N/A Code type: N/A Care setting: N/A Diagnosis type: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: N/A Assessment window: N/A Code type: N/A Care setting: N/A Diagnosis type: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: N/A Assessment window: N/A Code type: N/A Care setting: N/A Diagnosis type: N/A Source of algorithm: N/A Measurement characteristics: N/A			
	5 Participation in another pharmacotherapeutic study within 30 days	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT/HCPCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT/HCPCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT/HCPCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A			
	6 Creatinine clearance <30 ml/min	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A			
	7 Significant liver disease (e.g. acute hepatitis, chronic active hepatitis, cirrhosis) or ALAT>3x ULN	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A			

8	Bacterial endocarditis	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, -1] Code type: CCI > 10 Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT/HCPCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: ICD-9-CM, ICD-10-CM, ICD-10-PCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, -1] Code type: CCI > 10 Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT/HCPCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: ICD-9-CM, ICD-10-CM, ICD-10-PCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, -1] Code type: CCI > 10 Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-9-PCS, ICD-10-CM, ICD-10-PCS, CPT/HCPCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: ICD-9-CM, ICD-10-CM Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: ICD-9-CM, ICD-10-CM, ICD-10-PCS Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>
9	Life expectancy <3 months			
10	Active bleeding or high risk for bleeding contraindicating treatment with enoxaparin, warfarin, or VKA			
11	Systolic blood pressure >180 mgHg or diastolic blood pressure >110mgHg			
12	Childbearing potential without proper contraceptive measures, pregnancy or breastfeeding			
13	Any other contraindication listed in the local labeling of enoxaparin, warfarin, or acenocoumarol			
14	Concomitant use of strong CYP3A4 inhibitors (e.g. HIV protease inhibitors, systemic ketoconazole) or strong CYP3A4 inducers like rifampicin	<p>Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: NDC, Generic Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: NDC, Generic Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: NDC, Generic Care setting: Any Diagnosis type: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>

Variable_Name	Code	Code_category	Code_type	Notes
Exposure				
Rivaroxaban	RIVAROXABAN	RX	Generic	NDC Route of Administration: ORAL
Rivaroxaban	5965184918	RX	NDC	
Rivaroxaban	5965184960	RX	NDC	
Rivaroxaban	6818070906	RX	NDC	
Rivaroxaban	6818070909	RX	NDC	
Rivaroxaban	5045857501	RX	NDC	
Rivaroxaban	5045857701	RX	NDC	
Rivaroxaban	5045857710	RX	NDC	
Rivaroxaban	5045857714	RX	NDC	
Rivaroxaban	7161069042	RX	NDC	
Rivaroxaban	50458580	RX	NDC	
Rivaroxaban	5009044680	RX	NDC	
Rivaroxaban	50458579	RX	NDC	
Rivaroxaban	5009036390	RX	NDC	
Rivaroxaban	5009044690	RX	NDC	
Rivaroxaban	5009036250	RX	NDC	
Rivaroxaban	5009036251	RX	NDC	
Rivaroxaban	5515414220	RX	NDC	
Rivaroxaban	5515414238	RX	NDC	
Rivaroxaban	5515414248	RX	NDC	
Rivaroxaban	XARELTO	RX	Generic	NDC Route of Administration: ORAL
Comparator				
Warfarin				

Category	Variable_Name	Code	de_cat	Description	Code_type	Notes
1a	Deep vein thrombosis	451.1	DX	Phlebitis and thrombophlebitis of deep veins of lower extremities	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.11	DX	Phlebitis and thrombophlebitis of femoral vein (deep) (superficial)	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.19	DX	Phlebitis and thrombophlebitis of deep veins of lower extremities, other	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.2	DX	Phlebitis and thrombophlebitis of lower extremities, unspecified	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.81	DX	Phlebitis and thrombophlebitis of iliac vein	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.83	DX	Phlebitis and thrombophlebitis of deep veins of upper extremities	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.84	DX	Phlebitis and thrombophlebitis of upper extremities, unspecified	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.89	DX	Phlebitis and thrombophlebitis of other sites	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	451.9	DX	Phlebitis and thrombophlebitis of unspecified site	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	452	DX	Portal vein thrombosis	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.2	DX	Other venous embolism and thrombosis of inferior vena cava	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.3	DX	Other venous embolism and thrombosis of renal vein	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.4	DX	Acute venous embolism and thrombosis of deep vessels of lower extremity	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.40	DX	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.41	DX	Acute venous embolism and thrombosis of deep vessels of proximal lower extremity	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.42	DX	Acute venous embolism and thrombosis of deep vessels of distal lower extremity	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.8	DX	Acute venous embolism and thrombosis of other specified veins	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.82	DX	Acute venous embolism and thrombosis of deep veins of upper extremity	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT
1a	Deep vein thrombosis	453.83	DX	Acute venous embolism and thrombosis of upper extremity, unspecified	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code. DVT

1a	Deep vein thrombosis	453.84	DX	Acute venous embolism and thrombosis of axillary veins	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	453.85	DX	Acute venous embolism and thrombosis of subclavian veins	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	453.86	DX	Acute venous embolism and thrombosis of internal jugular veins	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	453.87	DX	Acute venous embolism and thrombosis of other thoracic veins	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	453.89	DX	Acute venous embolism and thrombosis of other specified veins	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	453.9	DX	Other venous embolism and thrombosis of unspecified site	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.1	DX	Phlebitis and thrombophlebitis of femoral vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.10	DX	Phlebitis and thrombophlebitis of unspecified femoral vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.11	DX	Phlebitis and thrombophlebitis of right femoral vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.12	DX	Phlebitis and thrombophlebitis of left femoral vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.13	DX	Phlebitis and thrombophlebitis of femoral vein, bilateral	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.2	DX	Phlebitis and thrombophlebitis of other and unspecified deep vessels of lower extremities	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.20	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.201	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.202	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.203	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.209	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.21	DX	Phlebitis and thrombophlebitis of iliac vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.211	DX	Phlebitis and thrombophlebitis of right iliac vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT

[illegible]

1a	Deep vein thrombosis	I80.251	DX	Phlebitis and thrombophlebitis of right calf muscular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.252	DX	Phlebitis and thrombophlebitis of left calf muscular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.253	DX	Phlebitis and thrombophlebitis of calf muscular vein, bilateral	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.259	DX	Phlebitis and thrombophlebitis of unspecified calf muscular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.29	DX	Phlebitis and thrombophlebitis of other deep vessels of lower extremities	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.291	DX	Phlebitis and thrombophlebitis of other deep vessels of right lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.292	DX	Phlebitis and thrombophlebitis of other deep vessels of left lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.293	DX	Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.299	DX	Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.3	DX	Phlebitis and thrombophlebitis of lower extremities, unspecified	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.8	DX	Phlebitis and thrombophlebitis of other sites	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I80.9	DX	Phlebitis and thrombophlebitis of unspecified site	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I81	DX	Portal vein thrombosis	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.210	DX	Acute embolism and thrombosis of superior vena cava	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.220	DX	Acute embolism and thrombosis of inferior vena cava	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.290	DX	Acute embolism and thrombosis of other thoracic veins	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.3	DX	Embolism and thrombosis of renal vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.4	DX	Acute embolism and thrombosis of deep veins of lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.40	DX	Acute embolism and thrombosis of unspecified deep veins of lower extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT

[illegible]

[illegible]

[illegible]

1a	Deep vein thrombosis	I82.622	DX	Acute embolism and thrombosis of deep veins of left upper extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.623	DX	Acute embolism and thrombosis of deep veins of bilateral upper extremities	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.629	DX	Acute embolism and thrombosis of deep veins of unspecified upper extremity	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.A1	DX	Acute embolism and thrombosis of axillary vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.A11	DX	Acute embolism and thrombosis of right axillary vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.A12	DX	Acute embolism and thrombosis of left axillary vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.A13	DX	Acute embolism and thrombosis of bilateral axillary veins	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.A19	DX	Acute embolism and thrombosis of unspecified axillary vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.B1	DX	Acute embolism and thrombosis of subclavian vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.B11	DX	Acute embolism and thrombosis of right subclavian vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.B12	DX	Acute embolism and thrombosis of left subclavian vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.B13	DX	Acute embolism and thrombosis of bilateral subclavian veins	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.B19	DX	Acute embolism and thrombosis of unspecified subclavian vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.C1	DX	Acute embolism and thrombosis of internal jugular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.C11	DX	Acute embolism and thrombosis of right internal jugular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.C12	DX	Acute embolism and thrombosis of left internal jugular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.C13	DX	Acute embolism and thrombosis of bilateral internal jugular veins	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.C19	DX	Acute embolism and thrombosis of unspecified internal jugular vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.89	DX	Embolism and thrombosis of other specified veins	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT

1a	Deep vein thrombosis	I82.890	DX	Acute embolism and thrombosis of other specified veins	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1a	Deep vein thrombosis	I82.90	DX	Acute embolism and thrombosis of unspecified vein	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	DVT
1b	Pulmonary embolism	415	DX	Acute pulmonary heart disease	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	415.0	DX	Acute cor pulmonale	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	415.1	DX	Pulmonary embolism and infarction	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	415.11	DX	Iatrogenic pulmonary embolism and infarction	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	415.12	DX	Septic pulmonary embolism	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	415.13	DX	Saddle embolus of pulmonary artery	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	415.19	DX	Other pulmonary embolism and infarction	ICD-9-CM Diagnosis	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26	DX	Pulmonary embolism	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.0	DX	Pulmonary embolism with acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.01	DX	Septic pulmonary embolism with acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.02	DX	Saddle embolus of pulmonary artery with acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.03	DX	Cement embolism of pulmonary artery with acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.04	DX	Fat embolism of pulmonary artery with acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.09	DX	Other pulmonary embolism with acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.9	DX	Pulmonary embolism without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.90	DX	Septic pulmonary embolism without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.92	DX	Saddle embolus of pulmonary artery without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE

1b	Pulmonary embolism	I26.93	DX	Single subsegmental thrombotic pulmonary embolism without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.94	DX	Multiple subsegmental thrombotic pulmonary emboli without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.95	DX	Cement embolism of pulmonary artery without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.96	DX	Fat embolism of pulmonary artery without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE
1b	Pulmonary embolism	I26.99	DX	Other pulmonary embolism without acute cor pulmonale	ICD-10-CM	Algorithm detail: Patients are included in case of presence of a DVT code with simultaneous absence of PED code.	PE

[illegible]

[illegible]

3	Other indication for use of VKA	33405	PX	Replacement, aortic valve, open, with cardiopulmonary bypass;	CPT	Heart valve replacement
3	Other indication for use of VKA	33430	PX	Replacement, mitral valve, with cardiopulmonary bypass	CPT	Heart valve replacement
3	Other indication for use of VKA	33465	PX	Replacement, tricuspid valve, with cardiopulmonary bypass	CPT	Heart valve replacement
3	Other indication for use of VKA	410	DX	Acute myocardial infarction of anterolateral wall, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.01	DX	Acute myocardial infarction of anterolateral wall, initial episode	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.02	DX	Acute myocardial infarction of anterolateral wall, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.1	DX	Acute myocardial infarction of other anterior wall, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.11	DX	Acute myocardial infarction of other anterior wall, initial	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.12	DX	Acute myocardial infarction of other anterior wall, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.2	DX	Acute myocardial infarction of inferolateral wall, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.21	DX	Acute myocardial infarction of inferolateral wall, initial episode	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.22	DX	Acute myocardial infarction of inferolateral wall, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.3	DX	Acute myocardial infarction of inferoposterior wall, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.31	DX	Acute myocardial infarction of inferoposterior wall, initial	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.32	DX	Acute myocardial infarction of inferoposterior wall, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.4	DX	Acute myocardial infarction of other inferior wall, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.41	DX	Acute myocardial infarction of other inferior wall, initial episode	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.42	DX	Acute myocardial infarction of other inferior wall, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.5	DX	Acute myocardial infarction of other lateral wall, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.51	DX	Acute myocardial infarction of other lateral wall, initial episode	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.52	DX	Acute myocardial infarction of other lateral wall, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.6	DX	True posterior wall infarction, episode of care unspecified	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.61	DX	True posterior wall infarction, initial episode of care	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.62	DX	True posterior wall infarction, subsequent episode of care	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.7	DX	Subendocardial infarction, episode of care unspecified	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.71	DX	Subendocardial infarction, initial episode of care	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.72	DX	Subendocardial infarction, subsequent episode of care	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.8	DX	Acute myocardial infarction of other specified sites, episode of	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.81	DX	Acute myocardial infarction of other specified sites, initial	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.82	DX	Acute myocardial infarction of other specified sites, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.9	DX	Acute myocardial infarction of unspecified site, episode of care	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.91	DX	Acute myocardial infarction of unspecified site, initial episode	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	410.92	DX	Acute myocardial infarction of unspecified site, subsequent	ICD-9-CM Diagnosis	Myocardial infarction
3	Other indication for use of VKA	411.89	DX	Other acute and subacute forms of ischemic heart disease,	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121	DX	Acute myocardial infarction	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.0	DX	ST elevation (STEMI) myocardial infarction of anterior wall	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.01	DX	STEMI involving left main coronary artery	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.02	DX	STEMI involving left anterior descending coronary artery	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.09	DX	STEMI involving other coronary artery of anterior wall	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.1	DX	STEMI of inferior wall	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.11	DX	STEMI involving right coronary artery	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.19	DX	STEMI involving other coronary artery of inferior wall	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.2	DX	STEMI of other sites	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.21	DX	STEMI involving left circumflex coronary artery	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.29	DX	STEMI involving other sites	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.3	DX	STEMI of unspecified site	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.4	DX	Non-ST elevation (NSTEMI) myocardial infarction	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.9	DX	Acute myocardial infarction, unspecified	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.A	DX	Other type of myocardial infarction	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.A1	DX	Myocardial infarction type 2	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.A9	DX	Other myocardial infarction type	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4121.B	DX	Myocardial infarction with coronary microvascular dysfunction	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4122	DX	Subsequent ST elevation (STEMI) and non-ST elevation	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4122.0	DX	Subsequent STEMI of anterior wall	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4122.1	DX	Subsequent STEMI of inferior wall	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4122.2	DX	Subsequent NSTEMI	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4122.8	DX	Subsequent STEMI of other sites	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4122.9	DX	Subsequent STEMI of unspecified site	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123	DX	Certain current complications following ST elevation (STEMI)	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.0	DX	Hemopericardium as current complication following acute	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.1	DX	Atrial septal defect as current complication following acute	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.2	DX	Ventricular septal defect as current complication following	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.3	DX	Rupture of cardiac wall without hemopericardium as current	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.4	DX	Rupture of chordae tendineae as current complication	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.5	DX	Rupture of papillary muscle as current complication following	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.6	DX	Thrombosis of atrium, auricular appendage, and ventricle as	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.7	DX	Postinfarction angina	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4123.8	DX	Other current complications following acute myocardial	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	41241	DX	Dressler's syndrome	ICD-10-CM	Myocardial infarction
3	Other indication for use of VKA	4125.2	DX	Old myocardial infarction	ICD-10-CM	Myocardial infarction
6	Creatinin clearance < 30 ml/min	585.4	DX	CHRONIC KIDNEY DISEASE, STAGE IV (SEVERE)	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	585.5	DX	CHRONIC KIDNEY DISEASE, STAGE V	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	585.6	DX	END STAGE RENAL DISEASE	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	403.01	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, MALIGNANT,	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	403.11	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, BENIGN, WITH	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	403.91	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, UNSPECIFIED,	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	404.03	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE,	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	404.13	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE,	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	404.93	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE,	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V45.1	DX	POSTSURGICAL RENAL DIALYSIS STATUS	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V45.11	DX	RENAL DIALYSIS STATUS	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V45.12	DX	NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V56	DX	ENCOUNTER FOR DIALYSIS AND DIALYSIS CATHETER CARE	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V56.0	DX	ENCOUNTER FOR EXTRACORPOREAL DIALYSIS	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V56.1	DX	FITTING AND ADJUSTMENT OF EXTRACORPOREAL	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V56.2	DX	FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V56.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-9-CM	
6	Creatinin clearance < 30 ml/min	V56.32	DX	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL	ICD-9-CM	

6 Creatinin clearance < 30 ml/min	V56.8	DX	ENCOUNTER FOR OTHER DIALYSIS	ICD-9-CM
6 Creatinin clearance < 30 ml/min	792.5	DX	CLOUDY (HEMODIALYSIS) (PERITONEAL) DIALYSIS	ICD-9-CM
6 Creatinin clearance < 30 ml/min	996.56	DX	MECHANICAL COMPLICATION DUE TO PERITONEAL	ICD-9-CM
6 Creatinin clearance < 30 ml/min	996.68	DX	INFECTION AND INFLAMMATORY REACTION DUE TO	ICD-9-CM
6 Creatinin clearance < 30 ml/min	996.73	DX	OTHER COMPLICATIONS DUE TO RENAL DIALYSIS DEVICE,	ICD-9-CM
6 Creatinin clearance < 30 ml/min	E87.91	DX	KIDNEY DIALYSIS AS THE CAUSE OF ABNORMAL REACTION	ICD-9-CM
6 Creatinin clearance < 30 ml/min	39.95	PX	HEMODIALYSIS	ICD-9-CM
6 Creatinin clearance < 30 ml/min	54.98	PX	PERITONEAL DIALYSIS	ICD-9-CM
6 Creatinin clearance < 30 ml/min	V42.0	DX	KIDNEY REPLACED BY TRANSPLANT	ICD-9-CM
6 Creatinin clearance < 30 ml/min	996.81	DX	COMPLICATIONS OF TRANSPLANTED KIDNEY	ICD-9-CM
6 Creatinin clearance < 30 ml/min	55.53	PX	REMOVAL OF TRANSPLANTED OR REJECTED KIDNEY	ICD-9-CM
6 Creatinin clearance < 30 ml/min	55.6	PX	TRANSPLANT OF KIDNEY	ICD-9-CM
6 Creatinin clearance < 30 ml/min	55.61	PX	RENAL AUTOTRANSPLANTATION	ICD-9-CM
6 Creatinin clearance < 30 ml/min	55.69	PX	OTHER KIDNEY TRANSPLANTATION	ICD-9-CM
6 Creatinin clearance < 30 ml/min	N18.4	DX	CHRONIC KIDNEY DISEASE, STAGE 4 (SEVERE)	ICD-10-CM
6 Creatinin clearance < 30 ml/min	N18.5	DX	CHRONIC KIDNEY DISEASE, STAGE 5	ICD-10-CM
6 Creatinin clearance < 30 ml/min	N18.6	DX	END STAGE RENAL DISEASE	ICD-10-CM
6 Creatinin clearance < 30 ml/min	I12.0	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 5	ICD-10-CM
6 Creatinin clearance < 30 ml/min	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49	DX	ENCOUNTER FOR CARE INVOLVING RENAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49.0	DX	PREPARATORY CARE FOR RENAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49.3	DX	ENCOUNTER FOR ADEQUACY TESTING FOR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49.32	DX	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49.01	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z49.02	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z91.15	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z99.2	DX	DEPENDENCE ON RENAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	R88.0	DX	CLOUDY (HEMODIALYSIS) (PERITONEAL) DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.41	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.41XA	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.41XD	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.41XS	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.42	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.42XA	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.42XD	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.42XS	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.43	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.43XA	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, INITIAL	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.43XD	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.43XS	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.49	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.49XA	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.49XD	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T82.49XS	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.611	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.611A	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.611D	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.611S	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.621	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.621A	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.621D	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.621S	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.631	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.631A	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.631D	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.631S	DX	LEAKAGE OF INTRAPER	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.691	DX	OTHER MECHANICAL COMPLICATION OF	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.691A	DX	OTHER MECHANICAL COMPLICATION OF	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.691D	DX	OTHER MECHANICAL COMPLICATION OF	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.691S	DX	OTHER MECHANICAL COMPLICATION OF	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.71	DX	INFECTION AND INFLAMMATORY REACTION DUE TO	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.71XA	DX	INFECTION AND INFLAMMATORY REACTION DUE TO	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.71XD	DX	INFECTION AND INFLAMMATORY REACTION DUE TO	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T85.71XS	DX	INFECTION AND INFLAMMATORY REACTION DUE TO	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Y84.1	DX	KIDNEY DIALYSIS AS THE CAUSE OF ABNORMAL REACTION	ICD-10-CM
6 Creatinin clearance < 30 ml/min	5A1D00Z	PX	PERFORMANCE OF URINARY FILTRATION, INTERMITTENT,	ICD-10-CM
6 Creatinin clearance < 30 ml/min	5A1D80Z	PX	PERFORMANCE OF URINARY FILTRATION, PROLONGED	ICD-10-CM
6 Creatinin clearance < 30 ml/min	5A1D90Z	PX	PERFORMANCE OF URINARY FILTRATION, CONTINUOUS,	ICD-10-CM
6 Creatinin clearance < 30 ml/min	5A1D00Z	PX	PERFORMANCE OF URINARY FILTRATION, SINGLE	ICD-10-CM
6 Creatinin clearance < 30 ml/min	5A1D60Z	PX	PERFORMANCE OF URINARY FILTRATION, MULTIPLE	ICD-10-CM
6 Creatinin clearance < 30 ml/min	3E1M39Z	PX	IRRIGATION OF PERITONEAL CAVITY USING DIALYSATE,	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z94.0	DX	KIDNEY TRANSPLANT STATUS	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T86.1	DX	COMPLICATIONS OF KIDNEY TRANSPLANT	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T86.10	DX	UNSPECIFIED COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T86.11	DX	KIDNEY TRANSPLANT REJECTION	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T86.12	DX	KIDNEY TRANSPLANT FAILURE	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T86.13	DX	KIDNEY TRANSPLANT INFECTION	ICD-10-CM
6 Creatinin clearance < 30 ml/min	T86.19	DX	OTHER COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
6 Creatinin clearance < 30 ml/min	Z48.22	DX	ENCOUNTER FOR AFTERCARE FOLLOWING KIDNEY	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTY00Z0	PX	TRANSPLANTATION OF RIGHT KIDNEY, ALLOGENEIC, OPEN	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTY00Z1	PX	TRANSPLANTATION OF RIGHT KIDNEY, SYNGENEIC, OPEN	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTY00Z2	PX	TRANSPLANTATION OF RIGHT KIDNEY, ZOOPLASTIC, OPEN	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTY10Z0	PX	TRANSPLANTATION OF LEFT KIDNEY, ALLOGENEIC, OPEN	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTY10Z1	PX	TRANSPLANTATION OF LEFT KIDNEY, SYNGENEIC, OPEN	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTY10Z2	PX	TRANSPLANTATION OF LEFT KIDNEY, ZOOPLASTIC, OPEN	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTS00ZZ	PX	REPOSITION RIGHT KIDNEY, OPEN APPROACH	ICD-10-CM
6 Creatinin clearance < 30 ml/min	OTS10ZZ	PX	REPOSITION LEFT KIDNEY, OPEN APPROACH	ICD-10-CM
6 Creatinin clearance < 30 ml/min	50360	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF	CPT/HCPCS

6 Creatinin clearance < 30 ml/min	50365	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	50370	PX	REMOVAL OF TRANSPLANTED RENAL ALLOGRAFT	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	50380	PX	RENAL AUTOTRANSPLANTATION, REIMPLANTATION OF	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	60257	PX	UNSCHEDULED OR EMERGENCY DIALYSIS TREATMENT FOR	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	60319	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	60326	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	93935	PX	HOME THERAPY HEMODIALYSIS, ADMINISTRATIVE	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90920	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90921	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90924	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90925	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90935	PX	HEMODIALYSIS PROCEDURE WITH SINGLE EVALUATION BY	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90937	PX	HEMODIALYSIS PROCEDURE REQUIRING REPEATED	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90939	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90940	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90945	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG,	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90947	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG,	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90957	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90958	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90959	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90960	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90961	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90962	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90965	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90966	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90969	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90970	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90989	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90993	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90999	PX	UNLISTED DIALYSIS PROCEDURE, INPATIENT OR	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	99512	PX	HOME VISIT FOR HEMODIALYSIS	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	99559	PX	HOME INFUSION OF PERITONEAL DIALYSIS, PER DIEM /	CPT/HCPCS
6 Creatinin clearance < 30 ml/min	90925	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES	CPT/HCPCS
7 Substantial liver disease	070.0	DX	VIRAL HEPATITIS A WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.2	DX	Viral hepatitis b with hepatic coma	ICD-9-CM
7 Substantial liver disease	070.20	DX	VIRAL HEPATITIS B WITH HEPATIC COMA, ACUTE OR	ICD-9-CM
7 Substantial liver disease	070.21	DX	VIRAL HEPATITIS B WITH HEPATIC COMA, ACUTE OR	ICD-9-CM
7 Substantial liver disease	070.22	DX	CHRONIC VIRAL HEPATITIS B WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.23	DX	CHRONIC VIRAL HEPATITIS B WITH HEPATIC COMA WITH	ICD-9-CM
7 Substantial liver disease	070.4	DX	OTHER SPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.41	DX	ACUTE HEPATITIS C WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.42	DX	HEPATITIS DELTA WITHOUT MENTION OF ACTIVE	ICD-9-CM
7 Substantial liver disease	070.43	DX	HEPATITIS E WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.44	DX	CHRONIC HEPATITIS C WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.49	DX	OTHER SPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-9-CM
7 Substantial liver disease	070.6	DX		ICD-9-CM
7 Substantial liver disease	070.71	DX		ICD-9-CM
7 Substantial liver disease	572.2	DX	HEPATIC ENCEPHALOPATHY	ICD-9-CM
7 Substantial liver disease	571.2	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-9-CM
7 Substantial liver disease	571.41	DX	CHRONIC PERSISTENT HEPATITIS	ICD-9-CM
7 Substantial liver disease	571.42	DX	AUTOIMMUNE HEPATITIS	ICD-9-CM
7 Substantial liver disease	571.49	DX	OTHER CHRONIC HEPATITIS	ICD-9-CM
7 Substantial liver disease	571.5	DX	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL	ICD-9-CM
7 Substantial liver disease	571.6	DX	BILIARY CIRRHOSIS	ICD-9-CM
7 Substantial liver disease	571.9	DX	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION	ICD-9-CM
7 Substantial liver disease	155.0	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY	ICD-9-CM
7 Substantial liver disease	155.1	DX	MALIGNANT NEOPLASM OF INTRAHEPATIC BILE DUCTS	ICD-9-CM
7 Substantial liver disease	155.2	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS	ICD-9-CM
7 Substantial liver disease	572.4	DX	HEPATORENAL SYNDROME	ICD-9-CM
7 Substantial liver disease	V42.7	DX	LIVER REPLACED BY TRANSPLANT	ICD-9-CM
7 Substantial liver disease	996.82	DX	COMPLICATIONS OF TRANSPLANTED LIVER	ICD-9-CM
7 Substantial liver disease	50.5	PX	LIVER TRANSPLANT	ICD-9-CM
7 Substantial liver disease	50.51	PX	AUXILIARY LIVER TRANSPLANT	ICD-9-CM
7 Substantial liver disease	50.59	PX	OTHER TRANSPLANT OF LIVER	ICD-9-CM
7 Substantial liver disease	275.1	DX	DISORDERS OF COPPER METABOLISM	ICD-9-CM
7 Substantial liver disease	453.0	DX	BUDD-CHIARI SYNDROME	ICD-9-CM
7 Substantial liver disease	571.8	DX	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE	ICD-9-CM
7 Substantial liver disease	789.51	DX	MALIGNANT ASCITES	ICD-9-CM
7 Substantial liver disease	572.8	DX	OTHER SEQUELAE OF CHRONIC LIVER DISEASE	ICD-9-CM
7 Substantial liver disease	573.1	DX	HEPATITIS IN VIRAL DISEASES CLASSIFIED ELSEWHERE	ICD-9-CM
7 Substantial liver disease	573.0	DX	CHRONIC PASSIVE CONGESTION OF LIVER	ICD-9-CM
7 Substantial liver disease	573.8	DX	OTHER SPECIFIED DISORDERS OF LIVER	ICD-9-CM
7 Substantial liver disease	B15	DX	ACUTE HEPATITIS A	ICD-10-CM
7 Substantial liver disease	B15.0	DX	HEPATITIS A WITH HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B15.9	DX	HEPATITIS A WITHOUT HEPATIC COMA (HEPATITIS A	ICD-10-CM
7 Substantial liver disease	B16	DX	ACUTE HEPATITIS B	ICD-10-CM
7 Substantial liver disease	B16.0	DX	ACUTE HEPATITIS B WITH DELTA-AGENT WITH HEPATIC	ICD-10-CM
7 Substantial liver disease	B16.1	DX	ACUTE HEPATITIS B WITH DELTA-AGENT WITHOUT	ICD-10-CM
7 Substantial liver disease	B16.2	DX	ACUTE HEPATITIS B WITHOUT DELTA-AGENT WITH	ICD-10-CM
7 Substantial liver disease	B17	DX	OTHER ACUTE VIRAL HEPATITIS	ICD-10-CM
7 Substantial liver disease	B17.0	DX	ACUTE DELTA-(SUPER) INFECTION OF HEPATITIS B	ICD-10-CM
7 Substantial liver disease	B17.1	DX	ACUTE HEPATITIS C	ICD-10-CM
7 Substantial liver disease	B17.10	DX	ACUTE HEPATITIS C WITHOUT HEPATIC COMA (ACUTE	ICD-10-CM
7 Substantial liver disease	B17.11	DX	ACUTE HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B17.2	DX	ACUTE HEPATITIS E	ICD-10-CM
7 Substantial liver disease	B17.8	DX	OTHER SPECIFIED ACUTE VIRAL HEPATITIS (HEPATITIS	ICD-10-CM
7 Substantial liver disease	B17.9	DX	ACUTE VIRAL HEPATITIS, UNSPECIFIED (ACUTE HEPATITIS	ICD-10-CM
7 Substantial liver disease	B18	DX	CHRONIC VIRAL HEPATITIS	ICD-10-CM

7 Substantial liver disease	B18.0	DX	CHRONIC VIRAL HEPATITIS B WITH DELTA-AGENT	ICD-10-CM
7 Substantial liver disease	B18.1	DX	CHRONIC VIRAL HEPATITIS B WITHOUT DELTA-AGENT	ICD-10-CM
7 Substantial liver disease	B18.2	DX	CHRONIC VIRAL HEPATITIS C (CARRIER OF VIRAL	ICD-10-CM
7 Substantial liver disease	B18.8	DX	OTHER CHRONIC VIRAL HEPATITIS (CARRIER OF OTHER	ICD-10-CM
7 Substantial liver disease	B18.9	DX	CHRONIC VIRAL HEPATITIS, UNSPECIFIED (CARRIER OF	ICD-10-CM
7 Substantial liver disease	B19	DX	UNSPECIFIED VIRAL HEPATITIS	ICD-10-CM
7 Substantial liver disease	B19.0	DX	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B19.1	DX	UNSPECIFIED VIRAL HEPATITIS B	ICD-10-CM
7 Substantial liver disease	B19.10	DX	UNSPECIFIED VIRAL HEPATITIS B WITHOUT HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B19.11	DX	UNSPECIFIED VIRAL HEPATITIS B WITH HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B19.2	DX	UNSPECIFIED VIRAL HEPATITIS C	ICD-10-CM
7 Substantial liver disease	B19.20	DX	UNSPECIFIED VIRAL HEPATITIS C WITHOUT HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B19.21	DX	UNSPECIFIED VIRAL HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	B19.9	DX	UNSPECIFIED VIRAL HEPATITIS WITHOUT HEPATIC COMA	ICD-10-CM
7 Substantial liver disease	K72	DX	HEPATIC FAILURE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
7 Substantial liver disease	K72.0	DX	ACUTE AND SUBACUTE HEPATIC FAILURE	ICD-10-CM
7 Substantial liver disease	K72.00	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
7 Substantial liver disease	K72.01	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITH COMA	ICD-10-CM
7 Substantial liver disease	K72.1	DX	CHRONIC HEPATIC FAILURE	ICD-10-CM
7 Substantial liver disease	K72.11	DX	CHRONIC HEPATIC FAILURE WITH COMA	ICD-10-CM
7 Substantial liver disease	K72.9	DX	HEPATIC FAILURE, UNSPECIFIED	ICD-10-CM
7 Substantial liver disease	K72.90	DX	HEPATIC FAILURE, UNSPECIFIED WITHOUT COMA	ICD-10-CM
7 Substantial liver disease	K72.91	DX	HEPATIC FAILURE, UNSPECIFIED WITH COMA	ICD-10-CM
7 Substantial liver disease	K76.82	DX	HEPATIC ENCEPHALOPATHY	ICD-10-CM
7 Substantial liver disease	K70.2	DX	ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER	ICD-10-CM
7 Substantial liver disease	K70.3	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-10-CM
7 Substantial liver disease	K70.30	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES	ICD-10-CM
7 Substantial liver disease	K70.31	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES	ICD-10-CM
7 Substantial liver disease	K70.4	DX	ALCOHOLIC HEPATIC FAILURE	ICD-10-CM
7 Substantial liver disease	K70.40	DX	ALCOHOLIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
7 Substantial liver disease	K70.41	DX	ALCOHOLIC HEPATIC FAILURE WITH COMA	ICD-10-CM
7 Substantial liver disease	K73	DX	CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
7 Substantial liver disease	K73.0	DX	CHRONIC PERSISTENT HEPATITIS, NOT ELSEWHERE	ICD-10-CM
7 Substantial liver disease	K73.1	DX	CHRONIC LOBULAR HEPATITIS, NOT ELSEWHERE	ICD-10-CM
7 Substantial liver disease	K73.2	DX	CHRONIC ACTIVE HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
7 Substantial liver disease	K73.8	DX	OTHER CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
7 Substantial liver disease	K73.9	DX	CHRONIC HEPATITIS, UNSPECIFIED	ICD-10-CM
7 Substantial liver disease	K74	DX	FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
7 Substantial liver disease	K74.00	DX	HEPATIC FIBROSIS, UNSPECIFIED	ICD-10-CM
7 Substantial liver disease	K74.01	DX	HEPATIC FIBROSIS, EARLY FIBROSIS	ICD-10-CM
7 Substantial liver disease	K74.02	DX	HEPATIC FIBROSIS, ADVANCED FIBROSIS	ICD-10-CM
7 Substantial liver disease	K74.1	DX	HEPATIC SCLEROSIS	ICD-10-CM
7 Substantial liver disease	K74.2	DX	HEPATIC FIBROSIS WITH HEPATIC SCLEROSIS	ICD-10-CM
7 Substantial liver disease	K74.3	DX	PRIMARY BILIARY CIRRHOSIS	ICD-10-CM
7 Substantial liver disease	K74.4	DX	SECONDARY BILIARY CIRRHOSIS	ICD-10-CM
7 Substantial liver disease	K74.5	DX	BILIARY CIRRHOSIS, UNSPECIFIED	ICD-10-CM
7 Substantial liver disease	K74.6	DX	OTHER AND UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
7 Substantial liver disease	K74.60	DX	UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
7 Substantial liver disease	K74.69	DX	OTHER CIRRHOSIS OF LIVER	ICD-10-CM
7 Substantial liver disease	K75.2	DX	NONSPECIFIC REACTIVE HEPATITIS	ICD-10-CM
7 Substantial liver disease	K75.3	DX	GRANULOMATOUS HEPATITIS, NOT ELSEWHERE	ICD-10-CM
7 Substantial liver disease	K75.4	DX	AUTOIMMUNE HEPATITIS	ICD-10-CM
7 Substantial liver disease	C22	DX	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE	ICD-10-CM
7 Substantial liver disease	C22.0	DX	LIVER CELL CARCINOMA (HEPATOCELLULAR CARCINOMA,	ICD-10-CM
7 Substantial liver disease	C22.1	DX	INTRAHEPATIC BILE DUCT CARCINOMA	ICD-10-CM
7 Substantial liver disease	C22.2	DX	HEPATOBLASTOMA	ICD-10-CM
7 Substantial liver disease	C22.3	DX	ANGIOSARCOMA OF LIVER (KUPFFER CELL SARCOMA)	ICD-10-CM
7 Substantial liver disease	C22.4	DX	OTHER SARCOMAS OF LIVER	ICD-10-CM
7 Substantial liver disease	C22.7	DX	OTHER SPECIFIED CARCINOMAS OF LIVER	ICD-10-CM
7 Substantial liver disease	C22.8	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED	ICD-10-CM
7 Substantial liver disease	C22.9	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS	ICD-10-CM
7 Substantial liver disease	K76.7	DX	HEPATORENAL SYNDROME	ICD-10-CM
7 Substantial liver disease	Z94.4	DX	LIVER TRANSPLANT STATUS	ICD-10-CM
7 Substantial liver disease	Z48.23	DX	ENCOUNTER FOR AFTERCARE FOLLOWING LIVER	ICD-10-CM
7 Substantial liver disease	T86.40	DX	UNSPECIFIED COMPLICATION OF LIVER TRANSPLANT	ICD-10-CM
7 Substantial liver disease	T86.41	DX	LIVER TRANSPLANT REJECTION	ICD-10-CM
7 Substantial liver disease	T86.42	DX	LIVER TRANSPLANT FAILURE	ICD-10-CM
7 Substantial liver disease	T86.43	DX	LIVER TRANSPLANT INFECTION	ICD-10-CM
7 Substantial liver disease	T86.49	DX	OTHER COMPLICATIONS OF LIVER TRANSPLANT	ICD-10-CM
7 Substantial liver disease	OFY00Z0	PX	TRANSPLANTATION OF LIVER, ALLOGENEIC, OPEN	ICD-10-CM
7 Substantial liver disease	OFY00Z1	PX	TRANSPLANTATION OF LIVER, SYNGENEIC, OPEN	ICD-10-CM
7 Substantial liver disease	OFY00Z2	PX	TRANSPLANTATION OF LIVER, ZOOPLASTIC, OPEN	ICD-10-CM
7 Substantial liver disease	47135	PX	LIVER ALLOTRANSPLANTATION, ORTHOTOPIC, PARTIAL	CPT/HCPCS
7 Substantial liver disease	E83.00	DX	DISORDER OF COPPER METABOLISM, UNSPECIFIED	ICD-10-CM
7 Substantial liver disease	E83.01	DX	WILSON'S DISEASE	ICD-10-CM
7 Substantial liver disease	E83.09	DX	OTHER DISORDERS OF COPPER METABOLISM	ICD-10-CM
7 Substantial liver disease	I82.0	DX	BUDD-CHIARI SYNDROME	ICD-10-CM
7 Substantial liver disease	K71	DX	TOXIC LIVER DISEASE INCLUDES DRUG-INDUCED	ICD-10-CM
7 Substantial liver disease	K71.0	DX	TOXIC LIVER DISEASE WITH CHOLESTASIS	ICD-10-CM
7 Substantial liver disease	K71.1	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS	ICD-10-CM
7 Substantial liver disease	K71.10	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITHOUT	ICD-10-CM
7 Substantial liver disease	K71.11	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITH	ICD-10-CM
7 Substantial liver disease	K71.2	DX	TOXIC LIVER DISEASE WITH ACUTE HEPATITIS	ICD-10-CM
7 Substantial liver disease	K71.3	DX	TOXIC LIVER DISEASE WITH CHRONIC PERSISTENT	ICD-10-CM
7 Substantial liver disease	K71.4	DX	TOXIC LIVER DISEASE WITH CHRONIC LOBULAR HEPATITIS	ICD-10-CM
7 Substantial liver disease	K71.5	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS	ICD-10-CM
7 Substantial liver disease	K71.50	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS	ICD-10-CM
7 Substantial liver disease	K71.51	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS	ICD-10-CM
7 Substantial liver disease	K71.6	DX	TOXIC LIVER DISEASE WITH HEPATITIS, NOT ELSEWHERE	ICD-10-CM

7	Substantial liver disease	K71.7	DX	TOXIC LIVER DISEASE WITH FIBROSIS AND CIRRHOSIS OF	ICD-10-CM
7	Substantial liver disease	K71.8	DX	TOXIC LIVER DISEASE WITH OTHER DISORDERS OF LIVER	ICD-10-CM
7	Substantial liver disease	K71.9	DX	TOXIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
7	Substantial liver disease	R18.0	DX	MALIGNANT ASCITES	ICD-10-CM
7	Substantial liver disease	K72.10	DX	CHRONIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
7	Substantial liver disease	K76.1	DX	CHRONIC PASSIVE CONGESTION OF LIVER	ICD-10-CM
7	Substantial liver disease	K76.2	DX	CENTRAL HEMORRHAGIC NECROSIS OF LIVER	ICD-10-CM
7	Substantial liver disease	K76.3	DX	INFARCTION OF LIVER	ICD-10-CM
7	Substantial liver disease	K76.4	DX	PELIOSIS HEPATIS	ICD-10-CM
7	Substantial liver disease	K76.5	DX	HEPATIC VENO-OCCLUSIVE DISEASE	ICD-10-CM
7	Substantial liver disease	K76.81	DX	HEPATOPULMONARY SYNDROME	ICD-10-CM
8	Bacterial endocarditis	A32.82	DX	Listerial endocarditis	ICD-10-CM
8	Bacterial endocarditis	A39.51	DX	Meningococcal endocarditis	ICD-10-CM
8	Bacterial endocarditis	A52.03	DX	Syphilitic endocarditis	ICD-10-CM
8	Bacterial endocarditis	I33.0	DX	Acute and subacute infective endocarditis	ICD-10-CM
8	Bacterial endocarditis	I33.9	DX	Acute and subacute endocarditis, unspecified	ICD-10-CM
8	Bacterial endocarditis	I38	DX	Endocarditis, valve unspecified	ICD-10-CM
8	Bacterial endocarditis	I39	DX	Endocarditis and heart valve disorders in diseases classified	ICD-10-CM
8	Bacterial endocarditis	M32.11	DX	Endocarditis in systemic lupus erythematosus	ICD-10-CM
8	Bacterial endocarditis	Q36.42	DX	Meningococcal endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q74.22	DX	Coxsackie endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q93.20	DX	Syphilitic endocarditis of valve, unspecified	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q93.21	DX	Syphilitic endocarditis of mitral valve	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q93.22	DX	Syphilitic endocarditis of aortic valve	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q93.23	DX	Syphilitic endocarditis of tricuspid valve	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q93.24	DX	Syphilitic endocarditis of pulmonary valve	ICD-9-CM Diagnosis
8	Bacterial endocarditis	Q98.84	DX	Gonococcal endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	I15.04	DX	Infection by Histoplasma capsulatum, endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	I15.14	DX	Infection by Histoplasma duboisii, endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	I15.94	DX	Histoplasmosis, unspecified, endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	421.0	DX	Acute and subacute bacterial endocarditis	ICD-9-CM Diagnosis
8	Bacterial endocarditis	421.1	DX	Acute and subacute infective endocarditis in diseases	ICD-9-CM Diagnosis
8	Bacterial endocarditis	421.9	DX	Acute endocarditis, unspecified	ICD-9-CM Diagnosis
8	Bacterial endocarditis	424.90	DX	Endocarditis, valve unspecified, unspecified cause	ICD-9-CM Diagnosis
8	Bacterial endocarditis	424.91	DX	Endocarditis in diseases classified elsewhere	ICD-9-CM Diagnosis
8	Bacterial endocarditis	424.99	DX	Other endocarditis, valve unspecified	ICD-9-CM Diagnosis
9	Life expectancy <3 months			CCI >=10	
10.1	Had active bleeding	D78.21	DX	Postprocedural hemorrhage of the spleen following a	ICD-10-CM
10.1	Had active bleeding	D78.22	DX	Postprocedural hemorrhage of the spleen following other	ICD-10-CM
10.1	Had active bleeding	E36.01	DX	Intraoperative hemorrhage and hematoma of an endocrine	ICD-10-CM
10.1	Had active bleeding	E36.02	DX	Intraoperative hemorrhage and hematoma of an endocrine	ICD-10-CM
10.1	Had active bleeding	E89.810	DX	Postprocedural hemorrhage of an endocrine system organ or	ICD-10-CM
10.1	Had active bleeding	E89.811	DX	Postprocedural hemorrhage of an endocrine system organ or	ICD-10-CM
10.1	Had active bleeding	G04.30	DX	Acute necrotizing hemorrhagic encephalopathy, unspecified	ICD-10-CM
10.1	Had active bleeding	G04.31	DX	Postinfectious acute necrotizing hemorrhagic encephalopathy	ICD-10-CM
10.1	Had active bleeding	G04.32	DX	Postimmunization acute necrotizing hemorrhagic	ICD-10-CM
10.1	Had active bleeding	G04.39	DX	Other acute necrotizing hemorrhagic encephalopathy	ICD-10-CM
10.1	Had active bleeding	G36.1	DX	Acute and subacute hemorrhagic leukoencephalitis [Hurst]	ICD-10-CM
10.1	Had active bleeding	G97.31	DX	Intraoperative hemorrhage and hematoma of a nervous system	ICD-10-CM
10.1	Had active bleeding	G97.32	DX	Intraoperative hemorrhage and hematoma of a nervous system	ICD-10-CM
10.1	Had active bleeding	G97.51	DX	Postprocedural hemorrhage of a nervous system organ or	ICD-10-CM
10.1	Had active bleeding	G97.52	DX	Postprocedural hemorrhage of a nervous system organ or	ICD-10-CM
10.1	Had active bleeding	H05.231	DX	Hemorrhage of right orbit	ICD-10-CM
10.1	Had active bleeding	H05.232	DX	Hemorrhage of left orbit	ICD-10-CM
10.1	Had active bleeding	H05.233	DX	Hemorrhage of bilateral orbit	ICD-10-CM
10.1	Had active bleeding	H05.239	DX	Hemorrhage of unspecified orbit	ICD-10-CM
10.1	Had active bleeding	H31.301	DX	Unspecified choroidal hemorrhage, right eye	ICD-10-CM
10.1	Had active bleeding	H31.302	DX	Unspecified choroidal hemorrhage, left eye	ICD-10-CM
10.1	Had active bleeding	H31.303	DX	Unspecified choroidal hemorrhage, bilateral	ICD-10-CM
10.1	Had active bleeding	H31.309	DX	Unspecified choroidal hemorrhage, unspecified eye	ICD-10-CM
10.1	Had active bleeding	H31.311	DX	Expulsive choroidal hemorrhage, right eye	ICD-10-CM
10.1	Had active bleeding	H31.312	DX	Expulsive choroidal hemorrhage, left eye	ICD-10-CM
10.1	Had active bleeding	H31.313	DX	Expulsive choroidal hemorrhage, bilateral	ICD-10-CM
10.1	Had active bleeding	H31.319	DX	Expulsive choroidal hemorrhage, unspecified eye	ICD-10-CM
10.1	Had active bleeding	H35.60	DX	Retinal hemorrhage, unspecified eye	ICD-10-CM
10.1	Had active bleeding	H35.61	DX	Retinal hemorrhage, right eye	ICD-10-CM
10.1	Had active bleeding	H35.62	DX	Retinal hemorrhage, left eye	ICD-10-CM
10.1	Had active bleeding	H35.63	DX	Retinal hemorrhage, bilateral	ICD-10-CM
10.1	Had active bleeding	H35.731	DX	Hemorrhagic detachment of retinal pigment epithelium, right	ICD-10-CM
10.1	Had active bleeding	H35.732	DX	Hemorrhagic detachment of retinal pigment epithelium, left eye	ICD-10-CM
10.1	Had active bleeding	H35.733	DX	Hemorrhagic detachment of retinal pigment epithelium,	ICD-10-CM
10.1	Had active bleeding	H35.739	DX	Hemorrhagic detachment of retinal pigment epithelium,	ICD-10-CM
10.1	Had active bleeding	H43.10	DX	Vitreous hemorrhage, unspecified eye	ICD-10-CM
10.1	Had active bleeding	H43.11	DX	Vitreous hemorrhage, right eye	ICD-10-CM
10.1	Had active bleeding	H43.12	DX	Vitreous hemorrhage, left eye	ICD-10-CM
10.1	Had active bleeding	H43.13	DX	Vitreous hemorrhage, bilateral	ICD-10-CM
10.1	Had active bleeding	H47.021	DX	Hemorrhage in optic nerve sheath, right eye	ICD-10-CM
10.1	Had active bleeding	H47.022	DX	Hemorrhage in optic nerve sheath, left eye	ICD-10-CM
10.1	Had active bleeding	H47.023	DX	Hemorrhage in optic nerve sheath, bilateral	ICD-10-CM
10.1	Had active bleeding	H47.029	DX	Hemorrhage in optic nerve sheath, unspecified eye	ICD-10-CM
10.1	Had active bleeding	H59.111	DX	Intraoperative hemorrhage and hematoma of right eye and	ICD-10-CM
10.1	Had active bleeding	H59.112	DX	Intraoperative hemorrhage and hematoma of left eye and	ICD-10-CM
10.1	Had active bleeding	H59.113	DX	Intraoperative hemorrhage and hematoma of eye and adnexa	ICD-10-CM
10.1	Had active bleeding	H59.119	DX	Intraoperative hemorrhage and hematoma of unspecified eye	ICD-10-CM
10.1	Had active bleeding	H59.121	DX	Intraoperative hemorrhage and hematoma of right eye and	ICD-10-CM
10.1	Had active bleeding	H59.122	DX	Intraoperative hemorrhage and hematoma of left eye and	ICD-10-CM
10.1	Had active bleeding	H59.123	DX	Intraoperative hemorrhage and hematoma of eye and adnexa	ICD-10-CM

10.1	Had active bleeding	H59.129	DX	Intraoperative hemorrhage and hematoma of unspecified eye	ICD-10-CM
10.1	Had active bleeding	H59.311	DX	Postprocedural hemorrhage of right eye and adnexa following	ICD-10-CM
10.1	Had active bleeding	H59.312	DX	Postprocedural hemorrhage of left eye and adnexa following an	ICD-10-CM
10.1	Had active bleeding	H59.313	DX	Postprocedural hemorrhage of eye and adnexa following an	ICD-10-CM
10.1	Had active bleeding	H59.319	DX	Postprocedural hemorrhage of unspecified eye and adnexa	ICD-10-CM
10.1	Had active bleeding	H59.321	DX	Postprocedural hemorrhage of right eye and adnexa following	ICD-10-CM
10.1	Had active bleeding	H59.322	DX	Postprocedural hemorrhage of left eye and adnexa following	ICD-10-CM
10.1	Had active bleeding	H59.323	DX	Postprocedural hemorrhage of eye and adnexa following other	ICD-10-CM
10.1	Had active bleeding	H59.329	DX	Postprocedural hemorrhage of unspecified eye and adnexa	ICD-10-CM
10.1	Had active bleeding	H95.21	DX	Intraoperative hemorrhage and hematoma of ear and mastoid	ICD-10-CM
10.1	Had active bleeding	H95.22	DX	Intraoperative hemorrhage and hematoma of ear and mastoid	ICD-10-CM
10.1	Had active bleeding	H95.41	DX	Postprocedural hemorrhage of ear and mastoid process	ICD-10-CM
10.1	Had active bleeding	H95.42	DX	Postprocedural hemorrhage of ear and mastoid process	ICD-10-CM
10.1	Had active bleeding	I23.0	DX	Hemopericardium as current complication following acute	ICD-10-CM
10.1	Had active bleeding	I31.2	DX	Hemopericardium, not elsewhere classified	ICD-10-CM
10.1	Had active bleeding	I60	DX	Nontraumatic subarachnoid hemorrhage	ICD-10-CM
10.1	Had active bleeding	I60.0	DX	Nontraumatic subarachnoid hemorrhage from carotid siphon	ICD-10-CM
10.1	Had active bleeding	I60.00	DX	Nontraumatic subarachnoid hemorrhage from unspecified	ICD-10-CM
10.1	Had active bleeding	I60.01	DX	Nontraumatic subarachnoid hemorrhage from right carotid	ICD-10-CM
10.1	Had active bleeding	I60.02	DX	Nontraumatic subarachnoid hemorrhage from left carotid	ICD-10-CM
10.1	Had active bleeding	I60.1	DX	Nontraumatic subarachnoid hemorrhage from middle cerebral	ICD-10-CM
10.1	Had active bleeding	I60.10	DX	Nontraumatic subarachnoid hemorrhage from unspecified	ICD-10-CM
10.1	Had active bleeding	I60.11	DX	Nontraumatic subarachnoid hemorrhage from right middle	ICD-10-CM
10.1	Had active bleeding	I60.12	DX	Nontraumatic subarachnoid hemorrhage from left middle	ICD-10-CM
10.1	Had active bleeding	I60.2	DX	Nontraumatic subarachnoid hemorrhage from anterior	ICD-10-CM
10.1	Had active bleeding	I60.20	DX	Nontraumatic subarachnoid hemorrhage from unspecified	ICD-10-CM
10.1	Had active bleeding	I60.21	DX	Nontraumatic subarachnoid hemorrhage from right anterior	ICD-10-CM
10.1	Had active bleeding	I60.22	DX	Nontraumatic subarachnoid hemorrhage from left anterior	ICD-10-CM
10.1	Had active bleeding	I60.3	DX	Nontraumatic subarachnoid hemorrhage from posterior	ICD-10-CM
10.1	Had active bleeding	I60.30	DX	Nontraumatic subarachnoid hemorrhage from unspecified	ICD-10-CM
10.1	Had active bleeding	I60.31	DX	Nontraumatic subarachnoid hemorrhage from right posterior	ICD-10-CM
10.1	Had active bleeding	I60.32	DX	Nontraumatic subarachnoid hemorrhage from left posterior	ICD-10-CM
10.1	Had active bleeding	I60.4	DX	Nontraumatic subarachnoid hemorrhage from basilar artery	ICD-10-CM
10.1	Had active bleeding	I60.5	DX	Nontraumatic subarachnoid hemorrhage from vertebral artery	ICD-10-CM
10.1	Had active bleeding	I60.50	DX	Nontraumatic subarachnoid hemorrhage from unspecified	ICD-10-CM
10.1	Had active bleeding	I60.51	DX	Nontraumatic subarachnoid hemorrhage from right vertebral	ICD-10-CM
10.1	Had active bleeding	I60.52	DX	Nontraumatic subarachnoid hemorrhage from left vertebral	ICD-10-CM
10.1	Had active bleeding	I60.6	DX	Nontraumatic subarachnoid hemorrhage from other intracranial	ICD-10-CM
10.1	Had active bleeding	I60.7	DX	Nontraumatic subarachnoid hemorrhage from unspecified	ICD-10-CM
10.1	Had active bleeding	I60.8	DX	Other nontraumatic subarachnoid hemorrhage	ICD-10-CM
10.1	Had active bleeding	I60.9	DX	Nontraumatic subarachnoid hemorrhage, unspecified	ICD-10-CM
10.1	Had active bleeding	I60	DX	Nontraumatic intracerebral hemorrhage	ICD-10-CM
10.1	Had active bleeding	I61.0	DX	Nontraumatic intracerebral hemorrhage in hemisphere,	ICD-10-CM
10.1	Had active bleeding	I61.1	DX	Nontraumatic intracerebral hemorrhage in hemisphere, cortical	ICD-10-CM
10.1	Had active bleeding	I61.2	DX	Nontraumatic intracerebral hemorrhage in hemisphere,	ICD-10-CM
10.1	Had active bleeding	I61.3	DX	Nontraumatic intracerebral hemorrhage in brain stem	ICD-10-CM
10.1	Had active bleeding	I61.4	DX	Nontraumatic intracerebral hemorrhage in cerebellum	ICD-10-CM
10.1	Had active bleeding	I61.5	DX	Nontraumatic intracerebral hemorrhage, intraventricular	ICD-10-CM
10.1	Had active bleeding	I61.6	DX	Nontraumatic intracerebral hemorrhage, multiple localized	ICD-10-CM
10.1	Had active bleeding	I61.8	DX	Other nontraumatic intracerebral hemorrhage	ICD-10-CM
10.1	Had active bleeding	I61.9	DX	Nontraumatic intracerebral hemorrhage, unspecified	ICD-10-CM
10.1	Had active bleeding	I62	DX	Other and unspecified nontraumatic intracranial hemorrhage	ICD-10-CM
10.1	Had active bleeding	I62.0	DX	Nontraumatic subdural hemorrhage	ICD-10-CM
10.1	Had active bleeding	I62.00	DX	Nontraumatic subdural hemorrhage, unspecified	ICD-10-CM
10.1	Had active bleeding	I62.01	DX	Nontraumatic acute subdural hemorrhage	ICD-10-CM
10.1	Had active bleeding	I62.02	DX	Nontraumatic subacute subdural hemorrhage	ICD-10-CM
10.1	Had active bleeding	I62.03	DX	Nontraumatic chronic subdural hemorrhage	ICD-10-CM
10.1	Had active bleeding	I62.1	DX	Nontraumatic extradural hemorrhage	ICD-10-CM
10.1	Had active bleeding	I62.9	DX	Nontraumatic intracranial hemorrhage, unspecified	ICD-10-CM
10.1	Had active bleeding	I85.01	DX	Esophageal varices with bleeding	ICD-10-CM
10.1	Had active bleeding	I85.11	DX	Secondary esophageal varices with bleeding	ICD-10-CM
10.1	Had active bleeding	I97.4	DX	Intraoperative hemorrhage and hematoma of a circulatory	ICD-10-CM
10.1	Had active bleeding	I97.41	DX	Intraoperative hemorrhage and hematoma of a circulatory	ICD-10-CM
10.1	Had active bleeding	I97.410	DX	Intraoperative hemorrhage and hematoma of a circulatory	ICD-10-CM
10.1	Had active bleeding	I97.411	DX	Intraoperative hemorrhage and hematoma of a circulatory	ICD-10-CM
10.1	Had active bleeding	I97.418	DX	Intraoperative hemorrhage and hematoma of a circulatory	ICD-10-CM
10.1	Had active bleeding	I97.42	DX	Intraoperative hemorrhage and hematoma of a circulatory	ICD-10-CM
10.1	Had active bleeding	I97.610	DX	Postprocedural hemorrhage of a circulatory system organ or	ICD-10-CM
10.1	Had active bleeding	I97.611	DX	Postprocedural hemorrhage of a circulatory system organ or	ICD-10-CM
10.1	Had active bleeding	I97.618	DX	Postprocedural hemorrhage of a circulatory system organ or	ICD-10-CM
10.1	Had active bleeding	I97.62	DX	Postprocedural hemorrhage of a circulatory system organ or	ICD-10-CM
10.1	Had active bleeding	I97.620	DX	Postprocedural hemorrhage of a circulatory system organ or	ICD-10-CM
10.1	Had active bleeding	J94.2	DX	Hemothorax	ICD-10-CM
10.1	Had active bleeding	J95.01	DX	Hemorrhage from tracheostomy stoma	ICD-10-CM
10.1	Had active bleeding	J95.61	DX	Intraoperative hemorrhage and hematoma of a respiratory	ICD-10-CM
10.1	Had active bleeding	J95.62	DX	Intraoperative hemorrhage and hematoma of a respiratory	ICD-10-CM
10.1	Had active bleeding	J95.830	DX	Postprocedural hemorrhage of a respiratory system organ or	ICD-10-CM
10.1	Had active bleeding	J95.831	DX	Postprocedural hemorrhage of a respiratory system organ or	ICD-10-CM
10.1	Had active bleeding	K20.81	DX	Other esophagitis with bleeding	ICD-10-CM
10.1	Had active bleeding	K20.91	DX	Esophagitis, unspecified with bleeding	ICD-10-CM
10.1	Had active bleeding	K21.01	DX	Gastro-esophageal reflux disease with esophagitis, with	ICD-10-CM
10.1	Had active bleeding	K22.11	DX	Ulcer of esophagus with bleeding	ICD-10-CM
10.1	Had active bleeding	K22.6	DX	Gastro-esophageal laceration-hemorrhage syndrome	ICD-10-CM
10.1	Had active bleeding	K25.0	DX	Acute gastric ulcer with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K25.2	DX	Acute gastric ulcer with both hemorrhage and perforation	ICD-10-CM
10.1	Had active bleeding	K25.4	DX	Chronic or unspecified gastric ulcer with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K25.6	DX	Chronic or unspecified gastric ulcer with both hemorrhage and	ICD-10-CM
10.1	Had active bleeding	K26.0	DX	Acute duodenal ulcer with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K26.2	DX	Acute duodenal ulcer with both hemorrhage and perforation	ICD-10-CM

10.1	Had active bleeding	K26.4	DX	Chronic or unspecified duodenal ulcer with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K26.6	DX	Chronic or unspecified duodenal ulcer with both hemorrhage	ICD-10-CM
10.1	Had active bleeding	K27.0	DX	Acute peptic ulcer, site unspecified, with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K27.2	DX	Acute peptic ulcer, site unspecified, with both hemorrhage and	ICD-10-CM
10.1	Had active bleeding	K27.4	DX	Chronic or unspecified peptic ulcer, site unspecified, with	ICD-10-CM
10.1	Had active bleeding	K27.6	DX	Chronic or unspecified peptic ulcer, site unspecified, with both	ICD-10-CM
10.1	Had active bleeding	K28.0	DX	Acute gastrojejunal ulcer with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K28.2	DX	Acute gastrojejunal ulcer with both hemorrhage and perforation	ICD-10-CM
10.1	Had active bleeding	K28.4	DX	Chronic or unspecified gastrojejunal ulcer with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K28.6	DX	Chronic or unspecified gastrojejunal ulcer with both	ICD-10-CM
10.1	Had active bleeding	K29.01	DX	Acute gastritis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.21	DX	Alcoholic gastritis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.31	DX	Chronic superficial gastritis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.41	DX	Chronic atrophic gastritis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.51	DX	Unspecified chronic gastritis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.61	DX	Other gastritis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.71	DX	Gastritis, unspecified, with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.81	DX	Duodenitis with bleeding	ICD-10-CM
10.1	Had active bleeding	K29.91	DX	Gastroduodenitis, unspecified, with bleeding	ICD-10-CM
10.1	Had active bleeding	K31.811	DX	Angiodysplasia of stomach and duodenum with bleeding	ICD-10-CM
10.1	Had active bleeding	K31.82	DX	Dieulafoy lesion (hemorrhagic) of stomach and duodenum	ICD-10-CM
10.1	Had active bleeding	K50.011	DX	Crohn's disease of small intestine with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K50.111	DX	Crohn's disease of large intestine with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K50.811	DX	Crohn's disease of both small and large intestine with rectal	ICD-10-CM
10.1	Had active bleeding	K50.911	DX	Crohn's disease, unspecified, with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.011	DX	Ulcerative (chronic) proctitis with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.211	DX	Ulcerative (chronic) proctitis with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.311	DX	Ulcerative (chronic) rectosigmoiditis with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.411	DX	Inflammatory polyps of colon with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.511	DX	Left sided colitis with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.811	DX	Other ulcerative colitis with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K51.911	DX	Ulcerative colitis, unspecified with rectal bleeding	ICD-10-CM
10.1	Had active bleeding	K55.21	DX	(ICD10) Angiodysplasia of colon with hemorrhage	ICD-10-CM
10.1	Had active bleeding	K57.01	DX	Diverticulitis of small intestine with perforation and abscess	ICD-10-CM
10.1	Had active bleeding	K57.11	DX	(ICD10) Diverticulosis of small intestine without perforation or	ICD-10-CM
10.1	Had active bleeding	K57.13	DX	(ICD10) Diverticulitis of small intestine without perforation or	ICD-10-CM
10.1	Had active bleeding	K57.21	DX	Diverticulitis of large intestine with perforation and abscess	ICD-10-CM
10.1	Had active bleeding	K57.31	DX	(ICD10) Diverticulosis of large intestine without perforation or	ICD-10-CM
10.1	Had active bleeding	K57.33	DX	(ICD10) Diverticulitis of large intestine without perforation or	ICD-10-CM
10.1	Had active bleeding	K57.41	DX	Diverticulitis of both small and large intestine with perforation	ICD-10-CM
10.1	Had active bleeding	K57.51	DX	(ICD10) Diverticulosis of both small and large intestine without	ICD-10-CM
10.1	Had active bleeding	K57.53	DX	(ICD10) Diverticulitis of both small and large intestine without	ICD-10-CM
10.1	Had active bleeding	K57.81	DX	Diverticulitis of intestine, part unspecified, with perforation and	ICD-10-CM
10.1	Had active bleeding	K57.91	DX	(ICD10) Diverticulosis of intestine, part unspecified, without	ICD-10-CM
10.1	Had active bleeding	K57.93	DX	(ICD10) Diverticulitis of intestine, part unspecified, without	ICD-10-CM
10.1	Had active bleeding	K62.5	DX	Hemorrhage of anus and rectum	ICD-10-CM
10.1	Had active bleeding	K66.1	DX	Hemoperitoneum	ICD-10-CM
10.1	Had active bleeding	K68.3	DX	Retroperitoneal hematoma	ICD-10-CM
10.1	Had active bleeding	K76.2	DX	Central hemorrhagic necrosis of liver	ICD-10-CM
10.1	Had active bleeding	K91.61	DX	Intraoperative hemorrhage of a digestive system organ or	ICD-10-CM
10.1	Had active bleeding	K91.62	DX	Intraoperative hemorrhage of a digestive system organ or	ICD-10-CM
10.1	Had active bleeding	K91.840	DX	Postprocedural hemorrhage of a digestive system organ or	ICD-10-CM
10.1	Had active bleeding	K91.841	DX	Postprocedural hemorrhage of a digestive system organ or	ICD-10-CM
10.1	Had active bleeding	K92.0	DX	Hematemesis	ICD-10-CM
10.1	Had active bleeding	K92.1	DX	Melena	ICD-10-CM
10.1	Had active bleeding	K92.2	DX	Gastrointestinal hemorrhage, unspecified	ICD-10-CM
10.1	Had active bleeding	K94.01	DX	Colostomy hemorrhage	ICD-10-CM
10.1	Had active bleeding	K94.11	DX	Enterostomy hemorrhage	ICD-10-CM
10.1	Had active bleeding	K94.21	DX	Gastrostomy hemorrhage	ICD-10-CM
10.1	Had active bleeding	K94.31	DX	Esophagostomy hemorrhage	ICD-10-CM
10.1	Had active bleeding	L76.01	DX	Intraoperative hemorrhage and hematoma of skin and	ICD-10-CM
10.1	Had active bleeding	L76.02	DX	Intraoperative hemorrhage and hematoma of skin and	ICD-10-CM
10.1	Had active bleeding	L76.21	DX	Postprocedural hemorrhage of skin and subcutaneous tissue	ICD-10-CM
10.1	Had active bleeding	L76.22	DX	Postprocedural hemorrhage of skin and subcutaneous tissue	ICD-10-CM
10.1	Had active bleeding	M25.00	DX	Hemarthrosis, unspecified joint	ICD-10-CM
10.1	Had active bleeding	M25.01	DX	Hemarthrosis, shoulder	ICD-10-CM
10.1	Had active bleeding	M25.011	DX	Hemarthrosis, right shoulder	ICD-10-CM
10.1	Had active bleeding	M25.012	DX	Hemarthrosis, left shoulder	ICD-10-CM
10.1	Had active bleeding	M25.019	DX	Hemarthrosis, unspecified shoulder	ICD-10-CM
10.1	Had active bleeding	M25.02	DX	Hemarthrosis, elbow	ICD-10-CM
10.1	Had active bleeding	M25.021	DX	Hemarthrosis, right elbow	ICD-10-CM
10.1	Had active bleeding	M25.022	DX	Hemarthrosis, left elbow	ICD-10-CM
10.1	Had active bleeding	M25.029	DX	Hemarthrosis, unspecified elbow	ICD-10-CM
10.1	Had active bleeding	M25.03	DX	Hemarthrosis, wrist	ICD-10-CM
10.1	Had active bleeding	M25.031	DX	Hemarthrosis, right wrist	ICD-10-CM
10.1	Had active bleeding	M25.032	DX	Hemarthrosis, left wrist	ICD-10-CM
10.1	Had active bleeding	M25.039	DX	Hemarthrosis, unspecified wrist	ICD-10-CM
10.1	Had active bleeding	M25.04	DX	Hemarthrosis, hand	ICD-10-CM
10.1	Had active bleeding	M25.041	DX	Hemarthrosis, right hand	ICD-10-CM
10.1	Had active bleeding	M25.042	DX	Hemarthrosis, left hand	ICD-10-CM
10.1	Had active bleeding	M25.049	DX	Hemarthrosis, unspecified hand	ICD-10-CM
10.1	Had active bleeding	M25.05	DX	Hemarthrosis, hip	ICD-10-CM
10.1	Had active bleeding	M25.051	DX	Hemarthrosis, right hip	ICD-10-CM
10.1	Had active bleeding	M25.052	DX	Hemarthrosis, left hip	ICD-10-CM
10.1	Had active bleeding	M25.059	DX	Hemarthrosis, unspecified hip	ICD-10-CM
10.1	Had active bleeding	M25.06	DX	Hemarthrosis, knee	ICD-10-CM
10.1	Had active bleeding	M25.061	DX	Hemarthrosis, right knee	ICD-10-CM
10.1	Had active bleeding	M25.062	DX	Hemarthrosis, left knee	ICD-10-CM
10.1	Had active bleeding	M25.069	DX	Hemarthrosis, unspecified knee	ICD-10-CM

10.1 Had active bleeding	M25.07	DX	Hemarthrosis, ankle and foot	ICD-10-CM
10.1 Had active bleeding	M25.071	DX	Hemarthrosis, right ankle	ICD-10-CM
10.1 Had active bleeding	M25.072	DX	Hemarthrosis, left ankle	ICD-10-CM
10.1 Had active bleeding	M25.073	DX	Hemarthrosis, unspecified ankle	ICD-10-CM
10.1 Had active bleeding	M25.074	DX	Hemarthrosis, right foot	ICD-10-CM
10.1 Had active bleeding	M25.075	DX	Hemarthrosis, left foot	ICD-10-CM
10.1 Had active bleeding	M25.076	DX	Hemarthrosis, unspecified foot	ICD-10-CM
10.1 Had active bleeding	M25.08	DX	Hemarthrosis, other specified site	ICD-10-CM
10.1 Had active bleeding	M96.810	DX	Intraoperative hemorrhage and hematoma of a musculoskeletal	ICD-10-CM
10.1 Had active bleeding	M96.811	DX	Intraoperative hemorrhage and hematoma of a musculoskeletal	ICD-10-CM
10.1 Had active bleeding	M96.830	DX	Postprocedural hemorrhage of a musculoskeletal structure	ICD-10-CM
10.1 Had active bleeding	M96.831	DX	Postprocedural hemorrhage of a musculoskeletal structure	ICD-10-CM
10.1 Had active bleeding	N42.1	DX	Congestion and hemorrhage of prostate	ICD-10-CM
10.1 Had active bleeding	N83.6	DX	Hematosalpinx	ICD-10-CM
10.1 Had active bleeding	N83.7	DX	Hematoma of broad ligament	ICD-10-CM
10.1 Had active bleeding	N92.4	DX	Excessive bleeding in the premenopausal period	ICD-10-CM
10.1 Had active bleeding	N93.8	DX	Other specified abnormal uterine and vaginal bleeding	ICD-10-CM
10.1 Had active bleeding	N93.9	DX	Abnormal uterine and vaginal bleeding, unspecified	ICD-10-CM
10.1 Had active bleeding	N99.510	DX	Cystostomy hemorrhage	ICD-10-CM
10.1 Had active bleeding	N99.520	DX	Hemorrhage of incontinent external stoma of urinary tract	ICD-10-CM
10.1 Had active bleeding	N99.530	DX	Hemorrhage of continent stoma of urinary tract	ICD-10-CM
10.1 Had active bleeding	N99.61	DX	Intraoperative hemorrhage and hematoma of a genitourinary	ICD-10-CM
10.1 Had active bleeding	N99.62	DX	Intraoperative hemorrhage and hematoma of a genitourinary	ICD-10-CM
10.1 Had active bleeding	N99.820	DX	Postprocedural hemorrhage of a genitourinary system organ or	ICD-10-CM
10.1 Had active bleeding	N99.821	DX	Postprocedural hemorrhage of a genitourinary system organ or	ICD-10-CM
10.1 Had active bleeding	N99.840	DX	Postprocedural hematoma of a genitourinary system organ or	ICD-10-CM
10.1 Had active bleeding	N99.841	DX	Postprocedural hematoma of a genitourinary system organ or	ICD-10-CM
10.1 Had active bleeding	O03.1	DX	Delayed or excessive hemorrhage following incomplete	ICD-10-CM
10.1 Had active bleeding	O03.6	DX	Delayed or excessive hemorrhage following complete or	ICD-10-CM
10.1 Had active bleeding	O04.6	DX	Delayed or excessive hemorrhage following (induced)	ICD-10-CM
10.1 Had active bleeding	O07.1	DX	Delayed or excessive hemorrhage following failed attempted	ICD-10-CM
10.1 Had active bleeding	O08.1	DX	Delayed or excessive hemorrhage following ectopic and molar	ICD-10-CM
10.1 Had active bleeding	O20.8	DX	Other hemorrhage in early pregnancy	ICD-10-CM
10.1 Had active bleeding	O20.9	DX	Hemorrhage in early pregnancy, unspecified	ICD-10-CM
10.1 Had active bleeding	O44.10	DX	Complete placenta previa with hemorrhage, unspecified	ICD-10-CM
10.1 Had active bleeding	O44.11	DX	Complete placenta previa with hemorrhage, first trimester	ICD-10-CM
10.1 Had active bleeding	O44.12	DX	Complete placenta previa with hemorrhage, second trimester	ICD-10-CM
10.1 Had active bleeding	O44.13	DX	Complete placenta previa with hemorrhage, third trimester	ICD-10-CM
10.1 Had active bleeding	O44.30	DX	Partial placenta previa with hemorrhage, unspecified trimester	ICD-10-CM
10.1 Had active bleeding	O44.31	DX	Partial placenta previa with hemorrhage, first trimester	ICD-10-CM
10.1 Had active bleeding	O44.32	DX	Partial placenta previa with hemorrhage, second trimester	ICD-10-CM
10.1 Had active bleeding	O44.33	DX	Partial placenta previa with hemorrhage, third trimester	ICD-10-CM
10.1 Had active bleeding	O44.50	DX	Low lying placenta with hemorrhage, unspecified trimester	ICD-10-CM
10.1 Had active bleeding	O44.51	DX	Low lying placenta with hemorrhage, first trimester	ICD-10-CM
10.1 Had active bleeding	O44.52	DX	Low lying placenta with hemorrhage, second trimester	ICD-10-CM
10.1 Had active bleeding	O44.53	DX	Low lying placenta with hemorrhage, third trimester	ICD-10-CM
10.1 Had active bleeding	O46.001	DX	Antepartum hemorrhage with coagulation defect, unspecified,	ICD-10-CM
10.1 Had active bleeding	O46.002	DX	Antepartum hemorrhage with coagulation defect, unspecified,	ICD-10-CM
10.1 Had active bleeding	O46.003	DX	Antepartum hemorrhage with coagulation defect, unspecified,	ICD-10-CM
10.1 Had active bleeding	O46.009	DX	Antepartum hemorrhage with coagulation defect, unspecified,	ICD-10-CM
10.1 Had active bleeding	O46.011	DX	Antepartum hemorrhage with afibrinogenemia, first trimester	ICD-10-CM
10.1 Had active bleeding	O46.012	DX	Antepartum hemorrhage with afibrinogenemia, second	ICD-10-CM
10.1 Had active bleeding	O46.013	DX	Antepartum hemorrhage with afibrinogenemia, third trimester	ICD-10-CM
10.1 Had active bleeding	O46.019	DX	Antepartum hemorrhage with afibrinogenemia, unspecified	ICD-10-CM
10.1 Had active bleeding	O46.021	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
10.1 Had active bleeding	O46.022	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
10.1 Had active bleeding	O46.023	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
10.1 Had active bleeding	O46.029	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
10.1 Had active bleeding	O46.091	DX	Antepartum hemorrhage with other coagulation defect, first	ICD-10-CM
10.1 Had active bleeding	O46.092	DX	Antepartum hemorrhage with other coagulation defect, second	ICD-10-CM
10.1 Had active bleeding	O46.093	DX	Antepartum hemorrhage with other coagulation defect, third	ICD-10-CM
10.1 Had active bleeding	O46.099	DX	Antepartum hemorrhage with other coagulation defect,	ICD-10-CM
10.1 Had active bleeding	O46.8X1	DX	Other antepartum hemorrhage, first trimester	ICD-10-CM
10.1 Had active bleeding	O46.8X2	DX	Other antepartum hemorrhage, second trimester	ICD-10-CM
10.1 Had active bleeding	O46.8X3	DX	Other antepartum hemorrhage, third trimester	ICD-10-CM
10.1 Had active bleeding	O46.8X9	DX	Other antepartum hemorrhage, unspecified trimester	ICD-10-CM
10.1 Had active bleeding	O46.90	DX	Antepartum hemorrhage, unspecified, unspecified trimester	ICD-10-CM
10.1 Had active bleeding	O46.91	DX	Antepartum hemorrhage, unspecified, first trimester	ICD-10-CM
10.1 Had active bleeding	O46.92	DX	Antepartum hemorrhage, unspecified, second trimester	ICD-10-CM
10.1 Had active bleeding	O46.93	DX	Antepartum hemorrhage, unspecified, third trimester	ICD-10-CM
10.1 Had active bleeding	O67.0	DX	Intrapartum hemorrhage with coagulation defect	ICD-10-CM
10.1 Had active bleeding	O67.8	DX	Other intrapartum hemorrhage	ICD-10-CM
10.1 Had active bleeding	O67.9	DX	Intrapartum hemorrhage, unspecified	ICD-10-CM
10.1 Had active bleeding	O72.0	DX	Third-stage hemorrhage	ICD-10-CM
10.1 Had active bleeding	O72.1	DX	Other immediate postpartum hemorrhage	ICD-10-CM
10.1 Had active bleeding	O72.2	DX	Delayed and secondary postpartum hemorrhage	ICD-10-CM
10.1 Had active bleeding	R04	DX	(ICD10) Hemorrhage from respiratory passages	ICD-10-CM
10.1 Had active bleeding	R04.0	DX	(ICD10) Epistaxis	ICD-10-CM
10.1 Had active bleeding	R04.1	DX	Hemorrhage from throat	ICD-10-CM
10.1 Had active bleeding	R04.2	DX	Hemoptysis	ICD-10-CM
10.1 Had active bleeding	R04.8	DX	(ICD10) Hemorrhage from other sites in respiratory passages	ICD-10-CM
10.1 Had active bleeding	R04.81	DX	Acute idiopathic pulmonary hemorrhage in infants	ICD-10-CM
10.1 Had active bleeding	R04.89	DX	Hemorrhage from other sites in respiratory passages	ICD-10-CM
10.1 Had active bleeding	R04.9	DX	Hemorrhage from respiratory passages, unspecified	ICD-10-CM
10.1 Had active bleeding	R58	DX	Hemorrhage, not elsewhere classified	ICD-10-CM
10.1 Had active bleeding	R31.0	DX	Gross hematuria	ICD-10-CM
10.1 Had active bleeding	S06.34	DX	Traumatic hemorrhage of right cerebrum	ICD-10-CM
10.1 Had active bleeding	S06.340	DX	Traumatic hemorrhage of right cerebrum without loss of	ICD-10-CM
10.1 Had active bleeding	S06.340A	DX	Traumatic hemorrhage of right cerebrum without loss of	ICD-10-CM

[illegible]

[illegible]

10.1 Had active bleeding	S26.0	DX	Injury of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.00	DX	Unspecified injury of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.00XA	DX	Unspecified injury of heart with hemopericardium, initial	ICD-10-CM
10.1 Had active bleeding	S26.01	DX	Contusion of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.01XA	DX	Contusion of heart with hemopericardium, initial encounter	ICD-10-CM
10.1 Had active bleeding	S26.02	DX	Laceration of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.020	DX	Mild laceration of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.020A	DX	Mild laceration of heart with hemopericardium, initial encounter	ICD-10-CM
10.1 Had active bleeding	S26.021	DX	Moderate laceration of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.021A	DX	Moderate laceration of heart with hemopericardium, initial	ICD-10-CM
10.1 Had active bleeding	S26.022	DX	Major laceration of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.022A	DX	Major laceration of heart with hemopericardium, initial	ICD-10-CM
10.1 Had active bleeding	S26.09	DX	Other injury of heart with hemopericardium	ICD-10-CM
10.1 Had active bleeding	S26.09XA	DX	Other injury of heart with hemopericardium, initial encounter	ICD-10-CM
10.1 Had active bleeding	S27.1	DX	Traumatic hemothorax	ICD-10-CM
10.1 Had active bleeding	S27.1XXA	DX	Traumatic hemothorax, initial encounter	ICD-10-CM
10.1 Had active bleeding	S27.2	DX	Traumatic hemopneumothorax	ICD-10-CM
10.1 Had active bleeding	S27.2XXA	DX	Traumatic hemopneumothorax, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.031	DX	Moderate laceration of spleen	ICD-10-CM
10.1 Had active bleeding	S36.031A	DX	Moderate laceration of spleen, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.032	DX	Major laceration of spleen	ICD-10-CM
10.1 Had active bleeding	S36.032A	DX	Major laceration of spleen, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.039	DX	Unspecified laceration of spleen	ICD-10-CM
10.1 Had active bleeding	S36.039A	DX	Unspecified laceration of spleen, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.113	DX	Laceration of liver, unspecified degree	ICD-10-CM
10.1 Had active bleeding	S36.113A	DX	Laceration of liver, unspecified degree, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.114	DX	Minor laceration of liver	ICD-10-CM
10.1 Had active bleeding	S36.114A	DX	Minor laceration of liver, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.115	DX	Moderate laceration of liver	ICD-10-CM
10.1 Had active bleeding	S36.115A	DX	Moderate laceration of liver, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.116	DX	Major laceration of liver	ICD-10-CM
10.1 Had active bleeding	S36.116A	DX	Major laceration of liver, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.118	DX	Other injury of liver	ICD-10-CM
10.1 Had active bleeding	S36.118A	DX	Other injury of liver, initial encounter	ICD-10-CM
10.1 Had active bleeding	S36.119	DX	Unspecified injury of liver	ICD-10-CM
10.1 Had active bleeding	S36.119A	DX	Unspecified injury of liver, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.03	DX	Laceration of kidney, unspecified degree	ICD-10-CM
10.1 Had active bleeding	S37.031	DX	Laceration of right kidney, unspecified degree	ICD-10-CM
10.1 Had active bleeding	S37.031A	DX	Laceration of right kidney, unspecified degree, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.032	DX	Laceration of left kidney, unspecified degree	ICD-10-CM
10.1 Had active bleeding	S37.032A	DX	Laceration of left kidney, unspecified degree, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.039	DX	Laceration of unspecified kidney, unspecified degree	ICD-10-CM
10.1 Had active bleeding	S37.039A	DX	Laceration of unspecified kidney, unspecified degree, initial	ICD-10-CM
10.1 Had active bleeding	S37.04	DX	Minor laceration of kidney	ICD-10-CM
10.1 Had active bleeding	S37.041	DX	Minor laceration of right kidney	ICD-10-CM
10.1 Had active bleeding	S37.041A	DX	Minor laceration of right kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.042	DX	Minor laceration of left kidney	ICD-10-CM
10.1 Had active bleeding	S37.042A	DX	Minor laceration of left kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.049	DX	Minor laceration of unspecified kidney	ICD-10-CM
10.1 Had active bleeding	S37.049A	DX	Minor laceration of unspecified kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.05	DX	Moderate laceration of kidney	ICD-10-CM
10.1 Had active bleeding	S37.051	DX	Moderate laceration of right kidney	ICD-10-CM
10.1 Had active bleeding	S37.051A	DX	Moderate laceration of right kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.052	DX	Moderate laceration of left kidney	ICD-10-CM
10.1 Had active bleeding	S37.052A	DX	Moderate laceration of left kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.059	DX	Moderate laceration of unspecified kidney	ICD-10-CM
10.1 Had active bleeding	S37.059A	DX	Moderate laceration of unspecified kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.06	DX	Major laceration of kidney	ICD-10-CM
10.1 Had active bleeding	S37.061	DX	Major laceration of right kidney	ICD-10-CM
10.1 Had active bleeding	S37.061A	DX	Major laceration of right kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.062	DX	Major laceration of left kidney	ICD-10-CM
10.1 Had active bleeding	S37.062A	DX	Major laceration of left kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.069	DX	Major laceration of unspecified kidney	ICD-10-CM
10.1 Had active bleeding	S37.069A	DX	Major laceration of unspecified kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.09	DX	Other injury of kidney	ICD-10-CM
10.1 Had active bleeding	S37.091	DX	Other injury of right kidney	ICD-10-CM
10.1 Had active bleeding	S37.091A	DX	Other injury of right kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.092	DX	Other injury of left kidney	ICD-10-CM
10.1 Had active bleeding	S37.092A	DX	Other injury of left kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	S37.099	DX	Other injury of unspecified kidney	ICD-10-CM
10.1 Had active bleeding	S37.099A	DX	Other injury of unspecified kidney, initial encounter	ICD-10-CM
10.1 Had active bleeding	T79.2	DX	Traumatic secondary and recurrent hemorrhage and seroma	ICD-10-CM
10.1 Had active bleeding	T79.2XXA	DX	Traumatic secondary and recurrent hemorrhage and seroma,	ICD-10-CM
10.1 Had active bleeding	T82.83	DX	Hemorrhage due to cardiac and vascular prosthetic devices,	ICD-10-CM
10.1 Had active bleeding	T82.837	DX	Hemorrhage due to cardiac prosthetic devices, implants, and	ICD-10-CM
10.1 Had active bleeding	T82.837A	DX	Hemorrhage due to cardiac prosthetic devices, implants and	ICD-10-CM
10.1 Had active bleeding	T82.838	DX	Hemorrhage due to vascular prosthetic devices, implants, and	ICD-10-CM
10.1 Had active bleeding	T82.838A	DX	Hemorrhage due to vascular prosthetic devices, implants and	ICD-10-CM
10.1 Had active bleeding	T83.83	DX	Hemorrhage due to genitourinary prosthetic devices, implants,	ICD-10-CM
10.1 Had active bleeding	T83.83XA	DX	Hemorrhage due to genitourinary prosthetic devices, implants	ICD-10-CM
10.1 Had active bleeding	T84.83	DX	Hemorrhage due to internal orthopedic prosthetic devices,	ICD-10-CM
10.1 Had active bleeding	T84.83XA	DX	Hemorrhage due to internal orthopedic prosthetic devices,	ICD-10-CM
10.1 Had active bleeding	T85.83	DX	Hemorrhage due to internal prosthetic devices, implants, and	ICD-10-CM
10.1 Had active bleeding	T85.830	DX	Hemorrhage due to nervous system prosthetic devices,	ICD-10-CM
10.1 Had active bleeding	T85.830A	DX	Hemorrhage due to nervous system prosthetic devices,	ICD-10-CM
10.1 Had active bleeding	T85.838	DX	Hemorrhage due to other internal prosthetic devices, implants,	ICD-10-CM
10.1 Had active bleeding	T85.838A	DX	Hemorrhage due to other internal prosthetic devices, implants	ICD-10-CM
10.1 Had active bleeding	T85.83XA	DX	Hemorrhage due to internal prosthetic devices, implants and	ICD-10-CM
10.1 Had active bleeding	O3L.G	PX	Intracranial Artery	ICD-10-PCS

10.1	Had active bleeding	03L60	PX	Open	ICD-10-PCS
10.1	Had active bleeding	03L60B	PX	Intraluminal Device, Bioactive	ICD-10-PCS
10.1	Had active bleeding	03L60BZ	PX	Occlusion of Intracranial Artery with Bioactive Intraluminal	ICD-10-PCS
10.1	Had active bleeding	03L60C	PX	Extraluminal Device	ICD-10-PCS
10.1	Had active bleeding	03L60CZ	PX	Occlusion of Intracranial Artery with Extraluminal Device, Open	ICD-10-PCS
10.1	Had active bleeding	03L60D	PX	Intraluminal Device	ICD-10-PCS
10.1	Had active bleeding	03L60DZ	PX	Occlusion of Intracranial Artery with Intraluminal Device, Open	ICD-10-PCS
10.1	Had active bleeding	03L60Z	PX	No Device	ICD-10-PCS
10.1	Had active bleeding	03L60ZZ	PX	Occlusion of Intracranial Artery, Open Approach	ICD-10-PCS
10.1	Had active bleeding	03L63	PX	Percutaneous	ICD-10-PCS
10.1	Had active bleeding	03L63B	PX	Intraluminal Device, Bioactive	ICD-10-PCS
10.1	Had active bleeding	03L63BZ	PX	Occlusion of Intracranial Artery with Bioactive Intraluminal	ICD-10-PCS
10.1	Had active bleeding	03L63C	PX	Extraluminal Device	ICD-10-PCS
10.1	Had active bleeding	03L63CZ	PX	Occlusion of Intracranial Artery with Extraluminal Device,	ICD-10-PCS
10.1	Had active bleeding	03L63D	PX	Intraluminal Device	ICD-10-PCS
10.1	Had active bleeding	03L63DZ	PX	Occlusion of Intracranial Artery with Intraluminal Device,	ICD-10-PCS
10.1	Had active bleeding	03L63Z	PX	No Device	ICD-10-PCS
10.1	Had active bleeding	03L63ZZ	PX	Occlusion of Intracranial Artery, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	03L64	PX	Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	03L64B	PX	Intraluminal Device, Bioactive	ICD-10-PCS
10.1	Had active bleeding	03L64BZ	PX	Occlusion of Intracranial Artery with Bioactive Intraluminal	ICD-10-PCS
10.1	Had active bleeding	03L64C	PX	Extraluminal Device	ICD-10-PCS
10.1	Had active bleeding	03L64CZ	PX	Occlusion of Intracranial Artery with Extraluminal Device,	ICD-10-PCS
10.1	Had active bleeding	03L64D	PX	Intraluminal Device	ICD-10-PCS
10.1	Had active bleeding	03L64DZ	PX	Occlusion of Intracranial Artery with Intraluminal Device,	ICD-10-PCS
10.1	Had active bleeding	03L64Z	PX	No Device	ICD-10-PCS
10.1	Had active bleeding	03L64ZZ	PX	Occlusion of Intracranial Artery, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W300ZZ	PX	Control Bleeding in Head, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W303ZZ	PX	Control Bleeding in Head, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W304ZZ	PX	Control Bleeding in Head, Percutaneous Endoscopic Approach	ICD-10-PCS
10.1	Had active bleeding	0W310ZZ	PX	Control Bleeding in Cranial Cavity, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W313ZZ	PX	Control Bleeding in Cranial Cavity, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W314ZZ	PX	Control Bleeding in Cranial Cavity, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W320ZZ	PX	Control Bleeding in Face, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W323ZZ	PX	Control Bleeding in Face, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W324ZZ	PX	Control Bleeding in Face, Percutaneous Endoscopic Approach	ICD-10-PCS
10.1	Had active bleeding	0W330ZZ	PX	Control Bleeding in Oral Cavity and Throat, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W333ZZ	PX	Control Bleeding in Oral Cavity and Throat, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W334ZZ	PX	Control Bleeding in Oral Cavity and Throat, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W337ZZ	PX	Control Bleeding in Oral Cavity and Throat, Via Natural or	ICD-10-PCS
10.1	Had active bleeding	0W338ZZ	PX	Control Bleeding in Oral Cavity and Throat, Via Natural or	ICD-10-PCS
10.1	Had active bleeding	0W33XZZ	PX	Control Bleeding in Oral Cavity and Throat, External Approach	ICD-10-PCS
10.1	Had active bleeding	0W340ZZ	PX	Control Bleeding in Upper Jaw, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W343ZZ	PX	Control Bleeding in Upper Jaw, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W344ZZ	PX	Control Bleeding in Upper Jaw, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W350ZZ	PX	Control Bleeding in Lower Jaw, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W353ZZ	PX	Control Bleeding in Lower Jaw, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W354ZZ	PX	Control Bleeding in Lower Jaw, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W360ZZ	PX	Control Bleeding in Neck, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W363ZZ	PX	Control Bleeding in Neck, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W364ZZ	PX	Control Bleeding in Neck, Percutaneous Endoscopic Approach	ICD-10-PCS
10.1	Had active bleeding	0W380ZZ	PX	Control Bleeding in Chest Wall, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W383ZZ	PX	Control Bleeding in Chest Wall, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W384ZZ	PX	Control Bleeding in Chest Wall, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W390ZZ	PX	Control Bleeding in Right Pleural Cavity, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W393ZZ	PX	Control Bleeding in Right Pleural Cavity, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W394ZZ	PX	Control Bleeding in Right Pleural Cavity, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W380ZZ	PX	Control Bleeding in Left Pleural Cavity, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W383ZZ	PX	Control Bleeding in Left Pleural Cavity, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W384ZZ	PX	Control Bleeding in Left Pleural Cavity, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W3C0ZZ	PX	Control Bleeding in Mediastinum, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3C3ZZ	PX	Control Bleeding in Mediastinum, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3C4ZZ	PX	Control Bleeding in Mediastinum, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W3D0ZZ	PX	Control Bleeding in Pericardial Cavity, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3D3ZZ	PX	Control Bleeding in Pericardial Cavity, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3D4ZZ	PX	Control Bleeding in Pericardial Cavity, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W3F0ZZ	PX	Control Bleeding in Abdominal Wall, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3F3ZZ	PX	Control Bleeding in Abdominal Wall, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3F4ZZ	PX	Control Bleeding in Abdominal Wall, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W3G0ZZ	PX	Control Bleeding in Peritoneal Cavity, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3G3ZZ	PX	Control Bleeding in Left Peritoneal Cavity, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3G4ZZ	PX	Control Bleeding in Peritoneal Cavity, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W3H0ZZ	PX	Control Bleeding in Retroperitoneum, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3H3ZZ	PX	Control Bleeding in Retroperitoneum, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3H4ZZ	PX	Control Bleeding in Retroperitoneum, Percutaneous	ICD-10-PCS
10.1	Had active bleeding	0W3J0ZZ	PX	Control Bleeding in Pelvic Cavity, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3J3ZZ	PX	Control Bleeding in Pelvic Cavity, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3J4ZZ	PX	Control Bleeding in Pelvic Cavity, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W3K0ZZ	PX	Control Bleeding in Upper Back, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3K3ZZ	PX	Control Bleeding in Upper Back, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3K4ZZ	PX	Control Bleeding in Upper Back, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W3L0ZZ	PX	Control Bleeding in Lower Back, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3L3ZZ	PX	Control Bleeding in Lower Back, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3L4ZZ	PX	Control Bleeding in Lower Back, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W3M0ZZ	PX	Control Bleeding in Male Perineum, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3M3ZZ	PX	Control Bleeding in Male Perineum, Percutaneous Approach	ICD-10-PCS
10.1	Had active bleeding	0W3M4ZZ	PX	Control Bleeding in Male Perineum, Percutaneous Endoscopic	ICD-10-PCS
10.1	Had active bleeding	0W3N0ZZ	PX	Control Bleeding in Female Perineum, Open Approach	ICD-10-PCS
10.1	Had active bleeding	0W3N3ZZ	PX	Control Bleeding in Female Perineum, Percutaneous Approach	ICD-10-PCS

10.1	Had active bleeding	0W3N4ZZ	PX	Control Bleeding in Female Perineum, Percutaneous	ICD-10 -PCS
10.1	Had active bleeding	0W3P0ZZ	PX	Control Bleeding in Gastrointestinal Tract, Open Approach	ICD-10 -PCS
10.1	Had active bleeding	0W3P3ZZ	PX	Control Bleeding in Gastrointestinal Tract, Percutaneous	ICD-10 -PCS
10.1	Had active bleeding	0W3P4ZZ	PX	Control Bleeding in Gastrointestinal Tract, Percutaneous	ICD-10 -PCS
10.1	Had active bleeding	0W3P7ZZ	PX	Control Bleeding in Gastrointestinal Tract, Via Natural or	ICD-10 -PCS
10.1	Had active bleeding	0W3P8ZZ	PX	Control Bleeding in Gastrointestinal Tract, Via Natural or	ICD-10 -PCS
10.1	Had active bleeding	0W3Q0ZZ	PX	Control Bleeding in Respiratory Tract, Open Approach	ICD-10 -PCS
10.1	Had active bleeding	0W3Q3ZZ	PX	Control Bleeding in Respiratory Tract, Percutaneous Approach	ICD-10 -PCS
10.1	Had active bleeding	0W3Q4ZZ	PX	Control Bleeding in Respiratory Tract, Percutaneous	ICD-10 -PCS
10.1	Had active bleeding	0W3Q7ZZ	PX	Control Bleeding in Respiratory Tract, Via Natural or Artificial	ICD-10 -PCS
10.1	Had active bleeding	0W3Q8ZZ	PX	Control Bleeding in Respiratory Tract, Via Natural or Artificial	ICD-10 -PCS
10.1	Had active bleeding	0W3R0ZZ	PX	Control Bleeding in Genitourinary Tract, Open Approach	ICD-10 -PCS
10.1	Had active bleeding	0W3R3ZZ	PX	Control Bleeding in Genitourinary Tract, Percutaneous	ICD-10 -PCS
10.1	Had active bleeding	0W3R4ZZ	PX	Control Bleeding in Genitourinary Tract, Percutaneous	ICD-10 -PCS
10.1	Had active bleeding	0W3R7ZZ	PX	Control Bleeding in Genitourinary Tract, Via Natural or Artificial	ICD-10 -PCS
10.1	Had active bleeding	0W3R8ZZ	PX	Control Bleeding in Genitourinary Tract, Via Natural or Artificial	ICD-10 -PCS
10.1	Had active bleeding		43255.00	Esophagogastroduodenoscopy, flexible, transoral; with	CPT
10.1	Had active bleeding		43227.00	Esophagoscopy, flexible, transoral; with control of bleeding,	CPT
10.1	Had active bleeding	078.6	DX	Hemorrhagic nephrosonephritis	ICD-9-CM Diagnosis
10.1	Had active bleeding	078.7	DX	Arenaviral hemorrhagic fever	ICD-9-CM Diagnosis
10.1	Had active bleeding	100.0	DX	Leptospirosis icterohemorrhagica	ICD-9-CM Diagnosis
10.1	Had active bleeding	246.3	DX	Hemorrhage and infarction of thyroid	ICD-9-CM Diagnosis
10.1	Had active bleeding	285.1	DX	Acute posthemorrhagic anemia	ICD-9-CM Diagnosis
10.1	Had active bleeding	286.53	DX	Antiphospholipid antibody with hemorrhagic disorder	ICD-9-CM Diagnosis
10.1	Had active bleeding	286.59	DX	Other hemorrhagic disorder due to intrinsic circulating	ICD-9-CM Diagnosis
10.1	Had active bleeding	287.8	DX	Other specified hemorrhagic conditions	ICD-9-CM Diagnosis
10.1	Had active bleeding	287.9	DX	Unspecified hemorrhagic conditions	ICD-9-CM Diagnosis
10.1	Had active bleeding	362.43	DX	Hemorrhagic detachment of retinal pigment epithelium	ICD-9-CM Diagnosis
10.1	Had active bleeding	362.81	DX	Retinal hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	363.61	DX	Retinal hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	363.62	DX	Expulsive choroidal hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	363.72	DX	Hemorrhagic choroidal detachment	ICD-9-CM Diagnosis
10.1	Had active bleeding	376.32	DX	Orbital hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	377.42	DX	Hemorrhage in optic nerve sheaths	ICD-9-CM Diagnosis
10.1	Had active bleeding	379.23	DX	Vitreous hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	423.0	DX	(ICD9) HEMOPERICARDIUM	ICD-9-CM Diagnosis
10.1	Had active bleeding	430	DX	Subarachnoid hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	431	DX	Intracerebral hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	432	DX	Other and unspecified intracranial hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	432.0	DX	Nontraumatic extradural hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	432.1	DX	Subdural hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	432.9	DX	Unspecified intracranial hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	456.0	DX	Esophageal varices with bleeding	ICD-9-CM Diagnosis
10.1	Had active bleeding	456.20	DX	Esophageal varices in diseases classified elsewhere, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	459	DX	(ICD9) HEMORRHAGE UNSPECIFIED	ICD-9-CM Diagnosis
10.1	Had active bleeding	459.0	DX	Hemorrhage, unspecified	ICD-9-CM Diagnosis
10.1	Had active bleeding	530.21	DX	Ulcer of esophagus with bleeding	ICD-9-CM Diagnosis
10.1	Had active bleeding	530.7	DX	Gastroesophageal laceration-hemorrhage syndrome	ICD-9-CM Diagnosis
10.1	Had active bleeding	530.82	DX	Esophageal hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	531	DX	(ICD9) ACUTE GASTRIC ULCER WITH HEMORRHAGE	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.00	DX	Acute gastric ulcer with hemorrhage, without mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.01	DX	Acute gastric ulcer with hemorrhage, with obstruction	ICD-9-CM Diagnosis
10.1	Had active bleeding		531.20	(ICD9) ACUTE GASTRIC ULCER WITH HEMORRHAGE AND	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.20	DX	Acute gastric ulcer with hemorrhage and perforation, without	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.21	DX	Acute gastric ulcer with hemorrhage and perforation, with	ICD-9-CM Diagnosis
10.1	Had active bleeding		531.40	(ICD9) CHRONIC OR UNSPECIFIED GASTRIC ULCER WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.40	DX	Chronic or unspecified gastric ulcer with hemorrhage, without	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.41	DX	Chronic or unspecified gastric ulcer with hemorrhage, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.6	DX	(ICD9) CHRONIC OR UNSPECIFIED GASTRIC ULCER WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.60	DX	Chronic or unspecified gastric ulcer with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	531.61	DX	Chronic or unspecified gastric ulcer with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	532	DX	(ICD9) ACUTE DUODENAL ULCER WITH HEMORRHAGE	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.00	DX	Acute duodenal ulcer with hemorrhage, without mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.01	DX	Acute duodenal ulcer with hemorrhage, with obstruction	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.2	DX	(ICD9) ACUTE DUODENAL ULCER WITH HEMORRHAGE AND	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.20	DX	Acute duodenal ulcer with hemorrhage and perforation, without	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.21	DX	Acute duodenal ulcer with hemorrhage and perforation, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.4	DX	(ICD9) CHRONIC OR UNSPECIFIED DUODENAL ULCER WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.40	DX	Chronic or unspecified duodenal ulcer with hemorrhage,	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.41	DX	Chronic or unspecified duodenal ulcer with hemorrhage, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.6	DX	(ICD9) CHRONIC OR UNSPECIFIED DUODENAL ULCER WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.60	DX	Chronic or unspecified duodenal ulcer with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.61	DX	Chronic or unspecified duodenal ulcer with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	533	DX	(ICD9) ACUTE PEPTIC ULCER OF UNSPECIFIED SITE WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.00	DX	Acute peptic ulcer of unspecified site with hemorrhage, without	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.01	DX	Acute peptic ulcer of unspecified site with hemorrhage, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.2	DX	(ICD9) ACUTE PEPTIC ULCER OF UNSPECIFIED SITE WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.20	DX	Acute peptic ulcer of unspecified site with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.21	DX	Acute peptic ulcer of unspecified site with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.4	DX	(ICD9) CHRONIC OR UNSPECIFIED PEPTIC ULCER OF	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.40	DX	Chronic or unspecified peptic ulcer of unspecified site with	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.41	DX	Chronic or unspecified peptic ulcer of unspecified site with	ICD-9-CM Diagnosis
10.1	Had active bleeding		533.60	(ICD9) CHRONIC OR UNSPECIFIED PEPTIC ULCER OF	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.60	DX	Chronic or unspecified peptic ulcer of unspecified site with	ICD-9-CM Diagnosis
10.1	Had active bleeding	533.61	DX	Chronic or unspecified peptic ulcer of unspecified site with	ICD-9-CM Diagnosis
10.1	Had active bleeding	534	DX	(ICD9) ACUTE GASTROJEJUNAL ULCER WITH	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.00	DX	Acute gastrojejunal ulcer with hemorrhage, without mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.01	DX	Acute gastrojejunal ulcer, with hemorrhage, with obstruction	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.2	DX	(ICD9) ACUTE GASTROJEJUNAL ULCER WITH	ICD-9-CM Diagnosis

10.1	Had active bleeding	534.20	DX	Acute gastrojejunal ulcer with hemorrhage and perforation,	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.21	DX	Acute gastrojejunal ulcer with hemorrhage and perforation, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	532.4	DX	(ICD9) CHRONIC OR UNSPECIFIED GASTROJEJUNAL ULCER	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.40	DX	Chronic or unspecified gastrojejunal ulcer with hemorrhage,	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.41	DX	Chronic or unspecified gastrojejunal ulcer, with hemorrhage,	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.6	DX	(ICD9) CHRONIC OR UNSPECIFIED GASTROJEJUNAL ULCER	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.60	DX	Chronic or unspecified gastrojejunal ulcer with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	534.61	DX	Chronic or unspecified gastrojejunal ulcer with hemorrhage and	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.01	DX	Acute gastritis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.11	DX	Atrophic gastritis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.21	DX	Gastric mucosal hypertrophy, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.31	DX	Alcoholic gastritis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.41	DX	Other specified gastritis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.51	DX	Unspecified gastritis and gastroduodenitis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.61	DX	Duodenitis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	535.71	DX	Eosinophilic gastritis, with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	537.83	DX	Angiodysplasia of stomach and duodenum with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	537.84	DX	Dieulafoy lesion (hemorrhagic) of stomach and duodenum	ICD-9-CM Diagnosis
10.1	Had active bleeding	562.02	DX	Diverticulosis of small intestine with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	562.03	DX	Diverticulitis of small intestine with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	562.12	DX	Diverticulosis of colon with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	562.13	DX	Diverticulitis of colon with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	568.81	DX	(ICD9) HEMOPERITONEUM (NONTRAUMATIC)	ICD-9-CM Diagnosis
10.1	Had active bleeding	569.3	DX	Hemorrhage of rectum and anus	ICD-9-CM Diagnosis
10.1	Had active bleeding	569.85	DX	Angiodysplasia of intestine with hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	569.86	DX	Dieulafoy lesion (hemorrhagic) of intestine	ICD-9-CM Diagnosis
10.1	Had active bleeding	578.00	DX	(ICD9) HEMATEMESIS	ICD-9-CM Diagnosis
10.1	Had active bleeding	578.0	DX	Hematemesis	ICD-9-CM Diagnosis
10.1	Had active bleeding	578.1	DX	Blood in stool	ICD-9-CM Diagnosis
10.1	Had active bleeding	578.9	DX	Hemorrhage of gastrointestinal tract, unspecified	ICD-9-CM Diagnosis
10.1	Had active bleeding	596.7	DX	Hemorrhage into bladder wall	ICD-9-CM Diagnosis
10.1	Had active bleeding	602.1	DX	Congestion or hemorrhage of prostate	ICD-9-CM Diagnosis
10.1	Had active bleeding	626.9	DX	Unspecified disorders of menstruation and other abnormal	ICD-9-CM Diagnosis
10.1	Had active bleeding	634.10	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	634.10	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	634.11	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	634.12	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	635.10	DX	Legally induced abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	635.11	DX	Legally induced abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	635.12	DX	Legally induced abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	636.10	DX	Illegally induced abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	636.11	DX	Illegally induced abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	636.12	DX	Illegally induced abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	637.10	DX	Unspecified abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	637.11	DX	Unspecified abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	637.12	DX	Unspecified abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
10.1	Had active bleeding	638.1	DX	Failed attempted abortion complicated by delayed or	ICD-9-CM Diagnosis
10.1	Had active bleeding	639.1	DX	Delayed or excessive hemorrhage following abortion or	ICD-9-CM Diagnosis
10.1	Had active bleeding	640.80	DX	Other specified hemorrhage in early pregnancy, unspecified as	ICD-9-CM Diagnosis
10.1	Had active bleeding	640.81	DX	Other specified hemorrhage in early pregnancy, delivered, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	640.83	DX	Other specified hemorrhage in early pregnancy, antepartum	ICD-9-CM Diagnosis
10.1	Had active bleeding	640.90	DX	Unspecified hemorrhage in early pregnancy, unspecified as to	ICD-9-CM Diagnosis
10.1	Had active bleeding	640.91	DX	Unspecified hemorrhage in early pregnancy, delivered, with or	ICD-9-CM Diagnosis
10.1	Had active bleeding	640.93	DX	Unspecified hemorrhage in early pregnancy, antepartum	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.10	DX	Hemorrhage from placenta previa, unspecified as to episode of	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.11	DX	Hemorrhage from placenta previa, delivered, with or without	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.13	DX	Hemorrhage from placenta previa, antepartum condition or	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.30	DX	Antepartum hemorrhage associated with coagulation defects,	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.31	DX	Antepartum hemorrhage associated with coagulation defects,	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.33	DX	Antepartum hemorrhage associated with coagulation defects,	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.80	DX	Other antepartum hemorrhage, unspecified as to episode of	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.81	DX	Other antepartum hemorrhage, delivered, with or without	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.83	DX	Other antepartum hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.90	DX	Unspecified antepartum hemorrhage, unspecified as to episode	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.91	DX	Unspecified antepartum hemorrhage, delivered, with or without	ICD-9-CM Diagnosis
10.1	Had active bleeding	641.93	DX	Unspecified antepartum hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
10.1	Had active bleeding	656.00	DX	Fetal-maternal hemorrhage, unspecified as to episode of care	ICD-9-CM Diagnosis
10.1	Had active bleeding	656.01	DX	Fetal-maternal hemorrhage, delivered, with or without mention	ICD-9-CM Diagnosis
10.1	Had active bleeding	656.03	DX	Fetal-maternal hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
10.1	Had active bleeding	665.00	DX	Rupture of uterus before onset of labor, unspecified as to	ICD-9-CM Diagnosis
10.1	Had active bleeding	665.01	DX	Rupture of uterus before onset of labor, delivered, with or	ICD-9-CM Diagnosis
10.1	Had active bleeding	665.03	DX	Rupture of uterus before onset of labor, antepartum condition	ICD-9-CM Diagnosis
10.1	Had active bleeding	665.10	DX	Rupture of uterus during labor, unspecified as to episode of	ICD-9-CM Diagnosis
10.1	Had active bleeding	665.11	DX	Rupture of uterus during labor, delivered, with or without	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.00	DX	Third-stage postpartum hemorrhage, unspecified as to episode	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.02	DX	Third-stage postpartum hemorrhage, delivered, with mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.04	DX	Third-stage postpartum hemorrhage, postpartum condition or	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.10	DX	Other immediate postpartum hemorrhage, unspecified as to	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.12	DX	Other immediate postpartum hemorrhage, delivered, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.14	DX	Other immediate postpartum hemorrhage, postpartum	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.20	DX	Delayed and secondary postpartum hemorrhage, unspecified	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.22	DX	Delayed and secondary postpartum hemorrhage, delivered,	ICD-9-CM Diagnosis
10.1	Had active bleeding	666.24	DX	Delayed and secondary postpartum hemorrhage, postpartum	ICD-9-CM Diagnosis
10.1	Had active bleeding	719.1	DX	(ICD9) HEMARTHROSIS	ICD-9-CM Diagnosis
10.1	Had active bleeding	719.10	DX	(ICD9) HEMARTHROSIS SITE UNSPECIFIED	ICD-9-CM Diagnosis
10.1	Had active bleeding	719.11	DX	(ICD9) HERARTHROSIS INVOLVING SHOULDER REGION	ICD-9-CM Diagnosis
10.1	Had active bleeding	719.12	DX	(ICD9) HEMARTHROSIS INVOLVING UPPER ARM	ICD-9-CM Diagnosis
10.1	Had active bleeding	719.13	DX	(ICD9) HEMARTHROSIS INVOLVING FOREARM	ICD-9-CM Diagnosis
10.1	Had active bleeding	719.14	DX	(ICD9) HEMARTHROSIS INVOLVING HAND	ICD-9-CM Diagnosis

[illegible]

[illegible]

10.1	Had active bleeding	852.45	DX	Extracranial hemorrhage following injury without mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.46	DX	Extracranial hemorrhage following injury without mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.49	DX	Extracranial hemorrhage following injury without mention of	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.50	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.51	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.52	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.53	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.54	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.55	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.56	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	852.59	DX	Extracranial hemorrhage following injury with open intracranial	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.00	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.01	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.02	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.03	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.04	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.05	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.06	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.09	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.10	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.11	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.12	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.13	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.14	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.15	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.16	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	853.19	DX	Other and unspecified intracranial hemorrhage following injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	860.2	DX	Traumatic hemothorax without mention of open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	860.3	DX	Traumatic hemothorax with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	860.4	DX	Traumatic pneumothorax without mention of open wound	ICD-9-CM Diagnosis
10.1	Had active bleeding	860.5	DX	Traumatic pneumothorax with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.02	DX	Laceration of heart without penetration of heart chambers or	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.03	DX	Laceration of heart with penetration of heart chambers without	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.10	DX	Unspecified injury of heart with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.11	DX	Contusion of heart with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.12	DX	Laceration of heart without penetration of heart chambers, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.13	DX	Laceration of heart with penetration of heart chambers with	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.22	DX	Laceration of lung without mention of open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.30	DX	Unspecified injury of lung with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.31	DX	Contusion of lung with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	861.32	DX	Laceration of lung with open wound into thorax	ICD-9-CM Diagnosis
10.1	Had active bleeding	862.1	DX	Injury to diaphragm, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	862.31	DX	Injury to bronchus with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	862.32	DX	Injury to esophagus with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	862.39	DX	Injury to other specified intrathoracic organs with open wound	ICD-9-CM Diagnosis
10.1	Had active bleeding	862.9	DX	Injury to multiple and unspecified intrathoracic organs, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	862.99	DX	Injury to multiple and unspecified intrathoracic organs, with	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.1	DX	Injury to stomach, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.30	DX	Injury to small intestine, unspecified site, with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.31	DX	Injury to duodenum, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.39	DX	Other injury to small intestine, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.50	DX	Injury to colon, unspecified site, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.51	DX	Injury to ascending [right] colon, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.52	DX	Injury to transverse colon, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.53	DX	Injury to descending [left] colon, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.54	DX	Injury to sigmoid colon, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.55	DX	Injury to rectum, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.56	DX	Injury to multiple sites in colon and rectum, with open wound	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.59	DX	Other injury to colon or rectum, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.90	DX	Injury to gastrointestinal tract, unspecified site, with open	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.91	DX	Injury to pancreas, head, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.92	DX	Injury to pancreas, body, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.93	DX	Injury to pancreas, tail, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.94	DX	Injury to pancreas, multiple and unspecified sites, with open	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.95	DX	Injury to appendix, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	863.99	DX	Injury to other gastrointestinal sites, with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.10	DX	Injury to liver with open wound into cavity, unspecified injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.11	DX	Injury to liver with open wound into cavity, hematoma and	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.12	DX	Injury to liver with open wound into cavity, laceration, minor	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.13	DX	Injury to liver with open wound into cavity, laceration, moderate	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.14	DX	Injury to liver with open wound into cavity, laceration, major	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.15	DX	Injury to liver with open wound into cavity, laceration,	ICD-9-CM Diagnosis
10.1	Had active bleeding	864.19	DX	Other injury to liver with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	865.10	DX	Injury to spleen with open wound into cavity, unspecified injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	865.11	DX	Injury to spleen with open wound into cavity, hematoma without	ICD-9-CM Diagnosis
10.1	Had active bleeding	865.12	DX	Injury to spleen with open wound into cavity, capsular tears,	ICD-9-CM Diagnosis
10.1	Had active bleeding	865.13	DX	Injury to spleen with open wound into cavity, laceration	ICD-9-CM Diagnosis
10.1	Had active bleeding	865.14	DX	Injury to spleen with open wound into cavity, massive	ICD-9-CM Diagnosis
10.1	Had active bleeding	865.19	DX	Other injury to spleen with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	866.10	DX	Injury to kidney with open wound into cavity, unspecified injury	ICD-9-CM Diagnosis
10.1	Had active bleeding	866.11	DX	Injury to kidney with open wound into cavity, hematoma without	ICD-9-CM Diagnosis
10.1	Had active bleeding	866.12	DX	Injury to kidney with open wound into cavity, laceration	ICD-9-CM Diagnosis
10.1	Had active bleeding	866.13	DX	Injury to kidney with open wound into cavity, complete	ICD-9-CM Diagnosis
10.1	Had active bleeding	867.1	DX	Injury to bladder and urethra, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	867.3	DX	Injury to ureter, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	867.5	DX	Injury to uterus, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	867.7	DX	Injury to other specified pelvic organs, with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	867.9	DX	Injury to unspecified pelvic organ, with open wound into cavity	ICD-9-CM Diagnosis
10.1	Had active bleeding	868.10	DX	Injury to other intra-abdominal organs with open wound into	ICD-9-CM Diagnosis

10.1	Had active bleeding	868.11	DX	Injury to other intra-abdominal organs with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	868.12	DX	Injury to other intra-abdominal organs with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	868.13	DX	Injury to other intra-abdominal organs with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	868.14	DX	Injury to other intra-abdominal organs with open wound into	ICD-9-CM Diagnosis
10.1	Had active bleeding	868.19	DX	Injury to other and multiple intra-abdominal organs, with open	ICD-9-CM Diagnosis
10.1	Had active bleeding	869.1	DX	Internal injury to unspecified or ill-defined organs with open	ICD-9-CM Diagnosis
10.1	Had active bleeding	871.5	DX	Penetration of eyeball with magnetic foreign body	ICD-9-CM Diagnosis
10.1	Had active bleeding	871.6	DX	Penetration of eyeball with (nonmagnetic) foreign body	ICD-9-CM Diagnosis
10.1	Had active bleeding	871.7	DX	Unspecified ocular penetration	ICD-9-CM Diagnosis
10.1	Had active bleeding	871.9	DX	Unspecified open wound of eyeball	ICD-9-CM Diagnosis
10.1	Had active bleeding	958.2	DX	Secondary and recurrent hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	997.02	DX	Iatrogenic cerebrovascular infarction or hemorrhage	ICD-9-CM Diagnosis
10.1	Had active bleeding	998.11	DX	Hemorrhage complicating a procedure	ICD-9-CM Diagnosis
10.1	Had active bleeding	998.12	DX	Hematoma complicating a procedure	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.0	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.1	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.2	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.3	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.4	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.5	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.6	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.7	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.8	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	E870.9	DX	Accidental cut, puncture, perforation or hemorrhage during	ICD-9-CM Diagnosis
10.1	Had active bleeding	39.41	PX	Control of hemorrhage following vascular surgery	ICD-9-PCS
10.1	Had active bleeding	39.98	PX	Control of hemorrhage, not otherwise specified	ICD-9-PCS
10.1	Had active bleeding	44.43	PX	Endoscopic control of gastric or duodenal bleeding	ICD-9-PCS
10.1	Had active bleeding	44.44	PX	Transcatheter embolization for gastric or duodenal bleeding	ICD-9-PCS
10.1	Had active bleeding	44.49	PX	Other control of hemorrhage of stomach or duodenum	ICD-9-PCS
10.2	Risk of bleeding	D47.3	DX	Essential (hemorrhagic) thrombocythemia	ICD-10-CM
10.2	Risk of bleeding	D65	DX	Disseminated intravascular coagulation [defibrination]	ICD-10-CM
10.2	Risk of bleeding	D66	DX	Hereditary factor VIII deficiency	ICD-10-CM
10.2	Risk of bleeding	D67	DX	Hereditary factor IX deficiency	ICD-10-CM
10.2	Risk of bleeding	D68	DX	Other coagulation defects	ICD-10-CM
10.2	Risk of bleeding	D68.0	DX	Von Willebrand's disease	ICD-10-CM
10.2	Risk of bleeding	D68.00	DX	Von Willebrand disease, unspecified	ICD-10-CM
10.2	Risk of bleeding	D68.01	DX	Von Willebrand disease, type 1	ICD-10-CM
10.2	Risk of bleeding	D68.02	DX	Von Willebrand disease, type 2	ICD-10-CM
10.2	Risk of bleeding	D68.020	DX	Von Willebrand disease, type 2A	ICD-10-CM
10.2	Risk of bleeding	D68.021	DX	Von Willebrand disease, type 2B	ICD-10-CM
10.2	Risk of bleeding	D68.022	DX	Von Willebrand disease, type 2M	ICD-10-CM
10.2	Risk of bleeding	D68.023	DX	Von Willebrand disease, type 2N	ICD-10-CM
10.2	Risk of bleeding	D68.029	DX	Von Willebrand disease, type 2, unspecified	ICD-10-CM
10.2	Risk of bleeding	D68.03	DX	Von Willebrand disease, type 3	ICD-10-CM
10.2	Risk of bleeding	D68.04	DX	Acquired von Willebrand disease	ICD-10-CM
10.2	Risk of bleeding	D68.09	DX	Other von Willebrand disease	ICD-10-CM
10.2	Risk of bleeding	D68.1	DX	Hereditary factor XI deficiency	ICD-10-CM
10.2	Risk of bleeding	D68.2	DX	Hereditary deficiency of other clotting factors	ICD-10-CM
10.2	Risk of bleeding	D68.3	DX	Hemorrhagic disorder due to circulating anticoagulants	ICD-10-CM
10.2	Risk of bleeding	D68.31	DX	Hemorrhagic disorder due to intrinsic circulating	ICD-10-CM
10.2	Risk of bleeding	D68.311	DX	Acquired hemophilia	ICD-10-CM
10.2	Risk of bleeding	D68.312	DX	Antiphospholipid antibody with hemorrhagic disorder	ICD-10-CM
10.2	Risk of bleeding	D68.318	DX	Other hemorrhagic disorder due to intrinsic circulating	ICD-10-CM
10.2	Risk of bleeding	D68.32	DX	Hemorrhagic disorder due to extrinsic circulating	ICD-10-CM
10.2	Risk of bleeding	D68.4	DX	Acquired coagulation factor deficiency	ICD-10-CM
10.2	Risk of bleeding	D68.5	DX	Primary thrombophilia	ICD-10-CM
10.2	Risk of bleeding	D68.51	DX	Activated protein C resistance	ICD-10-CM
10.2	Risk of bleeding	D68.52	DX	Prothrombin gene mutation	ICD-10-CM
10.2	Risk of bleeding	D68.59	DX	Other primary thrombophilia	ICD-10-CM
10.2	Risk of bleeding	D68.6	DX	Other thrombophilia	ICD-10-CM
10.2	Risk of bleeding	D68.61	DX	Antiphospholipid syndrome	ICD-10-CM
10.2	Risk of bleeding	D68.62	DX	Lupus anticoagulant syndrome	ICD-10-CM
10.2	Risk of bleeding	D68.69	DX	Other thrombophilia	ICD-10-CM
10.2	Risk of bleeding	D68.8	DX	Other specified coagulation defects	ICD-10-CM
10.2	Risk of bleeding	D68.9	DX	Coagulation defect, unspecified	ICD-10-CM
10.2	Risk of bleeding	D69	DX	Purpura and other hemorrhagic conditions	ICD-10-CM
10.2	Risk of bleeding	D69.0	DX	Allergic purpura	ICD-10-CM
10.2	Risk of bleeding	D69.1	DX	Qualitative platelet defects	ICD-10-CM
10.2	Risk of bleeding	D69.2	DX	Other nonthrombocytopenic purpura	ICD-10-CM
10.2	Risk of bleeding	D69.3	DX	Immune thrombocytopenic purpura	ICD-10-CM
10.2	Risk of bleeding	D69.4	DX	Other primary thrombocytopenia	ICD-10-CM
10.2	Risk of bleeding	D69.41	DX	Evans syndrome	ICD-10-CM
10.2	Risk of bleeding	D69.42	DX	Congenital and hereditary thrombocytopenia purpura	ICD-10-CM
10.2	Risk of bleeding	D69.49	DX	Other primary thrombocytopenia	ICD-10-CM
10.2	Risk of bleeding	D69.5	DX	Secondary thrombocytopenia	ICD-10-CM
10.2	Risk of bleeding	D69.51	DX	Posttransfusion purpura	ICD-10-CM
10.2	Risk of bleeding	D69.59	DX	Other secondary thrombocytopenia	ICD-10-CM
10.2	Risk of bleeding	D69.6	DX	Thrombocytopenia, unspecified	ICD-10-CM
10.2	Risk of bleeding	D69.8	DX	Other specified hemorrhagic conditions	ICD-10-CM
10.2	Risk of bleeding	D69.9	DX	Hemorrhagic condition, unspecified	ICD-10-CM
10.2	Risk of bleeding	D75.9	DX	Disease of blood and blood-forming organs, unspecified	ICD-10-CM
10.2	Risk of bleeding	E56.1	DX	Deficiency of vitamin K	ICD-10-CM
10.2	Risk of bleeding	I67.4	DX	Hypertensive encephalopathy	ICD-10-CM
10.2	Risk of bleeding	I68.0	DX	Cerebral amyloid angiopathy	ICD-10-CM
10.2	Risk of bleeding	286	DX	Coagulation defects	ICD-9-CM Diagnosis
10.2	Risk of bleeding	286.0	DX	Congenital factor VIII disorder	ICD-9-CM Diagnosis
10.2	Risk of bleeding	286.1	DX	Congenital factor IX disorder	ICD-9-CM Diagnosis
10.2	Risk of bleeding	286.2	DX	Congenital factor XI deficiency	ICD-9-CM Diagnosis
10.2	Risk of bleeding	286.3	DX	Congenital deficiency of other clotting factors	ICD-9-CM Diagnosis

10.2 Risk of bleeding	286.4	DX	Von Willebrand's disease	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.5	DX	Hemorrhagic disorder due to intrinsic circulating	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.52	DX	Acquired hemophilia	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.53	DX	Antiphospholipid antibody with hemorrhagic disorder	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.59	DX	Other hemorrhagic disorder due to intrinsic circulating	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.6	DX	Defibrination syndrome	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.7	DX	Acquired coagulation factor deficiency	ICD-9-CM Diagnosis
10.2 Risk of bleeding	286.9	DX	Other and unspecified coagulation defects	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.0	DX	Allergic purpura	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.1	DX	Qualitative platelet defects	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.2	DX	Other northrombocytopenic purpuras	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.3	DX	Primary thrombocytopenia	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.30	DX	Primary thrombocytopenia, unspecified	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.31	DX	Immune thrombocytopenic purpura	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.32	DX	Evans' syndrome	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.33	DX	Congenital and hereditary thrombocytopenic purpura	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.39	DX	Other primary thrombocytopenia	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.4	DX	Secondary thrombocytopenia	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.41	DX	Posttransfusion purpura	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.49	DX	Other secondary thrombocytopenia	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.5	DX	Thrombocytopenia, unspecified	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.8	DX	Other specified hemorrhagic conditions	ICD-9-CM Diagnosis
10.2 Risk of bleeding	287.9	DX	Unspecified hemorrhagic conditions	ICD-9-CM Diagnosis
10.2 Risk of bleeding	289.9	DX	Unspecified diseases of blood and blood-forming organs	ICD-9-CM Diagnosis
10.2 Risk of bleeding	269.0	DX	Deficiency of vitamin K	ICD-9-CM Diagnosis
10.2 Risk of bleeding	437.2	DX	Hypertensive encephalopathy	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 116		DX	Hypertensive crisis	ICD-10-CM
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 116.0		DX	Hypertensive urgency	ICD-10-CM
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 116.1		DX	Hypertensive emergency	ICD-10-CM
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 116.9		DX	Hypertensive crisis, unspecified	ICD-10-CM
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 401.0		DX	Malignant essential hypertension	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 402.0		DX	Malignant hypertensive heart disease	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 402.00		DX	Malignant hypertensive heart disease without heart failure	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 402.01		DX	Malignant hypertensive heart disease with heart failure	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 403.0		DX	Malignant hypertensive renal disease	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 403.00		DX	Hypertensive chronic kidney disease, malignant, with chronic	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 403.01		DX	Hypertensive chronic kidney disease, malignant, with chronic	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 404.0		DX	Malignant hypertensive heart and renal disease	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 404.00		DX	Hypertensive heart and chronic kidney disease, malignant,	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 404.01		DX	Hypertensive heart and chronic kidney disease, malignant, with	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 404.02		DX	Hypertensive heart and chronic kidney disease, malignant,	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 404.03		DX	Hypertensive heart and chronic kidney disease, malignant, with	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 405.0		DX	Malignant secondary hypertension	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 405.01		DX	Malignant renovascular hypertension	ICD-9-CM Diagnosis
11 Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure 405.09		DX	Other malignant secondary hypertension	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding 000		DX	Ectopic pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.0		DX	Abdominal pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.00		DX	Abdominal pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.01		DX	Abdominal pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.1		DX	Tubal pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.10		DX	Tubal pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.101		DX	Right tubal pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.102		DX	Left tubal pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.109		DX	Unspecified tubal pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.11		DX	Tubal pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.111		DX	Right tubal pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.112		DX	Left tubal pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.119		DX	Unspecified tubal pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.2		DX	Ovarian pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.20		DX	Ovarian pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.201		DX	Right ovarian pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.202		DX	Left ovarian pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.209		DX	Unspecified ovarian pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.21		DX	Ovarian pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.211		DX	Right ovarian pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.212		DX	Left ovarian pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.219		DX	Unspecified ovarian pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.8		DX	Other ectopic pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.80		DX	Other ectopic pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.81		DX	Other ectopic pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.9		DX	Ectopic pregnancy, unspecified	ICD-10-CM
12 Pregnant or breastfeeding 000.90		DX	Unspecified ectopic pregnancy without intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 000.91		DX	Unspecified ectopic pregnancy with intrauterine pregnancy	ICD-10-CM
12 Pregnant or breastfeeding 001		DX	Hydatidiform mole	ICD-10-CM
12 Pregnant or breastfeeding 001.0		DX	Classical hydatidiform mole	ICD-10-CM
12 Pregnant or breastfeeding 001.1		DX	Incomplete and partial hydatidiform mole	ICD-10-CM
12 Pregnant or breastfeeding 001.9		DX	Hydatidiform mole, unspecified	ICD-10-CM
12 Pregnant or breastfeeding 002		DX	Other abnormal products of conception	ICD-10-CM
12 Pregnant or breastfeeding 002.0		DX	Blighted ovum and nonhydatidiform mole	ICD-10-CM
12 Pregnant or breastfeeding 002.1		DX	Missed abortion	ICD-10-CM
12 Pregnant or breastfeeding 002.81		DX	Inappropriate change in quantitative human chorionic	ICD-10-CM
12 Pregnant or breastfeeding 002.89		DX	Other abnormal products of conception	ICD-10-CM
12 Pregnant or breastfeeding 002.9		DX	Abnormal product of conception, unspecified	ICD-10-CM
12 Pregnant or breastfeeding 003		DX	Spontaneous abortion	ICD-10-CM
12 Pregnant or breastfeeding 003.0		DX	Genital tract and pelvic infection following incomplete	ICD-10-CM
12 Pregnant or breastfeeding 003.1		DX	Delayed or excessive hemorrhage following incomplete	ICD-10-CM
12 Pregnant or breastfeeding 003.2		DX	Embolism following incomplete spontaneous abortion	ICD-10-CM
12 Pregnant or breastfeeding 003.3		DX	Other and unspecified complications following incomplete	ICD-10-CM

12	Pregnant or breastfeeding	003.30	DX	Unspecified complication following incomplete spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.31	DX	Shock following incomplete spontaneous abortion	ICD-10-CM
12	Pregnant or breastfeeding	003.32	DX	Renal failure following incomplete spontaneous abortion	ICD-10-CM
12	Pregnant or breastfeeding	003.33	DX	Metabolic disorder following incomplete spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.34	DX	Damage to pelvic organs following incomplete spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.35	DX	Other venous complications following incomplete	ICD-10-CM
12	Pregnant or breastfeeding	003.36	DX	Cardiac arrest following incomplete spontaneous abortion	ICD-10-CM
12	Pregnant or breastfeeding	003.37	DX	Sepsis following incomplete spontaneous abortion	ICD-10-CM
12	Pregnant or breastfeeding	003.38	DX	Urinary tract infection following incomplete spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.39	DX	Incomplete spontaneous abortion with other complications	ICD-10-CM
12	Pregnant or breastfeeding	003.4	DX	Incomplete spontaneous abortion without complication	ICD-10-CM
12	Pregnant or breastfeeding	003.5	DX	Genital tract and pelvic infection following complete or	ICD-10-CM
12	Pregnant or breastfeeding	003.6	DX	Delayed or excessive hemorrhage following complete or	ICD-10-CM
12	Pregnant or breastfeeding	003.7	DX	Embolism following complete or unspecified spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.8	DX	Other and unspecified complications following complete or	ICD-10-CM
12	Pregnant or breastfeeding	003.80	DX	Unspecified complication following complete or unspecified	ICD-10-CM
12	Pregnant or breastfeeding	003.81	DX	Shock following complete or unspecified spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.82	DX	Renal failure following complete or unspecified spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.83	DX	Metabolic disorder following complete or unspecified	ICD-10-CM
12	Pregnant or breastfeeding	003.84	DX	Damage to pelvic organs following complete or unspecified	ICD-10-CM
12	Pregnant or breastfeeding	003.85	DX	Other venous complications following complete or unspecified	ICD-10-CM
12	Pregnant or breastfeeding	003.86	DX	Cardiac arrest following complete or unspecified spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.87	DX	Sepsis following complete or unspecified spontaneous	ICD-10-CM
12	Pregnant or breastfeeding	003.88	DX	Urinary tract infection following complete or unspecified	ICD-10-CM
12	Pregnant or breastfeeding	003.89	DX	Complete or unspecified spontaneous abortion with other	ICD-10-CM
12	Pregnant or breastfeeding	003.9	DX	Complete or unspecified spontaneous abortion without	ICD-10-CM
12	Pregnant or breastfeeding	004	DX	Complications following (induced) termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	004.5	DX	Genital tract and pelvic infection following (induced)	ICD-10-CM
12	Pregnant or breastfeeding	004.6	DX	Delayed or excessive hemorrhage following (induced)	ICD-10-CM
12	Pregnant or breastfeeding	004.7	DX	Embolism following (induced) termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	004.8	DX	(Induced) termination of pregnancy with other and unspecified	ICD-10-CM
12	Pregnant or breastfeeding	004.80	DX	(Induced) termination of pregnancy with unspecified	ICD-10-CM
12	Pregnant or breastfeeding	004.81	DX	Shock following (induced) termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	004.82	DX	Renal failure following (induced) termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	004.83	DX	Metabolic disorder following (induced) termination of	ICD-10-CM
12	Pregnant or breastfeeding	004.84	DX	Damage to pelvic organs following (induced) termination of	ICD-10-CM
12	Pregnant or breastfeeding	004.85	DX	Other venous complications following (induced) termination of	ICD-10-CM
12	Pregnant or breastfeeding	004.86	DX	Cardiac arrest following (induced) termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	004.87	DX	Sepsis following (induced) termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	004.88	DX	Urinary tract infection following (induced) termination of	ICD-10-CM
12	Pregnant or breastfeeding	004.89	DX	(Induced) termination of pregnancy with other complications	ICD-10-CM
12	Pregnant or breastfeeding	007	DX	Failed attempted termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	007.0	DX	Genital tract and pelvic infection following failed attempted	ICD-10-CM
12	Pregnant or breastfeeding	007.1	DX	Delayed or excessive hemorrhage following failed attempted	ICD-10-CM
12	Pregnant or breastfeeding	007.2	DX	Embolism following failed attempted termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	007.3	DX	Failed attempted termination of pregnancy with other and	ICD-10-CM
12	Pregnant or breastfeeding	007.30	DX	Failed attempted termination of pregnancy with unspecified	ICD-10-CM
12	Pregnant or breastfeeding	007.31	DX	Shock following failed attempted termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	007.32	DX	Renal failure following failed attempted termination of	ICD-10-CM
12	Pregnant or breastfeeding	007.33	DX	Metabolic disorder following failed attempted termination of	ICD-10-CM
12	Pregnant or breastfeeding	007.34	DX	Damage to pelvic organs following failed attempted	ICD-10-CM
12	Pregnant or breastfeeding	007.35	DX	Other venous complications following failed attempted	ICD-10-CM
12	Pregnant or breastfeeding	007.36	DX	Cardiac arrest following failed attempted termination of	ICD-10-CM
12	Pregnant or breastfeeding	007.37	DX	Sepsis following failed attempted termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	007.38	DX	Urinary tract infection following failed attempted termination of	ICD-10-CM
12	Pregnant or breastfeeding	007.39	DX	Failed attempted termination of pregnancy with other	ICD-10-CM
12	Pregnant or breastfeeding	007.4	DX	Failed attempted termination of pregnancy without	ICD-10-CM
12	Pregnant or breastfeeding	008	DX	Complications following ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.0	DX	Genital tract and pelvic infection following ectopic and molar	ICD-10-CM
12	Pregnant or breastfeeding	008.1	DX	Delayed or excessive hemorrhage following ectopic and molar	ICD-10-CM
12	Pregnant or breastfeeding	008.2	DX	blighted ovum and nonhydatidiform mole	ICD-10-CM
12	Pregnant or breastfeeding	008.3	DX	Shock following ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.4	DX	Renal failure following ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.5	DX	Metabolic disorders following an ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.6	DX	Damage to pelvic organs and tissues following an ectopic and	ICD-10-CM
12	Pregnant or breastfeeding	008.7	DX	Other venous complications following an ectopic and molar	ICD-10-CM
12	Pregnant or breastfeeding	008.8	DX	Other complications following an ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.81	DX	Cardiac arrest following an ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.82	DX	Sepsis following ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.83	DX	Urinary tract infection following an ectopic and molar	ICD-10-CM
12	Pregnant or breastfeeding	008.89	DX	Other complications following an ectopic and molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	008.9	DX	Unspecified complication following an ectopic and molar	ICD-10-CM
12	Pregnant or breastfeeding	009	DX	Supervision of high risk pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	009.0	DX	Supervision of pregnancy with history of infertility	ICD-10-CM
12	Pregnant or breastfeeding	009.00	DX	Supervision of pregnancy with history of infertility, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	009.01	DX	Supervision of pregnancy with history of infertility, first	ICD-10-CM
12	Pregnant or breastfeeding	009.02	DX	Supervision of pregnancy with history of infertility, second	ICD-10-CM
12	Pregnant or breastfeeding	009.03	DX	Supervision of pregnancy with history of infertility, third	ICD-10-CM
12	Pregnant or breastfeeding	0091	DX	Supervision of pregnancy with history of ectopic pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	00910	DX	Supervision of pregnancy with history of ectopic, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00911	DX	Supervision of pregnancy with history of ectopic, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	00912	DX	Supervision of pregnancy with history of ectopic, second	ICD-10-CM
12	Pregnant or breastfeeding	00913	DX	Supervision of pregnancy with history of ectopic, third	ICD-10-CM
12	Pregnant or breastfeeding	009A	DX	Supervision of pregnancy with history of molar pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	009A0	DX	Supervision of pregnancy with history of molar pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	009A1	DX	Supervision of pregnancy with history of molar pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	009A2	DX	Supervision of pregnancy with history of molar pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	009A3	DX	Supervision of pregnancy with history of molar pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	0092	DX	Supervision of pregnancy with other poor reproductive or	ICD-10-CM

12	Pregnant or breastfeeding	00921	DX	Supervision of pregnancy with history of pre-term labor	ICD-10-CM
12	Pregnant or breastfeeding	009211	DX	Supervision of pregnancy with history of pre-term labor, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009212	DX	Supervision of pregnancy with history of pre-term labor, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009213	DX	Supervision of pregnancy with history of pre-term labor, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009219	DX	Supervision of pregnancy with history of pre-term labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00929	DX	Supervision of pregnancy with other poor reproductive or obstetric outcomes	ICD-10-CM
12	Pregnant or breastfeeding	009291	DX	Supervision of pregnancy with other poor reproductive or obstetric outcomes, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009292	DX	Supervision of pregnancy with other poor reproductive or obstetric outcomes, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009293	DX	Supervision of pregnancy with other poor reproductive or obstetric outcomes, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009299	DX	Supervision of pregnancy with other poor reproductive or obstetric outcomes, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	0093	DX	Supervision of pregnancy with insufficient antenatal care	ICD-10-CM
12	Pregnant or breastfeeding	00930	DX	Supervision of pregnancy with insufficient antenatal care, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	00931	DX	Supervision of pregnancy with insufficient antenatal care, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	00932	DX	Supervision of pregnancy with insufficient antenatal care, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	00933	DX	Supervision of pregnancy with insufficient antenatal care, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	0094	DX	Supervision of pregnancy with grand multiparity	ICD-10-CM
12	Pregnant or breastfeeding	00940	DX	Supervision of pregnancy with grand multiparity, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00941	DX	Supervision of pregnancy with grand multiparity, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	00942	DX	Supervision of pregnancy with grand multiparity, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	00943	DX	Supervision of pregnancy with grand multiparity, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	0095	DX	Supervision of elderly primigravida and multigravida	ICD-10-CM
12	Pregnant or breastfeeding	00951	DX	Supervision of elderly primigravida, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009511	DX	Supervision of elderly primigravida, first trimester, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009512	DX	Supervision of elderly primigravida, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009513	DX	Supervision of elderly primigravida, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009519	DX	Supervision of elderly primigravida, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	00952	DX	Supervision of elderly multigravida	ICD-10-CM
12	Pregnant or breastfeeding	009521	DX	Supervision of elderly multigravida, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009522	DX	Supervision of elderly multigravida, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009523	DX	Supervision of elderly multigravida, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009529	DX	Supervision of elderly multigravida, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	0096	DX	Supervision of young primigravida and multigravida	ICD-10-CM
12	Pregnant or breastfeeding	00961	DX	Supervision of young primigravida	ICD-10-CM
12	Pregnant or breastfeeding	009611	DX	Supervision of young primigravida, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009612	DX	Supervision of young primigravida, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009613	DX	Supervision of young primigravida, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009619	DX	Supervision of young primigravida, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	00962	DX	Supervision of young multigravida	ICD-10-CM
12	Pregnant or breastfeeding	009621	DX	Supervision of young multigravida, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009622	DX	Supervision of young multigravida, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009623	DX	Supervision of young multigravida, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009629	DX	Supervision of young multigravida, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	0097	DX	Supervision of high risk pregnancy due to social problems	ICD-10-CM
12	Pregnant or breastfeeding	00970	DX	Supervision of high risk pregnancy due to social problems, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	00971	DX	Supervision of high risk pregnancy due to social problems, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	00972	DX	Supervision of high risk pregnancy due to social problems, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	00973	DX	Supervision of high risk pregnancy due to social problems, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	0098	DX	Supervision of other high risk pregnancies	ICD-10-CM
12	Pregnant or breastfeeding	00981	DX	Supervision of pregnancy resulting from assisted reproductive technology	ICD-10-CM
12	Pregnant or breastfeeding	009811	DX	Supervision of pregnancy resulting from assisted reproductive technology, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009812	DX	Supervision of pregnancy resulting from assisted reproductive technology, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009813	DX	Supervision of pregnancy resulting from assisted reproductive technology, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009819	DX	Supervision of pregnancy resulting from assisted reproductive technology, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00982	DX	Supervision of pregnancy with history of in utero procedure	ICD-10-CM
12	Pregnant or breastfeeding	009821	DX	Supervision of pregnancy with history of in utero procedure, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009822	DX	Supervision of pregnancy with history of in utero procedure, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009823	DX	Supervision of pregnancy with history of in utero procedure, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009829	DX	Supervision of pregnancy with history of in utero procedure, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00989	DX	Supervision of other high risk pregnancies	ICD-10-CM
12	Pregnant or breastfeeding	009891	DX	Supervision of other high risk pregnancies, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	009892	DX	Supervision of other high risk pregnancies, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	009893	DX	Supervision of other high risk pregnancies, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	009899	DX	Supervision of other high risk pregnancies, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	0099	DX	Supervision of high risk pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00990	DX	Supervision of high risk pregnancy, unspecified, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	00991	DX	Supervision of high risk pregnancy, unspecified, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	00992	DX	Supervision of high risk pregnancy, unspecified, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	00993	DX	Supervision of high risk pregnancy, unspecified, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	010	DX	Pre-existing hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.0	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.01	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.011	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.012	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.013	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.019	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.02	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.03	DX	Pre-existing essential hypertension complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.1	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.11	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.111	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.112	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.113	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.119	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.12	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.13	DX	Pre-existing hypertensive heart disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.2	DX	Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.21	DX	Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.211	DX	Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	010.212	DX	Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth	ICD-10-CM

[illegible]

12	Pregnant or breastfeeding	015	DX	Eclampsia	ICD-10-CM
12	Pregnant or breastfeeding	015.0	DX	Eclampsia complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	015.00	DX	Eclampsia complicating pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	015.02	DX	Eclampsia complicating pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	015.03	DX	Eclampsia complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	015.1	DX	Eclampsia complicating labor	ICD-10-CM
12	Pregnant or breastfeeding	015.2	DX	Eclampsia complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	015.9	DX	Eclampsia, unspecified as to time period	ICD-10-CM
12	Pregnant or breastfeeding	016	DX	Unspecified maternal hypertension	ICD-10-CM
12	Pregnant or breastfeeding	016.1	DX	Unspecified maternal hypertension, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	016.2	DX	Unspecified maternal hypertension, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	016.3	DX	Unspecified maternal hypertension, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	016.4	DX	Unspecified maternal hypertension, complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	016.5	DX	Unspecified maternal hypertension, complicating the	ICD-10-CM
12	Pregnant or breastfeeding	016.9	DX	Unspecified maternal hypertension, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	020	DX	Hemorrhage in early pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	020.0	DX	Threatened abortion	ICD-10-CM
12	Pregnant or breastfeeding	020.8	DX	Other hemorrhage in early pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	020.9	DX	Hemorrhage in early pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	021	DX	Excessive vomiting in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	021.0	DX	Mild hyperemesis gravidarum	ICD-10-CM
12	Pregnant or breastfeeding	021.1	DX	Hyperemesis gravidarum with metabolic disturbance	ICD-10-CM
12	Pregnant or breastfeeding	021.2	DX	Late vomiting of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	021.8	DX	Other vomiting complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	021.9	DX	Vomiting of pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022	DX	Venous complications and hemorrhoids in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.0	DX	Varicose veins of lower extremity in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.00	DX	Varicose veins of lower extremity in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022.01	DX	Varicose veins of lower extremity in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.02	DX	Varicose veins of lower extremity in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	022.03	DX	Varicose veins of lower extremity in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.1	DX	Genital varices in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.10	DX	Genital varices in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.11	DX	Genital varices in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.12	DX	Genital varices in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.13	DX	Genital varices in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.2	DX	Superficial thrombophlebitis in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.20	DX	Superficial thrombophlebitis in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022.21	DX	Superficial thrombophlebitis in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.22	DX	Superficial thrombophlebitis in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.23	DX	Superficial thrombophlebitis in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.3	DX	Deep phlebotrombosis in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.30	DX	Deep phlebotrombosis in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.31	DX	Deep phlebotrombosis in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.32	DX	Deep phlebotrombosis in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.33	DX	Deep phlebotrombosis in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.4	DX	Hemorrhoids in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.40	DX	Hemorrhoids in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.41	DX	Hemorrhoids in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.42	DX	Hemorrhoids in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.43	DX	Hemorrhoids in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.5	DX	Cerebral venous thrombosis in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.50	DX	Cerebral venous thrombosis in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022.51	DX	Cerebral venous thrombosis in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.52	DX	Cerebral venous thrombosis in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.53	DX	Cerebral venous thrombosis in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.8	DX	Other venous complications in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.8X	DX	Other venous complications in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	022.8X1	DX	Other venous complications in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.8X2	DX	Other venous complications in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.8X3	DX	Other venous complications in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.8X9	DX	Other venous complications in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022.9	DX	Venous complication in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022.90	DX	Venous complication in pregnancy, unspecified, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	022.91	DX	Venous complication in pregnancy, unspecified, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	022.92	DX	Venous complication in pregnancy, unspecified, second	ICD-10-CM
12	Pregnant or breastfeeding	022.93	DX	Venous complication in pregnancy, unspecified, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	023	DX	Infections of genitourinary tract in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.0	DX	Infections of kidney in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.00	DX	Infections of kidney in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.01	DX	Infections of kidney in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.02	DX	Infections of kidney in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.03	DX	Infections of kidney in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.1	DX	Infections of bladder in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.10	DX	Infections of bladder in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.11	DX	Infections of bladder in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.12	DX	Infections of bladder in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.13	DX	Infections of bladder in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.2	DX	Infections of urethra in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.20	DX	Infections of urethra in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.21	DX	Infections of urethra in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.22	DX	Infections of urethra in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.23	DX	Infections of urethra in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.3	DX	Infections of other parts of urinary tract in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.30	DX	Infections of other parts of urinary tract in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	023.31	DX	Infections of other parts of urinary tract in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	023.32	DX	Infections of other parts of urinary tract in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	023.33	DX	Infections of other parts of urinary tract in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	023.4	DX	Unspecified infection of urinary tract in pregnancy	ICD-10-CM

12	Pregnant or breastfeeding	023.40	DX	Unspecified infection of urinary tract in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	023.41	DX	Unspecified infection of urinary tract in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	023.42	DX	Unspecified infection of urinary tract in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	023.43	DX	Unspecified infection of urinary tract in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	023.5	DX	Infections of the genital tract in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.51	DX	Infection of cervix in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.511	DX	Infections of cervix in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.512	DX	Infections of cervix in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.513	DX	Infections of cervix in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.519	DX	Infections of cervix in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.52	DX	Salpingo-oophoritis in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.521	DX	Salpingo-oophoritis in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.522	DX	Salpingo-oophoritis in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.523	DX	Salpingo-oophoritis in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.529	DX	Salpingo-oophoritis in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	023.59	DX	Infection of other part of genital tract in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.591	DX	Infection of other part of genital tract in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	023.592	DX	Infection of other part of genital tract in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	023.593	DX	Infection of other part of genital tract in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	023.599	DX	Infection of other part of genital tract in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	023.9	DX	Unspecified genitourinary tract infection in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	023.90	DX	Unspecified genitourinary tract infection in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	023.91	DX	Unspecified genitourinary tract infection in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	023.92	DX	Unspecified genitourinary tract infection in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	023.93	DX	Unspecified genitourinary tract infection in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	024	DX	Diabetes mellitus in pregnancy, childbirth, and the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	024.0	DX	Pre-existing type 1 diabetes mellitus, in pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	024.01	DX	Pre-existing type 1 diabetes mellitus, in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	024.011	DX	Pre-existing type 1 diabetes mellitus, in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	024.012	DX	Pre-existing type 1 diabetes mellitus, in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	024.013	DX	Pre-existing type 1 diabetes mellitus, in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	024.019	DX	Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	024.02	DX	Pre-existing type 1 diabetes mellitus, in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	024.03	DX	Pre-existing type 1 diabetes mellitus, in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	024.1	DX	Pre-existing type 2 diabetes mellitus, in pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	024.11	DX	Pre-existing type 2 diabetes mellitus, in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	024.111	DX	Pre-existing type 2 diabetes mellitus, in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	024.112	DX	Pre-existing type 2 diabetes mellitus, in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	024.113	DX	Pre-existing type 2 diabetes mellitus, in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	024.119	DX	Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	024.12	DX	Pre-existing type 2 diabetes mellitus, in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	024.13	DX	Pre-existing type 2 diabetes mellitus, in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	024.3	DX	Unspecified pre-existing diabetes mellitus in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	024.31	DX	Unspecified pre-existing diabetes mellitus in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	024.311	DX	Unspecified pre-existing diabetes mellitus in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	024.312	DX	Unspecified pre-existing diabetes mellitus in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	024.313	DX	Unspecified pre-existing diabetes mellitus in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	024.319	DX	Unspecified pre-existing diabetes mellitus in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	024.32	DX	Unspecified pre-existing diabetes mellitus in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	024.33	DX	Unspecified pre-existing diabetes mellitus in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	024.4	DX	Gestational diabetes mellitus	ICD-10-CM
12	Pregnant or breastfeeding	024.41	DX	Gestational diabetes mellitus in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	024.410	DX	Gestational diabetes mellitus in pregnancy, diet controlled	ICD-10-CM
12	Pregnant or breastfeeding	024.414	DX	Gestational diabetes mellitus in pregnancy, insulin controlled	ICD-10-CM
12	Pregnant or breastfeeding	024.415	DX	Gestational diabetes mellitus in pregnancy, controlled by oral	ICD-10-CM
12	Pregnant or breastfeeding	024.419	DX	Gestational diabetes mellitus in pregnancy, unspecified control	ICD-10-CM
12	Pregnant or breastfeeding	024.42	DX	Gestational diabetes mellitus in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	024.420	DX	Gestational diabetes mellitus in childbirth, diet controlled	ICD-10-CM
12	Pregnant or breastfeeding	024.424	DX	Gestational diabetes mellitus in childbirth, insulin controlled	ICD-10-CM
12	Pregnant or breastfeeding	024.425	DX	Gestational diabetes mellitus in childbirth, controlled by oral	ICD-10-CM
12	Pregnant or breastfeeding	024.429	DX	Gestational diabetes mellitus in childbirth, unspecified control	ICD-10-CM
12	Pregnant or breastfeeding	024.43	DX	Gestational diabetes mellitus in the puerperium</	

12	Pregnant or breastfeeding	025.3	DX	Malnutrition in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	026	DX	Maternal care for other conditions predominantly related to	ICD-10-CM
12	Pregnant or breastfeeding	026.0	DX	Excessive weight gain in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.0.0	DX	Excessive weight gain in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.01	DX	Excessive weight gain in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.02	DX	Excessive weight gain in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.03	DX	Excessive weight gain in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.1	DX	Low weight gain in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.10	DX	Low weight gain in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.11	DX	Low weight gain in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.12	DX	Low weight gain in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.13	DX	Low weight gain in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.2	DX	Pregnancy care for patient with recurrent pregnancy loss	ICD-10-CM
12	Pregnant or breastfeeding	026.20	DX	Pregnancy care for patient with recurrent pregnancy loss,	ICD-10-CM
12	Pregnant or breastfeeding	026.21	DX	Pregnancy care for patient with recurrent pregnancy loss, first	ICD-10-CM
12	Pregnant or breastfeeding	026.22	DX	Pregnancy care for patient with recurrent pregnancy loss,	ICD-10-CM
12	Pregnant or breastfeeding	026.23	DX	Pregnancy care for patient with recurrent pregnancy loss, third	ICD-10-CM
12	Pregnant or breastfeeding	026.3	DX	Retained intrauterine contraceptive device in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.30	DX	Retained intrauterine contraceptive device in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	026.31	DX	Retained intrauterine contraceptive device in pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	026.32	DX	Retained intrauterine contraceptive device in pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	026.33	DX	Retained intrauterine contraceptive device in pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	026.4	DX	Herpes gestationis	ICD-10-CM
12	Pregnant or breastfeeding	026.40	DX	Herpes gestationis, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.41	DX	Herpes gestationis, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.42	DX	Herpes gestationis, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.43	DX	Herpes gestationis, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.5	DX	Maternal hypotension syndrome	ICD-10-CM
12	Pregnant or breastfeeding	026.50	DX	Maternal hypotension syndrome, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.51	DX	Maternal hypotension syndrome, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.52	DX	Maternal hypotension syndrome, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.53	DX	Maternal hypotension syndrome, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.6	DX	Liver and biliary tract disorders in pregnancy, childbirth and the	ICD-10-CM
12	Pregnant or breastfeeding	026.61	DX	Liver and biliary tract disorders in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.611	DX	Liver and biliary tract disorders in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.612	DX	Liver and biliary tract disorders in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.613	DX	Liver and biliary tract disorders in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.619	DX	Liver and biliary tract disorders in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	026.62	DX	Liver and biliary tract disorders in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	026.63	DX	Liver and biliary tract disorders in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	026.64	DX	Intrahepatic cholestasis of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.641	DX	Intrahepatic cholestasis of pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.642	DX	Intrahepatic cholestasis of pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.643	DX	Intrahepatic cholestasis of pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.649	DX	Intrahepatic cholestasis of pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.7	DX	Subluxation of symphysis (pubis) in pregnancy, childbirth and	ICD-10-CM
12	Pregnant or breastfeeding	026.71	DX	Subluxation of symphysis (pubis) in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.711	DX	Subluxation of symphysis (pubis) in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.712	DX	Subluxation of symphysis (pubis) in pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	026.713	DX	Subluxation of symphysis (pubis) in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.719	DX	Subluxation of symphysis (pubis) in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	026.72	DX	Subluxation of symphysis (pubis) in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	026.73	DX	Subluxation of symphysis (pubis) in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	026.8	DX	Other specified pregnancy related conditions	ICD-10-CM
12	Pregnant or breastfeeding	026.81	DX	Pregnancy related exhaustion and fatigue	ICD-10-CM
12	Pregnant or breastfeeding	026.811	DX	Pregnancy related exhaustion and fatigue, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.812	DX	Pregnancy related exhaustion and fatigue, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.813	DX	Pregnancy related exhaustion and fatigue, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.819	DX	Pregnancy related exhaustion and fatigue, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	026.82	DX	Pregnancy related peripheral neuritis	ICD-10-CM
12	Pregnant or breastfeeding	026.821	DX	Pregnancy related peripheral neuritis, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.822	DX	Pregnancy related peripheral neuritis, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.823	DX	Pregnancy related peripheral neuritis, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.829	DX	Pregnancy related peripheral neuritis, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.83	DX	Pregnancy related renal disease	ICD-10-CM
12	Pregnant or breastfeeding	026.831	DX	Pregnancy related renal disease, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.832	DX	Pregnancy related renal disease, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.833	DX	Pregnancy related renal disease, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.839	DX	Pregnancy related renal disease, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.84	DX	Uterine size-date discrepancy complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.841	DX	Uterine size-date discrepancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.842	DX	Uterine size-date discrepancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.843	DX	Uterine size-date discrepancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.849	DX	Uterine size-date discrepancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.85	DX	Spotting complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	026.851	DX	Spotting complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.852	DX	Spotting complicating pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.853	DX	Spotting complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.859	DX	Spotting complicating pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.86	DX	Pruritic urticarial papules and plaques of pregnancy (PUPPP)	ICD-10-CM
12	Pregnant or breastfeeding	026.87	DX	Cervical shortening	ICD-10-CM
12	Pregnant or breastfeeding	026.872	DX	Cervical shortening, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.873	DX	Cervical shortening, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.879	DX	Cervical shortening, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.89	DX	Other specified pregnancy related conditions	ICD-10-CM
12	Pregnant or breastfeeding	026.891	DX	Other specified pregnancy related conditions, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.892	DX	Other specified pregnancy related conditions, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.893	DX	Other specified pregnancy related conditions, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.899	DX	Other specified pregnancy related conditions, unspecified	ICD-10-CM

12	Pregnant or breastfeeding	026.9	DX	Pregnancy related conditions, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	026.90	DX	Pregnancy related conditions, unspecified, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	026.91	DX	Pregnancy related conditions, unspecified, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.92	DX	Pregnancy related conditions, unspecified, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	026.93	DX	Pregnancy related conditions, unspecified, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	028	DX	Abnormal findings on antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	028.0	DX	Abnormal hematological finding on antenatal screening of	ICD-10-CM
12	Pregnant or breastfeeding	028.1	DX	Abnormal biochemical finding on antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	028.2	DX	Abnormal cytological finding on antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	028.3	DX	Abnormal ultrasonic finding on antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	028.4	DX	Abnormal radiological finding on antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	028.5	DX	Abnormal chromosomal and genetic finding on antenatal	ICD-10-CM
12	Pregnant or breastfeeding	028.8	DX	Other abnormal findings on antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	028.9	DX	Unspecified abnormal findings on antenatal screening of	ICD-10-CM
12	Pregnant or breastfeeding	029	DX	Complications of anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.0	DX	Pulmonary complications of anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.01	DX	Aspiration pneumonia due to anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.011	DX	Aspiration pneumonia due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.012	DX	Aspiration pneumonia due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.013	DX	Aspiration pneumonia due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.019	DX	Aspiration pneumonia due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.02	DX	Pressure collapse of lung due to anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.021	DX	Pressure collapse of lung due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.022	DX	Pressure collapse of lung due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.023	DX	Pressure collapse of lung due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.029	DX	Pressure collapse of lung due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.09	DX	Other pulmonary complications of anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.091	DX	Other pulmonary complications of anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	029.092	DX	Other pulmonary complications of anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	029.093	DX	Other pulmonary complications of anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	029.099	DX	Other pulmonary complications of anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	0291	DX	Cardiac complications of anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.11	DX	Cardiac arrest due to anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.111	DX	Cardiac arrest due to anesthesia during pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	029.112	DX	Cardiac arrest due to anesthesia during pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	029.113	DX	Cardiac arrest due to anesthesia during pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	029.119	DX	Cardiac arrest due to anesthesia during pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	029.12	DX	Cardiac failure due to anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.121	DX	Cardiac failure due to anesthesia during pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	029.122	DX	Cardiac failure due to anesthesia during pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	029.123	DX	Cardiac failure due to anesthesia during pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	029.129	DX	Cardiac failure due to anesthesia during pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	029.19	DX	Other cardiac complications of anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.191	DX	Other cardiac complications of anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.192	DX	Other cardiac complications of anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.193	DX	Other cardiac complications of anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.199	DX	Other cardiac complications of anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.2	DX	Central nervous system complications of anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	029.21	DX	Cerebral anoxia due to anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.211	DX	Cerebral anoxia due to anesthesia during pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	029.212	DX	Cerebral anoxia due to anesthesia during pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	029.213	DX	Cerebral anoxia due to anesthesia during pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	029.219	DX	Cerebral anoxia due to anesthesia during pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	029.29	DX	Other central nervous system complications of anesthesia	ICD-10-CM
12	Pregnant or breastfeeding	029.291	DX	Other central nervous system complications of anesthesia	ICD-10-CM
12	Pregnant or breastfeeding	029.292	DX	Other central nervous system complications of anesthesia	ICD-10-CM
12	Pregnant or breastfeeding	029.293	DX	Other central nervous system complications of anesthesia	ICD-10-CM
12	Pregnant or breastfeeding	029.299	DX	Other central nervous system complications of anesthesia	ICD-10-CM
12	Pregnant or breastfeeding	029.3	DX	Toxic reaction to local anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.3X	DX	Toxic reaction to local anesthesia during pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	029.3X1	DX	Toxic reaction to local anesthesia during pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	029.3X2	DX	Toxic reaction to local anesthesia during pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	029.3X3	DX	Toxic reaction to local anesthesia during pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	029.3X9	DX	Toxic reaction to local anesthesia during pregnancy,	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

12	Pregnant or breastfeeding	0432	DX	Morbidly adherent placenta	ICD-10-CM
12	Pregnant or breastfeeding	04321	DX	Placenta accreta	ICD-10-CM
12	Pregnant or breastfeeding	043211	DX	Placenta accreta, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	043212	DX	Placenta accreta, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	043213	DX	Placenta accreta, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	043219	DX	Placenta accreta, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	04322	DX	Placenta increta	ICD-10-CM
12	Pregnant or breastfeeding	043221	DX	Placenta increta, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	043222	DX	Placenta increta, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	043223	DX	Placenta increta, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	043229	DX	Placenta increta, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	04323	DX	Placenta percreta	ICD-10-CM
12	Pregnant or breastfeeding	043231	DX	Placenta percreta, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	043232	DX	Placenta percreta, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	043233	DX	Placenta percreta, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	043239	DX	Placenta percreta, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	0438	DX	Other placental disorders	ICD-10-CM
12	Pregnant or breastfeeding	04381	DX	Placental infarction	ICD-10-CM
12	Pregnant or breastfeeding	043811	DX	Placental infarction, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	043812	DX	Placental infarction, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	043813	DX	Placental infarction, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	043819	DX	Placental infarction, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	04389	DX	Other placental disorders	ICD-10-CM
12	Pregnant or breastfeeding	043891	DX	Other placental disorders, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	043892	DX	Other placental disorders, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	043893	DX	Other placental disorders, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	043899	DX	Other placental disorders, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	0439	DX	Unspecified placental disorder	ICD-10-CM
12	Pregnant or breastfeeding	04390	DX	Unspecified placental disorder, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	04391	DX	Unspecified placental disorder, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	04392	DX	Unspecified placental disorder, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	04393	DX	Unspecified placental disorder, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	044	DX	Placenta previa	ICD-10-CM
12	Pregnant or breastfeeding	0440	DX	Complete placenta previa NOS or without hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	04400	DX	Complete placenta previa NOS or without hemorrhage, first	ICD-10-CM
12	Pregnant or breastfeeding	04401	DX	Complete placenta previa NOS or without hemorrhage, second	ICD-10-CM
12	Pregnant or breastfeeding	04402	DX	Complete placenta previa NOS or without hemorrhage, third	ICD-10-CM
12	Pregnant or breastfeeding	04403	DX	Complete placenta previa with hemorrhage, first	ICD-10-CM
12	Pregnant or breastfeeding	0441	DX	Complete placenta previa with hemorrhage, second	ICD-10-CM
12	Pregnant or breastfeeding	04410	DX	Complete placenta previa with hemorrhage, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	04411	DX	Complete placenta previa with hemorrhage, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	04412	DX	Complete placenta previa with hemorrhage, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	04413	DX	Partial placenta previa without hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	0442	DX	Partial placenta previa NOS or without hemorrhage, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	04421	DX	Partial placenta previa NOS or without hemorrhage, first	ICD-10-CM
12	Pregnant or breastfeeding	04422	DX	Partial placenta previa NOS or without hemorrhage, second	ICD-10-CM
12	Pregnant or breastfeeding	04423	DX	Partial placenta previa NOS or without hemorrhage, third	ICD-10-CM
12	Pregnant or breastfeeding	0443	DX	Partial placenta previa with hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	04430	DX	Partial placenta previa with hemorrhage, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	04431	DX	Partial placenta previa with hemorrhage, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	04432	DX	Partial placenta previa with hemorrhage, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	04433	DX	Partial placenta previa with hemorrhage, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	0444	DX	Low lying placenta NOS or without hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	04440	DX	Low lying placenta NOS or without hemorrhage, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	04441	DX	Low lying placenta NOS or without hemorrhage, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	04442	DX	Low lying placenta NOS or without hemorrhage, second	ICD-10-CM
12	Pregnant or breastfeeding	04443	DX	Low lying placenta NOS or without hemorrhage, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	0445	DX	Low lying placenta with hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	04450	DX	Low lying placenta with hemorrhage, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	04451	DX	Low lying placenta with hemorrhage, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	04452	DX	Low lying placenta with hemorrhage, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	04453	DX	Low lying placenta with hemorrhage, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	045	DX	Premature separation of placenta [abruptio placentae]	ICD-10-CM
12	Pregnant or breastfeeding	0450	DX	Premature separation of placenta with coagulation defect	ICD-10-CM
12	Pregnant or breastfeeding	04500	DX	Premature separation of placenta with coagulation defect, first	ICD-10-CM
12	Pregnant or breastfeeding	045001	DX	Premature separation of placenta with coagulation defect, second	ICD-10-CM
12	Pregnant or breastfeeding	045002	DX	Premature separation of placenta with coagulation defect, third	ICD-10-CM
12	Pregnant or breastfeeding	045003	DX	Premature separation of placenta with coagulation defect, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	045009	DX	Premature separation of placenta with coagulation defect, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	04501	DX	Premature separation of placenta with coagulation defect, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	045011	DX	Premature separation of placenta with coagulation defect, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	045012	DX	Premature separation of placenta with coagulation defect, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	045013	DX	Premature separation of placenta with coagulation defect, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	045019	DX	Premature separation of placenta with coagulation defect, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	04502	DX	Premature separation of placenta with coagulation defect, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	045021	DX	Premature separation of placenta with coagulation defect, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	045022	DX	Premature separation of placenta with coagulation defect, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	045023	DX	Premature separation of placenta with coagulation defect, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	045029	DX	Premature separation of placenta with coagulation defect, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	04509	DX	Premature separation of placenta with other coagulation defect	ICD-10-CM
12	Pregnant or breastfeeding	045091	DX	Premature separation of placenta with other coagulation defect, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	045092	DX	Premature separation of placenta with other coagulation defect, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	045093	DX	Premature separation of placenta with other coagulation defect, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	045099	DX	Premature separation of placenta with other coagulation defect, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	0458	DX	Other premature separation of placenta	ICD-10-CM
12	Pregnant or breastfeeding	0458X	DX	Other premature separation of placenta, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	0458X1	DX	Other premature separation of placenta, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	0458X2	DX	Other premature separation of placenta, third trimester	ICD-10-CM

12	Pregnant or breastfeeding	045.8X3	DX	Other premature separation of placenta, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	045.8X9	DX	Other premature separation of placenta, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	045.9	DX	Premature separation of placenta, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	045.90	DX	Premature separation of placenta, unspecified, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	045.91	DX	Premature separation of placenta, unspecified, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	045.92	DX	Premature separation of placenta, unspecified, second	ICD-10-CM
12	Pregnant or breastfeeding	045.93	DX	Premature separation of placenta, unspecified, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	046	DX	Antepartum hemorrhage, not elsewhere classified	ICD-10-CM
12	Pregnant or breastfeeding	046.0	DX	Antepartum hemorrhage with coagulation defect	ICD-10-CM
12	Pregnant or breastfeeding	046.00	DX	Antepartum hemorrhage with coagulation defect, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	046.001	DX	Antepartum hemorrhage with coagulation defect, unspecified, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.002	DX	Antepartum hemorrhage with coagulation defect, unspecified, second	ICD-10-CM
12	Pregnant or breastfeeding	046.003	DX	Antepartum hemorrhage with coagulation defect, unspecified, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.009	DX	Antepartum hemorrhage with coagulation defect, unspecified, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.01	DX	Antepartum hemorrhage with afibrinogenemia	ICD-10-CM
12	Pregnant or breastfeeding	046.011	DX	Antepartum hemorrhage with afibrinogenemia, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.012	DX	Antepartum hemorrhage with afibrinogenemia, second	ICD-10-CM
12	Pregnant or breastfeeding	046.013	DX	Antepartum hemorrhage with afibrinogenemia, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.019	DX	Antepartum hemorrhage with afibrinogenemia, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	046.02	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
12	Pregnant or breastfeeding	046.021	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
12	Pregnant or breastfeeding	046.022	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
12	Pregnant or breastfeeding	046.023	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
12	Pregnant or breastfeeding	046.029	DX	Antepartum hemorrhage with disseminated intravascular	ICD-10-CM
12	Pregnant or breastfeeding	046.09	DX	Antepartum hemorrhage with other coagulation defect	ICD-10-CM
12	Pregnant or breastfeeding	046.091	DX	Antepartum hemorrhage with other coagulation defect, first	ICD-10-CM
12	Pregnant or breastfeeding	046.092	DX	Antepartum hemorrhage with other coagulation defect, second	ICD-10-CM
12	Pregnant or breastfeeding	046.093	DX	Antepartum hemorrhage with other coagulation defect, third	ICD-10-CM
12	Pregnant or breastfeeding	046.099	DX	Antepartum hemorrhage with other coagulation defect, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	046.8	DX	Other antepartum hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	046.8X	DX	Other antepartum hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	046.8X1	DX	Other antepartum hemorrhage, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.8X2	DX	Other antepartum hemorrhage, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.8X3	DX	Other antepartum hemorrhage, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.8X9	DX	Other antepartum hemorrhage, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.9	DX	Antepartum hemorrhage, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	046.90	DX	Antepartum hemorrhage, unspecified, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.91	DX	Antepartum hemorrhage, unspecified, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.92	DX	Antepartum hemorrhage, unspecified, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	046.93	DX	Antepartum hemorrhage, unspecified, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	047	DX	False labor	ICD-10-CM
12	Pregnant or breastfeeding	047.0	DX	False labor before 37 completed weeks of gestation	ICD-10-CM
12	Pregnant or breastfeeding	047.00	DX	False labor before 37 completed weeks of gestation, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	047.02	DX	False labor before 37 completed weeks of gestation, second	ICD-10-CM
12	Pregnant or breastfeeding	047.03	DX	False labor before 37 completed weeks of gestation, third	ICD-10-CM
12	Pregnant or breastfeeding	047.1	DX	False labor at or after 37 completed weeks of gestation	ICD-10-CM
12	Pregnant or breastfeeding	047.9	DX	False labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	048	DX	Late pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	048.0	DX	Post-term pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	048.1	DX	Prolonged pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	060	DX	Preterm labor	ICD-10-CM
12	Pregnant or breastfeeding	060.0	DX	Preterm labor without delivery	ICD-10-CM
12	Pregnant or breastfeeding	060.00	DX	Preterm labor without delivery, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.02	DX	Preterm labor without delivery, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.03	DX	Preterm labor without delivery, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.1	DX	Preterm labor with preterm delivery	ICD-10-CM
12	Pregnant or breastfeeding	060.10	DX	Preterm labor with preterm delivery, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.10X0	DX	Preterm labor with preterm delivery, unspecified trimester, not	ICD-10-CM
12	Pregnant or breastfeeding	060.10X1	DX	Preterm labor with preterm delivery, unspecified trimester, first	ICD-10-CM
12	Pregnant or breastfeeding	060.10X2	DX	Preterm labor with preterm delivery, unspecified trimester, second	ICD-10-CM
12	Pregnant or breastfeeding	060.10X3	DX	Preterm labor with preterm delivery, unspecified trimester, third	ICD-10-CM
12	Pregnant or breastfeeding	060.10X4	DX	Preterm labor with preterm delivery, unspecified trimester, unspecified	ICD

12	Pregnant or breastfeeding	060.20	DX	Term delivery with preterm labor, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.20X0	DX	Term delivery with preterm labor, unspecified trimester, not	ICD-10-CM
12	Pregnant or breastfeeding	060.20X1	DX	Term delivery with preterm labor, unspecified trimester, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	060.20X2	DX	Term delivery with preterm labor, unspecified trimester, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	060.20X3	DX	Term delivery with preterm labor, unspecified trimester, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	060.20X4	DX	Term delivery with preterm labor, unspecified trimester, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	060.20X5	DX	Term delivery with preterm labor, unspecified trimester, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	060.20X9	DX	Term delivery with preterm labor, unspecified trimester, other	ICD-10-CM
12	Pregnant or breastfeeding	060.22	DX	Term delivery with preterm labor, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.22X0	DX	Term delivery with preterm labor, second trimester, not	ICD-10-CM
12	Pregnant or breastfeeding	060.22X1	DX	Term delivery with preterm labor, second trimester, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	060.22X2	DX	Term delivery with preterm labor, second trimester, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	060.22X3	DX	Term delivery with preterm labor, second trimester, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	060.22X4	DX	Term delivery with preterm labor, second trimester, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	060.22X5	DX	Term delivery with preterm labor, second trimester, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	060.22X9	DX	Term delivery with preterm labor, second trimester, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	060.23	DX	Term delivery with preterm labor, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	060.23X0	DX	Term delivery with preterm labor, third trimester, not applicable	ICD-10-CM
12	Pregnant or breastfeeding	060.23X1	DX	Term delivery with preterm labor, third trimester, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	060.23X2	DX	Term delivery with preterm labor, third trimester, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	060.23X3	DX	Term delivery with preterm labor, third trimester, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	060.23X4	DX	Term delivery with preterm labor, third trimester, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	060.23X5	DX	Term delivery with preterm labor, third trimester, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	060.23X9	DX	Term delivery with preterm labor, third trimester, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	061	DX	Failed induction of labor	ICD-10-CM
12	Pregnant or breastfeeding	061.0	DX	Failed medical induction of labor	ICD-10-CM
12	Pregnant or breastfeeding	061.1	DX	Failed instrumental induction of labor	ICD-10-CM
12	Pregnant or breastfeeding	061.8	DX	Other failed induction of labor	ICD-10-CM
12	Pregnant or breastfeeding	061.9	DX	Failed induction of labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	062	DX	Abnormalities of forces of labor	ICD-10-CM
12	Pregnant or breastfeeding	062.0	DX	Primary inadequate contractions	ICD-10-CM
12	Pregnant or breastfeeding	062.1	DX	Secondary uterine inertia	ICD-10-CM
12	Pregnant or breastfeeding	062.2	DX	Other uterine inertia	ICD-10-CM
12	Pregnant or breastfeeding	062.3	DX	Precipitate labor	ICD-10-CM
12	Pregnant or breastfeeding	062.4	DX	Hypertonic, incoordinate, and prolonged uterine contractions	ICD-10-CM
12	Pregnant or breastfeeding	062.8	DX	Other abnormalities of forces of labor	ICD-10-CM
12	Pregnant or breastfeeding	062.9	DX	Abnormality of forces of labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	063	DX	Long labor	ICD-10-CM
12	Pregnant or breastfeeding	063.0	DX	Prolonged first stage (of labor)	ICD-10-CM
12	Pregnant or breastfeeding	063.1	DX	Prolonged second stage (of labor)	ICD-10-CM
12	Pregnant or breastfeeding	063.2	DX	Delayed delivery of second twin, triplet, etc.	ICD-10-CM
12	Pregnant or breastfeeding	063.9	DX	Long labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	064	DX	Obstructed labor due to malposition and malpresentation of	ICD-10-CM
12	Pregnant or breastfeeding	064.0	DX	Obstructed labor due to incomplete rotation of fetal head	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX0	DX	Obstructed labor due to incomplete rotation of fetal head, not	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX1	DX	Obstructed labor due to incomplete rotation of fetal head, fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX2	DX	Obstructed labor due to incomplete rotation of fetal head, fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX3	DX	Obstructed labor due to incomplete rotation of fetal head, fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX4	DX	Obstructed labor due to incomplete rotation of fetal head, fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX5	DX	Obstructed labor due to incomplete rotation of fetal head, fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.0XX9	DX	Obstructed labor due to incomplete rotation of fetal head, other	ICD-10-CM
12	Pregnant or breastfeeding	064.1	DX	Obstructed labor due to breech presentation	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX0	DX	Obstructed labor due to breech presentation, not applicable or	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX1	DX	Obstructed labor due to breech presentation, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX2	DX	Obstructed labor due to breech presentation, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX3	DX	Obstructed labor due to breech presentation, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX4	DX	Obstructed labor due to breech presentation, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX5	DX	Obstructed labor due to breech presentation, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	064.1XX9	DX	Obstructed labor due to breech presentation, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.2	DX	Obstructed labor due to face presentation	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX0	DX	Obstructed labor due to face presentation, not applicable or	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX1	DX	Obstructed labor due to face presentation, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX2	DX	Obstructed labor due to face presentation, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX3	DX	Obstructed labor due to face presentation, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX4	DX	Obstructed labor due to face presentation, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX5	DX	Obstructed labor due to face presentation, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	064.2XX9	DX	Obstructed labor due to face presentation, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.3	DX	Obstructed labor due to brow presentation	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX0	DX	Obstructed labor due to brow presentation, not applicable or	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX1	DX	Obstructed labor due to brow presentation, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX2	DX	Obstructed labor due to brow presentation, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX3	DX	Obstructed labor due to brow presentation, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX4	DX	Obstructed labor due to brow presentation, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX5	DX	Obstructed labor due to brow presentation, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	064.3XX9	DX	Obstructed labor due to brow presentation, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.4	DX	Obstructed labor due to shoulder presentation	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX0	DX	Obstructed labor due to shoulder presentation, not applicable	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX1	DX	Obstructed labor due to shoulder presentation, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX2	DX	Obstructed labor due to shoulder presentation, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX3	DX	Obstructed labor due to shoulder presentation, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX4	DX	Obstructed labor due to shoulder presentation, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX5	DX	Obstructed labor due to shoulder presentation, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	064.4XX9	DX	Obstructed labor due to shoulder presentation, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.5	DX	Obstructed labor due to compound presentation	ICD-10-CM
12	Pregnant or breastfeeding	064.5XX0	DX	Obstructed labor due to compound presentation, not	ICD-10-CM
12	Pregnant or breastfeeding	064.5XX1	DX	Obstructed labor due to compound presentation, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	064.5XX2	DX	Obstructed labor due to compound presentation, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	064.5XX3	DX	Obstructed labor due to compound presentation, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	064.5XX4	DX	Obstructed labor due to compound presentation, fetus 4	ICD-10-CM

12	Pregnant or breastfeeding	064.5XX5	DX	Obstructed labor due to compound presentation, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	064.5XX9	DX	Obstructed labor due to compound presentation, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	064.8	DX	Obstructed labor due to other malposition and malpresentation	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX0	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX1	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX2	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX3	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX4	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX5	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.8XX9	DX	Obstructed labor due to other malposition and	ICD-10-CM
12	Pregnant or breastfeeding	064.9	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX0	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX1	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX2	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX3	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX4	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX5	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	064.9XX9	DX	Obstructed labor due to malposition and malpresentation,	ICD-10-CM
12	Pregnant or breastfeeding	065	DX	Obstructed labor due to maternal pelvic abnormality	ICD-10-CM
12	Pregnant or breastfeeding	065.0	DX	Obstructed labor due to deformed pelvis	ICD-10-CM
12	Pregnant or breastfeeding	065.1	DX	Obstructed labor due to generally contracted pelvis	ICD-10-CM
12	Pregnant or breastfeeding	065.2	DX	Obstructed labor due to pelvic inlet contraction	ICD-10-CM
12	Pregnant or breastfeeding	065.3	DX	Obstructed labor due to pelvic outlet and mid-cavity	ICD-10-CM
12	Pregnant or breastfeeding	065.4	DX	Obstructed labor due to fetopelvic disproportion, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	065.5	DX	Obstructed labor due to abnormality of maternal pelvic organs	ICD-10-CM
12	Pregnant or breastfeeding	065.8	DX	Obstructed labor due to other maternal pelvic abnormalities	ICD-10-CM
12	Pregnant or breastfeeding	065.9	DX	Obstructed labor due to maternal pelvic abnormality,	ICD-10-CM
12	Pregnant or breastfeeding	066	DX	Other obstructed labor	ICD-10-CM
12	Pregnant or breastfeeding	066.0	DX	Obstructed labor due to shoulder dystocia	ICD-10-CM
12	Pregnant or breastfeeding	066.1	DX	Obstructed labor due to locked twins	ICD-10-CM
12	Pregnant or breastfeeding	066.2	DX	Obstructed labor due to unusually large fetus	ICD-10-CM
12	Pregnant or breastfeeding	066.3	DX	Obstructed labor due to other abnormalities of fetus	ICD-10-CM
12	Pregnant or breastfeeding	066.4	DX	Failed trial of labor	ICD-10-CM
12	Pregnant or breastfeeding	066.40	DX	Failed trial of labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	066.41	DX	Failed attempted vaginal birth after previous cesarean delivery	ICD-10-CM
12	Pregnant or breastfeeding	066.5	DX	Attempted application of vacuum extractor and forceps	ICD-10-CM
12	Pregnant or breastfeeding	066.6	DX	Obstructed labor due to other multiple fetuses	ICD-10-CM
12	Pregnant or breastfeeding	066.8	DX	Other specified obstructed labor	ICD-10-CM
12	Pregnant or breastfeeding	066.9	DX	Obstructed labor, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	067	DX	Labor and delivery complicated by intrapartum hemorrhage,	ICD-10-CM
12	Pregnant or breastfeeding	067.0	DX	Intrapartum hemorrhage with coagulation defect	ICD-10-CM
12	Pregnant or breastfeeding	067.8	DX	Other intrapartum hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	067.9	DX	Intrapartum hemorrhage, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	068	DX	Labor and delivery complicated by abnormality of fetal acid-	ICD-10-CM
12	Pregnant or breastfeeding	069	DX	Labor and delivery complicated by umbilical cord	ICD-10-CM
12	Pregnant or breastfeeding	069.0	DX	Labor and delivery complicated by prolapse of cord	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX0	DX	Labor and delivery complicated by prolapse of cord, not	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX1	DX	Labor and delivery complicated by prolapse of cord, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX2	DX	Labor and delivery complicated by prolapse of cord, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX3	DX	Labor and delivery complicated by prolapse of cord, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX4	DX	Labor and delivery complicated by prolapse of cord, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX5	DX	Labor and delivery complicated by prolapse of cord, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	069.0XX9	DX	Labor and delivery complicated by prolapse of cord, other	ICD-10-CM
12	Pregnant or breastfeeding	069.1	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX0	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX1	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX2	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX3	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX4	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX5	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.1XX9	DX	Labor and delivery complicated by cord around neck, with	ICD-10-CM
12	Pregnant or breastfeeding	069.2	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX0	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX1	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX2	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX3	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX4	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX5	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.2XX9	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.3	DX	Labor and delivery complicated by short cord	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX0	DX	Labor and delivery complicated by short cord, not applicable or	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX1	DX	Labor and delivery complicated by short cord, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX2	DX	Labor and delivery complicated by short cord, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX3	DX	Labor and delivery complicated by short cord, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX4	DX	Labor and delivery complicated by short cord, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX5	DX	Labor and delivery complicated by short cord, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	069.3XX9	DX	Labor and delivery complicated by short cord, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	069.4	DX	Labor and delivery complicated by vasa previa	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX0	DX	Labor and delivery complicated by vasa previa, not applicable	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX1	DX	Labor and delivery complicated by vasa previa, fetus 1	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX2	DX	Labor and delivery complicated by vasa previa, fetus 2	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX3	DX	Labor and delivery complicated by vasa previa, fetus 3	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX4	DX	Labor and delivery complicated by vasa previa, fetus 4	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX5	DX	Labor and delivery complicated by vasa previa, fetus 5	ICD-10-CM
12	Pregnant or breastfeeding	069.4XX9	DX	Labor and delivery complicated by vasa previa, other fetus	ICD-10-CM
12	Pregnant or breastfeeding	069.5	DX	Labor and delivery complicated by vascular lesion of cord	ICD-10-CM
12	Pregnant or breastfeeding	069.5XX0	DX	Labor and delivery complicated by vascular lesion of cord, not	ICD-10-CM
12	Pregnant or breastfeeding	069.5XX1	DX	Labor and delivery complicated by vascular lesion of cord,	ICD-10-CM
12	Pregnant or breastfeeding	069.5XX2	DX	Labor and delivery complicated by vascular lesion of cord,	ICD-10-CM

12	Pregnant or breastfeeding	069.5XX3	DX	Labor and delivery complicated by vascular lesion of cord,	ICD-10-CM
12	Pregnant or breastfeeding	069.5XX4	DX	Labor and delivery complicated by vascular lesion of cord,	ICD-10-CM
12	Pregnant or breastfeeding	069.5XX5	DX	Labor and delivery complicated by vascular lesion of cord,	ICD-10-CM
12	Pregnant or breastfeeding	069.5XX9	DX	Labor and delivery complicated by vascular lesion of cord,	ICD-10-CM
12	Pregnant or breastfeeding	069.8	DX	Labor and delivery complicated by other cord complications	ICD-10-CM
12	Pregnant or breastfeeding	069.81	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X0	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X1	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X2	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X3	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X4	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X5	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.81X9	DX	Labor and delivery complicated by cord around neck, without	ICD-10-CM
12	Pregnant or breastfeeding	069.82	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X0	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X1	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X2	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X3	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X4	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X5	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.82X9	DX	Labor and delivery complicated by other cord entanglement,	ICD-10-CM
12	Pregnant or breastfeeding	069.89	DX	Labor and delivery complicated by other cord complications	ICD-10-CM
12	Pregnant or breastfeeding	069.89X0	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.89X1	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.89X2	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.89X3	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.89X4	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.89X5	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.89X9	DX	Labor and delivery complicated by other cord complications,	ICD-10-CM
12	Pregnant or breastfeeding	069.9	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX0	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX1	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX2	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX3	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX4	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX5	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	069.9XX9	DX	Labor and delivery complicated by cord complication,	ICD-10-CM
12	Pregnant or breastfeeding	070	DX	Perineal laceration during delivery	ICD-10-CM
12	Pregnant or breastfeeding	070.0	DX	First degree perineal laceration during delivery	ICD-10-CM
12	Pregnant or breastfeeding	070.1	DX	Second degree perineal laceration during delivery	ICD-10-CM
12	Pregnant or breastfeeding	070.2	DX	Third degree perineal laceration during delivery	ICD-10-CM
12	Pregnant or breastfeeding	070.20	DX	Third degree perineal laceration during delivery, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	070.21	DX	Third degree perineal laceration during delivery, IIIa	ICD-10-CM
12	Pregnant or breastfeeding	070.22	DX	Third degree perineal laceration during delivery, IIIb	ICD-10-CM
12	Pregnant or breastfeeding	070.23	DX	Third degree perineal laceration during delivery, IIIc	ICD-10-CM
12	Pregnant or breastfeeding	070.3	DX	Fourth degree perineal laceration during delivery	ICD-10-CM
12	Pregnant or breastfeeding	070.4	DX	Anal sphincter tear complicating delivery, not associated with	ICD-10-CM
12	Pregnant or breastfeeding	070.9	DX	Perineal laceration during delivery, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	071	DX	Other obstetric trauma	ICD-10-CM
12	Pregnant or breastfeeding	071.0	DX	Rupture of uterus (spontaneous) before onset of labor	ICD-10-CM
12	Pregnant or breastfeeding	071.00	DX	Rupture of uterus before onset of labor, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	071.02	DX	Rupture of uterus before onset of labor, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	071.03	DX	Rupture of uterus before onset of labor, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	071.1	DX	Rupture of uterus during labor	ICD-10-CM
12	Pregnant or breastfeeding	071.2	DX	Postpartum inversion of uterus	ICD-10-CM
12	Pregnant or breastfeeding	071.3	DX	Obstetric laceration of cervix	ICD-10-CM
12	Pregnant or breastfeeding	071.4	DX	Obstetric high vaginal laceration alone	ICD-10-CM
12	Pregnant or breastfeeding	071.5	DX	Other obstetric injury to pelvic organs	ICD-10-CM
12	Pregnant or breastfeeding	071.6	DX	Obstetric damage to pelvic joints and ligaments	ICD-10-CM
12	Pregnant or breastfeeding	071.7	DX	Obstetric hematoma of pelvis	ICD-10-CM
12	Pregnant or breastfeeding	071.8	DX	Other specified obstetric trauma	ICD-10-CM
12	Pregnant or breastfeeding	071.81	DX	Laceration of uterus, not elsewhere classified	ICD-10-CM
12	Pregnant or breastfeeding	071.82	DX	Other specified trauma to perineum and vulva	ICD-10-CM
12	Pregnant or breastfeeding	071.89	DX	Other specified obstetric trauma	ICD-10-CM
12	Pregnant or breastfeeding	071.9	DX	Obstetric trauma, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	072	DX	Postpartum hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	072.0	DX	Third-stage hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	072.1	DX	Other immediate postpartum hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	072.2	DX	Delayed and secondary postpartum hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	072.3	DX	Postpartum coagulation defects	ICD-10-CM
12	Pregnant or breastfeeding	073	DX	Retained placenta and membranes, without hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	073.0	DX	Retained placenta without hemorrhage	ICD-10-CM
12	Pregnant or breastfeeding	073.1	DX	Retained portions of placenta and membranes, without	ICD-10-CM
12	Pregnant or breastfeeding	074	DX	Complications of anesthesia during labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	074.0	DX	Aspiration pneumonia due to anesthesia during labor and	ICD-10-CM
12	Pregnant or breastfeeding	074.1	DX	Other pulmonary complications of anesthesia during labor and	ICD-10-CM
12	Pregnant or breastfeeding	074.2	DX	Cardiac complications of anesthesia during labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	074.3	DX	Central nervous system complications of anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	074.4	DX	Toxic reaction to local anesthesia during labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	074.5	DX	Spinal and epidural anesthesia-induced headache during labor	ICD-10-CM
12	Pregnant or breastfeeding	074.6	DX	Other complications of spinal and epidural anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	074.7	DX	Failed or difficult intubation for anesthesia during labor and	ICD-10-CM
12	Pregnant or breastfeeding	074.8	DX	Other complications of anesthesia during labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	074.9	DX	Complication of anesthesia during labor and delivery,	ICD-10-CM
12	Pregnant or breastfeeding	075	DX	Other complications of labor and delivery, not elsewhere	ICD-10-CM
12	Pregnant or breastfeeding	075.0	DX	Maternal distress during labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	075.1	DX	Shock during or following labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	075.2	DX	Pyrexia during labor, not elsewhere classified	ICD-10-CM
12	Pregnant or breastfeeding	075.3	DX	Other infection during labor	ICD-10-CM

12	Pregnant or breastfeeding	075.4	DX	Other complications of obstetric surgery and procedures	ICD-10-CM
12	Pregnant or breastfeeding	075.5	DX	Delayed delivery after artificial rupture of membranes	ICD-10-CM
12	Pregnant or breastfeeding	075.8	DX	Other specified complications of labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	075.81	DX	Maternal exhaustion complicating labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	075.82	DX	Onset (spontaneous) of labor after 37 completed weeks of	ICD-10-CM
12	Pregnant or breastfeeding	075.89	DX	Other specified complications of labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	075.9	DX	Complication of labor and delivery, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	076	DX	Abnormality in fetal heart rate and rhythm complicating labor	ICD-10-CM
12	Pregnant or breastfeeding	077	DX	Other fetal stress complicating labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	077.0	DX	Labor and delivery complicated by meconium in amniotic fluid	ICD-10-CM
12	Pregnant or breastfeeding	077.1	DX	Fetal stress in labor or delivery due to drug administration	ICD-10-CM
12	Pregnant or breastfeeding	077.8	DX	Labor and delivery complicated by other evidence of fetal	ICD-10-CM
12	Pregnant or breastfeeding	077.9	DX	Labor and delivery complicated by fetal stress, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	080	DX	Encounter for full-term uncomplicated delivery	ICD-10-CM
12	Pregnant or breastfeeding	082	DX	Encounter for cesarean delivery without indication	ICD-10-CM
12	Pregnant or breastfeeding	085	DX	Puerperal sepsis	ICD-10-CM
12	Pregnant or breastfeeding	086	DX	Other puerperal infections	ICD-10-CM
12	Pregnant or breastfeeding	086.0	DX	Infection of obstetric surgical wound	ICD-10-CM
12	Pregnant or breastfeeding	086.00	DX	Infection of obstetric surgical wound, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	086.01	DX	Infection of obstetric surgical wound, superficial incisional site	ICD-10-CM
12	Pregnant or breastfeeding	086.02	DX	Infection of obstetric surgical wound, deep incisional site	ICD-10-CM
12	Pregnant or breastfeeding	086.03	DX	Infection of obstetric surgical wound, organ and space site	ICD-10-CM
12	Pregnant or breastfeeding	086.04	DX	Sepsis following an obstetrical procedure	ICD-10-CM
12	Pregnant or breastfeeding	086.09	DX	Infection of obstetric surgical wound, other surgical site	ICD-10-CM
12	Pregnant or breastfeeding	086.1	DX	Other infection of genital tract following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.11	DX	Cervicitis following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.12	DX	Endometritis following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.13	DX	Vaginitis following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.19	DX	Other infection of genital tract following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.2	DX	Urinary tract infection following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.20	DX	Urinary tract infection following delivery, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	086.21	DX	Infection of kidney following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.22	DX	Infection of bladder following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.29	DX	Other urinary tract infection following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.4	DX	Pyrexia of unknown origin following delivery	ICD-10-CM
12	Pregnant or breastfeeding	086.8	DX	Other specified puerperal infections	ICD-10-CM
12	Pregnant or breastfeeding	086.81	DX	Puerperal septic thrombophlebitis	ICD-10-CM
12	Pregnant or breastfeeding	086.89	DX	Other specified puerperal infections	ICD-10-CM
12	Pregnant or breastfeeding	087	DX	Venous complications and hemorrhoids in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.0	DX	Superficial thrombophlebitis in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.1	DX	Deep phlebotrombosis in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.2	DX	Hemorrhoids in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.3	DX	Cerebral venous thrombosis in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.4	DX	Varicose veins of lower extremity in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.8	DX	Other venous complications in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	087.9	DX	Venous complication in the puerperium, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	088	DX	Obstetric embolism	ICD-10-CM
12	Pregnant or breastfeeding	088.0	DX	Obstetric air embolism	ICD-10-CM
12	Pregnant or breastfeeding	088.01	DX	Obstetric air embolism in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	088.011	DX	Air embolism in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.012	DX	Air embolism in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.013	DX	Air embolism in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.019	DX	Air embolism in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.02	DX	Air embolism in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	088.03	DX	Air embolism in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	088.1	DX	Amniotic fluid embolism	ICD-10-CM
12	Pregnant or breastfeeding	088.11	DX	Amniotic fluid embolism in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	088.111	DX	Amniotic fluid embolism in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.112	DX	Amniotic fluid embolism in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.113	DX	Amniotic fluid embolism in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.119	DX	Amniotic fluid embolism in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.12	DX	Amniotic fluid embolism in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	088.13	DX	Amniotic fluid embolism in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	088.2	DX	Obstetric thromboembolism	ICD-10-CM
12	Pregnant or breastfeeding	088.21	DX	Thromboembolism in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	088.211	DX	Thromboembolism in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.212	DX	Thromboembolism in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.213	DX	Thromboembolism in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.219	DX	Thromboembolism in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.22	DX	Thromboembolism in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	088.23	DX	Thromboembolism in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	088.3	DX	Obstetric pyemic and septic embolism	ICD-10-CM
12	Pregnant or breastfeeding	088.31	DX	Pyemic and septic embolism in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	088.311	DX	Pyemic and septic embolism in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.312	DX	Pyemic and septic embolism in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.313	DX	Pyemic and septic embolism in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.319	DX	Pyemic and septic embolism in pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	088.32	DX	Pyemic and septic embolism in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	088.33	DX	Pyemic and septic embolism in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	088.8	DX	Other obstetric embolism	ICD-10-CM
12	Pregnant or breastfeeding	088.81	DX	Other embolism in pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	088.811	DX	Other embolism in pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.812	DX	Other embolism in pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.813	DX	Other embolism in pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.819	DX	Other embolism in pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	088.82	DX	Other embolism in childbirth	ICD-10-CM
12	Pregnant or breastfeeding	088.83	DX	Other embolism in the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	089	DX	Complications of anesthesia during the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	089.0	DX	Pulmonary complications of anesthesia during the puerperium	ICD-10-CM

12	Pregnant or breastfeeding	089.01	DX	Aspiration pneumonitis due to anesthesia during the	ICD-10-CM
12	Pregnant or breastfeeding	089.09	DX	Other pulmonary complications of anesthesia during the	ICD-10-CM
12	Pregnant or breastfeeding	089.1	DX	Cardiac complications of anesthesia during the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	089.2	DX	Central nervous system complications of anesthesia during the	ICD-10-CM
12	Pregnant or breastfeeding	089.3	DX	Toxic reaction to local anesthesia during the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	089.4	DX	Spinal and epidural anesthesia-induced headache during the	ICD-10-CM
12	Pregnant or breastfeeding	089.5	DX	Other complications of spinal and epidural anesthesia during	ICD-10-CM
12	Pregnant or breastfeeding	089.6	DX	Failed or difficult intubation for anesthesia during the	ICD-10-CM
12	Pregnant or breastfeeding	089.8	DX	Other complications of anesthesia during the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	089.9	DX	Complication of anesthesia during the puerperium, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	090	DX	Complications of the puerperium, not elsewhere classified	ICD-10-CM
12	Pregnant or breastfeeding	090.0	DX	Disruption of cesarean delivery wound	ICD-10-CM
12	Pregnant or breastfeeding	090.1	DX	Disruption of perineal obstetric wound	ICD-10-CM
12	Pregnant or breastfeeding	090.2	DX	Hematoma of obstetric wound	ICD-10-CM
12	Pregnant or breastfeeding	090.3	DX	Peripartum cardiomyopathy	ICD-10-CM
12	Pregnant or breastfeeding	090.4	DX	Postpartum acute kidney failure	ICD-10-CM
12	Pregnant or breastfeeding	090.41	DX	Hepatorenal syndrome following labor and delivery	ICD-10-CM
12	Pregnant or breastfeeding	090.49	DX	Other postpartum acute kidney failure	ICD-10-CM
12	Pregnant or breastfeeding	090.5	DX	Postpartum thyroiditis	ICD-10-CM
12	Pregnant or breastfeeding	090.6	DX	Postpartum mood disturbance	ICD-10-CM
12	Pregnant or breastfeeding	090.8	DX	Other complications of the puerperium, not elsewhere	ICD-10-CM
12	Pregnant or breastfeeding	090.81	DX	Anemia of the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	090.89	DX	Other complications of the puerperium, not elsewhere	ICD-10-CM
12	Pregnant or breastfeeding	090.9	DX	Complication of the puerperium, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	091	DX	Infections of breast associated with pregnancy, the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	091.0	DX	Infection of nipple associated with pregnancy, the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	091.01	DX	Infection of nipple associated with pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	091.011	DX	Infection of nipple associated with pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	091.012	DX	Infection of nipple associated with pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	091.013	DX	Infection of nipple associated with pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	091.019	DX	Infection of nipple associated with pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	091.02	DX	Infection of nipple associated with the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	091.03	DX	Infection of nipple associated with lactation	ICD-10-CM
12	Pregnant or breastfeeding	091.1	DX	Abscess of breast associated with pregnancy, the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	091.11	DX	Abscess of breast associated with pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	091.111	DX	Abscess of breast associated with pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	091.112	DX	Abscess of breast associated with pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	091.113	DX	Abscess of breast associated with pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	091.119	DX	Abscess of breast associated with pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	091.12	DX	Abscess of breast associated with the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	091.13	DX	Abscess of breast associated with lactation	ICD-10-CM
12	Pregnant or breastfeeding	091.2	DX	Nonpurulent mastitis associated with pregnancy, the	ICD-10-CM
12	Pregnant or breastfeeding	091.21	DX	Nonpurulent mastitis associated with pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	091.211	DX	Nonpurulent mastitis associated with pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	091.212	DX	Nonpurulent mastitis associated with pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	091.213	DX	Nonpurulent mastitis associated with pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	091.219	DX	Nonpurulent mastitis associated with pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	091.22	DX	Nonpurulent mastitis associated with the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	091.23	DX	Nonpurulent mastitis associated with lactation	ICD-10-CM
12	Pregnant or breastfeeding	092	DX	Other disorders of breast and disorders of lactation associated	ICD-10-CM
12	Pregnant or breastfeeding	092.0	DX	Retracted nipple associated with pregnancy, the puerperium,	ICD-10-CM
12	Pregnant or breastfeeding	092.01	DX	Retracted nipple associated with pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	092.011	DX	Retracted nipple associated with pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	092.012	DX	Retracted nipple associated with pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	092.013	DX	Retracted nipple associated with pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	092.019	DX	Retracted nipple associated with pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	092.02	DX	Retracted nipple associated with the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	092.03	DX	Retracted nipple associated with lactation	ICD-10-CM
12	Pregnant or breastfeeding	092.1	DX	Cracked nipple associated with pregnancy, the puerperium, and	ICD-10-CM
12	Pregnant or breastfeeding	092.11	DX	Cracked nipple associated with pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	092.111	DX	Cracked nipple associated with pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	092.112	DX	Cracked nipple associated with pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	092.113	DX	Cracked nipple associated with pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	092.119	DX	Cracked nipple associated with pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	092.12	DX	Cracked nipple associated with the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	092.13	DX	Cracked nipple associated with lactation	ICD-10-CM
12	Pregnant or breastfeeding	092.2	DX	Other and unspecified disorders of breast associated with	ICD-10-CM
12	Pregnant or breastfeeding	092.20	DX	Unspecified disorder of breast associated with pregnancy and	ICD-10-CM
12	Pregnant or breastfeeding	092.29	DX	Other disorders of breast associated with pregnancy and the	ICD-10-CM
12	Pregnant or breastfeeding	092.3	DX	Agalactia	ICD-10-CM
12	Pregnant or breastfeeding	092.4	DX	Hypogalactia	ICD-10-CM
12	Pregnant or breastfeeding	092.5	DX	Suppressed lactation	ICD-10-CM
12	Pregnant or breastfeeding	092.6	DX	Galactorrhea	ICD-10-CM
12	Pregnant or breastfeeding	097.7	DX	Other and unspecified disorders of lactation	ICD-10-CM
12	Pregnant or breastfeeding	092.70	DX	Unspecified disorders of lactation	ICD-10-CM
12	Pregnant or breastfeeding	092.79	DX	Other disorders of lactation	ICD-10-CM
12	Pregnant or breastfeeding	094	DX	Sequelae of complication of pregnancy, childbirth, and the	ICD-10-CM
12	Pregnant or breastfeeding	098	DX	Maternal infectious and parasitic diseases classifiable	ICD-10-CM
12	Pregnant or breastfeeding	098.0	DX	Tuberculosis complicating pregnancy, childbirth and the	ICD-10-CM
12	Pregnant or breastfeeding	098.01	DX	Tuberculosis complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	098.011	DX	Tuberculosis complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	098.012	DX	Tuberculosis complicating pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	098.013	DX	Tuberculosis complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	098.019	DX	Tuberculosis complicating pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	098.02	DX	Tuberculosis complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	098.03	DX	Tuberculosis complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	098.1	DX	Syphilis complicating pregnancy, childbirth and the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	098.11	DX	Syphilis complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	098.111	DX	Syphilis complicating pregnancy, first trimester	ICD-10-CM

[illegible]

[illegible]

12	Pregnant or breastfeeding	099.83	DX	Other infection carrier state complicating pregnancy, childbirth	ICD-10-CM
12	Pregnant or breastfeeding	099.830	DX	Other infection carrier state complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	099.834	DX	Other infection carrier state complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	099.835	DX	Other infection carrier state complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	099.84	DX	Bariatric surgery status complicating pregnancy, childbirth and	ICD-10-CM
12	Pregnant or breastfeeding	099.840	DX	Bariatric surgery status complicating pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	099.841	DX	Bariatric surgery status complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	099.842	DX	Bariatric surgery status complicating pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	099.843	DX	Bariatric surgery status complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	099.844	DX	Bariatric surgery status complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	099.845	DX	Bariatric surgery status complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	099.89	DX	Other specified diseases and conditions complicating	ICD-10-CM
12	Pregnant or breastfeeding	099.891	DX	Other specified diseases and conditions complicating	ICD-10-CM
12	Pregnant or breastfeeding	099.892	DX	Other specified diseases and conditions complicating	ICD-10-CM
12	Pregnant or breastfeeding	099.893	DX	Other specified diseases and conditions complicating	ICD-10-CM
12	Pregnant or breastfeeding	09A	DX	Maternal malignant neoplasms, traumatic injuries and abuse	ICD-10-CM
12	Pregnant or breastfeeding	09A.1	DX	Malignant neoplasm complicating pregnancy, childbirth and the	ICD-10-CM
12	Pregnant or breastfeeding	09A.11	DX	Malignant neoplasm complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	09A.111	DX	Malignant neoplasm complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.112	DX	Malignant neoplasm complicating pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.113	DX	Malignant neoplasm complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.119	DX	Malignant neoplasm complicating pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	09A.12	DX	Malignant neoplasm complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	09A.13	DX	Malignant neoplasm complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	09A.2	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.21	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.211	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.212	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.213	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.219	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.22	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.23	DX	Injury, poisoning and certain other consequences of external	ICD-10-CM
12	Pregnant or breastfeeding	09A.3	DX	Physical abuse complicating pregnancy, childbirth and the	ICD-10-CM
12	Pregnant or breastfeeding	09A.31	DX	Physical abuse complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	09A.311	DX	Physical abuse complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.312	DX	Physical abuse complicating pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.313	DX	Physical abuse complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.319	DX	Physical abuse complicating pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.32	DX	Physical abuse complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	09A.33	DX	Physical abuse complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	09A.4	DX	Sexual abuse complicating pregnancy, childbirth and the	ICD-10-CM
12	Pregnant or breastfeeding	09A.41	DX	Sexual abuse complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	09A.411	DX	Sexual abuse complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.412	DX	Sexual abuse complicating pregnancy, second trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.413	DX	Sexual abuse complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.419	DX	Sexual abuse complicating pregnancy, unspecified trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.42	DX	Sexual abuse complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	09A.43	DX	Sexual abuse complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	09A.5	DX	Psychological abuse complicating pregnancy, childbirth and	ICD-10-CM
12	Pregnant or breastfeeding	09A.51	DX	Psychological abuse complicating pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	09A.511	DX	Psychological abuse complicating pregnancy, first trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.512	DX	Psychological abuse complicating pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	09A.513	DX	Psychological abuse complicating pregnancy, third trimester	ICD-10-CM
12	Pregnant or breastfeeding	09A.519	DX	Psychological abuse complicating pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	09A.52	DX	Psychological abuse complicating childbirth	ICD-10-CM
12	Pregnant or breastfeeding	09A.53	DX	Psychological abuse complicating the puerperium	ICD-10-CM
12	Pregnant or breastfeeding	Z32.00	DX	Encounter for pregnancy test, result unknown	ICD-10-CM
12	Pregnant or breastfeeding	Z32.01	DX	Encounter for pregnancy test, result positive	ICD-10-CM
12	Pregnant or breastfeeding	Z33	DX	pregnant state	ICD-10-CM
12	Pregnant or breastfeeding	Z33.1	DX	pregnant state, incidental	ICD-10-CM
12	Pregnant or breastfeeding	Z33.2	DX	encounter for elective termination of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z33.3	DX	pregnant state, gestational carrier	ICD-10-CM
12	Pregnant or breastfeeding	Z34	DX	encounter for supervision of normal pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z34.0	DX	encounter for supervision of normal first pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z34.00	DX	encounter for supervision of normal first pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	Z34.01	DX	encounter for supervision of normal first pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	Z34.02	DX	encounter for supervision of normal first pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	Z34.03	DX	encounter for supervision of normal first pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	Z34.8	DX	encounter for supervision of other normal pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z34.80	DX	encounter for supervision of other normal pregnancy,	ICD-10-CM
12	Pregnant or breastfeeding	Z34.81	DX	encounter for supervision of other normal pregnancy, first	ICD-10-CM
12	Pregnant or breastfeeding	Z34.82	DX	encounter for supervision of other normal pregnancy, second	ICD-10-CM
12	Pregnant or breastfeeding	Z34.83	DX	encounter for supervision of other normal pregnancy, third	ICD-10-CM
12	Pregnant or breastfeeding	Z34.9	DX	encounter for supervision of normal pregnancy, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	Z36.1	DX	encounter for antenatal screening for raised alphafetoprotein	ICD-10-CM
12	Pregnant or breastfeeding	Z36.3	DX	encounter for antenatal screening for malformations	ICD-10-CM
12	Pregnant or breastfeeding	Z36.4	DX	encounter for antenatal screening for fetal growth retardation	ICD-10-CM
12	Pregnant or breastfeeding	Z36.84	DX	encounter for antenatal screening for fetal lung maturity	ICD-10-CM
12	Pregnant or breastfeeding	Z36.85	DX	encounter for antenatal screening for streptococcus b	ICD-10-CM
12	Pregnant or breastfeeding	Z36.87	DX	encounter for antenatal screening for uncertain dates	ICD-10-CM
12	Pregnant or breastfeeding	Z36.89	DX	encounter for other specified antenatal screening	ICD-10-CM
12	Pregnant or breastfeeding	Z36.9	DX	encounter for antenatal screening, unspecified	ICD-10-CM
12	Pregnant or breastfeeding	Z37.5	DX	other multiple births, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.50	DX	multiple births, unspecified, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.51	DX	triplets, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.52	DX	quadruplets, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.54	DX	sexuplets, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.59	DX	other multiple births, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.6	DX	other multiple births, some liveborn	ICD-10-CM

12	Pregnant or breastfeeding	Z37.60	DX	multiple births, unspecified, some liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.61	DX	triplets, some liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.62	DX	quadruplets, some liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.69	DX	other multiple births, some liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z38.3	DX	twin liveborn infant, born in hospital	ICD-10-CM
12	Pregnant or breastfeeding	Z38.31	DX	twin liveborn infant, delivered by cesarean	ICD-10-CM
12	Pregnant or breastfeeding	Z38.4	DX	twin liveborn infant, born outside hospital	ICD-10-CM
12	Pregnant or breastfeeding	Z38.5	DX	twin liveborn infant, unspecified as to place of birth	ICD-10-CM
12	Pregnant or breastfeeding	Z38.6	DX	other multiple liveborn infant, born in hospital	ICD-10-CM
12	Pregnant or breastfeeding	Z38.62	DX	triplet liveborn infant, delivered by cesarean	ICD-10-CM
12	Pregnant or breastfeeding	Z38.64	DX	quadruplet liveborn infant, delivered by cesarean	ICD-10-CM
12	Pregnant or breastfeeding	Z38.66	DX	quintuplet liveborn infant, delivered by cesarean	ICD-10-CM
12	Pregnant or breastfeeding	Z38.69	DX	other multiple liveborn infant, delivered by cesarean	ICD-10-CM
12	Pregnant or breastfeeding	Z38.7	DX	other multiple liveborn infant, born outside hospital	ICD-10-CM
12	Pregnant or breastfeeding	Z38.8	DX	other multiple liveborn infant, unspecified as to place of birth	ICD-10-CM
12	Pregnant or breastfeeding	Z39	DX	encounter for maternal postpartum care and examination	ICD-10-CM
12	Pregnant or breastfeeding	Z39.0	DX	encounter for care and examination of mother immediately after	ICD-10-CM
12	Pregnant or breastfeeding	Z39.2	DX	encounter for routine postpartum follow-up	ICD-10-CM
12	Pregnant or breastfeeding	Z3A	DX	weeks of gestation	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.0	DX	weeks of gestation of pregnancy, unspecified or less than 10	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.01	DX	less than 8 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.09	DX	9 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.1	DX	9 weeks of gestation of pregnancy, weeks 10-19	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.12	DX	12 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.13	DX	13 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.14	DX	14 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.16	DX	16 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.17	DX	17 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.18	DX	18 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.19	DX	19 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.24	DX	24 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.25	DX	25 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.26	DX	26 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.27	DX	27 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.28	DX	28 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.29	DX	29 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.3	DX	weeks of gestation of pregnancy, weeks 30-29	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.32	DX	32 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.33	DX	33 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.34	DX	34 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.39	DX	39 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.40	DX	40 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.41	DX	41 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.49	DX	greater than 42 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.90	DX	encounter for supervision of normal pregnancy, unspecified,	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.91	DX	encounter for supervision of normal pregnancy, unspecified,	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.92	DX	encounter for supervision of normal pregnancy, unspecified,	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.93	DX	encounter for supervision of normal pregnancy, unspecified,	ICD-10-CM
12	Pregnant or breastfeeding	Z36	DX	encounter for antenatal screening of mother	ICD-10-CM
12	Pregnant or breastfeeding	Z36.0	DX	encounter for antenatal screening for chromosomal anomalies	ICD-10-CM
12	Pregnant or breastfeeding	Z36.2	DX	encounter for other antenatal screening follow-up	ICD-10-CM
12	Pregnant or breastfeeding	Z36.5	DX	encounter for antenatal screening for isoimmunization	ICD-10-CM
12	Pregnant or breastfeeding	Z36.8	DX	encounter for other antenatal screening	ICD-10-CM
12	Pregnant or breastfeeding	Z36.81	DX	encounter for antenatal screening for hydrops fetalis	ICD-10-CM
12	Pregnant or breastfeeding	Z36.82	DX	encounter for antenatal screening for nuchal translucency	ICD-10-CM
12	Pregnant or breastfeeding	Z36.83	DX	encounter for fetal screening for congenital cardiac	ICD-10-CM
12	Pregnant or breastfeeding	Z36.86	DX	encounter for antenatal screening for cervical length	ICD-10-CM
12	Pregnant or breastfeeding	Z36.88	DX	encounter for antenatal screening for fetal macrosomia	ICD-10-CM
12	Pregnant or breastfeeding	Z36.8A	DX	encounter for antenatal screening for other genetic defects	ICD-10-CM
12	Pregnant or breastfeeding	Z37.2	DX	twins, both liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.3	DX	twins, one liveborn and one stillborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.53	DX	quintuplets, all liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.63	DX	quintuplets, some liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z37.64	DX	sextuplets, some liveborn	ICD-10-CM
12	Pregnant or breastfeeding	Z38.30	DX	twin liveborn infant, delivered vaginally	ICD-10-CM
12	Pregnant or breastfeeding	Z38.61	DX	triplet liveborn infant, delivered vaginally	ICD-10-CM
12	Pregnant or breastfeeding	Z38.63	DX	quadruplet liveborn infant, delivered vaginally	ICD-10-CM
12	Pregnant or breastfeeding	Z38.65	DX	quintuplet liveborn infant, delivered vaginally	ICD-10-CM
12	Pregnant or breastfeeding	Z38.68	DX	other multiple liveborn infant, delivered vaginally	ICD-10-CM
12	Pregnant or breastfeeding	Z39.1	DX	encounter for care and examination of lactating mother	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.00	DX	weeks of gestation of pregnancy not specified	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.08	DX	8 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.10	DX	10 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.11	DX	11 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.15	DX	15 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.2	DX	weeks of gestation of pregnancy, weeks 20-29	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.20	DX	20 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.21	DX	21 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.22	DX	22 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.23	DX	23 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.30	DX	30 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.31	DX	31 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.35	DX	35 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.36	DX	36 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.37	DX	37 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.38	DX	38 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.4	DX	weeks of gestation of pregnancy, weeks 40 or greater	ICD-10-CM
12	Pregnant or breastfeeding	Z3A.42	DX	42 weeks gestation of pregnancy	ICD-10-CM
12	Pregnant or breastfeeding	102073Z	PX	Change Monitoring Electrode in Products of Conception, Via	ICD-10-PCS

12 Pregnant or breastfeeding	10207YZ	PX	Change Other Device in Products of Conception, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10900Z9	PX	Drainage of Fetal Blood from Products of Conception, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10900ZA	PX	Drainage of Fetal Cerebrospinal Fluid from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10900ZB	PX	Drainage of Other Fetal Fluid from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10900ZC	PX	Drainage of Amniotic Fluid, Therapeutic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10900ZD	PX	Drainage of Other Fluid from Products of Conception, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10900ZU	PX	Drainage of Amniotic Fluid, Diagnostic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10903Z9	PX	Drainage of Fetal Blood from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10903ZA	PX	Drainage of Fetal Cerebrospinal Fluid from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10903ZB	PX	Drainage of Other Fetal Fluid from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10903ZC	PX	Drainage of Amniotic Fluid, Therapeutic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10903ZD	PX	Drainage of Other Fluid from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10903ZU	PX	Drainage of Amniotic Fluid, Diagnostic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10904Z9	PX	Drainage of Fetal Blood from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10904ZA	PX	Drainage of Fetal Cerebrospinal Fluid from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10904ZB	PX	Drainage of Other Fetal Fluid from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10904ZC	PX	Drainage of Amniotic Fluid, Therapeutic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10904ZD	PX	Drainage of Other Fluid from Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10904ZU	PX	Drainage of Amniotic Fluid, Diagnostic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10907Z9	PX	Drainage of Fetal Blood from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10907ZA	PX	Drainage of Fetal Cerebrospinal Fluid from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10907ZB	PX	Drainage of Other Fetal Fluid from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10907ZC	PX	Drainage of Amniotic Fluid, Therapeutic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10907ZD	PX	Drainage of Other Fluid from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10907ZU	PX	Drainage of Amniotic Fluid, Diagnostic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10908Z9	PX	Drainage of Fetal Blood from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10908ZA	PX	Drainage of Fetal Cerebrospinal Fluid from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10908ZB	PX	Drainage of Other Fetal Fluid from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10908ZC	PX	Drainage of Amniotic Fluid, Therapeutic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10908ZD	PX	Drainage of Other Fluid from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10908ZU	PX	Drainage of Amniotic Fluid, Diagnostic from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10A00ZZ	PX	Abortion of Products of Conception, Open Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10A03ZZ	PX	Abortion of Products of Conception, Percutaneous Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10A04ZZ	PX	Abortion of Products of Conception, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10A07Z9	PX	Abortion of Products of Conception, Vaginal, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10A07ZM	PX	Abortion of Products of Conception, Laminaria, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10A07ZX	PX	Abortion of Products of Conception, Abortifacient, Via Natural	ICD-10-PCS
12 Pregnant or breastfeeding	10A07ZZ	PX	Abortion of Products of Conception, Via Natural or Artificial	ICD-10-PCS
12 Pregnant or breastfeeding	10A08ZZ	PX	Abortion of Products of Conception, Via Natural or Artificial	ICD-10-PCS
12 Pregnant or breastfeeding	10D00Z0	PX	Extraction of Products of Conception, High, Open Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10D00Z1	PX	Extraction of Products of Conception, Low, Open Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10D00Z2	PX	Extraction of Products of Conception, Extraperitoneal, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10D07Z3	PX	Extraction of Products of Conception, Low Forceps, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10D07Z4	PX	Extraction of Products of Conception, Mid Forceps, Via Natural	ICD-10-PCS
12 Pregnant or breastfeeding	10D07Z5	PX	Extraction of Products of Conception, High Forceps, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10D07Z6	PX	Extraction of Products of Conception, Vacuum, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10D07Z7	PX	Extraction of Products of Conception, Internal Version, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10D07Z8	PX	Extraction of Products of Conception, Open Approach, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10D17Z9	PX	Manual Extraction of Products of Conception, Retained, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10D17ZZ	PX	Extraction of Products of Conception, Retained, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10D18Z9	PX	Manual Extraction of Products of Conception, Retained, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10D18ZZ	PX	Extraction of Products of Conception, Retained, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10D20ZZ	PX	Extraction of Products of Conception, Ectopic, Open Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10D24ZZ	PX	Extraction of Products of Conception, Ectopic, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10D27ZZ	PX	Extraction of Products of Conception, Ectopic, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10D28ZZ	PX	Extraction of Products of Conception, Ectopic, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10E0XZZ	PX	Delivery of Products of Conception, External Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10H00Z3	PX	Insertion of Monitoring Electrode into Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10H00YZ	PX	Insertion of Other Device into Products of Conception, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10H07Z3	PX	Insertion of Monitoring Electrode into Products of Conception,	ICD-10-PCS
12 Pregnant or breastfeeding	10H07YZ	PX	Insertion of Other Device into Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10I00ZZ	PX	Inspection of Products of Conception, Open Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10I03ZZ	PX	Inspection of Products of Conception, Percutaneous Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10I04ZZ	PX	Inspection of Products of Conception, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10I07ZZ	PX	Inspection of Products of Conception, Via Natural or Artificial	ICD-10-PCS
12 Pregnant or breastfeeding	10I08ZZ	PX	Inspection of Products of Conception, Via Natural or Artificial	ICD-10-PCS
12 Pregnant or breastfeeding	10I0XZZ	PX	Inspection of Products of Conception, External Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10I10ZZ	PX	Inspection of Products of Conception, Retained, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10I13ZZ	PX	Inspection of Products of Conception, Retained, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10I14ZZ	PX	Inspection of Products of Conception, Retained, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10I17ZZ	PX	Inspection of Products of Conception, Retained, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10I18ZZ	PX	Inspection of Products of Conception, Retained, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10I1XZZ	PX	Inspection of Products of Conception, Retained, External	ICD-10-PCS
12 Pregnant or breastfeeding	10I20ZZ	PX	Inspection of Products of Conception, Ectopic, Open Approach	ICD-10-PCS
12 Pregnant or breastfeeding	10I23ZZ	PX	Inspection of Products of Conception, Ectopic, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10I24ZZ	PX	Inspection of Products of Conception, Ectopic, Percutaneous	ICD-10-PCS
12 Pregnant or breastfeeding	10I27ZZ	PX	Inspection of Products of Conception, Ectopic, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10I28ZZ	PX	Inspection of Products of Conception, Ectopic, Via Natural or	ICD-10-PCS
12 Pregnant or breastfeeding	10I2XZZ	PX	Inspection of Products of Conception, Ectopic, External	ICD-10-PCS
12 Pregnant or breastfeeding	10P00Z3	PX	Removal of Monitoring Electrode from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10P00YZ	PX	Removal of Other Device from Products of Conception, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10P07Z3	PX	Removal of Monitoring Electrode from Products of	ICD-10-PCS
12 Pregnant or breastfeeding	10P07YZ	PX	Removal of Other Device from Products of Conception, Via	ICD-10-PCS
12 Pregnant or breastfeeding	10Q00YF	PX	Repair Nervous System in Products of Conception with Other	ICD-10-PCS
12 Pregnant or breastfeeding	10Q00YF	PX	Repair Cardiovascular System in Products of Conception with	ICD-10-PCS
12 Pregnant or breastfeeding	10Q00YH	PX	Repair Lymphatics and Hemic in Products of Conception with	ICD-10-PCS
12 Pregnant or breastfeeding	10Q00YH	PX	Repair Eye in Products of Conception with Other Device, Open	ICD-10-PCS
12 Pregnant or breastfeeding	10Q00YJ	PX	Repair Ear, Nose and Sinus in Products of Conception with	ICD-10-PCS
12 Pregnant or breastfeeding	10Q00YK	PX	Repair Respiratory System in Products of Conception with	ICD-10-PCS

[illegible]

[illegible]

12	Pregnant or breastfeeding	10Y03ZS	PX	Transplantation of Urinary System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y03ZT	PX	Transplantation of Female Reproductive System into Products	ICD-10-PCS
12	Pregnant or breastfeeding	10Y03ZV	PX	Transplantation of Male Reproductive System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y03ZY	PX	Transplantation of Other Body System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZE	PX	Transplantation of Nervous System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZF	PX	Transplantation of Cardiovascular System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZG	PX	Transplantation of Lymphatics and Hemic into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZH	PX	Transplantation of Eye into Products of Conception,	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZJ	PX	Transplantation of Ear, Nose and Sinus into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZK	PX	Transplantation of Respiratory System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZL	PX	Transplantation of Mouth and Throat into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZM	PX	Transplantation of Gastrointestinal System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZN	PX	Transplantation of Hepatobiliary and Pancreas into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZP	PX	Transplantation of Endocrine System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZQ	PX	Transplantation of Skin into Products of Conception,	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZR	PX	Transplantation of Musculoskeletal System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZS	PX	Transplantation of Urinary System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZT	PX	Transplantation of Female Reproductive System into Products	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZV	PX	Transplantation of Male Reproductive System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y04ZY	PX	Transplantation of Other Body System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZE	PX	Transplantation of Nervous System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZF	PX	Transplantation of Cardiovascular System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZG	PX	Transplantation of Lymphatics and Hemic into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZH	PX	Transplantation of Eye into Products of Conception, Via Natural	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZJ	PX	Transplantation of Ear, Nose and Sinus into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZK	PX	Transplantation of Respiratory System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZL	PX	Transplantation of Mouth and Throat into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZM	PX	Transplantation of Gastrointestinal System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZN	PX	Transplantation of Hepatobiliary and Pancreas into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZP	PX	Transplantation of Endocrine System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZQ	PX	Transplantation of Skin into Products of Conception, Via	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZR	PX	Transplantation of Musculoskeletal System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZS	PX	Transplantation of Urinary System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZT	PX	Transplantation of Female Reproductive System into Products	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZV	PX	Transplantation of Male Reproductive System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	10Y07ZY	PX	Transplantation of Other Body System into Products of	ICD-10-PCS
12	Pregnant or breastfeeding	630	DX	Hydatidiform mole	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	631	DX	Other abnormal product of conception	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	6310	DX	Inappropriate change in quantitative human chorionic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	6318	DX	Inappropriate change in quantitative human chorionic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	632	DX	Missed abortion	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63300	DX	Ectopic pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63300	DX	Abdominal pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63301	DX	Abdominal pregnancy without intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63302	DX	Abdominal pregnancy with intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63310	DX	Tubal pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63310	DX	Tubal pregnancy without intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63311	DX	Tubal pregnancy with intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63320	DX	Ovarian pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63320	DX	Ovarian pregnancy without intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63321	DX	Ovarian pregnancy with intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63380	DX	Other ectopic pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63380	DX	Other ectopic pregnancy without intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63381	DX	Other ectopic pregnancy with intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63390	DX	Unspecified ectopic pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63390	DX	Unspecified ectopic pregnancy without intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63391	DX	Unspecified ectopic pregnancy with intrauterine pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63400	DX	Spontaneous abortion, complicated by genital tract and pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63401	DX	Spontaneous abortion, complicated by genital tract and pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63402	DX	Spontaneous abortion, complicated by genital tract and pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63410	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63411	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63412	DX	Spontaneous abortion, complicated by delayed or excessive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63420	DX	Spontaneous abortion, complicated by damage to pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63421	DX	Spontaneous abortion, complicated by damage to pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63422	DX	Spontaneous abortion, complicated by damage to pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63430	DX	Spontaneous abortion, complicated by renal failure,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63431	DX	Spontaneous abortion, complicated by renal failure, incomplete	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63432	DX	Spontaneous abortion, complicated by renal failure, complete	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63440	DX	Spontaneous abortion, complicated by metabolic disorder,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63441	DX	Spontaneous abortion, complicated by metabolic disorder,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63442	DX	Spontaneous abortion, complicated by metabolic disorder,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63450	DX	Spontaneous abortion, complicated by shock, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63451	DX	Spontaneous abortion, complicated by shock, incomplete	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63452	DX	Spontaneous abortion, complicated by shock, complete	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63460	DX	Spontaneous abortion, complicated by embolism, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63461	DX	Spontaneous abortion, complicated by embolism, incomplete	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63462	DX	Spontaneous abortion, complicated by embolism, complete	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63470	DX	Spontaneous abortion, with other specified complications,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63471	DX	Spontaneous abortion, with other specified complications,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63472	DX	Spontaneous abortion, with other specified complications,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63480	DX	Spontaneous abortion, with unspecified complication,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63481	DX	Spontaneous abortion, with unspecified complication,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63482	DX	Spontaneous abortion, with unspecified complication,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63490	DX	Spontaneous abortion, without mention of complication,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63491	DX	Spontaneous abortion, without mention of complication,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63492	DX	Spontaneous abortion, without mention of complication,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63500	DX	Legally induced abortion, complicated by genital tract and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	63501	DX	Legally induced abortion, complicated by genital tract and	ICD-9-CM Diagnosis

[illegible]

12	Pregnant or breastfeeding	638.1	DX	Failed attempted abortion complicated by delayed or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.2	DX	Failed attempted abortion complicated by damage to pelvic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.3	DX	Failed attempted abortion complicated by renal failure	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.4	DX	Failed attempted abortion complicated by metabolic disorder	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.5	DX	Failed attempted abortion complicated by shock	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.6	DX	Failed attempted abortion complicated by embolism	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.7	DX	Failed attempted abortion with other specified complications	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.8	DX	Failed attempted abortion with unspecified complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	638.9	DX	Failed attempted abortion without mention of complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.0	DX	Genital tract and pelvic infection following abortion or ectopic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.1	DX	Delayed or excessive hemorrhage following abortion or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.2	DX	Damage to pelvic organs and tissues following abortion or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.3	DX	Kidney failure following abortion and ectopic and molar	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.4	DX	Metabolic disorders following abortion or ectopic and molar	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.5	DX	Shock following abortion or ectopic and molar pregnancies	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.6	DX	Embolism following abortion or ectopic and molar pregnancies	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.8	DX	Other specified complications following abortion or ectopic	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	639.9	DX	Unspecified complication following abortion or ectopic and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.0.0	DX	Threatened abortion, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.01	DX	Threatened abortion, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.03	DX	Threatened abortion, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.80	DX	Other specified hemorrhage in early pregnancy, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.81	DX	Other specified hemorrhage in early pregnancy, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.83	DX	Other specified hemorrhage in early pregnancy, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.90	DX	Unspecified hemorrhage in early pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.91	DX	Unspecified hemorrhage in early pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	640.93	DX	Unspecified hemorrhage in early pregnancy, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.00	DX	Placenta previa without hemorrhage, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.01	DX	Placenta previa without hemorrhage, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.03	DX	Placenta previa without hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.10	DX	Hemorrhage from placenta previa, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.11	DX	Hemorrhage from placenta previa, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.13	DX	Hemorrhage from placenta previa, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.20	DX	Premature separation of placenta, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.21	DX	Premature separation of placenta, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.23	DX	Premature separation of placenta, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.30	DX	Antepartum hemorrhage associated with coagulation defects,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.31	DX	Antepartum hemorrhage associated with coagulation defects,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.33	DX	Antepartum hemorrhage associated with coagulation defects,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.80	DX	Other antepartum hemorrhage, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.81	DX	Other antepartum hemorrhage, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.83	DX	Other antepartum hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.90	DX	Unspecified antepartum hemorrhage, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.91	DX	Unspecified antepartum hemorrhage, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	641.93	DX	Unspecified antepartum hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.00	DX	Benign essential hypertension complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.01	DX	Benign essential hypertension complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.02	DX	Benign essential hypertension, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.03	DX	Benign essential hypertension complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.04	DX	Benign essential hypertension complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.10	DX	Hypertension secondary to renal disease, complicating	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.11	DX	Hypertension secondary to renal disease, complicating	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.12	DX	Hypertension secondary to renal disease, complicating	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.13	DX	Hypertension secondary to renal disease, complicating	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.14	DX	Hypertension secondary to renal disease, complicating	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.20	DX	Other pre-existing hypertension complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.21	DX	Other pre-existing hypertension, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.22	DX	Other pre-existing hypertension, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.23	DX	Other pre-existing hypertension, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.24	DX	Other pre-existing hypertension, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.30	DX	Transient hypertension of pregnancy, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.31	DX	Transient hypertension of pregnancy, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.32	DX	Transient hypertension of pregnancy, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.33	DX	Transient hypertension of pregnancy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.34	DX	Transient hypertension of pregnancy, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.40	DX	Mild or unspecified pre-eclampsia, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.41	DX	Mild or unspecified pre-eclampsia, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.42	DX	Mild or unspecified pre-eclampsia, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.43	DX	Mild or unspecified pre-eclampsia, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.44	DX	Mild or unspecified pre-eclampsia, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.50	DX	Severe pre-eclampsia, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.51	DX	Severe pre-eclampsia, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.52	DX	Severe pre-eclampsia, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.53	DX	Severe pre-eclampsia, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.54	DX	Severe pre-eclampsia, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.60	DX	Eclampsia, unspecified as to episode of care or not applicable	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.61	DX	Eclampsia, delivered, with or without mention of antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.62	DX	Eclampsia, delivered, with mention of postpartum complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.63	DX	Eclampsia, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.64	DX	Eclampsia, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.70	DX	Pre-eclampsia or eclampsia superimposed on pre-existing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.71	DX	Pre-eclampsia or eclampsia superimposed on pre-existing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.72	DX	Pre-eclampsia or eclampsia superimposed on pre-existing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.73	DX	Pre-eclampsia or eclampsia superimposed on pre-existing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.74	DX	Pre-eclampsia or eclampsia superimposed on pre-existing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.90	DX	Unspecified hypertension complicating pregnancy, childbirth,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.91	DX	Unspecified hypertension complicating pregnancy, childbirth,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.92	DX	Unspecified hypertension complicating pregnancy, childbirth,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	642.93	DX	Unspecified hypertension complicating pregnancy, childbirth,	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	642.94	DX	Unspecified hypertension complicating pregnancy, childbirth,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.00	DX	Mild hyperemesis gravidarum, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.01	DX	Mild hyperemesis gravidarum, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.03	DX	Mild hyperemesis gravidarum, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.10	DX	Hyperemesis gravidarum with metabolic disturbance,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.11	DX	Hyperemesis gravidarum with metabolic disturbance,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.13	DX	Hyperemesis gravidarum with metabolic disturbance,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.20	DX	Late vomiting of pregnancy, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.21	DX	Late vomiting of pregnancy, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.23	DX	Late vomiting of pregnancy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.90	DX	Other vomiting complicating pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.81	DX	Other vomiting complicating pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.83	DX	Other vomiting complicating pregnancy, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.90	DX	Unspecified vomiting of pregnancy, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.91	DX	Unspecified vomiting of pregnancy, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	643.93	DX	Unspecified vomiting of pregnancy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	644.00	DX	Threatened premature labor, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	644.03	DX	Threatened premature labor, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	644.10	DX	Other threatened labor, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	644.13	DX	Other threatened labor, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	644.20	DX	Early onset of delivery, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	644.21	DX	Early onset of delivery, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	645.13	DX	Post term pregnancy, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	645.11	DX	Post term pregnancy, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	645.13	DX	Post term pregnancy, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	645.20	DX	Prolonged pregnancy, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	645.21	DX	Prolonged pregnancy, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	645.23	DX	Prolonged pregnancy, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.00	DX	Papyraceous fetus, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.01	DX	Papyraceous fetus, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.03	DX	Papyraceous fetus, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.10	DX	Edema or excessive weight gain in pregnancy, without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.11	DX	Edema or excessive weight gain in pregnancy, without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.12	DX	Edema or excessive weight gain in pregnancy, without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.13	DX	Edema or excessive weight gain in pregnancy, without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.14	DX	Edema or excessive weight gain in pregnancy, without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.20	DX	Unspecified renal disease in pregnancy, without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.21	DX	Unspecified renal disease in pregnancy, without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.22	DX	Unspecified renal disease in pregnancy, without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.23	DX	Unspecified renal disease in pregnancy, without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.24	DX	Unspecified renal disease in pregnancy, without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.30	DX	Recurrent pregnancy loss, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.31	DX	Recurrent pregnancy loss, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.33	DX	Recurrent pregnancy loss, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.40	DX	Peripheral neuritis in pregnancy, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.41	DX	Peripheral neuritis in pregnancy, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.42	DX	Peripheral neuritis in pregnancy, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.43	DX	Peripheral neuritis in pregnancy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.44	DX	Peripheral neuritis in pregnancy, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.50	DX	Asymptomatic bacteriuria in pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.51	DX	Asymptomatic bacteriuria in pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.52	DX	Asymptomatic bacteriuria in pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.53	DX	Asymptomatic bacteriuria in pregnancy, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.54	DX	Asymptomatic bacteriuria in pregnancy, postpartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.60	DX	Infections of genitourinary tract in pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.61	DX	Infections of genitourinary tract in pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.62	DX	Infections of genitourinary tract in pregnancy, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.63	DX	Infections of genitourinary tract in pregnancy, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.64	DX	Infections of genitourinary tract in pregnancy, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.70	DX	Liver and biliary tract disorders in pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.71	DX	Liver and biliary tract disorders in pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.73	DX	Liver and biliary tract disorders in pregnancy, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.80	DX	Other specified complications of pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.81	DX	Other specified complications of pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.82	DX	Other specified complications of pregnancy, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.83	DX	Other specified complications of pregnancy, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.84	DX	Other specified complications of pregnancy, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.90	DX	Unspecified complication of pregnancy, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.91	DX	Unspecified complication of pregnancy, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	646.93	DX	Unspecified complication of pregnancy, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.00	DX	Syphilis of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.01	DX	Syphilis of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.02	DX	Syphilis of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.03	DX	Syphilis of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.04	DX	Syphilis of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.10	DX	Gonorrhea of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.11	DX	Gonorrhea of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.12	DX	Gonorrhea of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.13	DX	Gonorrhea of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.14	DX	Gonorrhea of mother, complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.20	DX	Other venereal diseases of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.21	DX	Other venereal diseases of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.22	DX	Other venereal diseases of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.23	DX	Other venereal diseases of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.24	DX	Other venereal diseases of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.30	DX	Tuberculosis of mother, complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.31	DX	Tuberculosis of mother, complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.32	DX	Tuberculosis of mother, complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.33	DX	Tuberculosis of mother, complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	647.34	DX	Tuberculosis of mother, complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.40	DX	Malaria in the mother, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.41	DX	Malaria in the mother, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.42	DX	Malaria in the mother, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.43	DX	Malaria in the mother, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.44	DX	Malaria in the mother, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.50	DX	Rubella in the mother, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.51	DX	Rubella in the mother, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.52	DX	Rubella in the mother, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.53	DX	Rubella in the mother, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.54	DX	Rubella in the mother, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.60	DX	Other viral diseases in the mother, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.61	DX	Other viral diseases in the mother, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.62	DX	Other viral diseases in the mother, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.63	DX	Other viral diseases in the mother, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.64	DX	Other viral diseases in the mother, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.80	DX	Other specified infectious and parasitic diseases of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.81	DX	Other specified infectious and parasitic diseases of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.82	DX	Other specified infectious and parasitic diseases of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.83	DX	Other specified infectious and parasitic diseases of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.84	DX	Other specified infectious and parasitic diseases of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.90	DX	Unspecified infection or infestation of mother, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.91	DX	Unspecified infection or infestation of mother, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.92	DX	Unspecified infection or infestation of mother, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.93	DX	Unspecified infection or infestation of mother, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	647.94	DX	Unspecified infection or infestation of mother, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.00	DX	Diabetes mellitus of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.01	DX	Diabetes mellitus of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.02	DX	Diabetes mellitus of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.03	DX	Diabetes mellitus of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.04	DX	Diabetes mellitus of mother, complicating pregnancy,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.10	DX	Thyroid dysfunction of mother, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.11	DX	Thyroid dysfunction of mother, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.12	DX	Thyroid dysfunction of mother, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.13	DX	Thyroid dysfunction of mother, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.14	DX	Thyroid dysfunction of mother, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.20	DX	Anemia of mother, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.21	DX	Anemia of mother, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.22	DX	Anemia of mother, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.23	DX	Anemia of mother, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.24	DX	Anemia of mother, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.30	DX	Drug dependence of mother, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.31	DX	Drug dependence of mother, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.32	DX	Drug dependence of mother, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.33	DX	Drug dependence of mother, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.34	DX	Drug dependence of mother, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.40	DX	Mental disorders of mother, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.41	DX	Mental disorders of mother, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.42	DX	Mental disorders of mother, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.43	DX	Mental disorders of mother, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.44	DX	Mental disorders of mother, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.50	DX	Congenital cardiovascular disorders of mother, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.51	DX	Congenital cardiovascular disorders of mother, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.52	DX	Congenital cardiovascular disorders of mother, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.53	DX	Congenital cardiovascular disorders of mother, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.54	DX	Congenital cardiovascular disorders of mother, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.60	DX	Other cardiovascular diseases of mother, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.61	DX	Other cardiovascular diseases of mother, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.62	DX	Other cardiovascular diseases of mother, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.63	DX	Other cardiovascular diseases of mother, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.64	DX	Other cardiovascular diseases of mother, postpartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	648.70	DX	Bone and joint disorders of back, pelvis, and lower limbs of	

12	Pregnant or breastfeeding	649.23	DX	Bariatric surgery status complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.24	DX	Bariatric surgery status complicating pregnancy, childbirth, or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.30	DX	Coagulation defects complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.31	DX	Coagulation defects complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.32	DX	Coagulation defects complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.33	DX	Coagulation defects complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.34	DX	Coagulation defects complicating pregnancy, childbirth, or the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.40	DX	Epilepsy complicating pregnancy, childbirth, or the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.41	DX	Epilepsy complicating pregnancy, childbirth, or the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.42	DX	Epilepsy complicating pregnancy, childbirth, or the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.43	DX	Epilepsy complicating pregnancy, childbirth, or the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.44	DX	Epilepsy complicating pregnancy, childbirth, or the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.50	DX	Spotting complicating pregnancy, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.51	DX	Spotting complicating pregnancy, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.53	DX	Spotting complicating pregnancy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.60	DX	Uterine size date discrepancy, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.61	DX	Uterine size date discrepancy, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.62	DX	Uterine size date discrepancy, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.63	DX	Uterine size date discrepancy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.64	DX	Uterine size date discrepancy, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.70	DX	Cervical shortening, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.71	DX	Cervical shortening, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.73	DX	Cervical shortening, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.81	DX	Onset (spontaneous) of labor after 37 completed weeks of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	649.82	DX	Onset (spontaneous) of labor after 37 completed weeks of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	650	DX	Normal delivery	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.00	DX	Twin pregnancy, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.01	DX	Twin pregnancy, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.03	DX	Twin pregnancy, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.10	DX	Triplet pregnancy, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.11	DX	Triplet pregnancy, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.13	DX	Triplet pregnancy, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.20	DX	Quadruplet pregnancy, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.21	DX	Quadruplet pregnancy, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.23	DX	Quadruplet pregnancy, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.30	DX	Twin pregnancy with fetal loss and retention of one fetus,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.31	DX	Twin pregnancy with fetal loss and retention of one fetus,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.33	DX	Twin pregnancy with fetal loss and retention of one fetus,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.40	DX	Triplet pregnancy with fetal loss and retention of one or more	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.41	DX	Triplet pregnancy with fetal loss and retention of one or more	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.43	DX	Triplet pregnancy with fetal loss and retention of one or more	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.50	DX	Quadruplet pregnancy with fetal loss and retention of one or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.51	DX	Quadruplet pregnancy with fetal loss and retention of one or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.53	DX	Quadruplet pregnancy with fetal loss and retention of one or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.60	DX	Other multiple pregnancy with fetal loss and retention of one or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.61	DX	Other multiple pregnancy with fetal loss and retention of one or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.63	DX	Other multiple pregnancy with fetal loss and retention of one or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.70	DX	Multiple gestation following (elective) fetal reduction,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.71	DX	Multiple gestation following (elective) fetal reduction, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.73	DX	Multiple gestation following (elective) fetal reduction,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.80	DX	Other specified multiple gestation, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.81	DX	Other specified multiple gestation, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.83	DX	Other specified multiple gestation, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.90	DX	Unspecified multiple gestation, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.91	DX	Unspecified multiple gestation, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	651.93	DX	Unspecified multiple gestation, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.00	DX	Unstable lie, unspecified as to episode of care or not applicable	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.01	DX	Unstable lie, delivered, with or without mention of antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.03	DX	Unstable lie, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.10	DX	Breech or other malpresentation successfully converted to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.11	DX	Breech or other malpresentation successfully converted to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.13	DX	Breech or other malpresentation successfully converted to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.20	DX	Breech presentation without mention of version, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.21	DX	Breech presentation without mention of version, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.23	DX	Breech presentation without mention of version, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.30	DX	Transverse or oblique presentation, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.31	DX	Transverse or oblique presentation, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.33	DX	Transverse or oblique presentation, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.40	DX	Face or brow presentation, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.41	DX	Face or brow presentation, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.43	DX	Face or brow presentation, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.50	DX	High head at term, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.51	DX	High head at term, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.53	DX	High head at term, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.60	DX	Multiple gestation with malpresentation of one fetus or more,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.61	DX	Multiple gestation with malpresentation of one fetus or more,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.63	DX	Multiple gestation with malpresentation of one fetus or more,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.70	DX	Prolapsed arm of fetus, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.71	DX	Prolapsed arm of fetus, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.73	DX	Prolapsed arm of fetus, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.80	DX	Other specified malposition or malpresentation, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.81	DX	Other specified malposition or malpresentation, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.83	DX	Other specified malposition or malpresentation, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.90	DX	Unspecified malposition or malpresentation, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.91	DX	Unspecified malposition or malpresentation, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	652.93	DX	Unspecified malposition or malpresentation, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.00	DX	Major abnormality of bony pelvis, not further specified,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.01	DX	Major abnormality of bony pelvis, not further specified,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.03	DX	Major abnormality of bony pelvis, not further specified,	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	653.10	DX	Generally contracted pelvis, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.11	DX	Generally contracted pelvis, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.13	DX	Generally contracted pelvis, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.20	DX	Inlet contraction of pelvis, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.21	DX	Inlet contraction of pelvis, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.23	DX	Inlet contraction of pelvis, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.30	DX	Outlet contraction of pelvis, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.31	DX	Outlet contraction of pelvis, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.33	DX	Outlet contraction of pelvis, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.40	DX	Fetopelvic disproportion, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.41	DX	Fetopelvic disproportion, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.43	DX	Fetopelvic disproportion, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.50	DX	Unusually large fetus causing disproportion, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.51	DX	Unusually large fetus causing disproportion, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.53	DX	Unusually large fetus causing disproportion, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.60	DX	Hydrocephalic fetus causing disproportion, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.61	DX	Hydrocephalic fetus causing disproportion, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.63	DX	Hydrocephalic fetus causing disproportion, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.70	DX	Other fetal abnormality causing disproportion, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.71	DX	Other fetal abnormality causing disproportion, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.73	DX	Other fetal abnormality causing disproportion, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.80	DX	Disproportion of other origin, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.81	DX	Disproportion of other origin, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.83	DX	Disproportion of other origin, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.90	DX	Unspecified disproportion, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.91	DX	Unspecified disproportion, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	653.93	DX	Unspecified disproportion, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.00	DX	Congenital abnormalities of uterus, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.01	DX	Congenital abnormalities of uterus, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.02	DX	Congenital abnormalities of uterus, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.03	DX	Congenital abnormalities of uterus, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.04	DX	Congenital abnormalities of uterus, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.10	DX	Tumors of body of uterus, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.11	DX	Tumors of body of uterus, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.12	DX	Tumors of body of uterus, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.13	DX	Tumors of body of uterus, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.14	DX	Tumors of body of uterus, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.20	DX	Previous cesarean delivery, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.21	DX	Previous cesarean delivery, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.23	DX	Previous cesarean delivery, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.30	DX	Retroverted and incarcerated gravid uterus, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.31	DX	Retroverted and incarcerated gravid uterus, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.32	DX	Retroverted and incarcerated gravid uterus, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.33	DX	Retroverted and incarcerated gravid uterus, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.34	DX	Retroverted and incarcerated gravid uterus, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.40	DX	Other abnormalities in shape or position of gravid uterus and of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.41	DX	Other abnormalities in shape or position of gravid uterus and of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.42	DX	Other abnormalities in shape or position of gravid uterus and of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.43	DX	Other abnormalities in shape or position of gravid uterus and of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.44	DX	Other abnormalities in shape or position of gravid uterus and of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.50	DX	Cervical incompetence, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.51	DX	Cervical incompetence, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.52	DX	Cervical incompetence, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.53	DX	Cervical incompetence, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.54	DX	Cervical incompetence, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.60	DX	Other congenital or acquired abnormality of cervix, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.61	DX	Other congenital or acquired abnormality of cervix, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.62	DX	Other congenital or acquired abnormality of cervix, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.63	DX	Other congenital or acquired abnormality of cervix, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.64	DX	Other congenital or acquired abnormality of cervix, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.70	DX	Congenital or acquired abnormality of vagina, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.71	DX	Congenital or acquired abnormality of vagina, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.72	DX	Congenital or acquired abnormality of vagina, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.73	DX	Congenital or acquired abnormality of vagina, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.74	DX	Congenital or acquired abnormality of vagina, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.80	DX	Congenital or acquired abnormality of vulva, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.81	DX	Congenital or acquired abnormality of vulva, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.82	DX	Congenital or acquired abnormality of vulva, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.83	DX	Congenital or acquired abnormality of vulva, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.84	DX	Congenital or acquired abnormality of vulva, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.90	DX	Other and unspecified abnormality of organs and soft tissues of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.91	DX	Other and unspecified abnormality of organs and soft tissues of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.92	DX	Other and unspecified abnormality of organs and soft tissues of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.93	DX	Other and unspecified abnormality of organs and soft tissues of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	654.94	DX	Other and unspecified abnormality of organs and soft tissues of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.00	DX	Central nervous system malformation in fetus, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.01	DX	Central nervous system malformation in fetus, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.03	DX	Central nervous system malformation in fetus, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.10	DX	Chromosomal abnormality in fetus, affecting management of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.11	DX	Chromosomal abnormality in fetus, affecting management of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.13	DX	Chromosomal abnormality in fetus, affecting management of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.20	DX	Hereditary disease in family possibly affecting fetus, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.21	DX	Hereditary disease in family possibly affecting fetus, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.23	DX	Hereditary disease in family possibly affecting fetus, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.30	DX	Suspected damage to fetus from viral disease in the mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.31	DX	Suspected damage to fetus from viral disease in the mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.33	DX	Suspected damage to fetus from viral disease in the mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.40	DX	Suspected damage to fetus from other disease in the mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.41	DX	Suspected damage to fetus from other disease in the mother,	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	655.43	DX	Suspected damage to fetus from other disease in the mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.50	DX	Suspected damage to fetus from drugs, affecting management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.51	DX	Suspected damage to fetus from drugs, affecting management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.53	DX	Suspected damage to fetus from drugs, affecting management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.60	DX	Suspected damage to fetus from radiation, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.61	DX	Suspected damage to fetus from radiation, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.63	DX	Suspected damage to fetus from radiation, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.70	DX	Decreased fetal movements, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.71	DX	Decreased fetal movements, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.73	DX	Decreased fetal movements, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.80	DX	Other known or suspected fetal abnormality, not elsewhere	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.81	DX	Other known or suspected fetal abnormality, not elsewhere	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.83	DX	Other known or suspected fetal abnormality, not elsewhere	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.90	DX	Unspecified suspected fetal abnormality, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.91	DX	Unspecified suspected fetal abnormality, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	655.93	DX	Unspecified suspected fetal abnormality, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.00	DX	Fetal-maternal hemorrhage, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.01	DX	Fetal-maternal hemorrhage, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.03	DX	Fetal-maternal hemorrhage, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.10	DX	Rhesus isoimmunization, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.11	DX	Rhesus isoimmunization, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.13	DX	Rhesus isoimmunization, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.20	DX	Isoimmunization from other and unspecified blood-group	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.21	DX	Isoimmunization from other and unspecified blood-group	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.23	DX	Isoimmunization from other and unspecified blood-group	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.30	DX	Fetal distress, affecting management of mother, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.31	DX	Fetal distress, affecting management of mother, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.33	DX	Fetal distress, affecting management of mother, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.40	DX	Intrauterine death, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.41	DX	Intrauterine death, affecting management of mother, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.43	DX	Intrauterine death, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.50	DX	Poor fetal growth, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.51	DX	Poor fetal growth, affecting management of mother, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.53	DX	Poor fetal growth, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.60	DX	Excessive fetal growth, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.61	DX	Excessive fetal growth, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.63	DX	Excessive fetal growth, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.70	DX	Other placental conditions, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.71	DX	Other placental conditions, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.73	DX	Other placental conditions, affecting management of mother,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.80	DX	Other specified fetal and placental problems, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.81	DX	Other specified fetal and placental problems, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.83	DX	Other specified fetal and placental problems, affecting	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.90	DX	Unspecified fetal and placental problem, affecting management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.91	DX	Unspecified fetal and placental problem, affecting management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	656.93	DX	Unspecified fetal and placental problem, affecting management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	657.00	DX	Polyhydramnios, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	657.01	DX	Polyhydramnios, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	657.03	DX	Polyhydramnios, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.00	DX	Oligohydramnios, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.01	DX	Oligohydramnios, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.03	DX	Oligohydramnios, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.10	DX	Premature rupture of membranes, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.11	DX	Premature rupture of membranes, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.13	DX	Premature rupture of membranes, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.20	DX	Delayed delivery after spontaneous or unspecified rupture of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.21	DX	Delayed delivery after spontaneous or unspecified rupture of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.23	DX	Delayed delivery after spontaneous or unspecified rupture of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.30	DX	Delayed delivery after artificial rupture of membranes,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.31	DX	Delayed delivery after artificial rupture of membranes,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.33	DX	Delayed delivery after artificial rupture of membranes,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.40	DX	Infection of amniotic cavity, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.41	DX	Infection of amniotic cavity, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.43	DX	Infection of amniotic cavity, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.80	DX	Other problems associated with amniotic cavity and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.81	DX	Other problems associated with amniotic cavity and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.83	DX	Other problems associated with amniotic cavity and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.90	DX	Unspecified problem associated with amniotic cavity and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.91	DX	Unspecified problem associated with amniotic cavity and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	658.93	DX	Unspecified problem associated with amniotic cavity and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.00	DX	Failed mechanical induction of labor, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.01	DX	Failed mechanical induction of labor, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.03	DX	Failed mechanical induction of labor, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.10	DX	Failed medical or unspecified induction of labor, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.11	DX	Failed medical or unspecified induction of labor, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.13	DX	Failed medical or unspecified induction of labor, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.20	DX	Maternal pyrexia during labor, unspecified, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.21	DX	Maternal pyrexia during labor, unspecified, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.23	DX	Maternal pyrexia during labor, unspecified, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.30	DX	Generalized infection during labor, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.31	DX	Generalized infection during labor, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.33	DX	Generalized infection during labor, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.40	DX	Grand multiparity, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.41	DX	Grand multiparity, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.43	DX	Grand multiparity, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.50	DX	Elderly primigravida, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.51	DX	Elderly primigravida, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.53	DX	Elderly primigravida, antepartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	659.60	DX	Elderly multigravida, unspecified as to episode of care or not	ICD-9-CM Diagnosis

12 Pregnant or breastfeeding	659.61	DX	Elderly multigravida, delivered with or without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.63	DX	Elderly multigravida, antepartum condition or complication	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.70	DX	Abnormality in fetal heart rate or rhythm, unspecified as to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.71	DX	Abnormality in fetal heart rate or rhythm, delivered, with or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.73	DX	Abnormality in fetal heart rate or rhythm, antepartum condition	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.80	DX	Other specified indications for care or intervention related to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.81	DX	Other specified indications for care or intervention related to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.83	DX	Other specified indications for care or intervention related to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.90	DX	Unspecified indication for care or intervention related to labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.91	DX	Unspecified indication for care or intervention related to labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	659.93	DX	Unspecified indication for care or intervention related to labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660	DX	Obstructed labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.00	DX	Obstruction caused by malposition of fetus at onset of labor,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.01	DX	Obstruction caused by malposition of fetus at onset of labor,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.03	DX	Obstruction caused by malposition of fetus at onset of labor,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.10	DX	Obstruction by bony pelvis during labor, unspecified as to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.11	DX	Obstruction by bony pelvis during labor, delivered, with or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.13	DX	Obstruction by bony pelvis during labor, antepartum condition	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.20	DX	Obstruction by abnormal pelvic soft tissues during labor,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.21	DX	Obstruction by abnormal pelvic soft tissues during labor,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.23	DX	Obstruction by abnormal pelvic soft tissues during labor,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.30	DX	Deep transverse arrest and persistent occipitoposterior	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.31	DX	Deep transverse arrest and persistent occipitoposterior	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.33	DX	Deep transverse arrest and persistent occipitoposterior	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.40	DX	Shoulder (girdle) dystocia, unspecified as to episode of care or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.41	DX	Shoulder (girdle) dystocia, delivered, with or without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.43	DX	Shoulder (girdle) dystocia, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.50	DX	Locked twins, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.51	DX	Locked twins, delivered, with or without mention of antepartum	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.53	DX	Locked twins, antepartum condition or complication	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.60	DX	Unspecified failed trial of labor, unspecified as to episode of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.61	DX	Unspecified failed trial of labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.63	DX	Unspecified failed trial of labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.70	DX	Failed forceps or vacuum extractor, unspecified, unspecified as	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.71	DX	Failed forceps or vacuum extractor, unspecified, delivered, with	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.73	DX	Failed forceps or vacuum extractor, unspecified, antepartum	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.80	DX	Other causes of obstructed labor, unspecified as to episode of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.81	DX	Other causes of obstructed labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.83	DX	Other causes of obstructed labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.90	DX	Unspecified obstructed labor, unspecified as to episode of care	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.91	DX	Unspecified obstructed labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	660.93	DX	Unspecified obstructed labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661	DX	Abnormality of forces of labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.00	DX	Primary uterine inertia, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.01	DX	Primary uterine inertia, delivered, with or without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.03	DX	Primary uterine inertia, antepartum condition or complication	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.10	DX	Secondary uterine inertia, unspecified as to episode of care or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.11	DX	Secondary uterine inertia, delivered, with or without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.13	DX	Secondary uterine inertia, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.20	DX	Other and unspecified uterine inertia, unspecified as to episode	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.21	DX	Other and unspecified uterine inertia, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.23	DX	Other and unspecified uterine inertia, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.30	DX	Precipitate labor, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.31	DX	Precipitate labor, delivered, with or without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.33	DX	Precipitate labor, antepartum condition or complication	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.40	DX	Hypertonic, incoordinate, or prolonged uterine contractions,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.41	DX	Hypertonic, incoordinate, or prolonged uterine contractions,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.43	DX	Hypertonic, incoordinate, or prolonged uterine contractions,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.90	DX	Unspecified abnormality of labor, unspecified as to episode of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.91	DX	Unspecified abnormality of labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	661.93	DX	Unspecified abnormality of labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662	DX	Long labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.00	DX	Prolonged first stage of labor, unspecified as to episode of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.01	DX	Prolonged first stage of labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.03	DX	Prolonged first stage of labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.10	DX	Unspecified prolonged labor, unspecified as to episode of care	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.11	DX	Unspecified prolonged labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.13	DX	Unspecified prolonged labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.20	DX	Prolonged second stage of labor, unspecified as to episode of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.21	DX	Prolonged second stage of labor, delivered, with or without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.23	DX	Prolonged second stage of labor, antepartum condition or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.30	DX	Delayed delivery of second twin, triplet, etc., unspecified as to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.31	DX	Delayed delivery of second twin, triplet, etc., delivered, with or	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	662.33	DX	Delayed delivery of second twin, triplet, etc., antepartum	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663	DX	Umbilical cord complications during labor and delivery	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.00	DX	Prolapse of cord complicating labor and delivery, unspecified	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.01	DX	Prolapse of cord complicating labor and delivery, delivered,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.03	DX	Prolapse of cord complicating labor and delivery, antepartum	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.10	DX	Cord around neck with compression, complicating labor and	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.11	DX	Cord around neck, with compression, complicating labor and	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.13	DX	Cord around neck, with compression, complicating labor and	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.20	DX	Other and unspecified cord entanglement, with compression,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.21	DX	Other and unspecified cord entanglement, with compression,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.23	DX	Other and unspecified cord entanglement, with compression,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.30	DX	Other and unspecified cord entanglement, without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.31	DX	Other and unspecified cord entanglement, without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.33	DX	Other and unspecified cord entanglement, without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.40	DX	Short cord complicating labor and delivery, unspecified as to	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	663.41	DX	Short cord complicating labor and delivery, delivered, with or	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	663.43	DX	Short cord complicating labor and delivery, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.50	DX	Vasa previa complicating labor and delivery, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.51	DX	Vasa previa complicating labor and delivery, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.53	DX	Vasa previa complicating labor and delivery, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.60	DX	Vascular lesions of cord complicating labor and delivery,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.61	DX	Vascular lesions of cord complicating labor and delivery,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.63	DX	Vascular lesions of cord complicating labor and delivery,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.80	DX	Other umbilical cord complications complicating labor and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.81	DX	Other umbilical cord complications complicating labor and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.83	DX	Other umbilical cord complications complicating labor and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.90	DX	Unspecified umbilical cord complication complicating labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.91	DX	Unspecified umbilical cord complication complicating labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	663.93	DX	Unspecified umbilical cord complication complicating labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664	DX	Trauma to perineum and vulva during delivery	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.00	DX	First-degree perineal laceration, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.01	DX	First-degree perineal laceration, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.04	DX	First-degree perineal laceration, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.10	DX	Second-degree perineal laceration, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.11	DX	Second-degree perineal laceration, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.14	DX	Second-degree perineal laceration, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.20	DX	Third-degree perineal laceration, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.21	DX	Third-degree perineal laceration, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.24	DX	Third-degree perineal laceration, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.30	DX	Fourth-degree perineal laceration, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.31	DX	Fourth-degree perineal laceration, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.34	DX	Fourth-degree perineal laceration, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.40	DX	Unspecified perineal laceration, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.41	DX	Unspecified perineal laceration, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.44	DX	Unspecified perineal laceration, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.50	DX	Vulvar and perineal hematoma, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.51	DX	Vulvar and perineal hematoma, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.54	DX	Vulvar and perineal hematoma, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.60	DX	Anal sphincter tear complicating delivery, not associated with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.61	DX	Anal sphincter tear complicating delivery, not associated with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.64	DX	Anal sphincter tear complicating delivery, not associated with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.80	DX	Other specified trauma to perineum and vulva, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.81	DX	Other specified trauma to perineum and vulva, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.84	DX	Other specified trauma to perineum and vulva, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.90	DX	Unspecified trauma to perineum and vulva, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.91	DX	Unspecified trauma to perineum and vulva, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	664.94	DX	Unspecified trauma to perineum and vulva, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665	DX	Other obstetrical trauma	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.00	DX	Rupture of uterus before onset of labor, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.01	DX	Rupture of uterus before onset of labor, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.03	DX	Rupture of uterus before onset of labor, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.10	DX	Rupture of uterus during labor, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.11	DX	Rupture of uterus during labor, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.20	DX	Inversion of uterus, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.22	DX	Inversion of uterus, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.24	DX	Inversion of uterus, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.30	DX	Laceration of cervix, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.31	DX	Laceration of cervix, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.34	DX	Laceration of cervix, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.40	DX	High vaginal laceration, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.41	DX	High vaginal laceration, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.44	DX	High vaginal laceration, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.50	DX	Other injury to pelvic organs, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.51	DX	Other injury to pelvic organs, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.54	DX	Other injury to pelvic organs, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.60	DX	Damage to pelvic joints and ligaments, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.61	DX	Damage to pelvic joints and ligaments, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.64	DX	Damage to pelvic joints and ligaments, postpartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.70	DX	Pelvic hematoma, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.71	DX	Pelvic hematoma, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.72	DX	Pelvic hematoma, delivered with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.74	DX	Pelvic hematoma, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.80	DX	Other specified obstetrical trauma, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.81	DX	Other specified obstetrical trauma, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.82	DX	Other specified obstetrical trauma, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.83	DX	Other specified obstetrical trauma, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.84	DX	Other specified obstetrical trauma, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.90	DX	Unspecified obstetrical trauma, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.91	DX	Unspecified obstetrical trauma, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.92	DX	Unspecified obstetrical trauma, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.93	DX	Unspecified obstetrical trauma, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	665.94	DX	Unspecified obstetrical trauma, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.00	DX	Third-stage postpartum hemorrhage, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.02	DX	Third-stage postpartum hemorrhage, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.04	DX	Third-stage postpartum hemorrhage, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.10	DX	Other immediate postpartum hemorrhage, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.12	DX	Other immediate postpartum hemorrhage, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.14	DX	Other immediate postpartum hemorrhage, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.20	DX	Delayed and secondary postpartum hemorrhage, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.22	DX	Delayed and secondary postpartum hemorrhage, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.24	DX	Delayed and secondary postpartum hemorrhage, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.30	DX	Postpartum coagulation defects, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.32	DX	Postpartum coagulation defects, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	666.34	DX	Postpartum coagulation defects, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	667	DX	Retained placenta or membranes without hemorrhage	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	667.00	DX	Retained placenta without hemorrhage, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	667.02	DX	Retained placenta without hemorrhage, delivered, with mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	667.04	DX	Retained placenta without hemorrhage, postpartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	667.10	DX	Retained portions of placenta or membranes, without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	667.12	DX	Retained portions of placenta or membranes, without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	667.14	DX	Retained portions of placenta or membranes, without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668	DX	Complications of the administration of anesthetic or other	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.00	DX	Pulmonary complications of anesthesia or other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.01	DX	Pulmonary complications of anesthesia or other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.02	DX	Pulmonary complications of anesthesia or other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.03	DX	Pulmonary complications of anesthesia or other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.04	DX	Pulmonary complications of anesthesia or other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.10	DX	Cardiac complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.11	DX	Cardiac complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.12	DX	Cardiac complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.13	DX	Cardiac complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.14	DX	Cardiac complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.20	DX	Central nervous system complications of anesthesia or other	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.21	DX	Central nervous system complications of anesthesia or other	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.22	DX	Central nervous system complications of anesthesia or other	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.23	DX	Central nervous system complications of anesthesia or other	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.24	DX	Central nervous system complications of anesthesia or other	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.25	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.81	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.82	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.83	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.84	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.85	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.86	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.87	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.88	DX	Other complications of anesthesia or other sedation in labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.89	DX	Unspecified complication of anesthesia and other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.91	DX	Unspecified complication of anesthesia and other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.92	DX	Unspecified complication of anesthesia and other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.93	DX	Unspecified complication of anesthesia and other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	668.94	DX	Unspecified complication of anesthesia and other sedation in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.00	DX	Maternal distress complicating labor and delivery, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.01	DX	Maternal distress complicating labor and delivery, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.02	DX	Maternal distress complicating labor and delivery, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.03	DX	Maternal distress complicating labor and delivery, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.04	DX	Maternal distress complicating labor and delivery, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.10	DX	Shock during or following labor and delivery, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.11	DX	Shock during or following labor and delivery, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.12	DX	Shock during or following labor and delivery, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.13	DX	Shock during or following labor and delivery, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.14	DX	Shock during or following labor and delivery, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.20	DX	Maternal hypotension syndrome, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.21	DX	Maternal hypotension syndrome, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.22	DX	Maternal hypotension syndrome, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.23	DX	Maternal hypotension syndrome, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.24	DX	Maternal hypotension syndrome, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.30	DX	Acute kidney failure following labor and delivery, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.32	DX	Acute kidney failure following labor and delivery, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.34	DX	Acute kidney failure following labor and delivery, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.40	DX	Other complications of obstetrical surgery and procedures,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.41	DX	Other complications of obstetrical surgery and procedures,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.42	DX	Other complications of obstetrical surgery and procedures,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.43	DX	Other complications of obstetrical surgery and procedures,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.44	DX	Other complications of obstetrical surgery and procedures,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.50	DX	Forceps or vacuum extractor delivery without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.51	DX	Forceps or vacuum extractor delivery without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.60	DX	Breech extraction, without mention of indication, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.61	DX	Breech extraction, without mention of indication, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.70	DX	Cesarean delivery, without mention of indication, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.71	DX	Cesarean delivery, without mention of indication, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.80	DX	Other complications of labor and delivery, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.81	DX	Other complications of labor and delivery, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.82	DX	Other complications of labor and delivery, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.83	DX	Other complications of labor and delivery, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.84	DX	Other complications of labor and delivery, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.90	DX	Unspecified complication of labor and delivery, unspecified as	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.91	DX	Unspecified complication of labor and delivery, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.92	DX	Unspecified complication of labor and delivery, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.93	DX	Unspecified complication of labor and delivery, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	669.94	DX	Unspecified complication of labor and delivery, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.00	DX	Major puerperal infection, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.02	DX	Major puerperal infection, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.04	DX	Major puerperal infection, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.10	DX	Puerperal endometritis, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.12	DX	Puerperal endometritis, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.14	DX	Puerperal endometritis, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.20	DX	Puerperal sepsis, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.22	DX	Puerperal sepsis, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.24	DX	Puerperal sepsis, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.30	DX	Puerperal septic thrombophlebitis, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.32	DX	Puerperal septic thrombophlebitis, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.34	DX	Puerperal septic thrombophlebitis, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.80	DX	Other major puerperal infection, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.82	DX	Other major puerperal infection, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	70.84	DX	Other major puerperal infection, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	71.00	DX	Varicose veins of legs complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	71.01	DX	Varicose veins of legs complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	71.02	DX	Varicose veins of legs complicating pregnancy and the	ICD-9-CM Diagnosis

12	Pregnant or breastfeeding	67103	DX	Varicose veins of legs complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67104	DX	Varicose veins of legs complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67110	DX	Varicose veins of vulva and perineum complicating pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67111	DX	Varicose veins of vulva and perineum complicating pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67112	DX	Varicose veins of vulva and perineum complicating pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67113	DX	Varicose veins of vulva and perineum complicating pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67114	DX	Varicose veins of vulva and perineum complicating pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67120	DX	Superficial thrombophlebitis complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67121	DX	Superficial thrombophlebitis complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67122	DX	Superficial thrombophlebitis complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67123	DX	Superficial thrombophlebitis complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67124	DX	Superficial thrombophlebitis complicating pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67130	DX	Deep phlebotrombosis, antepartum, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67131	DX	Deep phlebotrombosis, antepartum, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67133	DX	Deep phlebotrombosis, antepartum, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67140	DX	Deep phlebotrombosis, postpartum, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67142	DX	Deep phlebotrombosis, postpartum, delivered, with mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67144	DX	Deep phlebotrombosis, postpartum, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67150	DX	Other phlebitis and thrombosis complicating pregnancy and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67151	DX	Other phlebitis and thrombosis complicating pregnancy and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67152	DX	Other phlebitis and thrombosis complicating pregnancy and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67153	DX	Other phlebitis and thrombosis complicating pregnancy and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67154	DX	Other phlebitis and thrombosis complicating pregnancy and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67180	DX	Other venous complications of pregnancy and the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67181	DX	Other venous complications of pregnancy and the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67182	DX	Other venous complications of pregnancy and the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67183	DX	Other venous complications of pregnancy and the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67184	DX	Other venous complications of pregnancy and the puerperium,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67190	DX	Unspecified venous complication of pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67191	DX	Unspecified venous complication of pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67192	DX	Unspecified venous complication of pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67193	DX	Unspecified venous complication of pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67194	DX	Unspecified venous complication of pregnancy and the	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67200	DX	Pyrexia of unknown origin during the puerperium, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67202	DX	Pyrexia of unknown origin during the puerperium, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67204	DX	Pyrexia of unknown origin during the puerperium, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67300	DX	Obstetrical air embolism, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67301	DX	Obstetrical air embolism, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67302	DX	Obstetrical air embolism, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67303	DX	Obstetrical air embolism, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67304	DX	Obstetrical air embolism, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67310	DX	Amniotic fluid embolism, unspecified as to episode of care or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67311	DX	Amniotic fluid embolism, delivered, with or without mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67312	DX	Amniotic fluid embolism, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67313	DX	Amniotic fluid embolism, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67314	DX	Amniotic fluid embolism, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67320	DX	Obstetrical blood-clot embolism, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67321	DX	Obstetrical blood-clot embolism, delivered, with or without	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67322	DX	Obstetrical blood-clot embolism, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67323	DX	Obstetrical blood-clot embolism, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67324	DX	Obstetrical blood-clot embolism, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67330	DX	Obstetrical pyemic and septic embolism, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67331	DX	Obstetrical pyemic and septic embolism, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67332	DX	Obstetrical pyemic and septic embolism, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67333	DX	Obstetrical pyemic and septic embolism, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67334	DX	Obstetrical pyemic and septic embolism, postpartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67380	DX	Other obstetrical pulmonary embolism, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67381	DX	Other obstetrical pulmonary embolism, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67382	DX	Other obstetrical pulmonary embolism, delivered, with mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67383	DX	Other obstetrical pulmonary embolism, antepartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67384	DX	Other obstetrical pulmonary embolism, postpartum condition	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67400	DX	Cerebrovascular disorders in the puerperium, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67401	DX	Cerebrovascular disorders in the puerperium, delivered, with or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67402	DX	Cerebrovascular disorders in the puerperium, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67403	DX	Cerebrovascular disorders in the puerperium, antepartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67404	DX	Cerebrovascular disorders in the puerperium, postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67410	DX	Disruption of cesarean wound, unspecified as to episode of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67412	DX	Disruption of cesarean wound, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67414	DX	Disruption of cesarean wound, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67420	DX	Disruption of perineal wound, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67422	DX	Disruption of perineal wound, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67424	DX	Disruption of perineal wound, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67430	DX	Other complications of obstetrical surgical wounds,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67432	DX	Other complications of obstetrical surgical wounds, delivered,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67434	DX	Other complications of obstetrical surgical wounds,	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67440	DX	Placental polyp, unspecified as to episode of care or not	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67442	DX	Placental polyp, delivered, with mention of postpartum	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67444	DX	Placental polyp, postpartum condition or complication	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67450	DX	Peripartum cardiomyopathy, unspecified as to episode of care	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67451	DX	Peripartum cardiomyopathy, delivered, with or without mention	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67452	DX	Peripartum cardiomyopathy, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67453	DX	Peripartum cardiomyopathy, antepartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67454	DX	Peripartum cardiomyopathy, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67480	DX	Other complications of puerperium, unspecified as to episode	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67482	DX	Other complications of puerperium, delivered, with mention of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67484	DX	Other complications of puerperium, postpartum condition or	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67490	DX	Unspecified complications of puerperium, unspecified as to	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67492	DX	Unspecified complications of puerperium, delivered, with	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	67494	DX	Unspecified complications of puerperium, postpartum	ICD-9-CM Diagnosis

[illegible]

12	Pregnant or breastfeeding	V20.2	DX	Routine infant or child health check	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V20.31	DX	Health supervision for newborn under 8 days old	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V20.32	DX	Health supervision for newborn 8 to 28 days old	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.30	DX	Low birth weight status, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.31	DX	Low birth weight status, less than 500 grams	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.32	DX	Low birth weight status, 500-999 grams	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.33	DX	Low birth weight status, 1000-1499 grams	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.34	DX	Low birth weight status, 1500-1999 grams	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.35	DX	Low birth weight status, 2000-2500 grams	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.8	DX	Other specified constitutional states in development	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V21.9	DX	Unspecified constitutional state in development	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V22.0	DX	Supervision of normal first pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V22.1	DX	Supervision of other normal pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V22.2	DX	Pregnant state, incidental	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.0	DX	Supervision of high-risk pregnancy with history of infertility	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.1	DX	Supervision of high-risk pregnancy with history of	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.2	DX	Supervision of high-risk pregnancy with history of abortion	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.3	DX	Supervision of high-risk pregnancy with grand multiparity	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.41	DX	Pregnancy with history of pre-term labor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.42	DX	Pregnancy with history of ectopic pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.49	DX	Pregnancy with other poor obstetric history	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.5	DX	Supervision of high-risk pregnancy with other poor	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.7	DX	Supervision of high-risk pregnancy with insufficient prenatal	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.81	DX	Supervision of high-risk pregnancy with elderly primigravida	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.82	DX	Supervision of high-risk pregnancy with elderly multigravida	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.83	DX	Supervision of high-risk pregnancy with young primigravida	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.84	DX	Supervision of high-risk pregnancy with young multigravida	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.85	DX	Pregnancy resulting from assisted reproductive technology	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.86	DX	Pregnancy with history of in utero procedure during previous	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.87	DX	Pregnancy with inconclusive fetal viability	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.89	DX	Supervision of other high-risk pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V23.9	DX	Supervision of unspecified high-risk pregnancy	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V24	DX	Postpartum care and examination	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V24.0	DX	Postpartum care and examination immediately after delivery	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V24.1	DX	Postpartum care and examination of lactating mother	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V24.2	DX	Routine postpartum follow-up	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.01	DX	General counseling on prescription of oral contraceptives	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.02	DX	General counseling on initiation of other contraceptive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.03	DX	Encounter for emergency contraceptive counseling and	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.04	DX	Counseling and instruction in natural family planning to avoid	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.09	DX	Other general counseling and advice on contraceptive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.11	DX	Encounter for insertion of intrauterine contraceptive device	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.12	DX	Encounter for removal of intrauterine contraceptive device	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.13	DX	Encounter for removal and reinsertion of intrauterine	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.2	DX	Sterilization	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.3	DX	Menstrual extraction	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.40	DX	Contraceptive surveillance, unspecified	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.41	DX	Surveillance of contraceptive pill	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.42	DX	Surveillance of intrauterine contraceptive device	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.43	DX	Surveillance of implantable subdermal contraceptive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.49	DX	Surveillance of other contraceptive method	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.5	DX	Insertion of implantable subdermal contraceptive	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.8	DX	Other specified contraceptive management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V25.9	DX	Unspecified contraceptive management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.0	DX	Tuboplasty or vasoplasty after previous sterilization	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.1	DX	Artificial insemination	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.21	DX	Fertility testing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.22	DX	Aftercare following sterilization reversal	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.29	DX	Other investigation and testing	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.31	DX	Testing of female for genetic disease carrier status	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.32	DX	Other genetic testing of female	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.33	DX	Genetic counseling	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.34	DX	Testing of male for genetic disease carrier status	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.35	DX	Encounter for testing of male partner of female with recurrent	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.39	DX	Other genetic testing of male	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.41	DX	Procreative counseling and advice using natural family planning	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.42	DX	Encounter for fertility preservation counseling	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.49	DX	Other procreative management counseling and advice	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.51	DX	Tubal ligation status	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.52	DX	Vasectomy status	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.81	DX	Encounter for assisted reproductive fertility procedure cycle	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.82	DX	Encounter for fertility preservation procedure	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.89	DX	Other specified procreative management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V26.9	DX	Unspecified procreative management	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27	DX	Outcome of delivery	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.0	DX	Outcome of delivery, single liveborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.1	DX	Outcome of delivery, single stillborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.2	DX	Outcome of delivery, twins, both liveborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.3	DX	Outcome of delivery, twins, one liveborn and one stillborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.4	DX	Outcome of delivery, twins, both stillborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.5	DX	Outcome of delivery, other multiple birth, all liveborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.6	DX	Outcome of delivery, other multiple birth, some liveborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.7	DX	Outcome of delivery, other multiple birth, all stillborn	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V27.9	DX	Outcome of delivery, unspecified outcome of delivery	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V28.0	DX	Antenatal screening for chromosomal anomalies by	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V28.1	DX	Antenatal screening for raised alpha-fetoprotein levels in	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V28.2	DX	Other antenatal screening based on amniocentesis	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V28.3	DX	Encounter for routine screening for malformation using	ICD-9-CM Diagnosis
12	Pregnant or breastfeeding	V28.4	DX	Antenatal screening for fetal growth retardation using	ICD-9-CM Diagnosis

12 Pregnant or breastfeeding	V28.5	DX	Antenatal screening for isoimmunization	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V28.6	DX	Antenatal screening for Streptococcus B	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V28.81	DX	Encounter for fetal anatomic survey	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V28.82	DX	Encounter for screening for risk of pre-term labor	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V28.89	DX	Other specified antenatal screening	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V28.9	DX	Unspecified antenatal screening	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V29.0	DX	Observation for suspected infectious condition	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V29.1	DX	Observation for suspected neurological conditions	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V29.2	DX	Observation and evaluation of newborn for suspected	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V29.3	DX	Observation for suspected genetic or metabolic condition	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V29.8	DX	Observation for other specified suspected conditions	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V29.9	DX	Observation for unspecified suspected conditions	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V30.00	DX	Single liveborn, born in hospital, delivered without mention of	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V30.01	DX	Single liveborn, born in hospital, delivered by cesarean section	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V30.1	DX	Single liveborn, born before admission to hospital	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V30.2	DX	Single liveborn, born outside hospital and not hospitalized	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V31.00	DX	Twin birth, mate liveborn, born in hospital, delivered without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V31.01	DX	Twin birth, mate liveborn, born in hospital, delivered by	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V31.1	DX	Twin birth, mate liveborn, born before admission to hospital	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V31.2	DX	Twin birth, mate liveborn, born outside hospital and not	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V32.00	DX	Twin birth, mate stillborn, born in hospital, delivered without	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V32.01	DX	Twin birth, mate stillborn, born in hospital, delivered by	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V32.1	DX	Twin birth, mate stillborn, born before admission to hospital	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V32.2	DX	Twin birth, mate stillborn, born outside hospital and not	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V33.00	DX	Twin birth, unspecified whether mate liveborn or stillborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V33.01	DX	Twin birth, unspecified whether mate liveborn or stillborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V33.1	DX	Twin birth, unspecified whether mate liveborn or stillborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V33.2	DX	Twin birth, unspecified whether mate liveborn or stillborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V34.00	DX	Other multiple birth (three or more), mates all liveborn, born in	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V34.01	DX	Other multiple birth (three or more), mates all liveborn, born in	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V34.1	DX	Other multiple birth (three or more), mates all liveborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V34.2	DX	Other multiple birth (three or more), mates all liveborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V35.00	DX	Other multiple birth (three or more), mates all still born, born in	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V35.01	DX	Other multiple birth (three or more), mates all still born, born in	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V35.1	DX	Other multiple birth (three or more), mates all stillborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V35.2	DX	Other multiple birth (three or more), mates all stillborn, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V36.00	DX	Other multiple birth (three or more), mates liveborn and stillborn,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V36.01	DX	Other multiple birth (three or more), mates liveborn and stillborn,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V36.1	DX	Other multiple birth (three or more), mates liveborn and stillborn,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V36.2	DX	Other multiple birth (three or more), mates liveborn and stillborn,	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V37.00	DX	Other multiple birth (three or more), unspecified whether mates	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V37.01	DX	Other multiple birth (three or more), unspecified whether mates	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V37.1	DX	Other multiple birth (three or more), unspecified whether mates	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V37.2	DX	Other multiple birth (three or more), unspecified whether mates	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V39.00	DX	Liveborn, unspecified whether single, twin or multiple, born in	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V39.01	DX	Liveborn, unspecified whether single, twin or multiple, born in	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V39.1	DX	Liveborn, unspecified whether single, twin or multiple, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V39.2	DX	Liveborn, unspecified whether single, twin or multiple, born	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V72.40	DX	Pregnancy examination or test, pregnancy unconfirmed	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	V72.42	DX	Pregnancy examination or test, positive result	ICD-9-CM Diagnosis
12 Pregnant or breastfeeding	72	PX	Forceps, Vacuum, And Breech Delivery	ICD-9-PCS
12 Pregnant or breastfeeding	72.0	PX	Low forceps operation	ICD-9-PCS
12 Pregnant or breastfeeding		72.10 PX	Low forceps operation with episiotomy	ICD-9-PCS
12 Pregnant or breastfeeding		72.20 PX	Mid forceps operation	ICD-9-PCS
12 Pregnant or breastfeeding		72.21 PX	Mid forceps operation with episiotomy	ICD-9-PCS
12 Pregnant or breastfeeding		72.29 PX	Other mid forceps operation	ICD-9-PCS
12 Pregnant or breastfeeding		72.30 PX	High forceps operation	ICD-9-PCS
12 Pregnant or breastfeeding		72.31 PX	High forceps operation with episiotomy	ICD-9-PCS
12 Pregnant or breastfeeding	72.39	PX	Other high forceps operation	ICD-9-PCS
12 Pregnant or breastfeeding	72.4	PX	Forceps rotation of fetal head	ICD-9-PCS
12 Pregnant or breastfeeding		72.50 PX	Breech extraction	ICD-9-PCS
12 Pregnant or breastfeeding	72.51	PX	Partial breech extraction with forceps to aftercoming head	ICD-9-PCS
12 Pregnant or breastfeeding	72.52	PX	Other partial breech extraction	ICD-9-PCS
12 Pregnant or breastfeeding		72.53 PX	Total breech extraction with forceps to aftercoming head	ICD-9-PCS
12 Pregnant or breastfeeding		72.54 PX	Other total breech extraction	ICD-9-PCS
12 Pregnant or breastfeeding		72.60 PX	Forceps application to aftercoming head	ICD-9-PCS
12 Pregnant or breastfeeding		72.70 PX	Vacuum extraction	ICD-9-PCS
12 Pregnant or breastfeeding		72.71 PX	Vacuum extraction with episiotomy	ICD-9-PCS
12 Pregnant or breastfeeding		72.79 PX	Other vacuum extraction	ICD-9-PCS
12 Pregnant or breastfeeding		72.80 PX	Other specified instrumental delivery	ICD-9-PCS
12 Pregnant or breastfeeding		72.90 PX	Unspecified instrumental delivery	ICD-9-PCS
12 Pregnant or breastfeeding	73	PX	Other Procedures Inducing Or Assisting Delivery	ICD-9-PCS
12 Pregnant or breastfeeding	73.0	PX	Artificial rupture of membranes	ICD-9-PCS
12 Pregnant or breastfeeding		73.01 PX	Induction of labor by artificial rupture of membranes	ICD-9-PCS
12 Pregnant or breastfeeding		73.09 PX	Other artificial rupture of membranes	ICD-9-PCS
12 Pregnant or breastfeeding		73.10 PX	Other surgical induction of labor	ICD-9-PCS
12 Pregnant or breastfeeding		73.20 PX	Internal and combined version and extraction	ICD-9-PCS
12 Pregnant or breastfeeding		73.21 PX	Internal and combined version without extraction	ICD-9-PCS
12 Pregnant or breastfeeding		73.22 PX	Internal and combined version with extraction	ICD-9-PCS
12 Pregnant or breastfeeding	73.3	PX	Failed forceps	ICD-9-PCS
12 Pregnant or breastfeeding	73.4	PX	Medical induction of labor	ICD-9-PCS
12 Pregnant or breastfeeding		73.50 PX	Manually assisted delivery	ICD-9-PCS
12 Pregnant or breastfeeding	73.51	PX	Manual rotation of fetal head	ICD-9-PCS
12 Pregnant or breastfeeding	73.59	PX	Other manually assisted delivery	ICD-9-PCS
12 Pregnant or breastfeeding		73.6 PX	Episiotomy	ICD-9-PCS
12 Pregnant or breastfeeding		73.8 PX	Operations on fetus to facilitate delivery	ICD-9-PCS
12 Pregnant or breastfeeding		73.9 PX	Other operations assisting delivery	ICD-9-PCS
12 Pregnant or breastfeeding		73.9 PX	External version assisting delivery	ICD-9-PCS
12 Pregnant or breastfeeding		73.9 PX	Replacement of prolapsed umbilical cord	ICD-9-PCS

12	Pregnant or breastfeeding		73.93	PX	Incision of cervix to assist delivery	ICD-9-PCS
12	Pregnant or breastfeeding		73.94	PX	Pubiotomy to assist delivery	ICD-9-PCS
12	Pregnant or breastfeeding		74	PX	Other operations assisting delivery	ICD-9-PCS
12	Pregnant or breastfeeding	74		PX	Cesarean Section And Removal Of Fetus	ICD-9-PCS
12	Pregnant or breastfeeding	74.0		PX	Classical cesarean section	ICD-9-PCS
12	Pregnant or breastfeeding		74.1	PX	Low cervical cesarean section	ICD-9-PCS
12	Pregnant or breastfeeding		74.2	PX	Extraperitoneal cesarean section	ICD-9-PCS
12	Pregnant or breastfeeding		74.30	PX	Removal of extratubal ectopic pregnancy	ICD-9-PCS
12	Pregnant or breastfeeding		74.40	PX	Cesarean section of other specified type	ICD-9-PCS
12	Pregnant or breastfeeding		74.90	PX	Cesarean section of unspecified type	ICD-9-PCS
12	Pregnant or breastfeeding		74.91	PX	Hysterotomy to terminate pregnancy	ICD-9-PCS
12	Pregnant or breastfeeding		74.99	PX	Other cesarean section of unspecified type	ICD-9-PCS
12	Pregnant or breastfeeding		75.00	PX	Other Obstetric Operations	ICD-9-PCS
12	Pregnant or breastfeeding		75.0	PX	Intra-amniotic injection for abortion	ICD-9-PCS
12	Pregnant or breastfeeding		75.10	PX	Diagnostic amniocentesis	ICD-9-PCS
12	Pregnant or breastfeeding		75.2	PX	Intrauterine transfusion	ICD-9-PCS
12	Pregnant or breastfeeding		75.3	PX	Other Intrauterine Operations On Fetus And Amnion	ICD-9-PCS
12	Pregnant or breastfeeding		75.31	PX	Amnioscopy	ICD-9-PCS
12	Pregnant or breastfeeding		75.32	PX	Fetal EKG (scalp)	ICD-9-PCS
12	Pregnant or breastfeeding		75.33	PX	Fetal blood sampling and biopsy	ICD-9-PCS
12	Pregnant or breastfeeding		75.3	PX	Other fetal monitoring	ICD-9-PCS
12	Pregnant or breastfeeding		75.35	PX	Other diagnostic procedures on fetus and amnion	ICD-9-PCS
12	Pregnant or breastfeeding		75.36	PX	Correction of fetal defect	ICD-9-PCS
12	Pregnant or breastfeeding		75.37	PX	Amnioinfusion	ICD-9-PCS
12	Pregnant or breastfeeding		75.4	PX	Fetal pulse oximetry	ICD-9-PCS
12	Pregnant or breastfeeding		75.4	PX	Manual removal of retained placenta	ICD-9-PCS
12	Pregnant or breastfeeding		75.5	PX	Repair Of Current Obstetric Laceration Of Uterus	ICD-9-PCS
12	Pregnant or breastfeeding		75.50	PX	Repair of current obstetric laceration of uterus, not otherwise	ICD-9-PCS
12	Pregnant or breastfeeding		75.51	PX	Repair of current obstetric laceration of cervix	ICD-9-PCS
12	Pregnant or breastfeeding		75.52	PX	Repair of current obstetric laceration of corpus uteri	ICD-9-PCS
12	Pregnant or breastfeeding		75.60	PX	Repair Of Other Current Obstetric Laceration	ICD-9-PCS
12	Pregnant or breastfeeding		75.61	PX	Repair of current obstetric laceration of bladder and urethra	ICD-9-PCS
12	Pregnant or breastfeeding		75.62	PX	Repair of current obstetric laceration of rectum and sphincter	ICD-9-PCS
12	Pregnant or breastfeeding		75.69	PX	Repair of other current obstetric laceration	ICD-9-PCS
12	Pregnant or breastfeeding		75.70	PX	Manual exploration of uterine cavity, postpartum	ICD-9-PCS
12	Pregnant or breastfeeding		75.80	PX	Obstetric tamponade of uterus or vagina	ICD-9-PCS
12	Pregnant or breastfeeding		75.90	PX	Other Obstetric Operations	ICD-9-PCS
12	Pregnant or breastfeeding		75.91	PX	Evacuation of obstetrical incisional hematoma of perineum	ICD-9-PCS
12	Pregnant or breastfeeding		75.92	PX	Evacuation of other hematoma of vulva or vagina	ICD-9-PCS
12	Pregnant or breastfeeding		75.93	PX	Surgical correction of inverted uterus	ICD-9-PCS
12	Pregnant or breastfeeding		75.94	PX	Immediate postpartum manual replacement of inverted uterus	ICD-9-PCS
12	Pregnant or breastfeeding		75.99	PX	Other obstetric operations	ICD-9-PCS
14	Use of CYP 3A4-inhibitor or -inducer	SAQUINAVIR		RX	Saquinavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	INVIRASE		RX	Saquinavir	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	NORVIR		RX	Ritonavir	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	RITONAVIR		RX	Ritonavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	PAXLOVID		RX	Ritonavir/Nirmatrelvir	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	LOPINAVIR AND RITONAVIR		RX	Ritonavir/Lopinavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	KALETRA		RX	Ritonavir/Lopinavir	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	INDINAVIR		RX	Indinavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	CRIVIAN		RX	Indinavir sulfate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	NELFINAVIR		RX	Nelfinavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	VIRACEPT		RX	Nelfinavir mesylate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	AMPRENAVIR		RX	Amprenavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	FOSAMPRENAVIR		RX	Fosamprenavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	LEXIVA		RX	Fosamprenavir calcium	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	ATAZANAVIR		RX	Atazanavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	EVOTAZ		RX	Atazanavir/Cobicistat	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	REYATAZ		RX	Atazanavir	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	ZIDOVUDINE		RX	Zidovudine	Generic
14	Use of CYP 3A4-inhibitor or -inducer	RETROVIR		RX	Zidovudine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	ZIDOVUDINE AND LAMIVUDINE		RX	Zidovudine/Lamivudine	Generic
14	Use of CYP 3A4-inhibitor or -inducer	COMBIVIR		RX	Zidovudine/Lamivudine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	ABACAVIR, LAMIVUDINE AND ZITR		RX	Abacavir/Lamivudine/Zidovudine	Generic
14	Use of CYP 3A4-inhibitor or -inducer	TRIZIVIR		RX	Abacavir/Lamivudine/Zidovudine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	LAMIVUDINE		RX	Lamivudine	Generic
14	Use of CYP 3A4-inhibitor or -inducer	EPIVIR		RX	Lamivudine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	LAMIVUDINE AND ZIDOVUDINE		RX	Lamivudine/Zidovudine	Generic
14	Use of CYP 3A4-inhibitor or -inducer	LAMIVUDINE AND ABACAVIR		RX	Lamivudine/Abacavir	Generic
14	Use of CYP 3A4-inhibitor or -inducer	EPZICOM		RX	Lamivudine/Abacavir	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	CMIDUO		RX	Lamivudine/Tenofovir disoproxil fumarate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	TRIUMEQ		RX	Lamivudine/Dolutegravir/Abacavir sulfate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	TENOFOVIR DISOPROXIL FUMARATE		RX	Tenofovir disoproxil fumarate	Generic
14	Use of CYP 3A4-inhibitor or -inducer	VIREAD		RX	Tenofovir disoproxil fumarate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	VIREAD ACCESS		RX	Tenofovir disoproxil fumarate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	VEMLIDY		RX	Tenofovir alafenamide	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	EMTRICITABINE		RX	Emtricitabine	Generic
14	Use of CYP 3A4-inhibitor or -inducer	EMTRIVA		RX	Emtricitabine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	EMTRICITABINE/TENOFOVIR DIS		RX	Emtricitabine/Tenofovir disoproxil fumarate	Generic
14	Use of CYP 3A4-inhibitor or -inducer	TRUVADA		RX	Emtricitabine/Tenofovir disoproxil fumarate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	TRUVADA ACCESS		RX	Emtricitabine/Tenofovir disoproxil fumarate	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	DESCOXY		RX	Emtricitabine/Tenofovir alafenamide	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	COMPLERA ACCESS		RX	Emtricitabine/Tenofovir disoproxil fumarate/Rilpivirine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	COMPLERA		RX	Emtricitabine/Tenofovir disoproxil fumarate/Rilpivirine	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	ODEFSEY		RX	Emtricitabine/Tenofovir alafenamide/Rilpivirine hydrochloride	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	EFAVIRENZ		RX	Efavirenz	Generic
14	Use of CYP 3A4-inhibitor or -inducer	SUSTIVA		RX	Efavirenz	Brand name
14	Use of CYP 3A4-inhibitor or -inducer	EFAVIRENZ, LAMIVUDINE AND TER		RX	Efavirenz/Lamivudine/Tenofovir disoproxil fumarate	Generic

14 Use of CYP 3A4-inhibitor or -inducer	SYMFI	RX	Efavirenz/Lamivudine/Tenofovir disoproxil fumarate	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	SYMFI LO	RX	Efavirenz/Lamivudine/Tenofovir disoproxil fumarate	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	EFAVIRENZ, EMTRICITABINE ANI	RX	Efavirenz/Emtricitabine/Tenofovir disoproxil fumarate	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	ATRIPLA	RX	Efavirenz/Emtricitabine/Tenofovir disoproxil fumarate	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	ATRIPLA ACCESS	RX	Efavirenz/Emtricitabine/Tenofovir disoproxil fumarate	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	GENVOYA	RX	Elvitegravir/Cobicistat/Emtricitabine/Tenofovir alafenamide	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	STRIBILD ACCESS	RX	Elvitegravir/Cobicistat/Emtricitabine/Tenofovir disoproxil	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	STRIBILD	RX	Elvitegravir/Cobicistat/Emtricitabine/Tenofovir disoproxil	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	DARUNAVIR	RX	Darunavir	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	PREZISTA	RX	Darunavir	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	PREZCOBIX	RX	Darunavir/Cobicistat	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	SYM TUZA	RX	Darunavir/Cobicistat/Emtricitabine/Tenofovir disoproxil	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	DOLUTEGRAVIR	RX	Dolutegravir	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	TIVICAY	RX	Dolutegravir	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	TIVICAY PD	RX	Dolutegravir	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	DOVATO	RX	Dolutegravir sodium/Lamivudine	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	JULUCA	RX	Dolutegravir/Rilpivirine hydrochloride	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	DORAVIRINE	RX	Doravirine	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	PIFELTRO	RX	Doravirine	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	DELSTRIGO	RX	Doravirine/Lamivudine/Tenofovir disoproxil fumarate	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	BIKTARVY	RX	Bictegravir sodium/Emtricitabine/Tenofovir alafenamide	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	RALTEGRAVIR	RX	Raltegravir	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	ISENTRESS	RX	Raltegravir	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	STAVUDINE	RX	Stavudine	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	ZERIT	RX	Stavudine	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	TIPRANAVIR	RX	Tipranavir	Generic	
14 Use of CYP 3A4-inhibitor or -inducer	APTIVUS	RX	Tipranavir	Brand name	
14 Use of CYP 3A4-inhibitor or -inducer	RIFAMPICIN	RX	Rifampicin	Generic	CYP 3A34 inducer
14 Use of CYP 3A4-inhibitor or -inducer	RIFAMPIN	RX	Rifampicin	Generic	CYP 3A34 inducer
14 Use of CYP 3A4-inhibitor or -inducer	PHENYTOIN	RX	Phenytoin	Generic	CYP 3A34 inducer
14 Use of CYP 3A4-inhibitor or -inducer	DILANTIN	RX	Phenytoin	Brand name	CYP 3A34 inducer
14 Use of CYP 3A4-inhibitor or -inducer	PHENYTEK	RX	Phenytoin	Brand name	CYP 3A34 inducer
14 Use of CYP 3A4-inhibitor or -inducer	CARBAMAZEPINE	RX	Carbamazepine	Generic	CYP 3A34 inducer

1 Deep vein thrombosis	451.1	DX	Phlebitis and thrombophlebitis of deep veins of lower extremities	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.11	DX	Phlebitis and thrombophlebitis of femoral vein (deep) (superficial)	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.19	DX	Phlebitis and thrombophlebitis of deep veins of lower extremities, other	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.2	DX	Phlebitis and thrombophlebitis of lower extremities, unspecified	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.81	DX	Phlebitis and thrombophlebitis of iliac vein	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.83	DX	Phlebitis and thrombophlebitis of deep veins of upper extremities	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.84	DX	Phlebitis and thrombophlebitis of upper extremities, unspecified	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.89	DX	Phlebitis and thrombophlebitis of other sites	ICD-9-CM Diagnosis
1 Deep vein thrombosis	451.9	DX	Phlebitis and thrombophlebitis of unspecified site	ICD-9-CM Diagnosis
1 Deep vein thrombosis	452	DX	Portal vein thrombosis	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.2	DX	Other venous embolism and thrombosis of inferior vena cava	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.3	DX	Other venous embolism and thrombosis of renal vein	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.4	DX	Acute venous embolism and thrombosis of deep vessels of lower extremity	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.40	DX	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.41	DX	Acute venous embolism and thrombosis of deep vessels of proximal lower extremity	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.42	DX	Acute venous embolism and thrombosis of deep vessels of distal lower extremity	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.8	DX	Acute venous embolism and thrombosis of other specified veins	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.82	DX	Acute venous embolism and thrombosis of deep veins of upper extremity	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.83	DX	Acute venous embolism and thrombosis of upper extremity, unspecified	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.84	DX	Acute venous embolism and thrombosis of axillary veins	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.85	DX	Acute venous embolism and thrombosis of subclavian veins	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.86	DX	Acute venous embolism and thrombosis of internal jugular veins	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.87	DX	Acute venous embolism and thrombosis of other thoracic veins	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.89	DX	Acute venous embolism and thrombosis of other specified veins	ICD-9-CM Diagnosis
1 Deep vein thrombosis	453.9	DX	Other venous embolism and thrombosis of unspecified site	ICD-9-CM Diagnosis
1 Deep vein thrombosis	I80.1	DX	Phlebitis and thrombophlebitis of femoral vein	ICD-10-CM
1 Deep vein thrombosis	I80.10	DX	Phlebitis and thrombophlebitis of unspecified femoral vein	ICD-10-CM
1 Deep vein thrombosis	I80.11	DX	Phlebitis and thrombophlebitis of right femoral vein	ICD-10-CM
1 Deep vein thrombosis	I80.12	DX	Phlebitis and thrombophlebitis of left femoral vein	ICD-10-CM
1 Deep vein thrombosis	I80.13	DX	Phlebitis and thrombophlebitis of femoral vein, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.2	DX	Phlebitis and thrombophlebitis of other and unspecified deep vessels of lower extremities	ICD-10-CM
1 Deep vein thrombosis	I80.20	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities	ICD-10-CM
1 Deep vein thrombosis	I80.201	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity	ICD-10-CM
1 Deep vein thrombosis	I80.202	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity	ICD-10-CM
1 Deep vein thrombosis	I80.203	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.209	DX	Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity	ICD-10-CM
1 Deep vein thrombosis	I80.21	DX	Phlebitis and thrombophlebitis of iliac vein	ICD-10-CM
1 Deep vein thrombosis	I80.211	DX	Phlebitis and thrombophlebitis of right iliac vein	ICD-10-CM
1 Deep vein thrombosis	I80.212	DX	Phlebitis and thrombophlebitis of left iliac vein	ICD-10-CM
1 Deep vein thrombosis	I80.213	DX	Phlebitis and thrombophlebitis of iliac vein, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.219	DX	Phlebitis and thrombophlebitis of unspecified iliac vein	ICD-10-CM
1 Deep vein thrombosis	I80.22	DX	Phlebitis and thrombophlebitis of popliteal vein	ICD-10-CM
1 Deep vein thrombosis	I80.221	DX	Phlebitis and thrombophlebitis of right popliteal vein	ICD-10-CM
1 Deep vein thrombosis	I80.222	DX	Phlebitis and thrombophlebitis of left popliteal vein	ICD-10-CM
1 Deep vein thrombosis	I80.223	DX	Phlebitis and thrombophlebitis of popliteal vein, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.229	DX	Phlebitis and thrombophlebitis of unspecified popliteal vein	ICD-10-CM
1 Deep vein thrombosis	I80.23	DX	Phlebitis and thrombophlebitis of tibial vein	ICD-10-CM
1 Deep vein thrombosis	I80.231	DX	Phlebitis and thrombophlebitis of right tibial vein	ICD-10-CM
1 Deep vein thrombosis	I80.232	DX	Phlebitis and thrombophlebitis of left tibial vein	ICD-10-CM
1 Deep vein thrombosis	I80.233	DX	Phlebitis and thrombophlebitis of tibial vein, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.239	DX	Phlebitis and thrombophlebitis of unspecified tibial vein	ICD-10-CM
1 Deep vein thrombosis	I80.24	DX	Phlebitis and thrombophlebitis of peroneal vein	ICD-10-CM
1 Deep vein thrombosis	I80.241	DX	Phlebitis and thrombophlebitis of right peroneal vein	ICD-10-CM
1 Deep vein thrombosis	I80.242	DX	Phlebitis and thrombophlebitis of left peroneal vein	ICD-10-CM
1 Deep vein thrombosis	I80.243	DX	Phlebitis and thrombophlebitis of peroneal vein, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.249	DX	Phlebitis and thrombophlebitis of unspecified peroneal vein	ICD-10-CM
1 Deep vein thrombosis	I80.25	DX	Phlebitis and thrombophlebitis of calf muscular vein	ICD-10-CM
1 Deep vein thrombosis	I80.251	DX	Phlebitis and thrombophlebitis of right calf muscular vein	ICD-10-CM
1 Deep vein thrombosis	I80.252	DX	Phlebitis and thrombophlebitis of left calf muscular vein	ICD-10-CM
1 Deep vein thrombosis	I80.253	DX	Phlebitis and thrombophlebitis of calf muscular vein, bilateral	ICD-10-CM
1 Deep vein thrombosis	I80.259	DX	Phlebitis and thrombophlebitis of unspecified calf muscular vein	ICD-10-CM
1 Deep vein thrombosis	I80.29	DX	Phlebitis and thrombophlebitis of other deep vessels of lower extremities	ICD-10-CM
1 Deep vein thrombosis	I80.291	DX	Phlebitis and thrombophlebitis of other deep vessels of right lower extremity	ICD-10-CM
1 Deep vein thrombosis	I80.292	DX	Phlebitis and thrombophlebitis of other deep vessels of left lower extremity	ICD-10-CM

1	Deep vein thrombosis	I80.293	DX	Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral	ICD-10-CM
1	Deep vein thrombosis	I80.299	DX	Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity	ICD-10-CM
1	Deep vein thrombosis	I80.3	DX	Phlebitis and thrombophlebitis of lower extremities, unspecified	ICD-10-CM
1	Deep vein thrombosis	I80.8	DX	Phlebitis and thrombophlebitis of other sites	ICD-10-CM
1	Deep vein thrombosis	I80.9	DX	Phlebitis and thrombophlebitis of unspecified site	ICD-10-CM
1	Deep vein thrombosis	I81	DX	Portal vein thrombosis	ICD-10-CM
1	Deep vein thrombosis	I82.210	DX	Acute embolism and thrombosis of superior vena cava	ICD-10-CM
1	Deep vein thrombosis	I82.220	DX	Acute embolism and thrombosis of inferior vena cava	ICD-10-CM
1	Deep vein thrombosis	I82.290	DX	Acute embolism and thrombosis of other thoracic veins	ICD-10-CM
1	Deep vein thrombosis	I82.3	DX	Embolism and thrombosis of renal vein	ICD-10-CM
1	Deep vein thrombosis	I82.4	DX	Acute embolism and thrombosis of deep veins of lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.40	DX	Acute embolism and thrombosis of unspecified deep veins of lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.401	DX	Acute embolism and thrombosis of unspecified deep veins of right lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.402	DX	Acute embolism and thrombosis of unspecified deep veins of left lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.403	DX	Acute embolism and thrombosis of unspecified deep veins of lower extremities, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.409	DX	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.41	DX	Acute embolism and thrombosis of femoral vein	ICD-10-CM
1	Deep vein thrombosis	I82.411	DX	Acute embolism and thrombosis of right femoral vein	ICD-10-CM
1	Deep vein thrombosis	I82.412	DX	Acute embolism and thrombosis of left femoral vein	ICD-10-CM
1	Deep vein thrombosis	I82.413	DX	Acute embolism and thrombosis of femoral vein, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.419	DX	Acute embolism and thrombosis of unspecified femoral vein	ICD-10-CM
1	Deep vein thrombosis	I82.42	DX	Acute embolism and thrombosis of iliac vein	ICD-10-CM
1	Deep vein thrombosis	I82.421	DX	Acute embolism and thrombosis of right iliac vein	ICD-10-CM
1	Deep vein thrombosis	I82.422	DX	Acute embolism and thrombosis of left iliac vein	ICD-10-CM
1	Deep vein thrombosis	I82.423	DX	Acute embolism and thrombosis of iliac vein, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.429	DX	Acute embolism and thrombosis of unspecified iliac vein	ICD-10-CM
1	Deep vein thrombosis	I82.43	DX	Acute embolism and thrombosis of popliteal vein	ICD-10-CM
1	Deep vein thrombosis	I82.431	DX	Acute embolism and thrombosis of right popliteal vein	ICD-10-CM
1	Deep vein thrombosis	I82.432	DX	Acute embolism and thrombosis of left popliteal vein	ICD-10-CM
1	Deep vein thrombosis	I82.433	DX	Acute embolism and thrombosis of popliteal vein, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.439	DX	Acute embolism and thrombosis of unspecified popliteal vein	ICD-10-CM
1	Deep vein thrombosis	I82.44	DX	Acute embolism and thrombosis of tibial vein	ICD-10-CM
1	Deep vein thrombosis	I82.441	DX	Acute embolism and thrombosis of right tibial vein	ICD-10-CM
1	Deep vein thrombosis	I82.442	DX	Acute embolism and thrombosis of left tibial vein	ICD-10-CM
1	Deep vein thrombosis	I82.443	DX	Acute embolism and thrombosis of tibial vein, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.449	DX	Acute embolism and thrombosis of unspecified tibial vein	ICD-10-CM
1	Deep vein thrombosis	I82.45	DX	Acute embolism and thrombosis of peroneal vein	ICD-10-CM
1	Deep vein thrombosis	I82.451	DX	Acute embolism and thrombosis of right peroneal vein	ICD-10-CM
1	Deep vein thrombosis	I82.452	DX	Acute embolism and thrombosis of left peroneal vein	ICD-10-CM
1	Deep vein thrombosis	I82.453	DX	Acute embolism and thrombosis of peroneal vein, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.459	DX	Acute embolism and thrombosis of unspecified peroneal vein	ICD-10-CM
1	Deep vein thrombosis	I82.46	DX	Acute embolism and thrombosis of calf muscular vein	ICD-10-CM
1	Deep vein thrombosis	I82.461	DX	Acute embolism and thrombosis of right calf muscular vein	ICD-10-CM
1	Deep vein thrombosis	I82.462	DX	Acute embolism and thrombosis of left calf muscular vein	ICD-10-CM
1	Deep vein thrombosis	I82.463	DX	Acute embolism and thrombosis of calf muscular vein, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.469	DX	Acute embolism and thrombosis of unspecified calf muscular vein	ICD-10-CM
1	Deep vein thrombosis	I82.49	DX	Acute embolism and thrombosis of other specified deep vein of lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.491	DX	Acute embolism and thrombosis of other specified deep vein of right lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.492	DX	Acute embolism and thrombosis of other specified deep vein of left lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.493	DX	Acute embolism and thrombosis of other specified deep vein of lower extremity, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.499	DX	Acute embolism and thrombosis of other specified deep vein of unspecified lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Y	DX	Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Y1	DX	Acute embolism and thrombosis of unspecified deep veins of right proximal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Y2	DX	Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Y3	DX	Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.4Y9	DX	Acute embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Z	DX	Acute embolism and thrombosis of unspecified deep veins of distal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Z1	DX	Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Z2	DX	Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.4Z3	DX	Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral	ICD-10-CM
1	Deep vein thrombosis	I82.4Z9	DX	Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity	ICD-10-CM
1	Deep vein thrombosis	I82.6	DX	Acute embolism and thrombosis of veins of upper extremity	ICD-10-CM
1	Deep vein thrombosis	I82.60	DX	Acute embolism and thrombosis of unspecified veins of upper extremity	ICD-10-CM
1	Deep vein thrombosis	I82.601	DX	Acute embolism and thrombosis of unspecified veins of right upper extremity	ICD-10-CM

1 Deep vein thrombosis	I82.602	DX	Acute embolism and thrombosis of unspecified veins of left upper extremity	ICD-10-CM
1 Deep vein thrombosis	I82.603	DX	Acute embolism and thrombosis of unspecified veins of bilateral upper extremities	ICD-10-CM
1 Deep vein thrombosis	I82.609	DX	Acute embolism and thrombosis of unspecified veins of unspecified upper extremity	ICD-10-CM
1 Deep vein thrombosis	I82.62	DX	Acute embolism and thrombosis of deep veins of upper extremity	ICD-10-CM
1 Deep vein thrombosis	I82.621	DX	Acute embolism and thrombosis of deep veins of right upper extremity	ICD-10-CM
1 Deep vein thrombosis	I82.622	DX	Acute embolism and thrombosis of deep veins of left upper extremity	ICD-10-CM
1 Deep vein thrombosis	I82.623	DX	Acute embolism and thrombosis of deep veins of bilateral upper extremities	ICD-10-CM
1 Deep vein thrombosis	I82.629	DX	Acute embolism and thrombosis of deep veins of unspecified upper extremity	ICD-10-CM
1 Deep vein thrombosis	I82.A1	DX	Acute embolism and thrombosis of axillary vein	ICD-10-CM
1 Deep vein thrombosis	I82.A11	DX	Acute embolism and thrombosis of right axillary vein	ICD-10-CM
1 Deep vein thrombosis	I82.A12	DX	Acute embolism and thrombosis of left axillary vein	ICD-10-CM
1 Deep vein thrombosis	I82.A13	DX	Acute embolism and thrombosis of bilateral axillary veins	ICD-10-CM
1 Deep vein thrombosis	I82.A19	DX	Acute embolism and thrombosis of unspecified axillary vein	ICD-10-CM
1 Deep vein thrombosis	I82.B1	DX	Acute embolism and thrombosis of subclavian vein	ICD-10-CM
1 Deep vein thrombosis	I82.B11	DX	Acute embolism and thrombosis of right subclavian vein	ICD-10-CM
1 Deep vein thrombosis	I82.B12	DX	Acute embolism and thrombosis of left subclavian vein	ICD-10-CM
1 Deep vein thrombosis	I82.B13	DX	Acute embolism and thrombosis of bilateral subclavian veins	ICD-10-CM
1 Deep vein thrombosis	I82.B19	DX	Acute embolism and thrombosis of unspecified subclavian vein	ICD-10-CM
1 Deep vein thrombosis	I82.C1	DX	Acute embolism and thrombosis of internal jugular vein	ICD-10-CM
1 Deep vein thrombosis	I82.C11	DX	Acute embolism and thrombosis of right internal jugular vein	ICD-10-CM
1 Deep vein thrombosis	I82.C12	DX	Acute embolism and thrombosis of left internal jugular vein	ICD-10-CM
1 Deep vein thrombosis	I82.C13	DX	Acute embolism and thrombosis of bilateral internal jugular veins	ICD-10-CM
1 Deep vein thrombosis	I82.C19	DX	Acute embolism and thrombosis of unspecified internal jugular vein	ICD-10-CM
1 Deep vein thrombosis	I82.89	DX	Embolism and thrombosis of other specified veins	ICD-10-CM
1 Deep vein thrombosis	I82.890	DX	Acute embolism and thrombosis of other specified veins	ICD-10-CM
1 Deep vein thrombosis	I82.90	DX	Acute embolism and thrombosis of unspecified vein	ICD-10-CM
2 Pulmonary embolism	415	DX	Acute pulmonary heart disease	ICD-9-CM Diagnosis
2 Pulmonary embolism	415.0	DX	Acute cor pulmonale	ICD-9-CM Diagnosis
2 Pulmonary embolism	415.1	DX	Pulmonary embolism and infarction	ICD-9-CM Diagnosis
2 Pulmonary embolism	415.11	DX	Iatrogenic pulmonary embolism and infarction	ICD-9-CM Diagnosis
2 Pulmonary embolism	415.12	DX	Septic pulmonary embolism	ICD-9-CM Diagnosis
2 Pulmonary embolism	415.13	DX	Saddle embolus of pulmonary artery	ICD-9-CM Diagnosis
2 Pulmonary embolism	415.19	DX	Other pulmonary embolism and infarction	ICD-9-CM Diagnosis
2 Pulmonary embolism	I26	DX	Pulmonary embolism	ICD-10-CM
2 Pulmonary embolism	I26.0	DX	Pulmonary embolism with acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.01	DX	Septic pulmonary embolism with acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.02	DX	Saddle embolus of pulmonary artery with acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.03	DX	Cement embolism of pulmonary artery with acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.04	DX	Fat embolism of pulmonary artery with acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.09	DX	Other pulmonary embolism with acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.9	DX	Pulmonary embolism without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.90	DX	Septic pulmonary embolism without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.92	DX	Saddle embolus of pulmonary artery without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.93	DX	Single subsegmental thrombotic pulmonary embolism without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.94	DX	Multiple subsegmental thrombotic pulmonary emboli without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.95	DX	Cement embolism of pulmonary artery without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.96	DX	Fat embolism of pulmonary artery without acute cor pulmonale	ICD-10-CM
2 Pulmonary embolism	I26.99	DX	Other pulmonary embolism without acute cor pulmonale	ICD-10-CM

Category	Variable_Name	Code	Code_category	Description	Code_type
1 Fractures / Falls		807.0	DX	CLOSED FRACTURE OF RIB(S)	ICD-9-CM
1 Fractures / Falls		807.00	DX	CLOSED FRACTURE OF RIB(S) UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		807.01	DX	CLOSED FRACTURE OF ONE RIB	ICD-9-CM
1 Fractures / Falls		807.02	DX	CLOSED FRACTURE OF TWO RIBS	ICD-9-CM
1 Fractures / Falls		807.03	DX	CLOSED FRACTURE OF THREE RIBS	ICD-9-CM
1 Fractures / Falls		807.04	DX	CLOSED FRACTURE OF FOUR RIBS	ICD-9-CM
1 Fractures / Falls		807.05	DX	CLOSED FRACTURE OF FIVE RIBS	ICD-9-CM
1 Fractures / Falls		807.06	DX	CLOSED FRACTURE OF SIX RIBS	ICD-9-CM
1 Fractures / Falls		807.07	DX	CLOSED FRACTURE OF SEVEN RIBS	ICD-9-CM
1 Fractures / Falls		807.08	DX	CLOSED FRACTURE OF EIGHT OR MORE RIBS	ICD-9-CM
1 Fractures / Falls		807.09	DX	CLOSED FRACTURE OF MULTIPLE RIBS UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		807.1	DX	OPEN FRACTURE OF RIB(S)	ICD-9-CM
1 Fractures / Falls		807.10	DX	OPEN FRACTURE OF RIB(S) UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		807.11	DX	OPEN FRACTURE OF ONE RIB	ICD-9-CM
1 Fractures / Falls		807.12	DX	OPEN FRACTURE OF TWO RIBS	ICD-9-CM
1 Fractures / Falls		807.13	DX	OPEN FRACTURE OF THREE RIBS	ICD-9-CM
1 Fractures / Falls		807.14	DX	OPEN FRACTURE OF FOUR RIBS	ICD-9-CM
1 Fractures / Falls		807.15	DX	OPEN FRACTURE OF FIVE RIBS	ICD-9-CM
1 Fractures / Falls		807.16	DX	OPEN FRACTURE OF SIX RIBS	ICD-9-CM
1 Fractures / Falls		807.17	DX	OPEN FRACTURE OF SEVEN RIBS	ICD-9-CM
1 Fractures / Falls		807.18	DX	OPEN FRACTURE OF EIGHT OR MORE RIBS	ICD-9-CM
1 Fractures / Falls		807.19	DX	OPEN FRACTURE OF MULTIPLE RIBS UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		810.0	DX	CLOSED FRACTURE OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.00	DX	CLOSED FRACTURE OF CLAVICLE UNSPECIFIED PART	ICD-9-CM
1 Fractures / Falls		810.01	DX	CLOSED FRACTURE OF STERNAL END OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.02	DX	CLOSED FRACTURE OF SHAFT OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.03	DX	CLOSED FRACTURE OF ACROMIAL END OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.1	DX	OPEN FRACTURE OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.10	DX	OPEN FRACTURE OF CLAVICLE UNSPECIFIED PART	ICD-9-CM
1 Fractures / Falls		810.11	DX	OPEN FRACTURE OF STERNAL END OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.12	DX	OPEN FRACTURE OF SHAFT OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		810.13	DX	OPEN FRACTURE OF ACROMIAL END OF CLAVICLE	ICD-9-CM
1 Fractures / Falls		813.0	DX	FRACTURE OF UPPER END OF RADIUS AND ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.00	DX	CLOSED FRACTURE OF UPPER END OF FOREARM UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		813.01	DX	FRACTURE OF OLECRANON PROCESS OF ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.02	DX	FRACTURE OF CORONOID PROCESS OF ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.03	DX	MONTEGGIA'S FRACTURE CLOSED	ICD-9-CM
				OTHER AND UNSPECIFIED CLOSED FRACTURES OF PROXIMAL END OF ULNA (ALONE)	ICD-9-CM
1 Fractures / Falls		813.04	DX		ICD-9-CM
1 Fractures / Falls		813.05	DX	FRACTURE OF HEAD OF RADIUS CLOSED	ICD-9-CM
1 Fractures / Falls		813.06	DX	FRACTURE OF NECK OF RADIUS CLOSED	ICD-9-CM
				OTHER AND UNSPECIFIED CLOSED FRACTURES OF PROXIMAL END OF RADIUS (ALONE)	ICD-9-CM
1 Fractures / Falls		813.07	DX		ICD-9-CM
1 Fractures / Falls		813.08	DX	FRACTURE OF RADIUS WITH ULNA UPPER END (ANY PART) CLOSED	ICD-9-CM
1 Fractures / Falls		813.1	DX	FRACTURE OF UPPER END OF RADIUS AND ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.10	DX	OPEN FRACTURE OF UPPER END OF FOREARM UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		813.11	DX	FRACTURE OF OLECRANON PROCESS OF ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.12	DX	FRACTURE OF CORONOID PROCESS OF ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.13	DX	MONTEGGIA'S FRACTURE OPEN	ICD-9-CM
				OTHER AND UNSPECIFIED OPEN FRACTURES OF PROXIMAL END OF ULNA (ALONE)	ICD-9-CM
1 Fractures / Falls		813.14	DX		ICD-9-CM
1 Fractures / Falls		813.15	DX	FRACTURE OF HEAD OF RADIUS OPEN	ICD-9-CM
1 Fractures / Falls		813.16	DX	FRACTURE OF NECK OF RADIUS OPEN	ICD-9-CM
				OTHER AND UNSPECIFIED OPEN FRACTURES OF PROXIMAL END OF RADIUS (ALONE)	ICD-9-CM
1 Fractures / Falls		813.17	DX		ICD-9-CM
1 Fractures / Falls		813.18	DX	FRACTURE OF RADIUS WITH ULNA UPPER END (ANY PART) OPEN	ICD-9-CM
1 Fractures / Falls		813.2	DX	FRACTURE OF SHAFT OF RADIUS AND ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.20	DX	FRACTURE OF SHAFT OF RADIUS OR ULNA UNSPECIFIED CLOSED	ICD-9-CM
1 Fractures / Falls		813.21	DX	FRACTURE OF SHAFT OF RADIUS (ALONE) CLOSED	ICD-9-CM
1 Fractures / Falls		813.22	DX	FRACTURE OF SHAFT OF ULNA (ALONE) CLOSED	ICD-9-CM
1 Fractures / Falls		813.23	DX	FRACTURE OF SHAFT OF RADIUS WITH ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.3	DX	FRACTURE OF SHAFT OF RADIUS AND ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.30	DX	FRACTURE OF SHAFT OF RADIUS OR ULNA UNSPECIFIED OPEN	ICD-9-CM
1 Fractures / Falls		813.31	DX	FRACTURE OF SHAFT OF RADIUS (ALONE) OPEN	ICD-9-CM
1 Fractures / Falls		813.32	DX	FRACTURE OF SHAFT OF ULNA (ALONE) OPEN	ICD-9-CM
1 Fractures / Falls		813.33	DX	FRACTURE OF SHAFT OF RADIUS WITH ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.4	DX	FRACTURE OF LOWER END OF RADIUS AND ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.40	DX	CLOSED FRACTURE OF LOWER END OF FOREARM UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		813.41	DX	COLLES' FRACTURE CLOSED	ICD-9-CM
1 Fractures / Falls		813.42	DX	OTHER CLOSED FRACTURES OF DISTAL END OF RADIUS (ALONE)	ICD-9-CM
1 Fractures / Falls		813.43	DX	FRACTURE OF DISTAL END OF ULNA (ALONE) CLOSED	ICD-9-CM
1 Fractures / Falls		813.44	DX	FRACTURE OF LOWER END OF RADIUS WITH ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.45	DX	TORUS FRACTURE OF RADIUS (ALONE)	ICD-9-CM
1 Fractures / Falls		813.46	DX	TORUS FRACTURE OF ULNA (ALONE)	ICD-9-CM
1 Fractures / Falls		813.47	DX	TORUS FRACTURE OF RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls		813.5	DX	FRACTURE OF LOWER END OF RADIUS AND ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.50	DX	OPEN FRACTURE OF LOWER END OF FOREARM UNSPECIFIED	ICD-9-CM
1 Fractures / Falls		813.51	DX	COLLES' FRACTURE OPEN	ICD-9-CM
1 Fractures / Falls		813.52	DX	OTHER OPEN FRACTURES OF DISTAL END OF RADIUS (ALONE)	ICD-9-CM
1 Fractures / Falls		813.53	DX	FRACTURE OF DISTAL END OF ULNA (ALONE) OPEN	ICD-9-CM
1 Fractures / Falls		813.54	DX	FRACTURE OF LOWER END OF RADIUS WITH ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.8	DX	FRACTURE OF UNSPECIFIED PART OF RADIUS WITH ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.80	DX	CLOSED FRACTURE OF UNSPECIFIED PART OF FOREARM	ICD-9-CM
1 Fractures / Falls		813.81	DX	FRACTURE OF UNSPECIFIED PART OF RADIUS (ALONE) CLOSED	ICD-9-CM
1 Fractures / Falls		813.82	DX	FRACTURE OF UNSPECIFIED PART OF ULNA (ALONE) CLOSED	ICD-9-CM
1 Fractures / Falls		813.83	DX	FRACTURE OF UNSPECIFIED PART OF RADIUS WITH ULNA CLOSED	ICD-9-CM
1 Fractures / Falls		813.9	DX	FRACTURE OF UNSPECIFIED PART OF RADIUS WITH ULNA OPEN	ICD-9-CM
1 Fractures / Falls		813.90	DX	FRACTURE OF UNSPECIFIED PART OF FOREARM OPEN	ICD-9-CM
1 Fractures / Falls		813.91	DX	FRACTURE OF UNSPECIFIED PART OF RADIUS (ALONE) OPEN	ICD-9-CM
1 Fractures / Falls		813.92	DX	FRACTURE OF UNSPECIFIED PART OF ULNA (ALONE) OPEN	ICD-9-CM
1 Fractures / Falls		813.93	DX	FRACTURE OF UNSPECIFIED PART OF RADIUS WITH ULNA OPEN	ICD-9-CM
1 Fractures / Falls		820.0	DX	TRANSVERSAL FRACTURE CLOSED	ICD-9-CM
				OTHER AND UNSPECIFIED FRACTURES OF HUMERUS	ICD-9-CM
1 Fractures / Falls		820.00	DX	FRACTURE OF UNSPECIFIED INTRACAPSULAR SECTION OF NECK OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.01	DX	FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF NECK OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.02	DX	FRACTURE OF MIDCERVICAL SECTION OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.03	DX	FRACTURE OF BASE OF NECK OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.09	DX	OTHER TRANSVERSAL FRACTURE OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.1	DX	TRANSVERSAL FRACTURE OPEN	ICD-9-CM
1 Fractures / Falls		820.10	DX	FRACTURE OF UNSPECIFIED INTRACAPSULAR SECTION OF NECK OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls		820.11	DX	FRACTURE OF EPIPHYSIS (SEPARATION) (UPPER) OF NECK OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls		820.12	DX	FRACTURE OF MIDCERVICAL SECTION OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls		820.13	DX	FRACTURE OF BASE OF NECK OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls		820.19	DX	OTHER TRANSVERSAL FRACTURE OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls		820.2	DX	PERTROCHANTERIC FRACTURE OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.20	DX	FRACTURE OF UNSPECIFIED TROCHANTERIC SECTION OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls		820.21	DX	FRACTURE OF INTERTROCHANTERIC SECTION OF FEMUR CLOSED	ICD-9-CM

1 Fractures / Falls	820.22	DX	FRACTURE OF SUBTROCHANTERIC SECTION OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls	820.3	DX	PERTROCHANTERIC FRACTURE OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls	820.30	DX	FRACTURE OF UNSPECIFIED TROCHANTERIC SECTION OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls	820.31	DX	FRACTURE OF INTERTROCHANTERIC SECTION OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls	820.32	DX	FRACTURE OF SUBTROCHANTERIC SECTION OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls	820.8	DX	FRACTURE OF UNSPECIFIED PART OF NECK OF FEMUR CLOSED	ICD-9-CM
1 Fractures / Falls	820.9	DX	FRACTURE OF UNSPECIFIED PART OF NECK OF FEMUR OPEN	ICD-9-CM
1 Fractures / Falls	810	DX	FRACTURE OF CLAVICLE	ICD-9-CM
1 Fractures / Falls	813	DX	FRACTURE OF RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	820	DX	FRACTURE OF NECK OF FEMUR	ICD-9-CM
1 Fractures / Falls	S22.3	DX	FRACTURE OF ONE RIB	ICD-10-CM
1 Fractures / Falls	S22.31	DX	FRACTURE OF ONE RIB, RIGHT SIDE	ICD-10-CM
1 Fractures / Falls	S22.31XA	DX	FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.31XB	DX	FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.31XD	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.31XG	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.31XK	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.31XS	DX	FRACTURE OF ONE RIB, RIGHT SIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.32	DX	FRACTURE OF ONE RIB, LEFT SIDE	ICD-10-CM
1 Fractures / Falls	S22.32XA	DX	FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.32XB	DX	FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.32XD	DX	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.32XG	DX	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.32XK	DX	FRACTURE OF ONE RIB, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.32XS	DX	FRACTURE OF ONE RIB, LEFT SIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.39	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE	ICD-10-CM
1 Fractures / Falls	S22.39XA	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.39XB	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.39XD	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.39XG	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.39XK	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.39XS	DX	FRACTURE OF ONE RIB, UNSPECIFIED SIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.4	DX	MULTIPLE FRACTURES OF RIBS	ICD-10-CM
1 Fractures / Falls	S22.41	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE	ICD-10-CM
1 Fractures / Falls	S22.41XA	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.41XB	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.41XD	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.41XG	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.41XK	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.41XS	DX	MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.42	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE	ICD-10-CM
1 Fractures / Falls	S22.42XA	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.42XB	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.42XD	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.42XG	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.42XK	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.42XS	DX	MULTIPLE FRACTURES OF RIBS, LEFT SIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.43	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL	ICD-10-CM
1 Fractures / Falls	S22.43XA	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.43XB	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.43XD	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.43XG	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.43XK	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.43XS	DX	MULTIPLE FRACTURES OF RIBS, BILATERAL, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.49	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE	ICD-10-CM
1 Fractures / Falls	S22.49XA	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.49XB	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.49XD	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.49XG	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.49XK	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.49XS	DX	MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	S42.0	DX	FRACTURE OF CLAVICLE	ICD-10-CM
1 Fractures / Falls	S42.00	DX	FRACTURE OF UNSPECIFIED PART OF CLAVICLE	ICD-10-CM
1 Fractures / Falls	S42.001	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE	ICD-10-CM
1 Fractures / Falls	S42.001A	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S42.001B	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S42.001D	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S42.001G	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S42.001K	DX	FRACTURE OF UNSPECIFIED PART OF RIGHT CLAVICLE, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

			BENT BONE OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN FRACTURE TYPE	
1 Fractures / Falls	S52.282R	DX	IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.282S	DX	BENT BONE OF LEFT ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.283	DX	BENT BONE OF UNSPECIFIED ULNA	ICD-10-CM
1 Fractures / Falls	S52.283A	DX	BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE	
1 Fractures / Falls	S52.283B	DX	TYPE I OR II	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR OPEN FRACTURE	
1 Fractures / Falls	S52.283C	DX	TYPE IIIA, IIIB, OR IIIC	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.283D	DX	FRACTURE WITH ROUTINE HEALING	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283E	DX	FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283F	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.283G	DX	FRACTURE WITH DELAYED HEALING	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283H	DX	FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283J	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.283K	DX	FRACTURE WITH NONUNION	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283M	DX	FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283N	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.283P	DX	FRACTURE WITH MALUNION	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283Q	DX	FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM
			BENT BONE OF UNSPECIFIED ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.283R	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.283S	DX	BENT BONE OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.29	DX	OTHER FRACTURE OF SHAFT OF ULNA	ICD-10-CM
1 Fractures / Falls	S52.291	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.291A	DX	FRACTURE	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291B	DX	FRACTURE TYPE I OR II	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291C	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.291D	DX	CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291E	DX	FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291F	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.291G	DX	CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291H	DX	FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291J	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.291K	DX	CLOSED FRACTURE WITH NONUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291M	DX	FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291N	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.291P	DX	CLOSED FRACTURE WITH MALUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291Q	DX	FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.291R	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.291S	DX	OTHER FRACTURE OF SHAFT OF RIGHT ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.292	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.292A	DX	FRACTURE	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292B	DX	FRACTURE TYPE I OR II	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292C	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.292D	DX	CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292E	DX	FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292F	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.292G	DX	CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292H	DX	FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292J	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.292K	DX	CLOSED FRACTURE WITH NONUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292M	DX	FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292N	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.292P	DX	CLOSED FRACTURE WITH MALUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292Q	DX	FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.292R	DX	FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.292S	DX	OTHER FRACTURE OF SHAFT OF LEFT ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.299	DX	OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S52.299A	DX	CLOSED FRACTURE	ICD-10-CM
			OTHER FRACTURE OF SHAFT OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S52.299B	DX	OPEN FRACTURE TYPE I OR II	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

				OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.691R	DX		OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.691S	DX		OTHER FRACTURE OF LOWER END OF RIGHT ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.692	DX		OTHER FRACTURE OF LOWER END OF LEFT ULNA	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S52.692A	DX		FRACTURE	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.692B	DX		FRACTURE TYPE I OR II	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S52.692C	DX		FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692D	DX		CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692E	DX		OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692F	DX		OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692G	DX		CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692H	DX		OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692J	DX		OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692K	DX		CLOSED FRACTURE WITH NONUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692M	DX		OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692N	DX		OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692P	DX		CLOSED FRACTURE WITH MALUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692Q	DX		OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF LEFT ULNA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S52.692R	DX		OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.692S	DX		OTHER FRACTURE OF LOWER END OF LEFT ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.699	DX		OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S52.699A	DX		CLOSED FRACTURE	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S52.699B	DX		OPEN FRACTURE TYPE I OR II	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S52.699C	DX		OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699D	DX		ENCOUNTER FOR CLOSED FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699E	DX		ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699F	DX		ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699G	DX		ENCOUNTER FOR CLOSED FRACTURE WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699H	DX		ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699J	DX		ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699K	DX		ENCOUNTER FOR CLOSED FRACTURE WITH NONUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699M	DX		ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH NONUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699N	DX		ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH NONUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699P	DX		ENCOUNTER FOR CLOSED FRACTURE WITH MALUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699Q	DX		ENCOUNTER FOR OPEN FRACTURE TYPE I OR II WITH MALUNION	ICD-10-CM
				OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SUBSEQUENT	
1 Fractures / Falls	S52.699R	DX		ENCOUNTER FOR OPEN FRACTURE TYPE IIIA, IIIB, OR IIIC WITH MALUNION	ICD-10-CM
1 Fractures / Falls	S52.699S	DX		OTHER FRACTURE OF LOWER END OF UNSPECIFIED ULNA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S52.9	DX		UNSPECIFIED FRACTURE OF FOREARM	ICD-10-CM
1 Fractures / Falls	S52.90	DX		UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM	ICD-10-CM
				UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S52.90XA	DX			

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

				OTHER FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.019J	DX		FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S72.019K	DX		OTHER FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S72.019M	DX		UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA	ICD-10-CM
				UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S72.019N	DX		FRACTURE	ICD-10-CM
				UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S72.019P	DX		FRACTURE	ICD-10-CM
				UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.019Q	DX		FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.019R	DX		FRACTURE WITH DELAYED HEALING	ICD-10-CM
				UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.019S	DX		FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S72.02	DX		UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S72.02I	DX		FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM
1 Fractures / Falls	S72.02IA	DX		WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM
				WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S72.02IB	DX		CLOSED FRACTURE	ICD-10-CM
				WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S72.02IC	DX		OPEN FRACTURE	ICD-10-CM
				WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT	
1 Fractures / Falls	S72.02ID	DX		ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT	
1 Fractures / Falls	S72.02IE	DX		ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
				WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT	
1 Fractures / Falls	S72.02IF	DX		ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S72.02IG	DX		WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S72.02IH	DX		STABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM
				STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S72.02IJ	DX		FRACTURE	ICD-10-CM
				STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S72.02IK	DX		FRACTURE	ICD-10-CM
				STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.02IM	DX		FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.02IN	DX		FRACTURE WITH DELAYED HEALING	ICD-10-CM
				STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.02IP	DX		FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S72.02IQ	DX		STABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S72.02IR	DX		UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM
				UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S72.02IS	DX		CLOSED FRACTURE	ICD-10-CM
				UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR	
1 Fractures / Falls	S72.022	DX		OPEN FRACTURE	ICD-10-CM
				UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER	
1 Fractures / Falls	S72.022A	DX		FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER	
1 Fractures / Falls	S72.022B	DX		FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
				UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER	
1 Fractures / Falls	S72.022C	DX		FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S72.022D	DX		UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S72.022E	DX		OTHER FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM
				OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S72.022F	DX		FRACTURE	ICD-10-CM
				OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S72.022G	DX		FRACTURE	ICD-10-CM
				OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.022H	DX		FRACTURE WITH ROUTINE HEALING	ICD-10-CM
				OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.022I	DX		FRACTURE WITH DELAYED HEALING	ICD-10-CM
				OTHER FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.022K	DX		FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S72.022M	DX		OTHER FRACTURE OF T11-T12 VERTEBRA, SEQUELA	ICD-10-CM
1 Fractures / Falls	S72.022N	DX		UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA	ICD-10-CM
				UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED	
1 Fractures / Falls	S72.022P	DX		FRACTURE	ICD-10-CM
				UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR OPEN	
1 Fractures / Falls	S72.022Q	DX		FRACTURE	ICD-10-CM
				UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, SUBSEQUENT ENCOUNTER FOR	
1 Fractures / Falls	S72.				

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1 Fractures / Falls	S22.21	DX	FRACTURE OF MANUBRIUM	ICD-10-CM
1 Fractures / Falls	S22.21XA	DX	FRACTURE OF MANUBRIUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.21XB	DX	FRACTURE OF MANUBRIUM, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
			FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	
1 Fractures / Falls	S22.21XD	DX	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
			FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	
1 Fractures / Falls	S22.21XG	DX	FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
			FRACTURE OF MANUBRIUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	
1 Fractures / Falls	S22.21XK	DX	FRACTURE OF MANUBRIUM, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.21XS	DX	FRACTURE OF BODY OF STERNUM	ICD-10-CM
1 Fractures / Falls	S22.22	DX	FRACTURE OF BODY OF STERNUM, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.22XA	DX	FRACTURE OF BODY OF STERNUM, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.22XB	DX	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
			FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	
1 Fractures / Falls	S22.22XD	DX	FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
			FRACTURE OF BODY OF STERNUM, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	
1 Fractures / Falls	S22.22XK	DX	FRACTURE OF BODY OF STERNUM, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.22XS	DX	STERNAL MANUBRIAL DISSOCIATION	ICD-10-CM
1 Fractures / Falls	S22.23	DX	STERNAL MANUBRIAL DISSOCIATION	ICD-10-CM
			STERNAL MANUBRIAL DISSOCIATION, INITIAL ENCOUNTER FOR CLOSED FRACTURE	
1 Fractures / Falls	S22.23XA	DX	STERNAL MANUBRIAL DISSOCIATION, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.23XB	DX	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
			STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	
1 Fractures / Falls	S22.23XD	DX	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
			STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	
1 Fractures / Falls	S22.23XG	DX	STERNAL MANUBRIAL DISSOCIATION, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
			STERNAL MANUBRIAL DISSOCIATION, SEQUELA	
1 Fractures / Falls	S22.23XK	DX	FRACTURE OF XIPHOID PROCESS	ICD-10-CM
1 Fractures / Falls	S22.23XS	DX	FRACTURE OF XIPHOID PROCESS, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.24	DX	FRACTURE OF XIPHOID PROCESS, INITIAL ENCOUNTER FOR OPEN FRACTURE	ICD-10-CM
1 Fractures / Falls	S22.24XA	DX	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.24XB	DX	FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
			FRACTURE OF XIPHOID PROCESS, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	
1 Fractures / Falls	S22.24XD	DX	FRACTURE OF XIPHOID PROCESS, SEQUELA	ICD-10-CM
			FLAIL CHEST	
1 Fractures / Falls	S22.24XG	DX	FLAIL CHEST, INITIAL ENCOUNTER FOR CLOSED FRACTURE	ICD-10-CM
			FLAIL CHEST, INITIAL ENCOUNTER FOR OPEN FRACTURE	
1 Fractures / Falls	S22.24XK	DX	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH ROUTINE HEALING	ICD-10-CM
1 Fractures / Falls	S22.24XS	DX	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH DELAYED HEALING	ICD-10-CM
1 Fractures / Falls	S22.5	DX	FLAIL CHEST, SUBSEQUENT ENCOUNTER FOR FRACTURE WITH NONUNION	ICD-10-CM
1 Fractures / Falls	S22.5XXA	DX	FLAIL CHEST, SEQUELA	ICD-10-CM
1 Fractures / Falls	S22.5XXB	DX	FRACTURE OF BONY THORAX, PART UNSPECIFIED	ICD-10-CM
			FRACTURE OF FOREARM	
1 Fractures / Falls	S22.5XXD	DX	FRACTURE OF FOREARM	ICD-10-CM
			FRACTURE OF FEMUR	
1 Fractures / Falls	S22.5XXG	DX	CLOSED TREATMENT OF RIB FRACTURE, UNCOMPLICATED, EACH	CPT/HCPCS
1 Fractures / Falls	S22.5XXK	DX	OPEN TREATMENT OF RIB FRACTURE WITHOUT FIXATION, EACH	CPT/HCPCS
1 Fractures / Falls	S22.5XXS	DX	TREATMENT OF RIB FRACTURE REQUIRING EXTERNAL FIXATION (FLAIL CHEST)	CPT/HCPCS
1 Fractures / Falls	S22.9	DX	OPEN TREATMENT OF RIB FRACTURE(S) WITH INTERNAL FIXATION, INCLUDES THORACOSCOPIC VISUALIZATION WHEN PERFORMED, UNILATERAL; 4-6 RIBS	CPT/HCPCS
1 Fractures / Falls	S52	DX	OPEN TREATMENT OF RIB FRACTURE(S) WITH INTERNAL FIXATION, INCLUDES THORACOSCOPIC VISUALIZATION WHEN PERFORMED, UNILATERAL; 7 OR MORE RIBS	CPT/HCPCS
1 Fractures / Falls	S72	DX	OSTEOTOMY, CLAVICLE, WITH OR WITHOUT INTERNAL FIXATION; WITH BONE GRAFT FOR NONUNION OR MALUNION (INCLUDES OBTAINING GRAFT AND/OR NECESSARY FIXATION)	CPT/HCPCS
1 Fractures / Falls	21800	PX	CLOSED TREATMENT OF CLAVICULAR FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	21805	PX	CLOSED TREATMENT OF CLAVICULAR FRACTURE; WITH MANIPULATION	CPT/HCPCS
1 Fractures / Falls	21810	PX	OPEN TREATMENT OF CLAVICULAR FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
			OPEN TREATMENT OF PERIARTICULAR FRACTURE AND/OR DISLOCATION OF THE ELBOW (FRACTURE DISTAL HUMERUS AND PROXIMAL ULNA AND/OR PROXIMAL RADIUS);	
1 Fractures / Falls	21812	PX	OPEN TREATMENT OF PERIARTICULAR FRACTURE AND/OR DISLOCATION OF THE ELBOW (FRACTURE DISTAL HUMERUS AND PROXIMAL ULNA AND/OR PROXIMAL RADIUS); WITH IMPLANT ARTHROPLASTY	CPT/HCPCS
			CLOSED TREATMENT OF MONTEGGIA TYPE OF FRACTURE DISLOCATION AT ELBOW (FRACTURE PROXIMAL END OF ULNA WITH DISLOCATION OF RADIAL HEAD), WITH MANIPULATION	
1 Fractures / Falls	21813	PX	OPEN TREATMENT OF MONTEGGIA TYPE OF FRACTURE DISLOCATION AT ELBOW (FRACTURE PROXIMAL END OF ULNA WITH DISLOCATION OF RADIAL HEAD), INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
			CLOSED TREATMENT OF RADIAL HEAD OR NECK FRACTURE; WITHOUT MANIPULATION	
1 Fractures / Falls	21815	PX	CLOSED TREATMENT OF RADIAL HEAD OR NECK FRACTURE; WITH MANIPULATION	CPT/HCPCS
			OPEN TREATMENT OF RADIAL HEAD OR NECK FRACTURE, INCLUDES INTERNAL FIXATION OR RADIAL HEAD EXCISION, WHEN PERFORMED;	
1 Fractures / Falls	21816	PX	OPEN TREATMENT OF RADIAL HEAD OR NECK FRACTURE, INCLUDES INTERNAL FIXATION OR RADIAL HEAD EXCISION, WHEN PERFORMED; WITH RADIAL HEAD PROSTHETIC REPLACEMENT	CPT/HCPCS
			CLOSED TREATMENT OF ULNAR FRACTURE, PROXIMAL END (EG, OLECRANON OR CORONOID PROCESS[ES]); WITHOUT MANIPULATION	
1 Fractures / Falls	21817	PX	CLOSED TREATMENT OF ULNAR FRACTURE, PROXIMAL END (EG, OLECRANON OR CORONOID PROCESS[ES]); WITH MANIPULATION	CPT/HCPCS
			OPEN TREATMENT OF ULNAR FRACTURE, PROXIMAL END (EG, OLECRANON OR CORONOID PROCESS[ES]), INCLUDES INTERNAL FIXATION, WHEN PERFORMED	
1 Fractures / Falls	21818	PX	CLOSED TREATMENT OF RADIAL SHAFT FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	21819	PX	CLOSED TREATMENT OF RADIAL SHAFT FRACTURE; WITH MANIPULATION	CPT/HCPCS
			OPEN TREATMENT OF RADIAL SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	
1 Fractures / Falls	21820	PX	CLOSED TREATMENT OF RADIAL SHAFT FRACTURE AND CLOSED TREATMENT OF DISLOCATION OF DISTAL RADIOULNAR JOINT (GALEAZZI FRACTURE/DISLOCATION)	CPT/HCPCS

1 Fractures / Falls	25525	PX	OPEN TREATMENT OF RADIAL SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED, AND CLOSED TREATMENT OF DISTAL RADIOULNAR JOINT DISLOCATION (GALEAZZI FRACTURE/ DISLOCATION), INCLUDES PERCUTANEOUS SKELETAL FIXATION, WHEN PERFORMED	CPT/HCPCS
1 Fractures / Falls	25526	PX	OPEN TREATMENT OF RADIAL SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED, AND OPEN TREATMENT OF DISTAL RADIOULNAR JOINT DISLOCATION (GALEAZZI FRACTURE/ DISLOCATION), INCLUDES INTERNAL FIXATION, WHEN PERFORMED, INCLUDES REPAIR OF TRIANGULAR FIBROCARILAGE COMPLEX	CPT/HCPCS
1 Fractures / Falls	25530	PX	CLOSED TREATMENT OF ULNAR SHAFT FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	25535	PX	CLOSED TREATMENT OF ULNAR SHAFT FRACTURE; WITH MANIPULATION	CPT/HCPCS
1 Fractures / Falls	25545	PX	OPEN TREATMENT OF ULNAR SHAFT FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
1 Fractures / Falls	25560	PX	CLOSED TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	25565	PX	CLOSED TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES; WITH MANIPULATION	CPT/HCPCS
1 Fractures / Falls	25574	PX	OPEN TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES, WITH INTERNAL FIXATION, WHEN PERFORMED; OF RADIUS OR ULNA	CPT/HCPCS
1 Fractures / Falls	25575	PX	OPEN TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES, WITH INTERNAL FIXATION, WHEN PERFORMED; OF RADIUS AND ULNA	CPT/HCPCS
1 Fractures / Falls	25600	PX	CLOSED TREATMENT OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, INCLUDES CLOSED TREATMENT OF FRACTURE OF ULNAR STYLOID, WHEN PERFORMED; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	25605	PX	CLOSED TREATMENT OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, INCLUDES CLOSED TREATMENT OF FRACTURE OF ULNAR STYLOID, WHEN PERFORMED; WITH MANIPULATION	CPT/HCPCS
1 Fractures / Falls	25606	PX	PERCUTANEOUS SKELETAL FIXATION OF DISTAL RADIAL FRACTURE OR EPIPHYSEAL SEPARATION	CPT/HCPCS
1 Fractures / Falls	25607	PX	OPEN TREATMENT OF DISTAL RADIAL EXTRA-ARTICULAR FRACTURE OR EPIPHYSEAL SEPARATION, WITH INTERNAL FIXATION	CPT/HCPCS
1 Fractures / Falls	25608	PX	OPEN TREATMENT OF DISTAL RADIAL INTRA-ARTICULAR FRACTURE OR EPIPHYSEAL SEPARATION; WITH INTERNAL FIXATION OF 2 FRAGMENTS	CPT/HCPCS
1 Fractures / Falls	25609	PX	OPEN TREATMENT OF DISTAL RADIAL INTRA-ARTICULAR FRACTURE OR EPIPHYSEAL SEPARATION; WITH INTERNAL FIXATION OF 3 OR MORE FRAGMENTS	CPT/HCPCS
1 Fractures / Falls	25611	PX	PERCUTANEOUS SKELETAL FIXATION OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, WITH OR WITHOUT FRACTURE OF ULNAR STYLOID, REQUIRING MANIPULATION, WITH OR WITHOUT EXTERNAL FIXATION	CPT/HCPCS
1 Fractures / Falls	25620	PX	OPEN TREATMENT OF DISTAL RADIAL FRACTURE (EG, COLLES OR SMITH TYPE) OR EPIPHYSEAL SEPARATION, WITH OR WITHOUT FRACTURE OF ULNAR STYLOID, WITH OR WITHOUT INTERNAL OR EXTERNAL FIXATION	CPT/HCPCS
1 Fractures / Falls	25650	PX	CLOSED TREATMENT OF ULNAR STYLOID FRACTURE	CPT/HCPCS
1 Fractures / Falls	25651	PX	PERCUTANEOUS SKELETAL FIXATION OF ULNAR STYLOID FRACTURE	CPT/HCPCS
1 Fractures / Falls	25652	PX	OPEN TREATMENT OF ULNAR STYLOID FRACTURE	CPT/HCPCS
1 Fractures / Falls	27230	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, NECK; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27232	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, NECK; WITH MANIPULATION, WITH OR WITHOUT SKELETAL TRACTION	CPT/HCPCS
1 Fractures / Falls	27235	PX	PERCUTANEOUS SKELETAL FIXATION OF FEMORAL FRACTURE, PROXIMAL END, NECK	CPT/HCPCS
1 Fractures / Falls	27236	PX	OPEN TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, NECK, INTERNAL FIXATION OR PROSTHETIC REPLACEMENT	CPT/HCPCS
1 Fractures / Falls	27238	PX	CLOSED TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27240	PX	CLOSED TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITH MANIPULATION, WITH OR WITHOUT SKIN OR SKELETAL TRACTION	CPT/HCPCS
1 Fractures / Falls	27244	PX	TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITH PLATE/SCREW TYPE IMPLANT, WITH OR WITHOUT CERCLAGE	CPT/HCPCS
1 Fractures / Falls	27245	PX	TREATMENT OF INTERTROCHANTERIC, PERITROCHANTERIC, OR SUBTROCHANTERIC FEMORAL FRACTURE; WITH INTRAMEDULLARY IMPLANT, WITH OR WITHOUT INTERLOCKING SCREWS AND/OR CERCLAGE	CPT/HCPCS
1 Fractures / Falls	27246	PX	CLOSED TREATMENT OF GREATER TROCHANTERIC FRACTURE, WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27248	PX	OPEN TREATMENT OF GREATER TROCHANTERIC FRACTURE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
1 Fractures / Falls	27254	PX	OPEN TREATMENT OF HIP DISLOCATION, TRAUMATIC, WITH ACETABULAR WALL AND FEMORAL HEAD FRACTURE, WITH OR WITHOUT INTERNAL OR EXTERNAL FIXATION	CPT/HCPCS
1 Fractures / Falls	27267	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, HEAD; WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27268	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, HEAD; WITH MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27269	PX	OPEN TREATMENT OF FEMORAL FRACTURE, PROXIMAL END, HEAD, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
1 Fractures / Falls	27500	PX	CLOSED TREATMENT OF FEMORAL SHAFT FRACTURE, WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27501	PX	CLOSED TREATMENT OF SUPRACONDYLAR OR TRANSCONDYLAR FEMORAL FRACTURE WITH OR WITHOUT INTERCONDYLAR EXTENSION, WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27502	PX	CLOSED TREATMENT OF FEMORAL SHAFT FRACTURE, WITH MANIPULATION, WITH OR WITHOUT SKIN OR SKELETAL TRACTION	CPT/HCPCS
1 Fractures / Falls	27503	PX	CLOSED TREATMENT OF SUPRACONDYLAR OR TRANSCONDYLAR FEMORAL FRACTURE WITH OR WITHOUT INTERCONDYLAR EXTENSION, WITH MANIPULATION, WITH OR WITHOUT SKIN OR SKELETAL TRACTION	CPT/HCPCS
1 Fractures / Falls	27506	PX	OPEN TREATMENT OF FEMORAL SHAFT FRACTURE, WITH OR WITHOUT EXTERNAL FIXATION, WITH INSERTION OF INTRAMEDULLARY IMPLANT, WITH OR WITHOUT CERCLAGE AND/OR LOCKING SCREWS	CPT/HCPCS
1 Fractures / Falls	27507	PX	OPEN TREATMENT OF FEMORAL SHAFT FRACTURE WITH PLATE/SCREWS, WITH OR WITHOUT CERCLAGE	CPT/HCPCS
1 Fractures / Falls	27508	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, WITHOUT MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27509	PX	PERCUTANEOUS SKELETAL FIXATION OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, OR SUPRACONDYLAR OR TRANSCONDYLAR, WITH OR WITHOUT INTERCONDYLAR EXTENSION, OR DISTAL FEMORAL EPIPHYSEAL SEPARATION	CPT/HCPCS
1 Fractures / Falls	27510	PX	CLOSED TREATMENT OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, WITH MANIPULATION	CPT/HCPCS
1 Fractures / Falls	27511	PX	OPEN TREATMENT OF FEMORAL SUPRACONDYLAR OR TRANSCONDYLAR FRACTURE WITHOUT INTERCONDYLAR EXTENSION, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS

1 Fractures / Falls	27513	PX	OPEN TREATMENT OF FEMORAL SUPRACONDYLAR OR TRANSCONDYLAR FRACTURE WITH INTERCONDYLAR EXTENSION, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
1 Fractures / Falls	27514	PX	OPEN TREATMENT OF FEMORAL FRACTURE, DISTAL END, MEDIAL OR LATERAL CONDYLE, INCLUDES INTERNAL FIXATION, WHEN PERFORMED	CPT/HCPCS
1 Fractures / Falls	78.11	PX	APPLICATION OF EXTERNAL FIXATOR DEVICE, SCAPULA, CLAVICLE, AND THORAX [RIBS AND STERNUM]	ICD-9-CM
1 Fractures / Falls	78.13	PX	APPLICATION OF EXTERNAL FIXATOR DEVICE, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	78.15	PX	APPLICATION OF EXTERNAL FIXATOR DEVICE, FEMUR	ICD-9-CM
1 Fractures / Falls	78.41	PX	OTHER REPAIR OR PLASTIC OPERATIONS ON BONE, SCAPULA, CLAVICLE, AND THORAX [RIBS AND STERNUM]	ICD-9-CM
1 Fractures / Falls	78.43	PX	OTHER REPAIR OR PLASTIC OPERATIONS ON BONE, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	78.45	PX	OTHER REPAIR OR PLASTIC OPERATIONS ON BONE, FEMUR	ICD-9-CM
1 Fractures / Falls	78.51	PX	INTERNAL FIXATION OF BONE WITHOUT FRACTURE REDUCTION, SCAPULA, CLAVICLE, AND THORAX [RIBS AND STERNUM]	ICD-9-CM
1 Fractures / Falls	78.53	PX	INTERNAL FIXATION OF BONE WITHOUT FRACTURE REDUCTION, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	78.55	PX	INTERNAL FIXATION OF BONE WITHOUT FRACTURE REDUCTION, FEMUR	ICD-9-CM
1 Fractures / Falls	78.61	PX	REMOVAL OF IMPLANTED DEVICES FROM BONE, SCAPULA, CLAVICLE, AND THORAX [RIBS AND STERNUM]	ICD-9-CM
1 Fractures / Falls	78.63	PX	REMOVAL OF IMPLANTED DEVICES FROM BONE, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	78.65	PX	REMOVAL OF IMPLANTED DEVICES FROM BONE, FEMUR	ICD-9-CM
1 Fractures / Falls	79.02	PX	CLOSED REDUCTION OF FRACTURE WITHOUT INTERNAL FIXATION, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	79.05	PX	CLOSED REDUCTION OF FRACTURE WITHOUT INTERNAL FIXATION, FEMUR	ICD-9-CM
1 Fractures / Falls	79.12	PX	CLOSED REDUCTION OF FRACTURE WITH INTERNAL FIXATION, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	79.15	PX	CLOSED REDUCTION OF FRACTURE WITH INTERNAL FIXATION, FEMUR	ICD-9-CM
1 Fractures / Falls	79.22	PX	OPEN REDUCTION OF FRACTURE WITHOUT INTERNAL FIXATION, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	79.25	PX	OPEN REDUCTION OF FRACTURE WITHOUT INTERNAL FIXATION, FEMUR	ICD-9-CM
1 Fractures / Falls	79.32	PX	OPEN REDUCTION OF FRACTURE WITH INTERNAL FIXATION, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	79.35	PX	OPEN REDUCTION OF FRACTURE WITH INTERNAL FIXATION, FEMUR	ICD-9-CM
1 Fractures / Falls	79.62	PX	DEBRIDEMENT OF OPEN FRACTURE SITE, RADIUS AND ULNA	ICD-9-CM
1 Fractures / Falls	79.65	PX	DEBRIDEMENT OF OPEN FRACTURE SITE, FEMUR	ICD-9-CM
1 Fractures / Falls	OPBH0ZZ	PX	EXCISION OF RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPBJ0ZZ	PX	EXCISION OF LEFT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPBK0ZZ	PX	EXCISION OF RIGHT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPBL0ZZ	PX	EXCISION OF LEFT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH004Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH034Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH044Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH104Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH134Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH144Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH204Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH234Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH244Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH504Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH534Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH544Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH604Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH634Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH644Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH704Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH734Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH744Z	PX	PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH804Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH834Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH844Z	PX	PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPH904Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPH934Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPH944Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHB04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHB34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPHB44Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH04Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH05Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH06Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH0BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH0CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH0DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPHH34Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM

[illegible]

1 Fractures / Falls	OPHL36Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL3BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL3CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL3DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL44Z	PX	INSERTION OF INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL45Z	PX	INSERTION OF EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL46Z	PX	INSERTION OF INTRAMEDULLARY INTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL4BZ	PX	INSERTION OF MONOPLANAR EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL4CZ	PX	INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPHL4DZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN00ZZ	PX	RELEASE STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN03ZZ	PX	RELEASE STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN04ZZ	PX	RELEASE STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN10ZZ	PX	RELEASE 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN13ZZ	PX	RELEASE 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN14ZZ	PX	RELEASE 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN20ZZ	PX	RELEASE 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN23ZZ	PX	RELEASE 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN24ZZ	PX	RELEASE 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN50ZZ	PX	RELEASE RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN53ZZ	PX	RELEASE RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN54ZZ	PX	RELEASE RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN60ZZ	PX	RELEASE LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN63ZZ	PX	RELEASE LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN64ZZ	PX	RELEASE LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN70ZZ	PX	RELEASE RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN73ZZ	PX	RELEASE RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN74ZZ	PX	RELEASE RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN80ZZ	PX	RELEASE LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN83ZZ	PX	RELEASE LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN84ZZ	PX	RELEASE LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPN90ZZ	PX	RELEASE RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPN93ZZ	PX	RELEASE RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPN94ZZ	PX	RELEASE RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPNB0ZZ	PX	RELEASE LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPNB3ZZ	PX	RELEASE LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPNB4ZZ	PX	RELEASE LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPNH0ZZ	PX	RELEASE RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPNH3ZZ	PX	RELEASE RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPNH4ZZ	PX	RELEASE RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPNJ0ZZ	PX	RELEASE LEFT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPNJ3ZZ	PX	RELEASE LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPNJ4ZZ	PX	RELEASE LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPNK0ZZ	PX	RELEASE RIGHT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPNK3ZZ	PX	RELEASE RIGHT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPNK4ZZ	PX	RELEASE RIGHT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPNL0ZZ	PX	RELEASE LEFT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPNL3ZZ	PX	RELEASE LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPNL4ZZ	PX	RELEASE LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPP004Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPP007Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPP00JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPP00KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPP034Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPP037Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPP03JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPP03KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPP044Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPP047Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPP04JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPP04KZ	PX</		

[illegible]

[illegible]

1 Fractures / Falls	OPP45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT RADIUS, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPP47Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPP4JZ	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPP4KZ	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK04Z	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT RADIUS, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPK05Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK07Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK0JZ	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK0KZ	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK34Z	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK35Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPK37Z	PX	APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK3JZ	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPK3KZ	PX	APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK44Z	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPK45Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK47Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPK4JZ	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPK4KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPL04Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL05Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL07Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL0JZ	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL0KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL34Z	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPL35Z	PX	APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL37Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPL3JZ	PX	APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL3KZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPL44Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL45Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPL47Z	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPPL4JZ	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPPL4KZ	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ00ZZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT ULNA, PERCUTANEOUS	ICD-10-CM
1 Fractures / Falls	OPQ03ZZ	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ04ZZ	PX	REPAIR STERNUM, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ0XZZ	PX	REPAIR STERNUM, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ10ZZ	PX	REPAIR STERNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ13ZZ	PX	REPAIR STERNUM, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ14ZZ	PX	REPAIR 1 TO 2 RIBS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ1XZZ	PX	REPAIR 1 TO 2 RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ20ZZ	PX	REPAIR 1 TO 2 RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ23ZZ	PX	REPAIR 1 TO 2 RIBS, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ24ZZ	PX	REPAIR 3 OR MORE RIBS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ2XZZ	PX	REPAIR 3 OR MORE RIBS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ50ZZ	PX	REPAIR 3 OR MORE RIBS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ53ZZ	PX	REPAIR RIGHT SCAPULA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ54ZZ	PX	REPAIR RIGHT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ5XZZ	PX	REPAIR RIGHT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ60ZZ	PX	REPAIR RIGHT SCAPULA, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ63ZZ	PX	REPAIR LEFT SCAPULA, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ64ZZ	PX	REPAIR LEFT SCAPULA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ6XZZ	PX	REPAIR LEFT SCAPULA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ70ZZ	PX	REPAIR LEFT SCAPULA, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ73ZZ	PX	REPAIR RIGHT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ74ZZ	PX	REPAIR RIGHT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ7XZZ	PX	REPAIR RIGHT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ80ZZ	PX	REPAIR RIGHT GLENOID CAVITY, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ83ZZ	PX	REPAIR LEFT GLENOID CAVITY, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ84ZZ	PX	REPAIR LEFT GLENOID CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ8XZZ	PX	REPAIR LEFT GLENOID CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ90ZZ	PX	REPAIR LEFT GLENOID CAVITY, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ93ZZ	PX	REPAIR RIGHT CLAVICLE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ94ZZ	PX	REPAIR RIGHT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQ9XZZ	PX	REPAIR RIGHT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQB0ZZ	PX	REPAIR LEFT CLAVICLE, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQB3ZZ	PX	REPAIR LEFT CLAVICLE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQB4ZZ	PX	REPAIR LEFT CLAVICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQBXZZ	PX	REPAIR LEFT CLAVICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQH0ZZ	PX	REPAIR LEFT CLAVICLE, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQH3ZZ	PX	REPAIR RIGHT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQH4ZZ	PX	REPAIR RIGHT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQHXXZ	PX	REPAIR RIGHT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPQJ0ZZ	PX	REPAIR RIGHT RADIUS, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPQJ3ZZ	PX	REPAIR LEFT RADIUS, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPQJ4ZZ	PX	REPAIR LEFT RADIUS, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPQJXXZ	PX	REPAIR LEFT RADIUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls			REPAIR LEFT RADIUS, EXTERNAL APPROACH	ICD-10-CM

[illegible]

[illegible]

1 Fractures / Falls	OPSL34Z	PX	REPOSITION LEFT ULNA WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL35Z	PX	REPOSITION LEFT ULNA WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL36Z	PX	REPOSITION LEFT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL3BZ	PX	REPOSITION LEFT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL3CZ	PX	REPOSITION LEFT ULNA WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL3DZ	PX	REPOSITION LEFT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL3ZZ	PX	REPOSITION LEFT ULNA, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL44Z	PX	REPOSITION LEFT ULNA WITH INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL45Z	PX	REPOSITION LEFT ULNA WITH EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL46Z	PX	REPOSITION LEFT ULNA WITH INTRAMEDULLARY INTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL4BZ	PX	REPOSITION LEFT ULNA WITH MONOPLANAR EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL4CZ	PX	REPOSITION LEFT ULNA WITH RING EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL4DZ	PX	REPOSITION LEFT ULNA WITH HYBRID EXTERNAL FIXATION DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSL4ZZ	PX	REPOSITION LEFT ULNA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPSLXZZ	PX	REPOSITION LEFT ULNA, EXTERNAL APPROACH	ICD-10-CM
1 Fractures / Falls	OPU00JZ	PX	SUPPLEMENT STERNUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU03JZ	PX	SUPPLEMENT STERNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU04JZ	PX	SUPPLEMENT STERNUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU10JZ	PX	SUPPLEMENT 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU13JZ	PX	SUPPLEMENT 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU14JZ	PX	SUPPLEMENT 1 TO 2 RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU20JZ	PX	SUPPLEMENT 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU23JZ	PX	SUPPLEMENT 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU24JZ	PX	SUPPLEMENT 3 OR MORE RIBS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU50JZ	PX	SUPPLEMENT RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU53JZ	PX	SUPPLEMENT RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU54JZ	PX	SUPPLEMENT RIGHT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU60JZ	PX	SUPPLEMENT LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU63JZ	PX	SUPPLEMENT LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU64JZ	PX	SUPPLEMENT LEFT SCAPULA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU70JZ	PX	SUPPLEMENT RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU73JZ	PX	SUPPLEMENT RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU74JZ	PX	SUPPLEMENT RIGHT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU80JZ	PX	SUPPLEMENT LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU83JZ	PX	SUPPLEMENT LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU84JZ	PX	SUPPLEMENT LEFT GLENOID CAVITY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPU90JZ	PX	SUPPLEMENT RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPU93JZ	PX	SUPPLEMENT RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPU94JZ	PX	SUPPLEMENT RIGHT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPUB0JZ	PX	SUPPLEMENT LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPUB3JZ	PX	SUPPLEMENT LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPUB4JZ	PX	SUPPLEMENT LEFT CLAVICLE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPUH0JZ	PX	SUPPLEMENT RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPUH3JZ	PX	SUPPLEMENT RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPUH4JZ	PX	SUPPLEMENT RIGHT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPUJ0JZ	PX	SUPPLEMENT LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPUJ3JZ	PX	SUPPLEMENT LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPUJ4JZ	PX	SUPPLEMENT LEFT RADIUS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPUK0JZ	PX	SUPPLEMENT RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPUK3JZ	PX	SUPPLEMENT RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPUK4JZ	PX	SUPPLEMENT RIGHT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OPULOJZ	PX	SUPPLEMENT LEFT ULNA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OPUL3JZ	PX	SUPPLEMENT LEFT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OPUL4JZ	PX	SUPPLEMENT LEFT ULNA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OQB60ZZ	PX	EXCISION OF RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OQB70ZZ	PX	EXCISION OF LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OQB80ZZ	PX	EXCISION OF RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OQB90ZZ	PX	EXCISION OF LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OQBBOZZ	PX	EXCISION OF RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	O			

[illegible]

[illegible]

				INSERTION OF RING EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	
1	Fractures / Falls	OQHC4CZ	PX	INSERTION OF HYBRID EXTERNAL FIXATION DEVICE INTO LEFT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQHC4DZ	PX	RELEASE RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQN60ZZ	PX	RELEASE RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQN63ZZ	PX	RELEASE RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQN64ZZ	PX	RELEASE LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQN70ZZ	PX	RELEASE LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQN73ZZ	PX	RELEASE LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQN74ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQN80ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQN83ZZ	PX	RELEASE RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQN84ZZ	PX	RELEASE LEFT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQN90ZZ	PX	RELEASE LEFT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQN93ZZ	PX	RELEASE LEFT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQN94ZZ	PX	RELEASE RIGHT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQN80ZZ	PX	RELEASE RIGHT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQN83ZZ	PX	RELEASE RIGHT LOWER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQNC0ZZ	PX	RELEASE LEFT LOWER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQNC3ZZ	PX	RELEASE LEFT LOWER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQNC4ZZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP604Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP605Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP607Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP60JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP60KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP634Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP635Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP637Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP63JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP63KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP644Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP645Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP647Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP64JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP64KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP704Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP705Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP707Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP70JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP70KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP734Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP735Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP737Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP73JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP73KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP744Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP745Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP747Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP74JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM LEFT UPPER FEMUR, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP74KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP804Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP805Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP807Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP80JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, OPEN APPROACH	ICD-10-CM
1	Fractures / Falls	OQP80KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP834Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP835Z	PX	REMOVAL OF AUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP837Z	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP83JZ	PX	REMOVAL OF NONAUTOLOGOUS TISSUE SUBSTITUTE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS APPROACH	ICD-10-CM
1	Fractures / Falls	OQP83KZ	PX	REMOVAL OF INTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1	Fractures / Falls	OQP844Z	PX	REMOVAL OF EXTERNAL FIXATION DEVICE FROM RIGHT FEMORAL SHAFT, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

1 Fractures / Falls	OQU93JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OQU94JZ	PX	SUPPLEMENT LEFT FEMORAL SHAFT WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OQUB0JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OQUB3JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OQUB4JZ	PX	SUPPLEMENT RIGHT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OQUC0JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1 Fractures / Falls	OQUC3JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OQUC4JZ	PX	SUPPLEMENT LEFT LOWER FEMUR WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1 Fractures / Falls	OXH23YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT SHOULDER REGION, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	OXH33YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT SHOULDER REGION, PERCUTANEOUS APPROACH	ICD-10-CM
1 Fractures / Falls	E880.0	DX	ACCIDENTAL FALL ON OR FROM ESCALATOR	ICD-9-CM
1 Fractures / Falls	E880.1	DX	ACCIDENTAL FALL ON OR FROM SIDEWALK CURB	ICD-9-CM
1 Fractures / Falls	E880.9	DX	ACCIDENTAL FALL ON OR FROM OTHER STAIRS OR STEPS	ICD-9-CM
1 Fractures / Falls	E881.0	DX	ACCIDENTAL FALL FROM LADDER	ICD-9-CM
1 Fractures / Falls	E881.1	DX	ACCIDENTAL FALL FROM SCAFFOLDING	ICD-9-CM
1 Fractures / Falls	E883.0	DX	ACCIDENT FROM DIVING OR JUMPING INTO WATER (SWIMMING POOL)	ICD-9-CM
1 Fractures / Falls	E883.1	DX	ACCIDENTAL FALL INTO WELL	ICD-9-CM
1 Fractures / Falls	E883.2	DX	ACCIDENTAL FALL INTO STORM DRAIN OR MANHOLE	ICD-9-CM
1 Fractures / Falls	E883.9	DX	ACCIDENTAL FALL INTO OTHER HOLE OR OTHER OPENING IN SURFACE	ICD-9-CM
1 Fractures / Falls	E884.0	DX	ACCIDENTAL FALL FROM PLAYGROUND EQUIPMENT	ICD-9-CM
1 Fractures / Falls	E884.1	DX	ACCIDENTAL FALL FROM CLIFF	ICD-9-CM
1 Fractures / Falls	E884.2	DX	ACCIDENTAL FALL FROM CHAIR	ICD-9-CM
1 Fractures / Falls	E884.3	DX	ACCIDENTAL FALL FROM WHEELCHAIR	ICD-9-CM
1 Fractures / Falls	E884.4	DX	ACCIDENTAL FALL FROM BED	ICD-9-CM
1 Fractures / Falls	E884.5	DX	ACCIDENTAL FALL FROM OTHER FURNITURE	ICD-9-CM
1 Fractures / Falls	E884.6	DX	ACCIDENTAL FALL FROM COMMODE	ICD-9-CM
1 Fractures / Falls	E884.9	DX	OTHER ACCIDENTAL FALL FROM ONE LEVEL TO ANOTHER	ICD-9-CM
1 Fractures / Falls	E885.0	DX	ACCIDENTAL FALL FROM (NONMOTORIZED) SCOOTER	ICD-9-CM
1 Fractures / Falls	E885.1	DX	ACCIDENTAL FALL FROM ROLLER SKATES	ICD-9-CM
1 Fractures / Falls	E885.2	DX	ACCIDENTAL FALL FROM SKATEBOARD	ICD-9-CM
1 Fractures / Falls	E885.3	DX	ACCIDENTAL FALL FROM SKIS	ICD-9-CM
1 Fractures / Falls	E885.4	DX	ACCIDENTAL FALL FROM SNOWBOARD	ICD-9-CM
1 Fractures / Falls	E885.9	DX	ACCIDENTAL FALL FROM OTHER SLIPPING TRIPPING OR STUMBLING	ICD-9-CM
1 Fractures / Falls	E886.0	DX	ACCIDENTAL FALL ON SAME LEVEL FROM COLLISION PUSHING OR SHOVING BY OR WITH OTHER PERSON IN SPORTS	ICD-9-CM
1 Fractures / Falls	E886.9	DX	OTHER AND UNSPECIFIED ACCIDENTAL FALLS ON SAME LEVEL FROM COLLISION	ICD-9-CM
1 Fractures / Falls	E888.0	DX	PUSHING OR SHOVING BY OR WITH OTHER PERSON	ICD-9-CM
1 Fractures / Falls	E888.1	DX	ACCIDENTAL FALL RESULTING IN STRIKING AGAINST SHARP OBJECT	ICD-9-CM
1 Fractures / Falls	E888.8	DX	ACCIDENTAL FALL RESULTING IN STRIKING AGAINST OTHER OBJECT	ICD-9-CM
1 Fractures / Falls	E888.9	DX	OTHER ACCIDENTAL FALL	ICD-9-CM
1 Fractures / Falls	E917.6	DX	UNSPECIFIED ACCIDENTAL FALL	ICD-9-CM
1 Fractures / Falls	E917.7	DX	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY A CROWD BY COLLECTIVE FEAR OR PANIC WITH SUBSEQUENT FALL	ICD-9-CM
1 Fractures / Falls	E917.8	DX	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY FURNITURE WITH SUBSEQUENT FALL	ICD-9-CM
1 Fractures / Falls	E917.9	DX	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OTHER STATIONARY OBJECT WITH SUBSEQUENT FALL	ICD-9-CM
1 Fractures / Falls	E929.3	DX	OTHER ACCIDENT CAUSED BY STRIKING AGAINST OR BEING STRUCK	ICD-9-CM
1 Fractures / Falls	E880	DX	ACCIDENTALLY BY OBJECTS OR PERSONS WITH/WITHOUT SUBSEQUENT FALL	ICD-9-CM
1 Fractures / Falls	E881	DX	LATE EFFECTS OF ACCIDENTAL FALL	ICD-9-CM
1 Fractures / Falls	E882	DX	ACCIDENTAL FALL ON OR FROM STAIRS OR STEPS	ICD-9-CM
1 Fractures / Falls	E883	DX	ACCIDENTAL FALL ON OR FROM LADDERS OR SCAFFOLDING	ICD-9-CM
1 Fractures / Falls	E884	DX	ACCIDENTAL FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	ICD-9-CM
1 Fractures / Falls	E885	DX	ACCIDENTAL FALL INTO HOLE OR OTHER OPENING IN SURFACE	ICD-9-CM
1 Fractures / Falls	E886	DX	OTHER ACCIDENTAL FALLS FROM ONE LEVEL TO ANOTHER	ICD-9-CM
1 Fractures / Falls	E887	DX	ACCIDENTAL FALL ON SAME LEVEL FROM SLIPPING TRIPPING OR STUMBLING	ICD-9-CM
1 Fractures / Falls	V00.01XA	DX	ACCIDENTAL FALL ON SAME LEVEL FROM COLLISION PUSHING OR SHOVING BY OR WITH OTHER PERSON	ICD-9-CM
1 Fractures / Falls	V00.01XD	DX	FRACTURE CAUSE UNSPECIFIED	ICD-9-CM
1 Fractures / Falls	V00.02XA	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH ROLLER-SKATER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.02XD	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH ROLLER-SKATER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.09XA	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH SKATEBOARDER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.09XD	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH SKATEBOARDER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.111A	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH OTHER PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.111D	DX	PEDESTRIAN ON FOOT INJURED IN COLLISION WITH OTHER PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.111S	DX	FALL FROM IN-LINE ROLLER-SKATES, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.112A	DX	FALL FROM IN-LINE ROLLER-SKATES, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.112D	DX	FALL FROM IN-LINE ROLLER-SKATES, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.112S	DX	IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.118A	DX	IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.118D	DX	IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.118S	DX	OTHER IN-LINE ROLLER-SKATE ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.121A	DX	OTHER IN-LINE ROLLER-SKATE ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.121D	DX	OTHER IN-LINE ROLLER-SKATE ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.121S	DX	FALL FROM NON-IN-LINE ROLLER-SKATES, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.122A	DX	FALL FROM NON-IN-LINE ROLLER-SKATES, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.122D	DX	FALL FROM NON-IN-LINE ROLLER-SKATES, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.122S	DX	NON-IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.128A	DX	NON-IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.128D	DX	NON-IN-LINE ROLLER-SKATER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.128S	DX	OTHER NON-IN-LINE ROLLER-SKATING ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.131A	DX	OTHER NON-IN-LINE ROLLER-SKATING ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.131D	DX	OTHER NON-IN-LINE ROLLER-SKATING ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.131S	DX	FALL FROM SKATEBOARD, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.131S	DX	FALL FROM SKATEBOARD, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.131S	DX	FALL FROM SKATEBOARD, SEQUELA	ICD-10-CM

1 Fractures / Falls	V00.132A	DX	SKATEBOARDER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
			SKATEBOARDER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.132D	DX	SKATEBOARDER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.132S	DX	OTHER SKATEBOARD ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.138A	DX	OTHER SKATEBOARD ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.138D	DX	OTHER SKATEBOARD ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.138S	DX	FALL FROM SCOOTER (NONMOTORIZED), INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.141A	DX	FALL FROM SCOOTER (NONMOTORIZED), SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.141D	DX	FALL FROM SCOOTER (NONMOTORIZED), SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.141S	DX	SCOOTER (NONMOTORIZED) COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
			SCOOTER (NONMOTORIZED) COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.142A	DX	SCOOTER (NONMOTORIZED) COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.142D	DX	OTHER SCOOTER (NONMOTORIZED) ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.142S	DX	OTHER SCOOTER (NONMOTORIZED) ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.148A	DX	OTHER SCOOTER (NONMOTORIZED) ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.148D	DX	FALL FROM HEELIES, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.148S	DX	FALL FROM HEELIES, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.151A	DX	FALL FROM HEELIES, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.151D	DX	HEELIES COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.151S	DX	HEELIES COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.152A	DX	HEELIES COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.152D	DX	OTHER HEELIES ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.152S	DX	OTHER HEELIES ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.158A	DX	OTHER HEELIES ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.158D	DX		ICD-10-CM
1 Fractures / Falls	V00.158S	DX		ICD-10-CM
1 Fractures / Falls	V00.181A	DX	FALL FROM OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
			FALL FROM OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.181D	DX	FALL FROM OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.181S	DX	PEDESTRIAN ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.182A	DX	PEDESTRIAN ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.182D	DX	PEDESTRIAN ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.182S	DX	OTHER ACCIDENT ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.188A	DX	OTHER ACCIDENT ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.188D	DX	OTHER ACCIDENT ON OTHER ROLLING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.188S	DX	FALL FROM ICE-SKATES, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.211A	DX	FALL FROM ICE-SKATES, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.211D	DX	FALL FROM ICE-SKATES, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.211S	DX	ICE-SKATER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.212A	DX	ICE-SKATER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.212D	DX	ICE-SKATER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.212S	DX	OTHER ICE-SKATES ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.218A	DX	OTHER ICE-SKATES ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.218D	DX	OTHER ICE-SKATES ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.218S	DX	FALL FROM SLED, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.221A	DX	FALL FROM SLED, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.221D	DX	FALL FROM SLED, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.221S	DX	SLEDDER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.222A	DX	SLEDDER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.222D	DX	SLEDDER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.222S	DX	OTHER SLED ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.228A	DX	OTHER SLED ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.228D	DX	OTHER SLED ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.228S	DX		ICD-10-CM
1 Fractures / Falls	V00.281A	DX	FALL FROM OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
			FALL FROM OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.281D	DX	FALL FROM OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.281S	DX	PEDESTRIAN ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.282A	DX	PEDESTRIAN ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.282D	DX	PEDESTRIAN ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.282S	DX	OTHER ACCIDENT ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.288A	DX	OTHER ACCIDENT ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.288D	DX	OTHER ACCIDENT ON OTHER GLIDING-TYPE PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.288S	DX	FALL FROM SNOWBOARD, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.311A	DX	FALL FROM SNOWBOARD, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.311D	DX	FALL FROM SNOWBOARD, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.311S	DX	SNOWBOARDER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.312A	DX	SNOWBOARDER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.312D	DX	SNOWBOARDER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.318A	DX	OTHER SNOWBOARD ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.318D	DX	OTHER SNOWBOARD ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.318S	DX	OTHER SNOWBOARD ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.321A	DX	FALL FROM SNOW-SKIS, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.321D	DX	FALL FROM SNOW-SKIS, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.321S	DX	FALL FROM SNOW-SKIS, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.322A	DX	SNOW-SKIER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.322D	DX	SNOW-SKIER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.322S	DX	SNOW-SKIER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.328A	DX	OTHER SNOW-SKI ACCIDENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.328D	DX	OTHER SNOW-SKI ACCIDENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.328S	DX	OTHER SNOW-SKI ACCIDENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.381A	DX	FALL FROM OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
			FALL FROM OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.381D	DX	FALL FROM OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.381S	DX	PEDESTRIAN ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.382A	DX	PEDESTRIAN ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.382D	DX		ICD-10-CM

1 Fractures / Falls	V00.382S	DX	PEDESTRIAN ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.388A	DX	OTHER ACCIDENT ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.388D	DX	OTHER ACCIDENT ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.388S	DX	OTHER ACCIDENT ON OTHER FLAT-BOTTOMED PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.811A	DX	FALL FROM MOVING WHEELCHAIR (POWERED), INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.811D	DX	FALL FROM MOVING WHEELCHAIR (POWERED), SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.811S	DX	FALL FROM MOVING WHEELCHAIR (POWERED), SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.812A	DX	WHEELCHAIR (POWERED) COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.812D	DX	WHEELCHAIR (POWERED) COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.812S	DX	WHEELCHAIR (POWERED) COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.818A	DX	OTHER ACCIDENT WITH WHEELCHAIR (POWERED), INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.818D	DX	OTHER ACCIDENT WITH WHEELCHAIR (POWERED), SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.818S	DX	OTHER ACCIDENT WITH WHEELCHAIR (POWERED), SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.821A	DX	FALL FROM BABY STROLLER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.821D	DX	FALL FROM BABY STROLLER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.821S	DX	FALL FROM BABY STROLLER, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.822A	DX	BABY STROLLER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.822D	DX	BABY STROLLER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.822S	DX	BABY STROLLER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.828A	DX	OTHER ACCIDENT WITH BABY STROLLER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.828D	DX	OTHER ACCIDENT WITH BABY STROLLER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.828S	DX	OTHER ACCIDENT WITH BABY STROLLER, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.831A	DX	FALL FROM MOTORIZED MOBILITY SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.831D	DX	FALL FROM MOTORIZED MOBILITY SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.831S	DX	FALL FROM MOTORIZED MOBILITY SCOOTER, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.832A	DX	MOTORIZED MOBILITY SCOOTER COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.832D	DX	MOTORIZED MOBILITY SCOOTER COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.832S	DX	MOTORIZED MOBILITY SCOOTER COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.838A	DX	OTHER ACCIDENT WITH MOTORIZED MOBILITY SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.838D	DX	OTHER ACCIDENT WITH MOTORIZED MOBILITY SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.838S	DX	OTHER ACCIDENT WITH MOTORIZED MOBILITY SCOOTER, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.891A	DX	FALL FROM OTHER PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.891D	DX	FALL FROM OTHER PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.891S	DX	FALL FROM OTHER PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.892A	DX	PEDESTRIAN ON OTHER PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.892D	DX	PEDESTRIAN ON OTHER PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.892S	DX	PEDESTRIAN ON OTHER PEDESTRIAN CONVEYANCE COLLIDING WITH STATIONARY OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	V00.898A	DX	OTHER ACCIDENT ON OTHER PEDESTRIAN CONVEYANCE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.898D	DX	OTHER ACCIDENT ON OTHER PEDESTRIAN CONVEYANCE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	V00.898S	DX	OTHER ACCIDENT ON OTHER PEDESTRIAN CONVEYANCE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W00.0XXA	DX	FALL ON SAME LEVEL DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.0XXD	DX	FALL ON SAME LEVEL DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.0XXS	DX	FALL ON SAME LEVEL DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
1 Fractures / Falls	W00.1XXA	DX	FALL FROM STAIRS AND STEPS DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.1XXD	DX	FALL FROM STAIRS AND STEPS DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.1XXS	DX	FALL FROM STAIRS AND STEPS DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
1 Fractures / Falls	W00.2XXA	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.2XXD	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.2XXS	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
1 Fractures / Falls	W00.9XXA	DX	UNSPECIFIED FALL DUE TO ICE AND SNOW, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.9XXD	DX	UNSPECIFIED FALL DUE TO ICE AND SNOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W00.9XXS	DX	UNSPECIFIED FALL DUE TO ICE AND SNOW, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.0XXA	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.0XXD	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.0XXS	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.10XA	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.10XD	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.10XS	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.110A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST SHARP GLASS, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.110D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST SHARP GLASS, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.110S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST SHARP GLASS, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.111A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST POWER TOOL OR MACHINE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.111D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST POWER TOOL OR MACHINE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.111S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST POWER TOOL OR MACHINE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.118A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER SHARP OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.118D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER SHARP OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.118S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER SHARP OBJECT, SEQUELA	ICD-10-CM

1 Fractures / Falls	W01.119A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED SHARP OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.119D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED SHARP OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.119S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST UNSPECIFIED SHARP OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.190A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST FURNITURE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.190D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST FURNITURE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.190S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST FURNITURE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W01.198A	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.198D	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W01.198S	DX	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING AND STUMBLING WITH SUBSEQUENT STRIKING AGAINST OTHER OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W03.XXXA	DX	OTHER FALL ON SAME LEVEL DUE TO COLLISION WITH ANOTHER PERSON, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W03.XXXD	DX	OTHER FALL ON SAME LEVEL DUE TO COLLISION WITH ANOTHER PERSON, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W03.XXXS	DX	OTHER FALL ON SAME LEVEL DUE TO COLLISION WITH ANOTHER PERSON, SEQUELA	ICD-10-CM
1 Fractures / Falls	W04.XXXA	DX	FALL WHILE BEING CARRIED OR SUPPORTED BY OTHER PERSONS, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W04.XXXD	DX	FALL WHILE BEING CARRIED OR SUPPORTED BY OTHER PERSONS, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W04.XXXS	DX	FALL WHILE BEING CARRIED OR SUPPORTED BY OTHER PERSONS, SEQUELA	ICD-10-CM
1 Fractures / Falls	W05.0XXA	DX	FALL FROM NON-MOVING WHEELCHAIR, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W05.0XXD	DX	FALL FROM NON-MOVING WHEELCHAIR, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W05.0XXS	DX	FALL FROM NON-MOVING WHEELCHAIR, SEQUELA	ICD-10-CM
1 Fractures / Falls	W05.1XXA	DX	FALL FROM NON-MOVING NONMOTORIZED SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W05.1XXD	DX	FALL FROM NON-MOVING NONMOTORIZED SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W05.1XXS	DX	FALL FROM NON-MOVING NONMOTORIZED SCOOTER, SEQUELA	ICD-10-CM
1 Fractures / Falls	W05.2XXA	DX	FALL FROM NON-MOVING MOTORIZED MOBILITY SCOOTER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W05.2XXD	DX	FALL FROM NON-MOVING MOTORIZED MOBILITY SCOOTER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W05.2XXS	DX	FALL FROM NON-MOVING MOTORIZED MOBILITY SCOOTER, SEQUELA	ICD-10-CM
1 Fractures / Falls	W06.XXXA	DX	FALL FROM BED, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W06.XXXD	DX	FALL FROM BED, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W06.XXXS	DX	FALL FROM BED, SEQUELA	ICD-10-CM
1 Fractures / Falls	W07.XXXA	DX	FALL FROM CHAIR, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W07.XXXD	DX	FALL FROM CHAIR, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W07.XXXS	DX	FALL FROM CHAIR, SEQUELA	ICD-10-CM
1 Fractures / Falls	W08.XXXA	DX	FALL FROM OTHER FURNITURE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W08.XXXD	DX	FALL FROM OTHER FURNITURE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W08.XXXS	DX	FALL FROM OTHER FURNITURE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W09.0XXA	DX	FALL ON OR FROM PLAYGROUND SLIDE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.0XXD	DX	FALL ON OR FROM PLAYGROUND SLIDE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.0XXS	DX	FALL ON OR FROM PLAYGROUND SLIDE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W09.1XXA	DX	FALL FROM PLAYGROUND SWING, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.1XXD	DX	FALL FROM PLAYGROUND SWING, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.1XXS	DX	FALL FROM PLAYGROUND SWING, SEQUELA	ICD-10-CM
1 Fractures / Falls	W09.2XXA	DX	FALL ON OR FROM JUNGLE GYM, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.2XXD	DX	FALL ON OR FROM JUNGLE GYM, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.2XXS	DX	FALL ON OR FROM JUNGLE GYM, SEQUELA	ICD-10-CM
1 Fractures / Falls	W09.8XXA	DX	FALL ON OR FROM OTHER PLAYGROUND EQUIPMENT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.8XXD	DX	FALL ON OR FROM OTHER PLAYGROUND EQUIPMENT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W09.8XXS	DX	FALL ON OR FROM OTHER PLAYGROUND EQUIPMENT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W10.0XXA	DX	FALL (ON)(FROM) ESCALATOR, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.0XXD	DX	FALL (ON)(FROM) ESCALATOR, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.0XXS	DX	FALL (ON)(FROM) ESCALATOR, SEQUELA	ICD-10-CM
1 Fractures / Falls	W10.1XXA	DX	FALL (ON)(FROM) SIDEWALK CURB, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.1XXD	DX	FALL (ON)(FROM) SIDEWALK CURB, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.1XXS	DX	FALL (ON)(FROM) SIDEWALK CURB, SEQUELA	ICD-10-CM
1 Fractures / Falls	W10.2XXA	DX	FALL (ON)(FROM) INCLINE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.2XXD	DX	FALL (ON)(FROM) INCLINE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.2XXS	DX	FALL (ON)(FROM) INCLINE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W10.8XXA	DX	FALL (ON) (FROM) OTHER STAIRS AND STEPS, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.8XXD	DX	FALL (ON) (FROM) OTHER STAIRS AND STEPS, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.8XXS	DX	FALL (ON) (FROM) OTHER STAIRS AND STEPS, SEQUELA	ICD-10-CM
1 Fractures / Falls	W10.9XXA	DX	FALL (ON) (FROM) UNSPECIFIED STAIRS AND STEPS, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.9XXD	DX	FALL (ON) (FROM) UNSPECIFIED STAIRS AND STEPS, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W10.9XXS	DX	FALL (ON) (FROM) UNSPECIFIED STAIRS AND STEPS, SEQUELA	ICD-10-CM
1 Fractures / Falls	W11.XXXA	DX	FALL ON AND FROM LADDER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W11.XXXD	DX	FALL ON AND FROM LADDER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W11.XXXS	DX	FALL ON AND FROM LADDER, SEQUELA	ICD-10-CM
1 Fractures / Falls	W12.XXXA	DX	FALL ON AND FROM SCAFFOLDING, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W12.XXXD	DX	FALL ON AND FROM SCAFFOLDING, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W12.XXXS	DX	FALL ON AND FROM SCAFFOLDING, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.0XXA	DX	FALL FROM, OUT OF OR THROUGH BALCONY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.0XXD	DX	FALL FROM, OUT OF OR THROUGH BALCONY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.0XXS	DX	FALL FROM, OUT OF OR THROUGH BALCONY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.1XXA	DX	FALL FROM, OUT OF OR THROUGH BRIDGE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.1XXD	DX	FALL FROM, OUT OF OR THROUGH BRIDGE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.1XXS	DX	FALL FROM, OUT OF OR THROUGH BRIDGE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.2XXA	DX	FALL FROM, OUT OF OR THROUGH ROOF, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.2XXD	DX	FALL FROM, OUT OF OR THROUGH ROOF, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.2XXS	DX	FALL FROM, OUT OF OR THROUGH ROOF, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.3XXA	DX	FALL THROUGH FLOOR, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.3XXD	DX	FALL THROUGH FLOOR, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.3XXS	DX	FALL THROUGH FLOOR, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.4XXA	DX	FALL FROM, OUT OF OR THROUGH WINDOW, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.4XXD	DX	FALL FROM, OUT OF OR THROUGH WINDOW, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.4XXS	DX	FALL FROM, OUT OF OR THROUGH WINDOW, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.8XXA	DX	FALL FROM, OUT OF OR THROUGH OTHER BUILDING OR STRUCTURE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.8XXD	DX	FALL FROM, OUT OF OR THROUGH OTHER BUILDING OR STRUCTURE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W13.8XXS	DX	FALL FROM, OUT OF OR THROUGH OTHER BUILDING OR STRUCTURE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W13.9XXA	DX	FALL FROM, OUT OF OR THROUGH BUILDING, NOT OTHERWISE SPECIFIED, INITIAL ENCOUNTER	ICD-10-CM

[illegible]

[illegible]

1 Fractures / Falls	W16.711S	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.712A	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.712D	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.712S	DX	JUMPING OR DIVING FROM BOAT STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.721A	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.721D	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.721S	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.722A	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.722D	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.722S	DX	JUMPING OR DIVING FROM BOAT STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.811A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.811D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.811S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.812A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.812D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.812S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WATER SURFACE CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.821A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.821D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.821S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.822A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.822D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.822S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING BOTTOM CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.831A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.831D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.831S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.832A	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.832D	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.832S	DX	JUMPING OR DIVING INTO OTHER WATER STRIKING WALL CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.91XA	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.91XD	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.91XS	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING DROWNING AND SUBMERSION, SEQUELA	ICD-10-CM
1 Fractures / Falls	W16.92XA	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING OTHER INJURY, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.92XD	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING OTHER INJURY, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W16.92XS	DX	JUMPING OR DIVING INTO UNSPECIFIED WATER CAUSING OTHER INJURY, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.0XXA	DX	FALL INTO WELL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.0XXD	DX	FALL INTO WELL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.0XXS	DX	FALL INTO WELL, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.1XXA	DX	FALL INTO STORM DRAIN OR MANHOLE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.1XXD	DX	FALL INTO STORM DRAIN OR MANHOLE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.1XXS	DX	FALL INTO STORM DRAIN OR MANHOLE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.2XXA	DX	FALL INTO HOLE, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.2XXD	DX	FALL INTO HOLE, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.2XXS	DX	FALL INTO HOLE, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.3XXA	DX	FALL INTO EMPTY SWIMMING POOL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.3XXD	DX	FALL INTO EMPTY SWIMMING POOL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.3XXS	DX	FALL INTO EMPTY SWIMMING POOL, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.4XXA	DX	FALL FROM DOCK, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.4XXD	DX	FALL FROM DOCK, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.4XXS	DX	FALL FROM DOCK, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.81XA	DX	FALL DOWN EMBANKMENT (HILL), INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.81XD	DX	FALL DOWN EMBANKMENT (HILL), SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.81XS	DX	FALL DOWN EMBANKMENT (HILL), SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.82XA	DX	FALL FROM (OUT OF) GROCERY CART, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.82XD	DX	FALL FROM (OUT OF) GROCERY CART, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.82XS	DX	FALL FROM (OUT OF) GROCERY CART, SEQUELA	ICD-10-CM
1 Fractures / Falls	W17.89XA	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.89XD	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W17.89XS	DX	OTHER FALL FROM ONE LEVEL TO ANOTHER, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.00XA	DX	STRIKING AGAINST UNSPECIFIED OBJECT WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.00XD	DX	STRIKING AGAINST UNSPECIFIED OBJECT WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.00XS	DX	STRIKING AGAINST UNSPECIFIED OBJECT WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.01XA	DX	STRIKING AGAINST SPORTS EQUIPMENT WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.01XD	DX	STRIKING AGAINST SPORTS EQUIPMENT WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.01XS	DX	STRIKING AGAINST SPORTS EQUIPMENT WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.02XA	DX	STRIKING AGAINST GLASS WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.02XD	DX	STRIKING AGAINST GLASS WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.02XS	DX	STRIKING AGAINST GLASS WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM

1 Fractures / Falls	W18.09XA	DX	STRIKING AGAINST OTHER OBJECT WITH SUBSEQUENT FALL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.09XD	DX	STRIKING AGAINST OTHER OBJECT WITH SUBSEQUENT FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.09XS	DX	STRIKING AGAINST OTHER OBJECT WITH SUBSEQUENT FALL, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.11XA	DX	FALL FROM OR OFF TOILET WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.11XD	DX	FALL FROM OR OFF TOILET WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.11XS	DX	FALL FROM OR OFF TOILET WITHOUT SUBSEQUENT STRIKING AGAINST OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.12XA	DX	FALL FROM OR OFF TOILET WITH SUBSEQUENT STRIKING AGAINST OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.12XD	DX	FALL FROM OR OFF TOILET WITH SUBSEQUENT STRIKING AGAINST OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.12XS	DX	FALL FROM OR OFF TOILET WITH SUBSEQUENT STRIKING AGAINST OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.2XXA	DX	FALL IN (INTO) SHOWER OR EMPTY BATHTUB, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.2XXD	DX	FALL IN (INTO) SHOWER OR EMPTY BATHTUB, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.2XXS	DX	FALL IN (INTO) SHOWER OR EMPTY BATHTUB, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.30XA	DX	FALL ON SAME LEVEL, UNSPECIFIED, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.30XD	DX	FALL ON SAME LEVEL, UNSPECIFIED, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.30XS	DX	FALL ON SAME LEVEL, UNSPECIFIED, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.31XA	DX	FALL ON SAME LEVEL DUE TO STEPPING ON AN OBJECT, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.31XD	DX	FALL ON SAME LEVEL DUE TO STEPPING ON AN OBJECT, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.31XS	DX	FALL ON SAME LEVEL DUE TO STEPPING ON AN OBJECT, SEQUELA	ICD-10-CM
1 Fractures / Falls	W18.39XA	DX	OTHER FALL ON SAME LEVEL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.39XD	DX	OTHER FALL ON SAME LEVEL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W18.39XS	DX	OTHER FALL ON SAME LEVEL, SEQUELA	ICD-10-CM
1 Fractures / Falls	W19.XXXA	DX	UNSPECIFIED FALL, INITIAL ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W19.XXXD	DX	UNSPECIFIED FALL, SUBSEQUENT ENCOUNTER	ICD-10-CM
1 Fractures / Falls	W19.XXXS	DX	UNSPECIFIED FALL, SEQUELA	ICD-10-CM

Category	Subcategory	ICD	Validation source	Type of the source	PPV	Codes in the study	Codes in the emulation	Modification	Description of Modifications	Notes
Deep vein thrombosis		ICD-9-CM	Investigator review based on: https://onlinelibrary.wiley.com/doi/abs/10.1002/pds.2341 https://pmc.ncbi.nlm.nih.gov/articles/PMC1524594/ Investigator review based on: https://www.sciencedirect.com/science/article/pii/S26665727230000251 https://www.bendfonline.com/doi/full/10.1080/03009742.2021.2001907	Systematic review		96.00% ICD-9	ICD-9	Yes	Added: 451.1, 451.84, 453.3, 453.4, 453.40, 453.41, 453.42, 453.82, 453.83, 453.84, 453.85, 453.86, 453.87, 453.89, 453.9	
		ICD-10-CM	https://pmc.ncbi.nlm.nih.gov/articles/PMC1524594/ Investigator review based on: https://www.sciencedirect.com/science/article/pii/S26665727230000251 https://www.bendfonline.com/doi/full/10.1080/03009742.2021.2001907	Systematic review		86.00% ICD-10	ICD-10	Yes	Excluded codes for chronic thromboses, I80.0% (superficial thromboses)	
		ICD-10-CM	https://www.sciencedirect.com/science/article/pii/S26665727230000251 Investigator review based on: https://pubmed.ncbi.nlm.nih.gov/22762602/ https://pmc.ncbi.nlm.nih.gov/articles/PMC1525903/ Investigator review based on: https://www.sciencedirect.com/science/article/pii/S26665727230000251#appsec1 https://www.ijjournal.org/article/S1538-7836(24)00620-2/abstract	Study w/ same criteria	N/A	ICD-10	ICD-10	Yes	Excluded codes 180.0% (superficial thromboses)	
Pulmonary embolism		ICD-9-CM	https://pubmed.ncbi.nlm.nih.gov/22762602/ https://pmc.ncbi.nlm.nih.gov/articles/PMC1525903/ Investigator review based on: https://www.sciencedirect.com/science/article/pii/S26665727230000251#appsec1 https://www.ijjournal.org/article/S1538-7836(24)00620-2/abstract	Systematic review		89.10% ICD-9	ICD-9-CM, ICD-10-CM	Yes		
		ICD-10-CM	Investigator review of codes based on: https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 Investigator review of codes based on: https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015	Systematic review	91%, 92.10%	ICD-10				
Negative control: Fractures/ falls	Fractures	ICD-9-CM, ICD-10-CM	Investigator review of codes based on: https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 Investigator review of codes based on: https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015	Study w/ same criteria						
	Falls	ICD-9-CM, ICD-10-CM	Investigator review of codes based on: https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 Investigator review of codes based on: https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015 https://dev.sentinel-system.org/projects/AP/repos/sentinel-analytic-packages/browse?at=refs%2Fheads%2Foder_mpi2p_wp015	Study w/ same criteria						
Confirmed acute symptomatic proximal DVT without symptomatic PE		ICD-9-PCS, ICD-10-PCS, CPT	https://pubmed.ncbi.nlm.nih.gov/22762602/ https://pmc.ncbi.nlm.nih.gov/articles/PMC1525903/ https://www.sciencedirect.com/science/article/pii/S26665727230000251#appsec1 https://www.ijjournal.org/article/S1538-7836(24)00620-2/abstract	Systematic review Validation study	24% - 92% 74.90%	ICD-9 ICD-10	ICD-9-CM, ICD-10-CM	Yes	Using codes for acute and proximal DVT	N/A
Legal lower age limitations Thrombectomy, insertion of a caval filter, or use of a fibrinolytic agent to treat the current episode of DVT or PE		N/A	Can't be validated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		ICD-10-CM, ICD-9-PCS, ICD-10-PCS, HCPCS, CPT	https://www.spronomedical.com/wp-content/uploads/2022/10/IVC-Filter.pdf ; Investigator reviewed codes	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Other indications for VKA than DVT and/or PE More than 48 hours pre-randomization treatment with therapeutic dosages of anti-coagulant treatment or more than a single dose of VKA prior to randomization		ICD-9-CM, ICD-10-CM, CPT	https://www.accessdata.fda.gov/drugsatfda_docs/label/2011/009218s1070d.pdf	N/A	N/A	N/A	N/A	Yes	N/A Added codeset for treatment indications with VKA written down in the labeling for Warfarin	N/A
		N/A	Not replicated	N/A	N/A	N/A	N/A	Yes	N/A	N/A
Participation in another pharmacotherapeutic study within 30 days	Chronic Kidney Disease (CKD) - Stage IV and V	N/A	Not replicated	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Creatinine clearance <30 ml/min		ICD-9-CM	Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data	Validation study	585.5	585.4 585.5	No	N/A	N/A	N/A
		ICD-10-CM	Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data	Validation study	N18.4	N18.4 N18.5	No	N/A	N/A	N/A
ESRD		ICD-9-CM	Kidney Failure and ESRD in the Atherosclerosis Risk in Communities (ARIC) Study: Comparing Ascertainment of Treated and Untreated Kidney Failure in a Cohort Study	Study w/ same criteria	403.01 403.91 585.6	403.01 403.11 403.91 404.03 404.13 404.93 585.6	Yes	Added: 403.11 Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or end stage renal disease, 404.03 Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage renal disease, 404.13 Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disease, 404.93 Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal disease	Codes indicate stage V or end-stage renal disease (ESRD)	
		ICD-10-CM	Kidney Failure and ESRD in the Atherosclerosis Risk in Communities (ARIC) Study: Comparing Ascertainment of Treated and Untreated Kidney Failure in a Cohort Study	Study w/ same criteria	I12.0 I12.6	I12.0 I12.2 I12.6	Yes	Added: I13.2 Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease	Codes indicate stage V or end-stage renal disease (ESRD)	
Hemodialysis/Peritoneal Dialysis		ICD-9-CM ICD-10-CM	Developing and validating an algorithm to identify incident chronic dialysis patients using administrative data PROMISE Team	Study w/ same criteria DoPE		Diagnosis V45.1 Post-surgical renal dialysis status V45.11 Renal dialysis status V45.12 Noncompliance with renal dialysis V56 Encounter for dialysis and dialysis catheter care V56.0 Encounter for extracorporeal dialysis V56.1 Fitting and adjustment of extracorporeal dialysis catheter V56.2 Fitting and adjustment of peritoneal dialysis catheter V56.31 Encounter for adequacy testing for hemodialysis V56.8 Encounter for other dialysis 792.5 Cloudy (hemodialysis) (peritoneal) dialysis effluent 996.56 Mechanical complication due to peritoneal dialysis catheter infection and inflammatory reaction due to peritoneal dialysis catheter 996.73 Other complications due to renal dialysis device, implant, and graft E87.91 Kidney dialysis as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at time of procedure Procedure 39.95 54.98	Yes	Added: V45.11 Renal dialysis status, V45.12 Noncompliance with renal dialysis, 792.5 Cloudy (hemodialysis) (peritoneal) dialysis effluent, 996.56 Mechanical complication due to peritoneal dialysis catheter, 996.68 Infection and inflammatory reaction due to peritoneal dialysis catheter, 996.73 Other complications due to renal dialysis device, implant, and graft, E87.91 Kidney dialysis as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at time of procedure, Procedure	Codes indicate the presence of dialysis and its complications	
		ICD-9-CM	PROMISE Team	DoPE			Yes	Added: 55.53 Removal of transplanted or rejected kidney, 55.61 Renal autotransplantation Added: 01S00ZZ Reposition Right Kidney, Open Approach, 01S10ZZ Reposition Left Kidney, Open Approach, 50370 Removal of transplanted renal allograft, 50380 Renal autotransplantation, reimplantation of kidney	Codes indicate repositioning, transplantation, or autotransplantation of kidneys, which fit the criteria for renal transplantation	
Significant liver disease (e.g. acute hepatitis, chronic active hepatitis, cirrhosis) or ALAT>3x ULN	Hepatic Encephalopathy/Coma	ICD-10-CM	PROMISE Team	DoPE			Yes			
		ICD-9-CM	N/A	N/A						

[illegible]

Flowchart for Cohort Assembly*

Link to Aetion reports:

CMS

<https://bwh-dope.aetion.com/substantiate/project/3094/cohort/79897/155859/comparative/basics>

OPTUM

<https://bwh-dope.aetion.com/substantiate/project/3095/cohort/79898/155860/comparative/basics>

MarketScan

<https://bwh-dope.aetion.com/substantiate/project/3093/cohort/79896/155858/comparative/basics>

Date conducted:

5/11/26

5/11/26

5/11/26

	Optum		Marketscan		CMS	
	Less Excluded Patients	Remaining Patients	Less Excluded Patients	Remaining Patients	Less Excluded Patients	Remaining Patients
All patients		97,451,572		126,118,011		16,028,063
Did not meet cohort entry criteria		1,073,507		1,108,468		5,970,911
Excluded due to Insufficient enrollment	-251,286 (23%)	822,221	98,276 (36%)	710,192	0,407 (37%)	3,780,504
Excluded due to prior use of referent	-436,086 (53%)	386,135	25,205 (46%)	384,987	73,443 (55%)	1,707,061
Excluded due to prior use of exposure	-192,841 (50%)	193,294	02,793 (53%)	182,194	35,496 (52%)	821,565
Excluded because patient qualified in >1 exposure category	-15 (<1%)	193,279	-23 (<1%)	182,171	-169 (<1%)	821,396
Excluded based on Incl 1a - Deep vein thrombosis	-144,163 (75%)	49,116	133,153 (73%)	49,018	21,701 (76%)	199,695
Excluded based on Incl 1b - Absence of pulmonary embolism	-2,159 (4%)	46,957	-1,780 (4%)	47,238	-8,401 (4%)	191,294
Excluded based on Excl 1 - Age	-19 (<1%)	46,938	-51 (<1%)	47,187	-1 (<1%)	191,293
Excluded based on Gender	-4 (<1%)	46,934	-2 (<1%)	47,185	-0 (<1%)	191,293
Excluded based on Excl 2 - Thrombectomy, insertion of a caval filter, or use of a fibrinolytic agent to treat the current episode	-417 (<1%)	46,517	-308 (<1%)	46,877	-1,840 (<1%)	189,453
Excluded based on Excl 3 - Other indication for use of VKA	-2,187 (5%)	44,330	-1,234 (3%)	45,643	-14,138 (7%)	175,315
Excluded based on Excl 6 - Creatinin clearance < 30 ml/min	-1,243 (3%)	43,087	-745 (2%)	44,898	-7,581 (4%)	167,734
Excluded based on Excl 7 - Substantial liver disease	-473 (1%)	42,614	-379 (<1%)	44,519	-2,034 (1%)	165,700
Excluded based on Excl 8 - Bacterial endocarditis	-41 (<1%)	42,573	-27 (<1%)	44,492	-214 (<1%)	165,486
Excluded based on Excl 9 - Life expectancy	-242 (<1%)	42,331	-136 (<1%)	44,356	-722 (<1%)	164,764
Excluded based on Excl 10 - Active bleeding or high risk for bleeding contraindicating treatment with enoxaparin, warfarin, or other oral anticoagulant	-1,526 (4%)	40,805	-1,344 (3%)	43,012	-6,540 (4%)	158,224
Excluded based on Excl 11 - Systolic blood pressure greater than 180 mm Hg or diastolic blood pressure greater than 110 mm Hg	-74 (<1%)	40,731	-55 (<1%)	42,957	-418 (<1%)	157,806
Excluded based on Excl 12 - Pregnant or breastfeeding	-124 (<1%)	40,607	-207 (<1%)	42,750	-138 (<1%)	157,668
Excluded based on Excl 14 - Use of CYP3A4 Inhibitor or Inducer	-65 (<1%)	40,542	-69 (<1%)	42,681	-385 (<1%)	157,283
Patients in Exposure Group		18,628		28,316		74,930
Patients in Referent Group		21,914		14,365		82,353
Total Patients		40,542		42,681		157,283

*Prior to inferential analyses, cohorts will undergo an additional comprehensive quality-control review; therefore, cohort counts may be subject to changes.

Appendix 4. 1st Feasibility Assessment

Table of Contents

- A. Patient characteristics by treatment group
B. Summary Parameters of Study Population
C. Median Follow up Time in Overall Study Population
D. Reasons for Censoring in Overall Study Population
E. Initial Power Assessment
F. Action Report Links
G. Review by Principal Investigator and FDA

In order to complete the initial power analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the comparative risks of the outcomes of interest are available at this stage. We completed a 1:1 PS-matched comparative analysis using this outcome. The PS included only 3 covariates: age, sex, and combined comorbidity index.

Optum: Study period between (Jul 01, 2011 and Mar 31, 2020)
Marketscan: Study period between (Jul 01, 2011 and Mar 31, 2020)
Medicare: Study period between (Jul 01, 2011 and Mar 31, 2020)

A. Patient characteristics by treatment group (we start 1 days after CED, so we drop few patients and hence table 1 number patients are little different than the attrition table)

UNMATCHED	Optum			Marketscan			Medicare		
Variable	Reference - Warfarin	Exposure - Rivaroxaban	Difference	Comparator - Warfarin	Exposure - Rivaroxaban	Difference	Reference - Warfarin	Exposure - Rivaroxaban	Difference
Number of patients	21,401	18,323	- (-, -)	14,204	28,203	- (-, -)	80,463	73,889	- (-, -)
Age									
_mean (std)	63.02 (13.82)	60.45 (14.85)	2.56 (2.28, 2.85)	58.68 (15.39)	55.69 (14.52)	2.99 (2.69, 3.29)	72.85 (12.95)	72.29 (12.22)	0.56 (0.43, 0.68)
_median [IQR]	66.00 [54.00, 75.00]	62.00 [50.00, 73.00]	- (-, -)	58.00 [49.00, 68.00]	56.00 [47.00, 63.00]	- (-, -)	74.00 [67.00, 82.00]	73.00 [67.00, 80.00]	- (-, -)
_Missing: n (%)				2 (0.0%)	3 (0.0%)	0.0% (-0.0%, 0.0%)	75 (0.1%)	40 (0.1%)	0.0% (0.0%, 0.1%)
Gender without unknown									
_Male n (%)	10,414 (48.7%)	9,451 (51.6%)	-2.9% (-3.9%, -1.9%)	7,344 (51.7%)	15,141 (53.7%)	-2.0% (-3.0%, -1.0%)	31,095 (38.6%)	29,837 (40.4%)	-1.7% (-2.2%, -1.2%)
CCI (665 days)-ICD9 and ICD10									
_mean (std)	1.68 (2.49)	1.54 (2.45)	0.13 (0.09, 0.18)	1.25 (2.20)	1.06 (2.14)	0.19 (0.15, 0.24)	2.05 (2.50)	1.92 (2.51)	0.13 (0.10, 0.15)
_median [IQR]	1.00 [0.00, 3.00]	1.00 [0.00, 2.00]	- (-, -)	0.00 [0.00, 2.00]	0.00 [0.00, 2.00]	- (-, -)	1.00 [0.00, 3.00]	1.00 [0.00, 3.00]	- (-, -)

B. Summary Parameters of Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Variable	Value	Value	Value
Number of patients in full cohort	40,542	42,681	157,283
Number of patients dropped as incomplete cases	0.00	0.00	0.00
Number of patients that did not begin follow-up	818	274	2,931
Number of patients in analytic cohort	39,724	42,407	154,352
Number of events	574	658	2,466
Number of person-years	11,170.85	12,110.87	46,527.62
Number of patients in group: Reference - Warfarin	21,401	14,204	80,463
Number of patients in group: Exposure - Rivaroxaban	18,323	28,203	73,889
Risk per 1,000 patients	14.45	15.52	15.98
Rate per 1,000 person-years	51.38	54.33	53

C. Median Follow up Time in Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Patient Group	Median Follow-Up Time (Days) [IQR]	Median Follow-Up Time (Days) [IQR]	Median Follow-Up Time (Days) [IQR]
Overall Patient Population	72 [38, 138]	73 [38, 140]	78 [38, 155]

D. Reasons for Censoring in Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Overall	Value	Value	Value
Outcome	574 (1.4%)	658 (1.6%)	2,466 (1.6%)
Death	362 (0.9%)	93 (0.2%)	4,027 (2.6%)
Start of an additional exposure	1,223 (3.1%)	1,504 (3.5%)	5,264 (3.4%)
End of index exposure (0 days risk, grace windows)	29,171 (73.4%)	32,312 (76.2%)	108,605 (70.4%)
Maximum follow-up time (365 days)	1,735 (4.4%)	1,982 (4.7%)	9,213 (6.0%)
Specified date reached	1,129 (2.8%)	1,096 (2.6%)	2,696 (1.7%)
End of patient enrollment	2,278 (5.7%)	3,650 (8.6%)	2,505 (1.6%)
Nursing home admission/Other OACs	3,252 (8.2%)	1,112 (2.6%)	19,576 (12.7%)

Matched number	Optum	Marketscan	Medicare
Exposure	23,257	14,332	73,817
Reference	23,257	14,332	73,817

E. Initial Power Assessment

Superiority Analysis (fine strat)	
Number of patients matched	
Reference	111,406
Exposed	111,406
Risk per 1,000 patients	15.64
Desired HR from RCT	0.68
Alpha (2-sided)	0.05
Number of events expected	3484.2
Power	1.00

F. Action Report Links

Action report link:

Optum

<https://bwh-dope.action.com/substantiate/project/3095/rws/155873>

<https://bwh-dope.action.com/substantiate/project/3095/rws/155875>

Marketscan

<https://bwh-dope.action.com/substantiate/project/3093/rws/155867>

<https://bwh-dope.action.com/substantiate/project/3093/rws/155868>

Medicare

<https://bwh-dope.action.com/substantiate/project/3094/rws/155870>

<https://bwh-dope.action.com/substantiate/project/3094/rws/155871>

G. Review by principal Investigator and FDA

Stop analyses until feasibility and power are reviewed by primary investigators and FDA.

First review by FDA	Date reviewed:	May 20, 2026; Marie Bradley
Final review and approval by FDA after comments were addressed	Date reviewed:	June 2, 2026; Marie Bradley

Appendix 5. 2nd Feasibility Assessment

Table of Contents

- A. Median Follow up Time by Treatment Group
- B. Reasons for Censoring by Treatment Group
- C. Final Power Assessment
- D. Action report Links
- E. Review by Principal Investigator and FDA

In order to complete the initial power analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the comparative risks of the outcomes of interest are

Optum: Study period between (Jul 01, 2011 and Aug 31, 2025)
Marketscan: Study period between (Jul 01, 2011 and Dec 31, 2023)
Medicare: Study period between (Jul 01, 2011 and Dec 31, 2024)

A. Median Follow Up Time by Treatment Group (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
	Median Follow-Up Time (Days) [IQR]	Median Follow-Up Time (Days) [IQR]	Median Follow-Up Time (Days) [IQR]
Patient Group			
Overall Patient Population	72 [38,138]	73 [38,140]	78 [38,155]

B. Summary Parameters of Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Variable	Value	Value	Value
Number of patients in full cohort	40,542	42,681	157,283
Number of patients dropped as incomplete cases	0	0	0
Number of patients that did not begin follow-up	818	274	2931
Number of patients in analytic cohort	39,724	42,407	154,352
Number of events	574	658	2466
Number of person-years	11,170.85	12,110.87	46,527.62
Number of patients in group: Reference - Warfarin	21,401	14,204	80,463
Number of patients in group: Exposure - Rivaroxaban	18,323	28,203	73,889
Risk per 1,000 patients	14.45	15.52	15.98
Rate per 1,000 person-years	51.38	54.33	53

C. Reasons for Censoring in Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Overall	Value	Value	Value
Outcome	574 (1.4%)	658 (1.6%)	2,466 (1.6%)
Death	362 (0.9%)	93 (0.2%)	4,027 (2.6%)
Start of an additional exposure	1,223 (3.1%)	1,504 (3.5%)	5,264 (3.4%)
End of index exposure (10 days risk, grace windows)	29,171 (73.4%)	32,312 (76.2%)	108,605 (70.4%)

Maximum follow-up time (365 days)	1,735 (4.4%)	1,982 (4.7%)	9,213 (6.0%)
Specified date reached	1,129 (2.8%)	1,096 (2.6%)	2,696 (1.7%)
End of patient enrollment	2,278 (5.7%)	3,650 (8.6%)	2,505 (1.6%)
Nursing home admission/Other OACs	3,252 (8.2%)	1,112 (2.6%)	19,576 (12.7%)

Matched number	Optum	Marketscan	Medicare
Exposure	8,743	9,790	44,528
Reference	8,743	9,790	44,528

E. Initial Power Assessment

Superiority Analysis (fine strati)	
Number of patients matched	
Reference	63,061
Exposed	63,061
Risk per 1,000 patients	15.64
Desired HR from RCT	0.68
Alpha (2-sided)	0.05
Number of events expected	1972.2
Power	100

F. Aetion Report Links

Aetion report link:

Optum

<https://bwh-dope.aetion.com/substantiate/project/3095/rwrs/155989>

Marketscan

<https://bwh-dope.aetion.com/substantiate/project/3093/rwrs/155869>

Medicare

<https://bwh-dope.aetion.com/substantiate/project/3094/rwrs/155872>

G. Review by principal investigator and FDA


Stop analyses until feasibility and power are reviewed by primary investigators and FDA.

First review by FDA	Date reviewed:	May 20, 2026; Marie Bradley
Final review and approval by FDA after comments were addressed	Date reviewed:	June 2, 2026; Marie Bradley

Appendix 6. Balance Assessment - PS Distribution and C-Statistic

Optum


C-stat before 0.871, after 0.551



Marketscan

C-stat, before 0.78, after 0.532





CMS

C-stat before 0.817, after 0.522



