

Emulation of the EMPEROR-Reduced Heartfailure Trial in Healthcare Claims Data

NCT07599345

10th May, 2026

1. Title Page

Title	Emulation of the EMPEROR-Reduced Heartfailure Trial in Healthcare Claims Data
Research question & Objectives	The EMPEROR-Reduced trial aims to evaluate the effect of Empagliflozin versus placebo on cardiovascular death and hospitalisation for heart failure among individuals with chronic heart failure with reduced ejection fraction. Our objective is to emulate the design of EMPEROR-Reduced using healthcare claims data and benchmark our results against the trial.
Protocol version	Version 1
Last update date	May 10, 2026
Contributors	Primary investigators contact information: Dr. Nils Krüger, nkruger1@bwh.harvard.edu Dr. Shirley Wang, swang1@bwh.harvard.edu Contributor names: Dr. Krüger implemented the study design in the Aetion Evidence Platform. He is responsible for the validity of the design and analytic choices. All implementation steps are recorded and the implementation history is archived in the platform.
Study registration	Site: clinicaltrials.gov Identifier: NCT07599345
Sponsor	Organization: Food and Drug Administration Contact: Dr. Marie Bradley, marie.bradley@fda.hhs.gov
Conflict of interest	Dr. Krüger has no conflict of interest. Dr. Wang has consulted for Cytel Inc, ICA Group, and MITRE an FFRDC for Centers for Medicare and Medicaid for unrelated work.

Table of contents

1. Title Page	1
2. Abstract	3
3. Amendments and updates	4
4. Rationale and background	4
5. Research question and objectives	4
Table 2 Primary and secondary research questions and objective	4
6. Research methods	6
6.1 Study design	6
6.2 Study design diagram	7
6.3 Setting	8
6.3.1 Context and rationale for definition of time 0 (and other primary time anchors) for entry to the study population	8
6.3.2 Context and rationale for study inclusion criteria:	8
6.3.3 Context and rationale for study exclusion criteria	8
6.4 Variables	8
6.4.1 Context and rationale for exposure(s) of interest	8
6.4.2 Context and rationale for outcome(s) of interest	8
6.4.3 Context and rationale for follow up	9
Table 1. Operational Definitions of Follow Up	9
6.4.4 Context and rationale for covariates (confounding variables and effect modifiers, e.g. risk factors, comorbidities, comedications)	10
Table 2. Operational Definitions of Covariates	10
6.5 Data analysis	29
6.5.1 Context and rationale for analysis plan	29
Table 3. Primary, secondary, and subgroup analysis specification	29
Table 4. Sensitivity analyses – rationale, strengths and limitations	31
6.5.2 Comparison of Results Between Database Studies and RCTs	32
6.6 Data sources	32
6.6.1 Context and rationale for data sources	32
Table 5. Metadata about data sources and software	33
6.7 Data management	34
6.8 Quality control	36
6.9 Study size and feasibility	36

7. Limitation of the methods	36
8. Protection of human subjects	37
9. References	37
10. Appendices	38
1 Target Trial Framework, Operational Definitions, and Data Fitness Assessment	38
2 Code algorithms	38
3 Flowchart for cohort assembly	38
4 1st feasibility assessment	38
5 2nd feasibility assessment	38
6 Balance Assessment - PS Distribution and C-Statistic	38
7 Balance Assessment - Table 1	38

2. Abstract

This is a non-randomized, non-interventional study that is part of the *Randomized Controlled Trials Duplicated Using Prospective Longitudinal Insurance Claims: Applying Techniques of Epidemiology* (RCT-DUPLICATE) initiative (www.rctduplicate.org) of the Brigham and Women's Hospital, Harvard Medical School.

This study is part of a series that applies the Benchmark, Expand, and Calibration (BenchExCal) approach, in which an initial trial emulation is benchmarked against a completed randomized controlled trial (RCT) to inform a subsequent database study for related clinical questions or expanded indications. In this empirical example, the related clinical question has also been evaluated in a completed randomized trial, allowing comparison of the expanded database emulation with the corresponding RCT findings.^{1,2}

It is intended to emulate, as closely as is possible in healthcare insurance claims data the EMPEROR-Reduced trial described below. Although many features of the trial cannot be directly replicated in healthcare claims, key design features, including outcomes, exposures, and inclusion/exclusion criteria, were selected to proxy those features from the trial. Randomization cannot be achieved in healthcare claims data but was proxied through a statistical balancing of measured covariates according to standard practice. Investigators assume that the RCT provides the reference standard treatment effect estimate and that failure to replicate RCT findings is indicative of the inadequacy of the healthcare claims data for emulation for a range of possible reasons and does not provide information on the validity of the original RCT finding.

The EMPEROR-Reduced trial is a superiority trial to evaluate the effect of empagliflozin, a sodium-glucose cotransporter-2 inhibitor (SGLT2i), vs placebo on cardiovascular death and hospitalisation for heart failure among individuals with chronic heart failure with reduced ejection fraction. In the trial subgroup with type 2 diabetes, empagliflozin reduced the risk of the primary composite endpoint compared with placebo (HR 0.72, 95% CI 0.60-0.87).³

The database study is designed to emulate the EMPEROR-Reduced trial. It will be a new-user active-comparator cohort study, conducted using three national United States claims databases, where we compare the effect of empagliflozin vs sitagliptin, a dipeptidyl peptidase-4 inhibitor (DPP4i), on all-cause mortality and hospitalisation for heart failure. While the EMPEROR-Reduced trial was conducted in participants with and without T2DM, both subgroups showed similar effect estimates in their results.⁴ Furthermore, while the trial compared empagliflozin to placebo, we chose to use sitagliptin as an active comparator proxy for placebo to minimize confounding by indication. Sitagliptin was specifically chosen because a major randomized controlled trial on cardiovascular outcomes demonstrated that it does not affect the cardiovascular outcomes under investigation. Furthermore, clinical guidelines during the study period recommended both SGLT2 inhibitors and DPP4 inhibitors as second- or third-line options for glucose lowering, and the therapies are similarly costly, reducing concerns about channelling of patients based on socioeconomic status.⁵ To capture preserved ejection fraction in healthcare claims data, we apply a validated algorithm that predicts ejection fraction. While the trial evaluated cardiovascular mortality, the database study captures all-cause mortality.

Optum: Eligible cohort entry period from August 1, 2014 to August 31, 2024.

Marketscan: Eligible cohort entry period from August 1, 2014 to September 30, 2023.

Medicare: Eligible cohort entry period from August 1, 2014 to September 30, 2020.

3. Amendments and updates

Version date	Version number	Section of protocol	Amendment or update	Reason

4. Rationale and background

The purpose of this protocol is to specify the emulation of the EMPEROR-Reduced trial (NCT03057977). Empagliflozin became available on August 1, 2014. It has been approved to treat type 2 diabetes mellitus. Two years later, on December 2, 2016 Empagliflozin was approved to reduce cardiovascular death in patients with type 2 diabetes mellitus and cardiovascular disease. Later on, empagliflozin was approved to treat heart failure with reduced ejection fraction (August 18, 2021) and preserved ejection fraction (February 25, 2022).

The EMPEROR-Reduced trial enrolled 3,730 participants between April 2017 – November 2019. The trial design was event-driven, with a median follow-up period of 16 months. The subgroup with type 2 diabetes reported a hazard ratio of 0.72 (95% confidence interval (CI), 0.60-0.87). The trial was conducted with 90% power and a 0.05 type I error rate to confirm superiority.

In the emulation of the EMPEROR-Reduced trial, we chose sitagliptin as a cardiovascular outcome-neutral comparator because a major randomized controlled trial on cardiovascular outcomes demonstrated that it does not affect the cardiovascular outcomes under investigation.⁶ This contrasts with saxagliptin, which has raised concerns regarding potential increased risks of heart failure.⁷⁻¹⁰ Linagliptin is commonly prescribed for patients with renal impairment because it does not require dose modifications based on kidney function, which may lead to increased confounding compared to sitagliptin.^{11,12} Glucagon-like peptide-1 receptor agonists would not be a neutral comparator, as they significantly reduce clinically important kidney events, kidney failure, and cardiovascular events.¹³ Sulfonylureas (SUs), though inexpensive and widely used, are a poor comparator in cardiovascular outcome studies due to their association with hypoglycemia, weight gain, and channeling bias, as they are often prescribed to elderly, lower socioeconomic status patients with higher baseline cardiovascular risk, making direct comparisons to newer agents like SGLT2i less reliable.¹⁴

5. Research question and objectives

Table 2 Primary and secondary research questions and objective

A. Primary research question and objective

Objective:	To evaluate the comparative effect of empagliflozin vs sitagliptin on hospitalisation for heart failure or all-cause mortality in patients with heart failure and reduced ejection fraction.
Hypothesis:	We hypothesize that empagliflozin will be superior to sitagliptin in individuals with chronic heart failure and reduced ejection fraction at preventing all-cause mortality and hospitalization for heart failure.
Population (mention key inclusion-exclusion criteria):	Individuals aged 18 years or older with heart failure and reduced ejection fraction and type 2 diabetes. Additional eligibility criteria aligned with the EMPEROR-Reduced trial.
Exposure:	Empagliflozin.
Comparator:	Sitagliptin.
Outcome:	A composite of hospitalization for heart failure or all-cause mortality.
Time (when follow up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other SGLT2i or DPP4i.
Setting:	Patients may be treated in outpatient settings. The outcome will be measured from inpatient hospitalizations and death.
Main measure of effect:	Hazard ratio.

B. Secondary research questions and objectives

Objective:	To evaluate the comparative effect of empagliflozin vs sitagliptin on the control outcome cataract surgery.
Hypothesis:	We hypothesize that empagliflozin will not have a different effect from sitagliptin.

Population (mention key inclusion-exclusion criteria):	Individuals aged 18 years or older with heart failure and reduced ejection fraction and type 2 diabetes. Additional eligibility criteria aligned with the EMPEROR-Reduced trial.
Exposure:	Empagliflozin.
Comparator:	Sitagliptin.
Outcome:	Cataract surgery.
Time (when follow up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other SGLT2i or DPP4i.
Setting:	Patients may be treated in inpatient or outpatient settings. The outcome will be measured using procedure codes in an inpatient or outpatient setting.
Main measure of effect:	Hazard ratio.

Objective:	To evaluate the comparative effect of empagliflozin vs sitagliptin on the control outcome lumbar radiculopathy.
Hypothesis:	We hypothesize that empagliflozin will not have a different effect from sitagliptin.
Population (mention key inclusion-exclusion criteria):	Individuals aged 18 years or older with heart failure and reduced ejection fraction and type 2 diabetes. Additional eligibility criteria aligned with the EMPEROR-Reduced trial.
Exposure:	Empagliflozin.
Comparator:	Sitagliptin.
Outcome:	Lumbar radiculopathy (excluding patients with recent outcome prior to the follow-up time window (30 days)).
Time (when follow up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other SGLT2i or DPP4i.
Setting:	Patients may be treated in inpatient settings. The outcome will be measured using diagnosis and procedure codes in an inpatient setting.

Main measure of effect:	Hazard ratio.
C.	
Objective:	To evaluate the comparative effect of empagliflozin vs sitagliptin on the control outcome hernia.
Hypothesis:	We hypothesize that empagliflozin will not have a different effect from sitagliptin.
Population (mention key inclusion-exclusion criteria):	Individuals aged 18 years or older with heart failure and reduced ejection fraction and type 2 diabetes. Additional eligibility criteria aligned with the EMPEROR-Reduced trial.
Exposure:	Empagliflozin.
Comparator:	Sitagliptin.
Outcome:	Hernia (excluding patients with recent outcome prior to the follow-up time window (30 days)).
Time (when follow up begins and ends):	1 day after cohort entry date until the first of outcome, disenrollment, end of study period, discontinuation (45 days grace and risk window), switch between the arms, start of any other SGLT2i or DPP4i.
Setting:	Patients may be treated in inpatient settings. The outcome will be measured using diagnosis and procedure codes in an inpatient setting.
Main measure of effect:	Hazard ratio.

6. Research methods

6.1 Study design


Research design (e.g. cohort, case-control, etc.): New user active comparator cohort study

Rationale for study design choice: The new user active-comparator design may be able to address confounding by indication. It accomplishes this, in large part, through judicious selection of an appropriate active-comparator group. While selection of an appropriate comparator in the design phase is

crucial, cohort studies often require additional adjustment of measurable confounders. A common method for adjusting for confounding is via a propensity score.

6.2 Study design diagram

Figure 1. Exposure-based cohort entry where the cohort entry date is selected after application of exclusion criteria



6.3 Setting

6.3.1 Context and rationale for definition of time 0 (and other primary time anchors) for entry to the study population

Time 0 in the database study was defined to emulate randomization to empagliflozin versus sitagliptin in the clinical trial design. See appendix tables 1 and 2a for operational definitions and detailed code algorithms.

6.3.2 Context and rationale for study inclusion criteria:

Study inclusion criteria were defined to emulate the inclusion criteria for the trial. See appendix tables 1 and 2 for operational definitions and detailed code algorithms. A flowchart of the study cohort assembly is provided in Appendix 3.

6.3.3 Context and rationale for study exclusion criteria

Study exclusion criteria were defined to emulate the exclusion criteria for the trial. See appendix tables 1 and 2 for operational definitions and detailed code algorithms. A flowchart of the study cohort assembly is provided in Appendix 3.

6.4 Variables

6.4.1 Context and rationale for exposure(s) of interest

The exposure and comparator were defined to emulate the agents compared for the trial, empagliflozin versus sitagliptin. See appendix tables 1 and 2 for operational definitions and detailed code algorithms.

Algorithm to define duration of exposure effect:

Assuming the effect of the drug lasts for 45 days after the days' supply, we allow a 45 days gap between the dispensation (grace period) and also add 45 days at the end of days' supply of dispensation (exposure risk window).

6.4.2 Context and rationale for outcome(s) of interest

The primary outcome for the database study was defined to emulate the primary outcome for the trial of cardiovascular death and hospitalization for heart failure. In our emulation, due to inability to capture cause of death, our modified composite endpoint was measured as all-cause mortality and hospitalization for heart failure. See appendix tables 1 and 2d for operational definitions and detailed code algorithms. Optum includes death information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. MarketScan includes information from the inpatient discharged dead status up until 2016. Medicare includes information from the inpatient discharged dead status, NDI cause of death, and social security death master file. PPV for HF diagnosis using ICD9 codes was 87% and for HHF 98%.^{15,16}

Control outcomes of interest include:

1. Cataract surgery. This is a negative control outcome where no difference in effect is expected for empagliflozin vs sitagliptin.
2. Lumbar radiculopathy. This is a negative control outcome where no difference in effect is expected for empagliflozin vs sitagliptin.
3. Hernia. This is a negative control outcome where no difference in effect is expected for empagliflozin vs sitagliptin.

6.4.3 Context and rationale for follow up

Both on-treatment (OT) and intention-to-treat (ITT) analyses will be conducted. Adherence in clinical practice databases is expected to be much worse than in the trial, therefore the OT analysis will be the primary analysis. The OT analysis targets the relative hazard of outcomes while on treatment and may more closely emulate the effect observed in highly adherent trial participants. Both OT and ITT will be conducted at 1-year follow-up and compared to the hazard ratio of cumulative incidence rates observed in the trial.

Table 1. Operational Definitions of Follow Up

Follow up start	Day 1	
Follow up end¹	Select all that apply	Specify
Date of outcome	Yes	
Date of death	Yes	Part of the outcome.
End of observation in data	Yes	Date of disenrollment.
Day X following index date	Yes	Day 365.
End of study period	Yes	Optum: August 31, 2024; Marketscan: December 31, 2023; Medicare: December 31, 2020.
End of exposure	Yes	45 days grace window and 45 days risk window.
Date of add to/switch from exposure	Yes	Date of augmentation or switching from an exposure to a comparator and vice versa.

Other date)

Yes

Censor upon nursing home admission or starting any other SGLT2i or DPP4i.

¹ Follow up ends at the first occurrence of any of the selected criteria that end follow up.

6.4.4 Context and rationale for covariates (confounding variables and effect modifiers, e.g. risk factors, comorbidities, comedications)

We identified a series of covariates that were likely confounders due to being strong risk factors for the primary outcome that were associated with choice of treatment. These include demographics, disease severity related variables, comorbid conditions, comedications, frailty, healthcare utilization and markers of health seeking behaviour. Covariate coding may be subject to changes before final treatment-effect estimation if propensity score diagnostics indicate sparse cells, unstable estimates, quasi-separation, or inadequate overlap.

Table 2. Operational Definitions of Covariates

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Demographics									
Age	Cohort entry year – year of birth, (last observed value in the baseline)	Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	n/a
Gender	Male, Female (last observed value in the baseline)	Categorical	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	n/a
Race	White, Asian, Black, Hispanic, Unknown/ Missing/Other	Categorical	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	n/a

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
	(last observed value in the baseline)								
Region	Northeast, Midwest/Northern central, South, West (last observed value in the baseline)	Categorical	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	n/a
Lifestyle risk factors									
Smoking		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Overweight, if BMI is 25.0 to 29.9		Binary	[-730, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Class 1 (low-risk) obesity, if BMI is 30.0 to 34.9		Binary	[-730, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Class 2 (moderate-risk) obesity, if BMI is 35.0 to 39.9		Binary	[-730, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Class 3 (high-risk) obesity if BMI is		Binary	[-730, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
equal to or greater than 40							Reference: Sitagliptin		
Unspecified obesity		Binary	[-730, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetes complications									
Diabetes complications		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Skin infections		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Erectile dysfunction		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urinary tract infections		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Genital infections		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypoglycemia		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
							Reference: Sitagliptin		
Hyperglycaemia, DKA, HONK		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiovascular-related conditions									
Unstable angina		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Stable angina		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypertension		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypotension		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperlipidemia		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Atrial fibrillation		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristics/ validation	Source for algorithm
							Reference: Sitagliptin		
Previous MI		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Coronary atherosclerosis		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Previous cardiac procedure (CABG, PTCA, Stent)		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiac conduction disorder		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Ischemic stroke		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
PVD diagnosis / surgery		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other cardiac dysrhythmia		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Cardiomyopathy		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Valve disorders		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Valve replacement		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
TIA		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Edema		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Venous thromboembolism (Deep vein thrombosis or pulmonary embolism)		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pulmonary hypertension		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
							Reference: Sitagliptin		
Renal-related conditions									
CKD stage 1-2		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
CKD stage 3-4		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Unspecified CKD		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Acute kidney injury / Acute renal disease		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urolithiasis (kidney and urinary stones)		Binary	[-183, 0]	Any	ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other renal conditions		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypertensive nephropathy		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
							Reference: Sitagliptin		
Other comorbidities									
COPD		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Asthma		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Obstructive sleep apnea		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pneumonia		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Influenza		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperthyroidism and other thyroid gland disorders		Binary	[-183, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hypothyroidism		Binary	[-183, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristics/ validation	Source for algorithm
							Reference: Sitagliptin		
Urinary incontinence		Binary	[-183, 0]	Any	ICD-10-CM, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Serious infections		Binary	[-183, 0]	Inpatient	ICD-10-CM, ICD-9-CM	Primary	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Liver disease		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Fractures/ Falls		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Osteoporosis		Binary	[-183, 0]	Any	ICD-10-C, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Osteoarthritis		Binary	[-183, 0]	Any	ICD-10-C, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Depression		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Anxiety		Binary	[-183, 0]	Any	ICD-10-C, ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Sleep disorder		Binary	[-183, 0]	Any	ICD-10-CM ICD-9-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Dementia		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Delirium		Binary	[-183, 0]	Any	ICD-9-CM, ICD-10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Hyperkalemia		Binary	[-183, 0]	n/a	ICD-9-CM, ICD-10-CM	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Anemia		Binary	[-183, 0]	n/a	ICD-9-CM, ICD-10-CM	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Microalbuminuria		Binary	[-183, 0]	n/a	CPT/HCPCS	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Diabetes medications									

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Number of antidiabetic drugs at cohort entry; median (iqr), mean (sd)		Continuous	[0, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Concomitant initiation or current use of metformin		Binary	[0, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Past use of metformin		Binary	[-183, -1]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Past use of sulfonylureas		Binary	[-183, -1]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Past use of GLP-1 receptor agonists		Binary	[-183, -1]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Past use of insulin		Binary	[-183, -1]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Past use of other antidiabetics (Meglitinides, Thiazolidones / Glitazones,		Binary	[-183, -1]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Amylin analogs, Alpha-glucosidase (AGIs))									
Heart failure medications									
ACEi / ARB		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
ARNI		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Mineralocorticoid receptor antagonist		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Thiazide diuretics		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Beta-Blockers		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Calcium channel blockers		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Digoxin / Digitoxin		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Loop diuretics		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other diuretics		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Intravenous diuretics		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Nitrates		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Other medications									
Number of distinct medications		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Statins		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Other lipid-lowering drugs		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Antiplatelet agents		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Oral anticoagulants		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
COPD/Asthma medication		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
NSAIDs		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Oral corticosteroids		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Osteoporosis agents (incl. bisphosphonates)		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristics/ validation	Source for algorithm
Opioids		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Antidepressants		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Benzodiazepines		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Dementia meds		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Antipsychotics		Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Healthcare utilization markers									
Emergency department visit		Binary	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Office visit		Continuous	[-183, 0]	OP	CPT/HCPCS	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Endocrinologist visit, median (iqr), mean (sd)		Binary	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Endocrinologist visit, (within prior 30 d)		Binary	[-30, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Endocrinologist visit, (31-183 d)		Binary	[-183, -31]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiologist visit, median (iqr), mean (sd)		Binary	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiologist visit, (within prior 30 d)		Binary	[-30, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Cardiologist visit, (31-183 d)		Binary	[-183, -31]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Internal medicine/family medicine visit, median (iqr), mean (sd)		Binary	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Internal medicine/family medicine visit, (within prior 30 d)		Binary	[-30, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Internal medicine/family medicine visit, (31-183 d)		Binary	[-183, -31]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pharmacy out-of-pocket cost, median (iqr), mean (sd)		Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Unique brand medications, median (iqr), mean (sd)**		Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Unique generic medications, median (iqr), mean (sd)**		Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Ratio of unique brand to generic medications, median (iqr), mean (sd)		Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Healthy behavior markers									
Electrocardiograms		Binary	[-183, 0]	Any	CPT/HCPCS	Any	Exposure: Empagliflozin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
							Reference: Sitagliptin		
Echocardiograms		Continuous	[-180, 0]	Any	CPT/HCP S	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Flexible sigmoidoscopy or colonoscopy or CT virtual colonoscopy		Binary	[-183, 0]	n/a	CPT/HCP S	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Flu vaccine		Binary	[-183, 0]	n/a	CPT/HCP S	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pneumococcal vaccine		Binary	[-183, 0]	n/a	CPT/HCP S	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Laboratory and diagnostic tests									
Glucose tests / HbA1c / oral glucose tolerance test		Continuous	[-183, 0]	Any	CPT/HCP S	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Lipid panel		Continuous	[-183, 0]	Any	CPT/HCP S	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristic s/ validation	Source for algorithm
Creatinine tests		Continuous	[-183, 0]	Any	CPT/HCPCS	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Pap smear		Binary	[-183, 0]	n/a	CPT/HCPCS	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
PSA test or prostate exam		Binary	[-183, 0]	n/a	CPT/HCPCS	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Fecal Occult Blood Test		Binary	[-183, 0]	n/a	CPT/HCPCS	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Urine test		Binary	[-183, 0]	n/a	CPT/HCPCS	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm
Burden of comorbidities									
Combined comorbidity score		Continuous	[-183, 0]	Any	ICD10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Gagne et al., Sun et al. ^{17,18}
Frailty score		Continuous	[-183, 0]	Any	ICD10-CM	Any	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Kim et al. ¹⁹

Characteristics	Details	Type of variable	Assessment window	Care Settings ¹	Code Type ²	Diagnosis Position ³	Applied to study populations:	Measurement characteristics/ validation	Source for algorithm
Calendar year of cohort entry									
Cohort entry year	2014-2018, 2019, 2020, 2021, 2022, 2023-2024	Categorical	[0, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	n/a
Baseline hospitalizations and hospital metrics									
Number of any hospitalization (0, 1, >1)		Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	
Number of hospitalization for heart failure (0, 1, >1)		Continuous	[-183, 0]	n/a	n/a	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	
Dual status/low income subsidy	Dual Status code: 01/02/03/04/05/06/08	Binary	[-183, 0]	n/a	generic	n/a	Exposure: Empagliflozin Reference: Sitagliptin	n/a	Appendix, Covariate – Algorithm

¹IP = inpatient, OP = outpatient, ED = emergency department, OT = other, n/a = not applicable

²See appendix for listing of clinical codes for each study parameter

³Specify whether a diagnosis code is required to be in the primary position (main reason for encounter)

6.5 Data analysis

6.5.1 Context and rationale for analysis plan

The study will use a propensity score based overlap weighting method.²⁰ This approach was selected because it covariate balance while preserving patients, thereby maximizing power. The propensity score will be estimated as the probability of initiating empagliflozin vs sitagliptin given the baseline patient characteristics using multivariable logistic regression models. As diagnostics for propensity score models, the study will evaluate distributional

overlap, weight distribution, and covariate balance using standardized differences post-weighting. The study will estimate the hazard ratio for empagliflozin vs sitagliptin on the composite of heart failure hospitalisation or all-cause mortality in the weighted population using a Cox proportional hazards model with robust standard errors. Across all analyses, results from the three databases will be pooled via fixed effects meta-analysis.

Table 3. Primary, secondary, and subgroup analysis specification

A. Primary analysis

Hypothesis:	Empagliflozin decreases the risk of the composite end point of hospitalization for heart failure or all-cause mortality in individuals with heart failure and reduced ejection fraction and type 2 diabetes.
Exposure contrast:	Empagliflozin vs sitagliptin.
Outcome:	Hospitalization for heart failure or all-cause death.
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): (provide details or code)	Outcome model: weighted Cox proportional hazards model using overlap weights. Follow-up time * status(0) = exposure
Confounding adjustment method	Name method and provide relevant details, e.g. bivariate, multivariable, propensity score matching (specify matching algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.
	Overlap weighting based on the propensity score. Weights: 1-PS for treated patients and PS for untreated patients, where PS denotes the probability of receiving treatment conditional on baseline covariates.
Missing data methods	Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	List all subgroups
	N/A.

B. Secondary Analyses

Hypothesis:	Empagliflozin has no increased or decreased risk of cataract surgery (control outcome) compared to sitagliptin.
Exposure contrast:	Empagliflozin vs sitagliptin
Outcome:	Cataract surgery (control outcome)
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): (provide details or code)	Outcome model: weighted Cox proportional hazards model using overlap weights. Follow-up time*status(0) = exposure
Confounding adjustment method	Name method and provide relevant details, e.g. bivariate, multivariable, propensity score matching (specify matching algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.

	Overlap weighting based on the propensity score. Weights: 1-PS for treated patients and PS for untreated patients, where PS denotes the probability of receiving treatment conditional on baseline covariates.
Missing data methods	Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	List all subgroups
	N/A.

Hypothesis:	Empagliflozin has no increased or decreased risk of lumbar radiculopathy (control outcome) compared to sitagliptin.
Exposure contrast:	Empagliflozin vs sitagliptin
Outcome:	Lumbar radiculopathy (excluding patients with recent outcome prior to the follow-up time window (30 days)) (negative control outcomes).
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s): (provide details or code)	Outcome model: weighted Cox proportional hazards model using overlap weights. Follow-up time*status(0) = exposure
Confounding adjustment method	Name method and provide relevant details, e.g. bivariate, multivariable, propensity score matching (specify matching algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.
	Overlap weighting based on the propensity score. Weights: 1-PS for treated patients and PS for untreated patients, where PS denotes the probability of receiving treatment conditional on baseline covariates.
Missing data methods	Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	List all subgroups
	N/A.

Hypothesis:	Empagliflozin has no increased or decreased risk of hernia (control outcome) compared to sitagliptin.
Exposure contrast:	Empagliflozin vs sitagliptin
Outcome:	Hernia (excluding patients with recent outcome prior to the follow-up time window (30 days)) (negative control outcomes).
Analytic software:	Aetion, SAS 9.4, R.4.4.0
Model(s):	Outcome model: weighted Cox proportional hazards model using overlap weights.

(provide details or code)	Follow-up time*status(0) = exposure
Confounding adjustment method	Name method and provide relevant details, e.g. bivariate, multivariable, propensity score matching (specify matching algorithm ratio and caliper), propensity score weighting (specify weight formula, trimming, truncation), propensity score stratification (specify strata definition), other.
	Overlap weighting based on the propensity score. Weights: 1-PS for treated patients and PS for untreated patients, where PS denotes the probability of receiving treatment conditional on baseline covariates.
Missing data methods	Name method and provide relevant details, e.g. missing indicators, complete case, last value carried forward, multiple imputation (specify model/variables), other.
	Assumption that if no relevant claims diagnoses/procedures are present, the condition is not present.
Subgroup Analyses	List all subgroups
	N/A.

Table 4. Sensitivity analyses – rationale, strengths and limitations

	What is being varied? How?	Why? (What do you expect to learn?)	Strengths of the sensitivity analysis compared to the primary	Limitations of the sensitivity analysis compared to the primary
Cataract surgery as negative control outcome	We are changing the outcome to cataract surgery, and outcome for which there is expected to be no causal effect from empagliflozin.	We will evaluate the potential impact of residual confounding on this outcome for which there is not expected to be a causal effect	The evaluates the robustness of the interpretation of the primary analysis by evaluating the potential magnitude of unmeasured confounding	This analysis assumes that the confounding structure is the same or similar for the negative control outcome as the outcome of interest
Hernia as a negative control outcome.	We are changing the outcome to hernia for which there is expected to be no causal effect from empagliflozin.	We will evaluate the potential impact of residual confounding on this outcome for which there is not expected to be a causal effect.	Evaluates the robustness of the interpretation of the primary analysis by evaluating the potential magnitude of unmeasured confounding.	This analysis assumes that the confounding structure is the same or similar for the negative control outcome as the outcome of interest.
Lumbar radiculopathy as a	We are changing the outcome to lumbar radiculopathy for which	We will evaluate the potential impact of residual confounding on this	Evaluates the robustness of the interpretation of the primary analysis by evaluating	This analysis assumes that the confounding structure is the same or similar for the negative

negative control outcome.	there is expected to be no causal effect from empagliflozin.	outcome for which there is not expected to be a causal effect.	the potential magnitude of unmeasured confounding.	control outcome as the outcome of interest.
Broader definition of primary end point	Instead of requiring an inpatient discharge diagnosis in the primary position for heart failure, we will allow an inpatient diagnosis in any position for heart failure. All-cause mortality is unchanged.	Helps determine whether restricting to primary-position heart failure diagnoses omits relevant cases or whether including secondary diagnoses introduces misclassification.	Increases sensitivity for capturing hospitalizations for heart failure.	Some hospitalizations may primarily be for other conditions rather than heart failure itself.
Change in grace and risk windows	The grace period and exposure risk window will be varied by shortening and extending them to 30 days and 60 days, respectively.	To assess the potential impact of exposure misclassification arising from uncertainty in the duration of treatment effects and medication adherence.	Evaluates the robustness of the primary findings to alternative assumptions regarding exposure definition and risk attribution.	Alternative risk windows may not accurately reflect the true duration of drug exposure or biological effect. Shorter windows may underestimate treatment effects by missing delayed events, whereas longer windows may increase exposure misclassification by attributing events occurring after treatment discontinuation to the drug.
Re-weighted population distribution.	We will re-weight the population distribution of the pooled database study cohorts to reflect that of the RCT.	We will learn about potential effect modification due to different distributions of key characteristics such as age/sex in the RCT vs the database study.	The population distributions will be more aligned.	The measurement of these population characteristics may be measured differently in the RCT vs database study, with different levels of specificity and sensitivity.
Apply benchmark, expand, calibrate (BenchExCal) sensitivity and	We will use the observed difference in result from emulation of EMPEROR-Reduced to	We expect to learn about the performance of BenchExCal in an example where we emulate an RCT	The analysis will calibrate the primary result based on expected differences due to bias and/or design emulation	The ability to appropriately calibrate the result depends on how “close” the clinical context and confounding structure is

tipping point analysis.	recalibrate the result from the database study emulation of EMPEROR-Preserved. We will conduct a tipping point analysis with a range of plausible estimates of the expected difference.	for an expanded indication and an RCT result for the expanded indication is available.	differences and propagate uncertainty regarding the impact of these factors into the frequentist primary result.	between the initial and expanded indication. The approach assumes that the net effect of bias and design emulation differences is similar.
-------------------------	---	--	--	--

6.5.2 Comparison of Results Between Database Studies and RCTs

We will attempt to benchmark the results of the primary analysis from the database study against the composite end point of hospitalization for heart failure or all-cause mortality observed in the type 2 diabetes subgroup of the EMPEROR-Reduced trial. Consequently, failure to replicate the RCT findings is not necessarily indicative of the inadequacy of the healthcare claims data for emulation for a range of possible reasons, nor does failure to replicate provide information about the validity of the trial result.

Assessment of concordance in results between the database study-trial pair will use the metrics previously implemented in the RCT-DUPLICATE initiative, namely statistical significance agreement, estimate agreement, and standardized difference agreement. In this project, “full” statistical significance agreement was defined by estimates and confidence intervals on the same side of null; estimate agreement was defined by whether estimates for the trial emulation fell within the 95% CI for the trial results; standardized difference agreement between treatment effect estimates from trials and emulations was defined by standardized differences $|Z| < 1.96$ ($Z = \frac{(\hat{\theta}_{RCT} - \hat{\theta}_{RWE})}{(\sqrt{\hat{\sigma}^2_{RCT} + \hat{\sigma}^2_{RWE}})}$ where $\hat{\theta}$ are the treatment effect estimates and the $\hat{\sigma}^2$ are associated variances). In addition, “partial” significance agreement was defined as meeting pre-specified non-inferiority criteria even though a more highly powered database study may have indicated superiority.^{21,22}

6.6 Data sources

6.6.1 Context and rationale for data sources

Reason for selection: The study will be conducted in 3 US health care claims databases: Optum Clinformatics (2004-2025), Merative Marketscan (2012-2023) and Medicare (2007-2020). Should additional Medicare data become available during the conduct of the study, more recent data may be incorporated into the analyses.

Strengths of data source(s): Each data source contains deidentified, longitudinal, date-stamped information on patient enrollment, demographics, inpatient/outpatient diagnosis and procedures, admission and discharge dates, and medication dispensation. The death data is captured in the Optum

database from inpatient discharge status, social security death master file, and deaths scraped from obituaries or other sources. The death data in MarketScan is captured from the social security death master file and inpatient discharge status. It is recognized that the social security death master file has high specificity and positive predictive value for deaths. While this data resource has under captured deaths since 2011, the capture of deaths is not expected to be differential between compared exposure groups. The death data is captured in the Medicare database from inpatient discharge status, and social security death master file.²³⁻²⁵

Limitations of data source(s): Patient healthcare encounters are only observable when they are enrolled in an insurance plan that contributes to the database. Patients may change insurance plans for multiple reasons. Both Optum Clinformatics and Merative MarketScan are primarily employer based insurance databases where patients may disenroll with job changes. Patients in Medicare may move in and out of fee-for-service plans. We are excluding person-time in health maintenance organization (HMO) plans due to concerns about the completeness of capture of diagnoses and procedures. This means that we require patients to be enrolled in Medicare parts AB and D during the baseline assessment window and censor patients if they switch to part C. In claims data, dispensing data for inpatient medication is unavailable. Diagnoses reflect billing practices, therefore algorithms (preferably validated) are needed for accurate phenotyping of patient conditions. Services that are not covered by insurance do not appear in the data. The trial evaluated cardiovascular deaths, however we will evaluate all cause death in the emulation because most deaths in this cohort of patients at high cardiovascular risk will likely be attributed to cardiovascular reasons, the cause of death is not recorded for databases not linked to NDI, and the performance of NDI at identifying cardiovascular causes of death may be suboptimal.²⁵ The completeness of death ascertainment differs across the three databases. Optum captures deaths from multiple sources, including inpatient discharge status, the Social Security Death Master File, and obituary-based sources, whereas Medicare includes death information from inpatient discharge records, the Social Security Death Master File, and National Death Index linkages. In contrast, death ascertainment in MarketScan is more limited and is primarily based on inpatient discharge status, resulting in undercapture of deaths occurring outside the hospital setting. Although this limitation may reduce the sensitivity of mortality ascertainment, it is not expected to differ systematically between treatment groups and therefore is unlikely to introduce substantial differential bias in comparative effect estimates.

Data source provenance/curation:

Information about Optum Clinformatics and Merative MarketScan can be found in data dictionaries and user guides that are provided to clients. Information about Medicare data provenance and curation can be found on the ResDac website.²⁶

Table 5. Metadata about data sources and software

	Data 1	Data 2	Data 3
Data Source(s):	Optum Clinformatics	Merative MarketScan	Medicare
Study Period:	January 1, 2004 - Aug 31, 2025	December 31, 2012 - December 31, 2023	January 1, 2007 - December 31, 2020
Eligible Cohort Entry Period:	August 1, 2014 - August 31, 2024	August 1, 2014 - September 30, 2023	August 1, 2014 - September 30, 2020

Data Version (or date of last update):	Jan 2026	May 2025	Jan 2024
Data sampling/extraction criteria:	n/a	n/a	Patients were extracted on the basis of having a diabetes diagnosis or diabetes drug in any of the years of data
Type(s) of data:	Administrative healthcare claims	Administrative healthcare claims	Administrative claims healthcare
Data linkage:	n/a	n/a	Linkage to National Death Index
Conversion to CDM*:	n/a	n/a	n/a
Software for data management:	Aetion Evidence Platform® (2026)	Aetion Evidence Platform® (2026)	Aetion Evidence Platform® (2026)

*CDM = Common Data Model

6.7 Data management

Tracking data: The Data Use Agreement (DUA) Custodian (Principal Investigator) and the Division Operations Manager (Winta Tekle) are responsible for receiving and creating a record of new data associated with the given request. The Operations Manager is responsible for all indexing and archiving of documents and electronic media related to data that the Division receives and will log data location, data contents, and associated DUA and Institutional Review Board (IRB) numbers in the Division's centralized tracking system.

Handling and storage: In-scope data will be stored utilizing Mass General Brigham approved information systems – i.e., Division servers and Mass General Brigham network storage.

Archiving: Data retention and any removal will be executed by the Division Operations Manager (Winta Tekle) and Data Manager (Todd MacGarvey). The Division follows Mass General Brigham enterprise record retention policies and follows the terms of the agreement through which the in-scope data was received.

Information security: The Division follows Mass General Brigham's Enterprise Information Security Program (EISP). The EISP helps by providing assurance that Mass General Brigham information and information systems are protected from unauthorized access, use, disclosure, duplication, modification, or destruction in order to maintain their confidentiality, integrity, and availability. To that end, the EISP policies, standards and procedures create an information security framework that is aligned with the recommendations of the International Organization for Standardization's (ISO) publication 27001 and the National Institute of Standards and Technology's (NIST) publication 800-53 Family of Controls and MGB regulatory and legal requirements (as a HIPAA covered entity).

Mass General Brigham workforce members are required to complete new workforce privacy and information security training upon hire and annually thereafter. Refresh training is provided as appropriate. Mass General Brigham workforce members are required to review and sign a Confidentiality Agreement upon hire and annually thereafter. Additionally, we follow Enterprise Information Security and Privacy policies, including Managing Workforce Members Information Security Responsibilities Policy, which was developed to help assure that Mass General Brigham workforce members are competent and eligible to support the information security responsibilities associated with their role. Mass General Brigham workforce, including Division staff, are required to comply with Enterprise Information Security and Privacy Policies.

Facilities: The research team uses a highly secure, state-of-the-art, computing facility housed at Mass General Brigham's Corporate Data Centers in Needham and Marlborough, Massachusetts as well as Amazon Web Services (AWS). We maintain redundant storage for maximal data integrity and high-speed data access.

The Division uses Mass General Brigham corporate provisioned servers to analyze and store data in connection with this project. There are strict access controls enforced by technical means to ensure that only study staff who have been approved to conduct data analyses and contracted data engineers are able to access data (e.g., Mass General Brigham Authentication (Active Directory) utilized; auditing, logging, and monitoring enabled; firewalls enabled; etc.). All Division servers used in this study are accessible to authorized staff only through the MGB network and utilizing VPN as appropriate (i.e., users must be on the network and logged into VPN to access). Mass General Brigham has a network information security monitoring team and in-scope servers are enrolled in enterprise security tools (e.g., vulnerability scanning service, antivirus, etc.).

The Division also uses AWS. In-scope AWS services / resources have undergone review and assessment by Mass General Brigham's Information Security Risk Assessment Team/ InfoSec Risk Management Team as required and in alignment with NIST 800-30: Guide for Conducting Risk Assessments. In-scope AWS servers are for our exclusive use (reserved instances), and are covered under our organization's Business Associate Agreement with AWS. In-scope servers are housed in anonymous facilities that are not branded as AWS facilities. Physical access is strictly controlled both at the perimeter and at building ingress points by professional security staff utilizing video surveillance, intrusion detection systems, and other electronic means.

Security attributes and controls for the Division's use of in-scope AWS in connection with this project include: encryption at rest and in transit (industry standard AES-256 encryption, SSL/TSL), anti-malware, latest OS updates and patches as well as anti-virus; multi-factor authentication (MFA), Identity and Access Management, including SSO; auditing and logging; principle of least privilege, including for traffic and ports (e.g., deny all default configurations), use of VPC enabled Step functions, etc.; separation between environments; minimum necessary (out of the box AWS roles are not used as they can be overly permissive); all data would reside in the US domestic regions – use only US east HIPAA compliant region; performance monitoring enabled and reviewed as per internal processes; passwords compliant with enterprise password policy and, as appropriate, more protective password requirements; etc. Our Division's AWS use is also subject to ongoing evaluation and monitoring as well – e.g., vulnerability scanning and management, access review, etc.

A data file list will be maintained in Amazon S3 and tracked through Cloudtrail and Cloudwatch. Reporting of data file availability for any file stored in an S3 bucket will be controlled by MGB.

Amazon EC2, Amazon EBS, and Amazon VPC are integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in Amazon EC2, Amazon EBS, and Amazon VPC. CloudTrail captures all API calls for Amazon EC2, Amazon EBS, and Amazon VPC as events, including calls from the console and from code calls to the APIs. MGB IT/security staff have full access to CloudTrail to ensure that CloudTrail

monitoring is available at all times. Amazon CloudWatch Events delivers a near-real-time stream of system events that describe changes in AWS resources. Amazon CloudTrail can log, continuously monitor, and retain account activity related to actions across the MGB AWS infrastructure. CloudTrail provides event history of MGB AWS account activity. This event history simplifies security analysis, resource change tracking, and troubleshooting and complies with requirements to ensure the data file inventory is controlled by MGB.

Backups: Backups are created using industry recognized Cryptographic mechanisms (e.g., 256-bit AES encryption) as appropriate and required. Data are backed up within the MGB network from the MGB Needham data center to the MGB Marlborough data center via replication/mirroring and volume-level snapshots. AWS Backup supports both instance-level backups as Amazon Machine Images (AMIs) and volume-level backups as separate snapshots based on the resource tags. AMIs allow MGB IT and security staff to create backups of all S3 and EC2 instances. This backup approach allows elimination of EC2 instances when access to CMS data files is no longer needed. Use of temporary instances will allow highest security control to be applied regarding for whom and when CMS data files are accessible.

In addition to the safeguards listed above, the Division follows enterprise privacy and information security policies and maintains internally procedures in connection with this project to safeguard the data in connection with this project as appropriate and required including: Physical Security and Environmental Controls for Electronic Information Policy; IT Access Control Standards for Users policy; Safeguarding Fax Copiers Printers Telephone Use and Pagers; Physical Removal and Transport of Protected Health Information and Personal Information policy, etc.

6.8 Quality control

Senior Programmers and Research Specialists perform QA/QC on raw or common data model converted data via SAS/R/Aetion software. The protocol will be iteratively developed and pre-specified data checks including feasibility counts and balance on baseline covariates will be conducted with outputs reviewed by both MGB and FDA team members. Team members will review code lists to ensure fidelity to intended algorithms.

6.9 Study size and feasibility

See appendix 4 (first feasibility matching on age, sex, comorbidity score) and appendix 5 (second feasibility matching on all predefined propensity score variables). Propensity score distribution plots with c-statistics are available in appendix 6. Table 1 showing prevalence of baseline characteristics and standardized differences in distribution are available in appendix 7.

7. Limitation of the methods

As we are using secondary data and the data were not collected for research purposes, some important variables may not be collected or will be measured imperfectly. We have selected validated algorithms when possible and we have created proxies for important variables that are not directly captured in the data to reduce confounding by unmeasured factors. One measurement difference is, for example, an inclusion criterion requiring left

ventricular ejection fraction (LVEF). Since these measurements are not captured in claims, we proxied LVEF by applying a predictive algorithm for LVEF with high positive predictive value (PPV) of 91%. This algorithm has been used in other database studies.²⁷⁻²⁹

When comparing results from an RCT to a database study that emulates the design, we assume that the findings from the single RCT are internally valid.

Although we plan to emulate the important features of each trial as closely as possible in healthcare claims, there may be some elements of the RCT design that are not emulable with a database study, which means that the real-world evidence obtained from the database study and trial will address slightly different clinical questions. For example, in routine clinical care, adherence to treatment is typically not as high as it is in an RCT with strong measures in place to encourage adherence to the study protocol. This means that there is more discontinuation and short-term medication use in the patients identified in claims databases than trial participants.

Apparent agreement between RCT and database study results could occur if the effects of multiple factors (chance, emulation differences, bias) cancel each other out.

8. Protection of human subjects

This study has been approved by the Brigham and Women's Hospital Institutional Review Board.

9. References

1. Wang SV, Russo M, Glynn RJ, et al. A Benchmark, Expand, and Calibration (BenchExCal) Trial Emulation Approach for Using Real-World Evidence to Support Indication Expansions: Design and Process for a Planned Empirical Evaluation. *Clin Pharmacol Ther.* 2025;117(6):1820-1828. doi:10.1002/cpt.3621
2. Schneeweiss S, Krüger N. Non-Randomized Database Analyses to Complement Randomized Clinical Trials: Promising Approaches for Cardiovascular Medicine. *Circulation.* 2025;151(21):1495-1497. doi:10.1161/CIRCULATIONAHA.125.073235
3. Verma S, McGuire DK, Kosiborod MN. Two Tales: One Story: EMPEROR-Reduced and DAPA-HF. *Circulation.* 2020;142(23):2201-2204. doi:10.1161/CIRCULATIONAHA.120.051122
4. Packer M, Anker SD, Butler J, et al. Cardiovascular and Renal Outcomes with Empagliflozin in Heart Failure. *N Engl J Med.* 2020;383(15):1413-1424. doi:10.1056/NEJMoa2022190
5. Summary. In: *Pharmacoeconomic Review Report: Empagliflozin (Jardiance) [Internet]*. Canadian Agency for Drugs and Technologies in Health; 2015. Accessed May 12, 2026. <https://www.ncbi.nlm.nih.gov/books/NBK533795/>
6. Green JB, Bethel MA, Armstrong PW, et al. Effect of Sitagliptin on Cardiovascular Outcomes in Type 2 Diabetes. *N Engl J Med.* 2015;373(3):232-242. doi:10.1056/NEJMoa1501352
7. Scirica BM, Bhatt DL, Braunwald E, et al. Saxagliptin and Cardiovascular Outcomes in Patients with Type 2 Diabetes Mellitus. *N Engl J Med.* 2013;369(14):1317-1326. doi:10.1056/NEJMoa1307684

8. Scirica BM, Braunwald E, Raz I, et al. Heart failure, saxagliptin, and diabetes mellitus: observations from the SAVOR-TIMI 53 randomized trial. *Circulation*. 2014;130(18):1579-1588. doi:10.1161/CIRCULATIONAHA.114.010389
9. Filion KB, Azoulay L, Platt RW, et al. A Multicenter Observational Study of Incretin-based Drugs and Heart Failure. *N Engl J Med*. 2016;374(12):1145-1154. doi:10.1056/NEJMoa1506115
10. Toh S, Hampf C, Reichman ME, et al. Risk for Hospitalized Heart Failure Among New Users of Saxagliptin, Sitagliptin, and Other Antihyperglycemic Drugs: A Retrospective Cohort Study. *Ann Intern Med*. 2016;164(11):705-714. doi:10.7326/M15-2568
11. Paterno E, Gopalakrishnan C, Bartels DB, Brodovicz KG, Liu J, Schneeweiss S. Preferential prescribing and utilization trends of diabetes medications among patients with renal impairment: Emerging role of linagliptin and other dipeptidyl peptidase 4 inhibitors. *Endocrinol Diabetes Metab*. 2018;1(1):e00005. doi:10.1002/edm2.5
12. Gallwitz B. Safety and efficacy of linagliptin in type 2 diabetes patients with common renal and cardiovascular risk factors. *Ther Adv Endocrinol Metab*. 2013;4(3):95-105. doi:10.1177/2042018813486165
13. Badve SV, Bilal A, Lee MMY, et al. Effects of GLP-1 receptor agonists on kidney and cardiovascular disease outcomes: a meta-analysis of randomised controlled trials. *Lancet Diabetes Endocrinol*. 2025;13(1):15-28. doi:10.1016/S2213-8587(24)00271-7
14. Mohan V, Saboo B, Khader J, et al. Position of Sulfonylureas in the Current ERA: Review of National and International Guidelines. *Clin Med Insights Endocrinol Diabetes*. 2022;15:11795514221074663. doi:10.1177/11795514221074663
15. Bates BA, Akhabue E, Nahass MM, et al. Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample. *Circ Cardiovasc Qual Outcomes*. 2023;16(2):e009078. doi:10.1161/CIRCOUTCOMES.122.009078
16. McCormick N, Lacaille D, Bhole V, Avina-Zubieta JA. Validity of Heart Failure Diagnoses in Administrative Databases: A Systematic Review and Meta-Analysis. Guo Y, ed. *PLoS ONE*. 2014;9(8):e104519. doi:10.1371/journal.pone.0104519
17. Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A combined comorbidity score predicted mortality in elderly patients better than existing scores. *J Clin Epidemiol*. 2011;64(7):749-759. doi:10.1016/j.jclinepi.2010.10.004
18. Sun JW, Rogers JR, Her Q, et al. Adaptation and Validation of the Combined Comorbidity Score for ICD-10-CM. *Med Care*. 2017;55(12):1046-1051. doi:10.1097/MLR.0000000000000824
19. Measuring Frailty in Medicare Data: Development and Validation of a Claims-Based Frailty Index - PubMed. Accessed December 18, 2024. <https://pubmed.ncbi.nlm.nih.gov/29244057/>
20. Thomas LE, Li F, Pencina MJ. Overlap Weighting: A Propensity Score Method That Mimics Attributes of a Randomized Clinical Trial. *JAMA*. 2020;323(23):2417-2418. doi:10.1001/jama.2020.7819
21. Wang SV, Schneeweiss S, RCT-DUPLICATE Initiative. Emulation of Randomized Clinical Trials With Nonrandomized Database Analyses: Results of 32 Clinical Trials. *JAMA*. 2023;329(16):1376-1385. doi:10.1001/jama.2023.4221
22. Franklin JM, Pawar A, Martin D, et al. Nonrandomized Real-World Evidence to Support Regulatory Decision Making: Process for a Randomized Trial Replication

Project. *Clin Pharmacol Ther.* 2020;107(4):817-826. doi:10.1002/cpt.1633

23. Hill ME, Rosenwaike I. The Social Security Administration's Death Master File: the completeness of death reporting at older ages. *Soc Secur Bull.* 2001;64(1):45-51.
24. Death Information in the Research Identifiable Medicare Data | ResDAC. Accessed December 2, 2024. <https://resdac.org/articles/death-information-research-identifiable-medicare-data>
25. Olubowale OT, Safford MM, Brown TM, et al. Comparison of Expert Adjudicated Coronary Heart Disease and Cardiovascular Disease Mortality With the National Death Index: Results From the REasons for Geographic And Racial Differences in Stroke (REGARDS) Study. *J Am Heart Assoc.* 2017;6(5):e004966. doi:10.1161/JAHA.116.004966
26. Find, Request and Use CMS Data | ResDAC. Accessed December 2, 2024. <https://resdac.org/>
27. Desai RJ, Lin KJ, Patorno E, et al. Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure. *Circ Cardiovasc Qual Outcomes.* 2018;11(12):e004700. doi:10.1161/CIRCOUTCOMES.118.004700
28. Abdel Jawad M, Spertus JA, Ikeaba U, et al. Early Adoption of Sodium-Glucose Cotransporter-2 Inhibitor in Patients Hospitalized With Heart Failure With Mildly Reduced or Preserved Ejection Fraction. *JAMA Cardiol.* 2025;10(1):89-94. doi:10.1001/jamacardio.2024.4489
29. Desai RJ, Solomon SD, Vaduganathan M. Rates of Spironolactone Initiation and Subsequent Hyperkalemia Hospitalizations in Patients with Heart Failure with Preserved Ejection Fraction Following the TOPCAT trial: A Cohort Study of Medicare Beneficiaries. *J Card Fail.* 2022;28(6):1035-1039. doi:10.1016/j.cardfail.2022.01.012

10. Appendices

See accompanying excel file.

1 Target Trial Framework, Operational Definitions, and Data Fitness Assessment

2 Code algorithms

- 2a Exposure
- 2b Inclusion
- 2c Exclusion
- 2d Outcome

3 Flowchart for cohort assembly

4 1st feasibility assessment

5 2nd feasibility assessment

6 Balance Assessment - PS Distribution and C-Statistic

7 Balance Assessment - Table 1

EMPEROR-Reduced		OPTUM	Medicare	MarketScan	Notes	Color coding	Score
Treatment assignment (time 0, index date)	Multicenter, parallel, blinded randomization to treatment with empagliflozin vs placebo	Non-randomized initiation of treatment with empagliflozin vs sitagliptin (first eligible entry to study population)	Non-randomized initiation of treatment with empagliflozin vs sitagliptin (first eligible entry to study population)	Non-randomized initiation of treatment with empagliflozin vs sitagliptin (first eligible entry to study population)			
Exposure	Empagliflozin 10 mg once daily	Code type: NDC Generic Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Empagliflozin in any formulation or dose Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A Code type: NDC Generic Care setting: N/A Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Sitagliptin in any formulation or dose Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A	Code type: NDC Generic Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Empagliflozin in any formulation or dose Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A Code type: NDC Generic Care setting: N/A Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Sitagliptin in any formulation or dose Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A	Code type: NDC Generic Care setting: Prescription Claims Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Empagliflozin in any formulation or dose Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A Code type: NDC Generic Care setting: N/A Diagnosis position: N/A Washout window: [-183, -1] Incident with respect to: Sitagliptin in any formulation or dose Assessment window: N/A Source of algorithm: N/A Measurement characteristics: N/A		Good proxy definition	3
Comparator	Placebo, film-coated tablet once daily				Rationale: Sitagliptin is being used as an active-comparator proxy for placebo in the database study	Moderate proxy definition	2
Primary Outcome	A composite of cardiovascular death or hospitalization for worsening heart failure. Due to inability to capture cause of death, our modified composite endpoint was measured as all-cause mortality and hospitalization for heart failure.	Code type: DX Care setting: Inpatient for Heart Failure Diagnosis position: Primary Washout window: N/A Source of algorithm: PROMISE Team, Validation studies, (Investigator reviewed codes) Measurement characteristics: Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HF diagnosis using ICD9 codes was 87% and for HHF 98% https://pubmed.ncbi.nlm.nih.gov/25126761/ and https://pubmed.ncbi.nlm.nih.gov/36688301/ One day after initiation of treatment with empagliflozin vs sitagliptin	Code type: DX Care setting: Inpatient for Heart Failure Diagnosis position: Primary Washout window: N/A Source of algorithm: PROMISE Team, Validation studies, (Investigator reviewed codes) Measurement characteristics: Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HF diagnosis using ICD9 codes was 87% and for HHF 98% https://pubmed.ncbi.nlm.nih.gov/25126761/ and https://pubmed.ncbi.nlm.nih.gov/36688301/ One day after initiation of treatment with empagliflozin vs sitagliptin	Code type: DX Care setting: Inpatient for Heart Failure Diagnosis position: Primary Washout window: N/A Source of algorithm: PROMISE Team, Validation studies, (Investigator reviewed codes) Measurement characteristics: Death includes information from the inpatient discharged dead status, social security death master file, and deaths scraped from obituaries or other sources. PPV for HF diagnosis using ICD9 codes was 87% and for HHF 98% https://pubmed.ncbi.nlm.nih.gov/25126761/ and https://pubmed.ncbi.nlm.nih.gov/36688301/ One day after initiation of treatment with empagliflozin vs sitagliptin		Poorly measured in database	1
Follow up start	Randomization date The primary outcome was assessed in a time-to-event analysis. Data were censored at the end of treatment for patients who completed the planned treatment period, up to 365 days, or at the last available follow-up visit for patients who discontinued. The median duration of follow-up for the primary outcome was 16 months.					Poorly measured in database and not important	0
Follow up end		Earliest of: Outcome, End of observation in data, End of study period, discontinuation (45 days grace window and risk-window), switch to other SGLT2i or DPP4i, nursing home admission.	Earliest of: Outcome, End of observation in data, End of study period, discontinuation (45 days grace window and risk-window), switch to other SGLT2i or DPP4i, nursing home admission.	Earliest of: Outcome, End of observation in data, End of study period, discontinuation (45 days grace window and risk-window), switch to other SGLT2i or DPP4i, nursing home admission.			
Causal estimand	Intention-to-treat effect (treatment policy)	On-treatment effect	On-treatment effect	On-treatment effect	Rationale: Adherence in clinical practice databases is expected to be much worse than in the trial, therefore the OT analysis will be the primary analysis. The OT analysis targets the relative hazard of outcomes while on treatment and may more closely emulate the effect observed in highly adherent trial participants.		
Effect estimation	Cox proportional hazards regression model	Cox proportional hazards regression model	Cox proportional hazards regression model	Cox proportional hazards regression model			
Inclusion criteria		Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: N/A Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: N/A Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [0, 0] Code type: N/A Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A			
1	Male or female patients, age ≥18 years at screening	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/25126761/ and https://pubmed.ncbi.nlm.nih.gov/36688301/ Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/25126761/ and https://pubmed.ncbi.nlm.nih.gov/36688301/ Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/25126761/ and https://pubmed.ncbi.nlm.nih.gov/36688301/ Measurement characteristics: N/A			
2	Chronic HF diagnosed for at least 3 months before screening, and currently in HF NYHA class II-IV	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Any Source of algorithm: EF algorithm https://pubmed.ncbi.nlm.nih.gov/30562067/ Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Any Source of algorithm: EF algorithm https://pubmed.ncbi.nlm.nih.gov/30562067/ Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Any Source of algorithm: EF algorithm https://pubmed.ncbi.nlm.nih.gov/30562067/ Measurement characteristics: N/A			
3	Chronic HF with reduced EF defined as LVEF ≤ 40% per local reading (obtained under stable condition by echocardiography, radionuclide ventriculography, invasive angiography, MRI or CT).						

At least one of the following evidence of HF: a) If EF ≥36% to <40%: Elevated NT-proBNP at Visit1 ≥2500 pg/ml for patients without AF, OR ≥5000 pg/ml for patients with AF, analysed at the Central Laboratory, b) If EF ≥31% to <35%: Elevated NT-proBNP at Visit1 ≥1000 pg/ml for patients without AF, OR ≥2000 pg/ml for patients with AF, analysed at the Central Laboratory, c) If EF <30%: Elevated NT-proBNP at Visit1 ≥600 pg/ml for patients without AF, OR ≥1200 pg/ml for patients with AF, analysed at the Central Laboratory d) For EF <40% and documented HHF < within 12 months prior to visit 1, elevated NT-proBNP at Visit1 > 600 pg/ml for patients without AF and >1200 pg/ml for patients with AF, analysed at the Central Laboratory.			
4	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oral diuretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-30, 0] Code type: RX Care setting: Any Diagnosis position: Any Source of algorithm: 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure https://pubmed.ncbi.nlm.nih.gov/35378257/ Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, LOINC Care setting: Any Diagnosis position: Any Source of algorithm: Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data Measurement characteristics: N/A	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-30, 0] Code type: RX Care setting: Any Diagnosis position: Any Source of algorithm: 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure https://pubmed.ncbi.nlm.nih.gov/35378257/ Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, LOINC Care setting: Any Diagnosis position: Any Source of algorithm: Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data Measurement characteristics: N/A
5	Appropriate use of medical devices such as cardioverter defibrillator (ICD) or a cardiac resynchronization therapy (CRT) consistent with prevailing local or international CV guidelines, unless it is implanted within 3 months prior to Visit1, or	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, LOINC Care setting: Any Diagnosis position: Any Source of algorithm: Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data Measurement characteristics: N/A	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, LOINC Care setting: Any Diagnosis position: Any Source of algorithm: Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data Measurement characteristics: N/A
6	if there is an intent to implant ICD or CRT	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A
7	Body Mass Index (BMI) <45 kg/m2 Signed and dated written ICF in accordance with Good Clinical Practice (GCP) and local legislation prior to admission to the trial	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A
8	Trial subgroup of patients with Type 2 Diabetes Mellitus (T2DM)	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Can't be measured in claims Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A
Exclusion Criteria			
1	Myocardial infarction (increase in cardiac enzymes in combination with symptoms of ischaemia or newly developed ischaemic ECG changes), coronary artery bypass graft surgery or other major cardiovascular surgery, stroke or TIA in past 90 days	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [Start of all available data, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [Start of all available data, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A
2	Heart transplant recipient or listed for heart transplant	Applied before/after selection of index date: Before Assessment window: [Start of all available data, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [Start of all available data, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A
3	Currently implanted left ventricular assist device (LVAD)	Applied before/after selection of index date: Before Assessment window: [Start of all available data, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [Start of all available data, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: N/A Measurement characteristics: N/A

Algorithm detail: Patients prescribed a medical therapy for HF in the 30 days before CED that has not been filled before should be excluded.

4	Cardiomyopathy based on infiltrative diseases (e.g. amyloidosis), accumulation diseases (e.g. haemochromatosis, Fabry disease), muscular dystrophies, cardiomyopathy with reversible causes (e.g. stress cardiomyopathy), hypertrophic obstructive cardiomyopathy or known pericardial constriction	<p>Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Primary for cardiomyopathy, any for others Source of algorithm: Multiple sources (see "Algorithm Sources") Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: PX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: PX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: PX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	
5	Any severe (obstructive or regurgitant) valvular heart disease expected to lead to surgery during the trial in the Investigator's opinion	<p>Applied before/after selection of index date: Before Assessment window: [-7, 0] Code type: DX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: PROMISE team Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/31933524/ Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-7, 0] Code type: DX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: PROMISE team Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-7, 0] Code type: DX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: PROMISE team Measurement characteristics: N/A</p>	
6	Acute decompensated HF (exacerbation of chronic HF) requiring intravenous (i.v.) diuretics, i.v. inotropes or i.v. vasodilators, or left ventricular assist device within 1 week from discharge to Visit 1, and during screening period until Visit 2(Randomisation)	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/31933524/ Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/31933524/ Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: https://pubmed.ncbi.nlm.nih.gov/31933524/ Measurement characteristics: N/A</p>	
7	Atrial fibrillation or atrial flutter with a resting heart rate > 110 bpm documented by ECG at Visit 2 (Randomisation)	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Primary Source of algorithm: <u>A systematic review of validated methods for identifying ventricular arrhythmias using administrative and claims data</u> Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Primary Source of algorithm: <u>A systematic review of validated methods for identifying ventricular arrhythmias using administrative and claims data</u> Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Primary Source of algorithm: <u>A systematic review of validated methods for identifying ventricular arrhythmias using administrative and claims data</u> Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	
8	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Primary Source of algorithm: <u>A systematic review of validated methods for identifying ventricular arrhythmias using administrative and claims data</u> Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Primary Source of algorithm: <u>A systematic review of validated methods for identifying ventricular arrhythmias using administrative and claims data</u> Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX, RX Care setting: Any Diagnosis position: Primary Source of algorithm: <u>A systematic review of validated methods for identifying ventricular arrhythmias using administrative and claims data</u> Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	
9	Diagnosis of cardiomyopathy induced by chemotherapy or peripartum within the 12 months prior to Visit1	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	
10	Symptomatic bradycardia or second or third degree heart block without a pacemaker after adjusting beta-blocker therapy, if appropriate	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	
11	Systolic blood pressure (SBP) ≥ 180 mmHg at Visit 2. If SBP >150 mmHg and <180 mmHg at Visit 2, the patient should be receiving at least 3 antihypertensive drugs	<p>Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	Algorithm detail: Proxied by codes for malignant hypertension or hypertensive emergency/crisis
12	Symptomatic hypotension and/or a SBP < 100 mmHg at Visit1 or Visit 2	<p>Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	<p>Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A</p>	Algorithm detail: Proxied by codes for hypotension

13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: Multiple sources (see "Algorithm Sources") Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Inpatient Diagnosis position: Primary Source of algorithm: Multiple sources (see "Algorithm Sources") Measurement characteristics: N/A	
		Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications, Investigator reviewed codes Measurement characteristics: N/A	
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit1	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Algorithm detail: Based on diagnostic codes rather than laboratory values.
		Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	
15	Impaired renal function, defined as eGFR < 20 mL/min/1.73 m2 (CKD-EPi) or requiring dialysis, as determined at Visit1	Applied before/after selection of index date: Before Assessment window: [-183, 0] for anemia, [-91, 0] for transfusion Code type: DX, PX Care setting: Any Diagnosis position: Primary, Any for transfusion Source of algorithm: The accuracy of claims data for measuring transfusion rates, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] for anemia, [-91, 0] for transfusion Code type: DX, PX Care setting: Any Diagnosis position: Primary, Any for transfusion Source of algorithm: The accuracy of claims data for measuring transfusion rates, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] for anemia, [-91, 0] for transfusion Code type: DX, PX Care setting: Any Diagnosis position: Primary, Any for transfusion Source of algorithm: The accuracy of claims data for measuring transfusion rates, Investigator reviewed codes Measurement characteristics: N/A	Algorithm detail: Proxied by codes for chronic kidney disease stage IV and V, end-stage renal disease and dialysis
		Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data, Investigator reviewed codes Measurement characteristics: N/A	
16	Haemoglobin < 9 g/dl at Visit1	Applied before/after selection of index date: Before Assessment window: [-183, 0] for anemia, [-91, 0] for transfusion Code type: DX, PX Care setting: Any Diagnosis position: Primary, Any for transfusion Source of algorithm: The accuracy of claims data for measuring transfusion rates, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] for anemia, [-91, 0] for transfusion Code type: DX, PX Care setting: Any Diagnosis position: Primary, Any for transfusion Source of algorithm: The accuracy of claims data for measuring transfusion rates, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] for anemia, [-91, 0] for transfusion Code type: DX, PX Care setting: Any Diagnosis position: Primary, Any for transfusion Source of algorithm: The accuracy of claims data for measuring transfusion rates, Investigator reviewed codes Measurement characteristics: N/A	Algorithm detail: Severe anemia requiring at least 3 visits on 3 different days within 183 days prior to CED. https://pubmed.ncbi.nlm.nih.gov/34497146/
		Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, Investigator reviewed codes Measurement characteristics: N/A	
17	History of ketoacidosis	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: PX Care setting: Inpatient Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: PX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Algorithm detail: Major surgeries include craniotomy, colectomy, cholecystectomy, oesophagectomy, colostomy, ileostomy, pancreatotomy, ventral hernia repair, hip replacement, knee replacement, shoulder replacement, thorascopic pulmonary lobectomy, open pulmonary lobectomy,
		Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, A Systematic Review of Crohn's Disease Case Definitions in Administrative or Claims Databases, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, A Systematic Review of Crohn's Disease Case Definitions in Administrative or Claims Databases, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-91, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team, A Systematic Review of Crohn's Disease Case Definitions in Administrative or Claims Databases, Investigator reviewed codes Measurement characteristics: N/A	
18	Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit1, or scheduled major elective surgery (eg. hip replacement) within 90 days after visit 1	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	
		Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	
		Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	
		Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-730, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: PROMISE team Measurement characteristics: N/A	

		Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Combined comorbidity score https://pubmed.ncbi.nlm.nih.gov/21208778/ Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Combined comorbidity score https://pubmed.ncbi.nlm.nih.gov/21208778/ Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Combined comorbidity score https://pubmed.ncbi.nlm.nih.gov/21208778/ Measurement characteristics: N/A	
21	Presence of any other disease than heart failure with a life expectancy of <1 year in the investigator's opinion				Algorithm detail: Proxied by CCI >10
22	Patients who must or wish to continue the intake of restricted medications (see Section 4.2.2) or any drug considered likely to interfere with the safe conduct of the trial	Can't be measured in claims	Can't be measured in claims	Can't be measured in claims	
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted.	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: RX Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: RX Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-183, 0] Code type: RX Care setting: N/A Diagnosis position: N/A Source of algorithm: N/A Measurement characteristics: N/A	Algorithm detail: Also exclude current or prior use of DPP4i
24	Currently enrolled in another investigational device or drug trial, or less than 30 days since ending another investigational device or drug trial(s), or receiving other investigational treatment(s). Patients participating in a purely observational trial will not be excluded	Can't be measured in claims	Can't be measured in claims	Can't be measured in claims	
25	Known allergy or hypersensitivity to empagliflozin or other SGLT-2 inhibitors	Can't be measured in claims	Can't be measured in claims	Can't be measured in claims	
26	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Validation of key behaviourally based mental health diagnoses in administrative data: suicide attempt, alcohol abuse, illicit drug abuse and tobacco use, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Validation of key behaviourally based mental health diagnoses in administrative data: suicide attempt, alcohol abuse, illicit drug abuse and tobacco use, Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Validation of key behaviourally based mental health diagnoses in administrative data: suicide attempt, alcohol abuse, illicit drug abuse and tobacco use, Investigator reviewed codes Measurement characteristics: N/A	
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Pregnancy team Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Pregnancy team Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX, PX Care setting: Any Diagnosis position: Any Source of algorithm: Pregnancy team Measurement characteristics: N/A Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Algorithm detail: Proxied by codes indicative of pregnancy in baseline
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Applied before/after selection of index date: Before Assessment window: [-365, 0] Code type: DX Care setting: Any Diagnosis position: Any Source of algorithm: Investigator reviewed codes Measurement characteristics: N/A	Algorithm detail: Proxied by codes indicative of non-compliance with treatment

Variable_Name	Code	Code_category	Code_type	Notes	
Exposure					
Empagliflozin	EMPAGLIFLOZIN	RX	Generic	NDC Route of Administration: ORAL	
Empagliflozin	00597015207	RX	NDC		
Empagliflozin	00597015230	RX	NDC		
Empagliflozin	00597015237	RX	NDC		
Empagliflozin	00597015270	RX	NDC		
Empagliflozin	00597015290	RX	NDC		
Empagliflozin	00597015307	RX	NDC		
Empagliflozin	00597015330	RX	NDC		
Empagliflozin	00597015337	RX	NDC		
Empagliflozin	00597015370	RX	NDC		
Empagliflozin	00597015390	RX	NDC		
Empagliflozin	JARDIANCE	RX	Generic		
Empagliflozin	EMPAGLIFLOZIN / METFORMIN HYDROCHLORIDE	RX	Generic		
Comparator					
Sitagliptin	SITAGLIPTIN PHOSPHATE/METFORMIN HCL	RX	Generic	NDC Route of Administration: ORAL	
Sitagliptin	SITAGLIPTIN PHOSPHATE	RX	Generic		
Sitagliptin	00006011201	RX	NDC		
Sitagliptin	00006011228	RX	NDC		
Sitagliptin	00006011231	RX	NDC		
Sitagliptin	00006011254	RX	NDC		
Sitagliptin	00006022101	RX	NDC		
Sitagliptin	00006022128	RX	NDC		
Sitagliptin	0006022131	RX	NDC		
Sitagliptin	00006022154	RX	NDC		
Sitagliptin	00006027701	RX	NDC		
Sitagliptin	00006027702	RX	NDC		
Sitagliptin	00006027714	RX	NDC		
Sitagliptin	0006027727	RX	NDC		
Sitagliptin	00006027728	RX	NDC		
Sitagliptin	00006027730	RX	NDC		
Sitagliptin	00006027731	RX	NDC		
Sitagliptin	00006027733	RX	NDC		
Sitagliptin	0006027754	RX	NDC		
Sitagliptin	00006027782	RX	NDC		
Sitagliptin	00006057501	RX	NDC		Sitagliptin/metformin
Sitagliptin	00006057502	RX	NDC		Sitagliptin/metformin
Sitagliptin	00006057503	RX	NDC		Sitagliptin/metformin

Sitagliptin	00006057552	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057556	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057561	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057562	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057582	RX	NDC	Sitagliptin/metformin
Sitagliptin	0006057701	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057702	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057703	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057752	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057756	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057761	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057762	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006057782	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006007814	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006007828	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006007861	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006007862	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006007882	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008014	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008028	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008061	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008062	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008082	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008107	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008114	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008131	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008154	RX	NDC	Sitagliptin/metformin
Sitagliptin	00006008182	RX	NDC	Sitagliptin/metformin
Sitagliptin	JANUVIA	RX	Generic	NDC Route of Administration: ORAL

Category	Variable_Name	Variable_subtype	Code	Code_category	Description	Code_type	Notes
	2 Chronic heart failure		I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM	
	2 Chronic heart failure		I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE	ICD-10-CM	
	2 Chronic heart failure		I50	DX	RENAL DISEASE	ICD-10-CM	
	2 Chronic heart failure		I50.1	DX	HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.2	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM	
	2 Chronic heart failure		I50.20	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.22	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.23	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.3	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.30	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.32	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.33	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.4	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.40	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.42	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.43	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.8	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.810	DX	OTHER HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.812	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM	
	2 Chronic heart failure		I50.813	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.814	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.82	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.83	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.84	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.89	DX	END STAGE HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I50.9	DX	OTHER HEART FAILURE	ICD-10-CM	
	2 Chronic heart failure		I97.130	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM	
	2 Chronic heart failure		I97.131	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING CARDIAC SURGERY	ICD-10-CM	
	2 Chronic heart failure		398.91	DX	POSTPROCEDURAL HEART FAILURE FOLLOWING OTHER SURGERY	ICD-10-CM	
	2 Chronic heart failure		402.01	DX	RHEUMATIC HEART FAILURE (CONGESTIVE)	ICD-9-CM	
	2 Chronic heart failure		402.11	DX	MALIGNANT HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-9-CM	
	2 Chronic heart failure		402.91	DX	BENIGN HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-9-CM	
	2 Chronic heart failure		404.01	DX	UNSPECIFIED HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-9-CM	
	2 Chronic heart failure		404.03	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM	
	2 Chronic heart failure		404.11	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE	ICD-9-CM	
	2 Chronic heart failure		404.13	DX	STAGE RENAL DISEASE	ICD-9-CM	
	2 Chronic heart failure		404.91	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, BENIGN, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM	
	2 Chronic heart failure		404.93	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, BENIGN, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE	ICD-9-CM	
	2 Chronic heart failure		428	DX	RENAL DISEASE	ICD-9-CM	
	2 Chronic heart failure		428.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, UNSPECIFIED, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM	
	2 Chronic heart failure		428.1	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, UNSPECIFIED, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE	ICD-9-CM	
	2 Chronic heart failure		428.2	DX	STAGE RENAL DISEASE	ICD-9-CM	
	2 Chronic heart failure		428.22	DX	HEART FAILURE	ICD-9-CM	
	2 Chronic heart failure			DX	CONGESTIVE HEART FAILURE, UNSPECIFIED	ICD-9-CM	
	2 Chronic heart failure			DX	LEFT HEART FAILURE	ICD-9-CM	
	2 Chronic heart failure			DX	SYSTOLIC HEART FAILURE, UNSPECIFIED	ICD-9-CM	
	2 Chronic heart failure			DX	CHRONIC SYSTOLIC HEART FAILURE	ICD-9-CM	

2	Chronic heart failure	428.23			ACUTE ON CHRONIC SYSTOLIC HEART FAILURE	ICD-9-CM
2	Chronic heart failure	428.3			DIASTOLIC HEART FAILURE, UNSPECIFIED	ICD-9-CM
2	Chronic heart failure	428.32			CHRONIC DIASTOLIC HEART FAILURE	ICD-9-CM
2	Chronic heart failure	428.33			ACUTE ON CHRONIC DIASTOLIC HEART FAILURE	ICD-9-CM
2	Chronic heart failure	428.4			COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE, UNSPECIFIED	ICD-9-CM
2	Chronic heart failure	428.42			CHRONIC COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM
2	Chronic heart failure	428.43			ACUTE ON CHRONIC COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM
	Chronic HF with reduced EF defined as LVEF \leq 40% per local reading (obtained under stable condition by echocardiography, radionuclide ventriculography, invasive angiography, MRI or CT).					
3	angiography, MRI or CT).					
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	EF Algorithm				
5	to control symptoms.	ACE-I's	CAPTOPRIL	RX		Generic
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		CAPTOPRIL/HYDROCHLOROTHIAZIDE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		ENALAPRIL MALEATE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		ENALAPRIL MALEATE/DILTIAZEM MALATE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		ENALAPRIL MALEATE/FELODIPINE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		ENALAPRIL MALEATE/HYDROCHLOROTHIAZIDE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		FOSINOPRIL SODIUM	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		FOSINOPRIL SODIUM/HYDROCHLOROTHIAZIDE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		LISINOPRIL	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		LISINOPRIL/HYDROCHLOROTHIAZIDE	RX		Generic
5	to control symptoms.	ACE-I's				
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β -blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2		PERINDOPRIL ARGinine/AMLODIPINE BESYLATE	RX		Generic
5	to control symptoms.	ACE-I's				

Study	Intervention	Comparator	Outcome	Notes
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ACE-I's	PERINDOPRIL ERBUMINE RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ACE-I's	QUINAPRIL HCL RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ACE-I's	QUINAPRIL HCL/HYDROCHL OROTHIAZIDE RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ACE-I's	RAMIPRIL RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ACE-I's	TRANDOLAPRIL RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ACE-I's	TRANDOLAPRIL/ VERAPAMIL HCL RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARB's	CANDESARTAN CILEXETIL RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARB's	CANDESARTAN CILEXETIL/HYDR OCHLOROTHIAZI DE RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARB's	LOSARTAN POTASSIUM RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARB's	LOSARTAN POTASSIUM/HYD ROCHLOROTHIA ZIDE RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARB's	VALSARTAN RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARB's	VALSARTAN/HY DROCHLOROTHI AZIDE RX	Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	ARNI	SACUBITRIL/VA LSARTAN RX	Generic

Study	Intervention	Comparator	Outcome	Significance	Notes
1	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Beta-blockers	BISOPROLOL FUMARATE	RX	Generic
5	to control symptoms.				
2	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Beta-blockers	BISOPROLOL FUMARATE/HYD ROCHLOROTHIA ZIDE	RX	Generic
5	to control symptoms.				
3	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Beta-blockers	CARVEDILOL	RX	Generic
5	to control symptoms.				
4	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Beta-blockers	CARVEDILOL PHOSPHATE	RX	Generic
5	to control symptoms.				
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Beta-blockers	METOPROLOL SUCCINATE	RX	Generic
5	to control symptoms.				
6	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Beta-blockers	METOPROLOL SUCCINATE/HYD ROCHLOROTHIA ZIDE	RX	Generic
5	to control symptoms.				
7	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Mineralocorticoid receptor antagonists	DAPSONE/SPIRO NOLACTONE/NIA CINAMIDE	RX	Generic
5	to control symptoms.				
8	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Mineralocorticoid receptor antagonists	SPIRONOLACTO NE	RX	Generic
5	to control symptoms.				
9	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Mineralocorticoid receptor antagonists	SPIRONOLACTO NE/HYDROCHLO ROTHIAZIDE	RX	Generic
5	to control symptoms.				
10	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Mineralocorticoid receptor antagonists	SPIRONOLACTO NE/NIACINAMIDE	RX	Generic
5	to control symptoms.				
11	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Mineralocorticoid receptor antagonists	EPLERENONE	RX	Generic
5	to control symptoms.				
12	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Ivabradine	IVABRADINE HCL	RX	Generic
5	to control symptoms.				
13	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2	Oral diuretics	BENDROFLUMET HIAZIDE	RX	Generic
5	to control symptoms.				

[illegible]

	Indication	Drug Name	Dose	Formulation	Strength	Frequency	Duration	Notes
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Furosemide	DEXTROSE 5 % IN WATER	RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Torsemide		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Amloride HCL		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Amloride HCL/Hydrochlorothiazide		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Triamterene		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Triamterene/Hydrochlorothiazide		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Eplerenone		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Spirolactone		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Spirolactone/Hydrochlorothiazide		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Spirolactone/Niacinamide		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Finerenone		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Tolvaptan		RX				Generic
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Acetazolamide		RX				Generic

5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	METHAZOLAMIDE	RX		Generic	
	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	J1120	PX	INJECTION, ACETAZOLAMIDE SODIUM, UP TO 500 MG	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	J1205	PX	INJECTION, CHLOROTHIAZIDE SODIUM, PER 500 MG	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	J1940	PX	INJECTION, FUROSEMIDE, UP TO 20 MG	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	J2150	PX	INJECTION, MANNITOL, 25% IN 50 ML	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	J3265	PX	INJECTION, TORSEMIDE, 10 MG/ML	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	J3350	PX	INJECTION, UREA, UP TO 40 GM	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	S0171	PX	INJECTION, BUMETANIDE, 0.5 MG	CPT/HCPCS	Implementation as exclusion criterion
5	Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oralduretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.	Oral diuretics	S9361	PX	HOME INFUSION THERAPY, DIURETIC INTRAVENOUS THERAPY; ADMINISTRATIVE SERVICES, PROFESSIONAL PHARMACY SERVICES, CARE COORDINATION, AND ALL NECESSARY SUPPLIES AND EQUIPMENT (DRUGS AND NURSING VISITS CODED SEPARATELY), PER DIEM	CPT/HCPCS	Implementation as exclusion criterion
6	ICD		V45.02	DX	AUTOMATIC IMPLANTABLE CARDIAC DEFIBRILLATOR IN SITU	ICD-9-CM	Implementation as exclusion criterion
6	ICD		Z95.810	DX	PRESENCE OF AUTOMATIC (IMPLANTABLE) CARDIAC DEFIBRILLATOR	ICD-9-CM	Implementation as exclusion criterion
6	ICD		37.94	PX	IMPLANTATION OR REPLACEMENT OF AUTOMATIC CARDIOVERTER/DEFIBRILLATOR, TOTAL SYSTEM [AICD]	ICD-9-CM	Implementation as exclusion criterion
6	ICD		37.95	PX	IMPLANTATION OF AUTOMATIC CARDIOVERTER/DEFIBRILLATOR LEAD(S) ONLY	ICD-9-CM	Implementation as exclusion criterion
6	ICD		37.96	PX	IMPLANTATION OF AUTOMATIC CARDIOVERTER/DEFIBRILLATOR PULSE GENERATOR ONLY	ICD-9-CM	Implementation as exclusion criterion
6	ICD		37.97	PX	REPLACEMENT OF AUTOMATIC CARDIOVERTER/DEFIBRILLATOR LEAD(S) ONLY	ICD-9-CM	Implementation as exclusion criterion
6	ICD		37.98	PX	REPLACEMENT OF AUTOMATIC CARDIOVERTER/DEFIBRILLATOR PULSE GENERATOR ONLY	ICD-9-CM	Implementation as exclusion criterion

6 ICD	02H43KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H40KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H44KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H60KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H63KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H64KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H70KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H73KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H74KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HK0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HK3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HK4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HL0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HL3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HL4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HN0KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HN3KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02HN4KZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JH608Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JH60FZ	PX	INSERTION OF SUBCUTANEOUS DEFIBRILLATOR LEAD INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JH638Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JH63FZ	PX	INSERTION OF SUBCUTANEOUS DEFIBRILLATOR LEAD INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion

6 ICD	0JH808Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JH838Z	PX	INSERTION OF DEFIBRILLATOR GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JPT0FZ	PX	REMOVAL OF SUBCUTANEOUS DEFIBRILLATOR LEAD FROM TRUNK SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	0JPT3FZ	PX	REMOVAL OF SUBCUTANEOUS DEFIBRILLATOR LEAD FROM TRUNK SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H40JZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	02H43JZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 ICD	33223	PX	RELOCATION OF SKIN POCKET FOR SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33230	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING DUAL LEADS	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33231	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING MULTIPLE LEADS	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33240	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING SINGLE LEAD	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33241	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33243	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY THORACOTOMY	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33244	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY TRANSVENOUS EXTRACTION	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33249	PX	INSERTION OR REPLACEMENT OF PERMANENT IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH TRANSVENOUS LEAD(S), SINGLE OR DUAL CHAMBER	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33262	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; SINGLE LEAD SYSTEM	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33263	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; DUAL LEAD SYSTEM	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33264	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; MULTIPLE LEAD SYSTEM	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33270	PX	INSERTION OR REPLACEMENT OF PERMANENT SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH SUBCUTANEOUS ELECTRODE, INCLUDING DEFIBRILLATION THRESHOLD EVALUATION, INDUCTION OF ARRHYTHMIA, EVALUATION OF SENSING FOR ARRHYTHMIA TERMINATION, AND PROGRAMMING OR REPROGRAMMING OF SENSING OR THERAPEUTIC PARAMETERS, WHEN PERFORMED	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33271	PX	INSERTION OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33272	PX	REMOVAL OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC	Implementation as exclusion criterion
6 ICD	33273	PX	REPOSITIONING OF PREVIOUSLY IMPLANTED SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC	Implementation as exclusion criterion

6 CRT	CRT-P	00.50	PX	IMPLANTATION OF CARDIAC RESYNCHRONIZATION PACEMAKER WITHOUT MENTION OF DEFIBRILLATION, TOTAL SYSTEM [CRT-P]	ICD-9-CM	Implementation as exclusion criterion
6 CRT	CRT-D	00.51	PX	IMPLANTATION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR, TOTAL SYSTEM [CRT-D]	ICD-9-CM	Implementation as exclusion criterion
6 CRT	CRT-P	00.53	PX	IMPLANTATION OR REPLACEMENT OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE GENERATOR ONLY [CRT-P]	ICD-9-CM	Implementation as exclusion criterion
6 CRT	CRT-D	00.54	PX	IMPLANTATION OR REPLACEMENT OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE GENERATOR ONLY [CRT-D]	ICD-9-CM	Implementation as exclusion criterion
6 CRT	CRT-P	0JH607Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-P	0JH637Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-P	0JH807Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-P	0JH837Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION PACEMAKER PULSE GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-D	0JH609Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-D	0JH639Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE GENERATOR INTO CHEST SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-D	0JH809Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, OPEN APPROACH	ICD-10-CM	Implementation as exclusion criterion
6 CRT	CRT-D	0JH839Z	PX	INSERTION OF CARDIAC RESYNCHRONIZATION DEFIBRILLATOR PULSE GENERATOR INTO ABDOMEN SUBCUTANEOUS TISSUE AND FASCIA, PERCUTANEOUS APPROACH	ICD-10-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2	BMI	V85.42	DX	BODY MASS INDEX 45.0-49.9, ADULT	ICD-9-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2	BMI	V85.43	DX	BODY MASS INDEX 50.0-59.9, ADULT	ICD-9-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2	BMI	Z68.42	DX	BODY MASS INDEX (BMI) 45.0-49.9, ADULT	ICD-10-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2	BMI	Z68.43	DX	BODY MASS INDEX (BMI) 50-59.9, ADULT	ICD-10-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2	BMI	Z68.44	DX	BODY MASS INDEX (BMI) 60.0-69.9, ADULT	ICD-10-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2	BMI	Z68.45	DX	BODY MASS INDEX (BMI) 70 OR GREATER, ADULT	ICD-10-CM	Implementation as exclusion criterion
7 Body Mass Index (BMI) < 45 kg/m2 at Visit 6	39156-5	LOINC	BODY MASS INDEX (BMI) [Ratio]			Implementation as exclusion criterion, if BMI > 45
9 Type 2 Diabetes mellitus		E11.0	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY	ICD-10-CM	
9 Type 2 Diabetes mellitus		E11.00	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITHOUT NONKETOTIC HYPERGLYCEMIC-HYPEROSMOLAR COMA (NKHHC)	ICD-10-CM	
9 Type 2 Diabetes mellitus		E11.01	DX	TYPE 2 DIABETES MELLITUS WITH HYPEROSMOLARITY WITH COMA	ICD-10-CM	
9 Type 2 Diabetes mellitus		E11.1	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS	ICD-10-CM	
9 Type 2 Diabetes mellitus		E11.10	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
9 Type 2 Diabetes mellitus		E11.11	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
9 Type 2 Diabetes mellitus		E11.2	DX	TYPE 2 DIABETES MELLITUS WITH KIDNEY COMPLICATIONS	ICD-10-CM	

9 Type 2 Diabetes mellitus	E11.21	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEPHROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.22	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.29	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3	DX	COMPLICATION TYPE 2 DIABETES MELLITUS WITH OPHTHALMIC COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.31	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.311	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.319	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.32	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.321	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3211	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3212	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3213	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3219	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.329	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3291	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3292	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3293	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3299	DX	TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.33	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.331	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3311	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3312	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3313	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3319	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.339	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3391	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3392	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3393	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3399	DX	TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.34	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.341	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3411	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3412	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3413	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM

9 Type 2 Diabetes mellitus	E11.3419	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.349	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3491	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3492	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3493	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3499	DX	TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.35	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.351	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3511	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3512	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3513	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3519	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.352	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3521	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3522	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3523	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3529	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.353	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3531	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3532	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3533	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3539	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH TRACTION RETINAL DETACHMENT NOT INVOLVING THE MACULA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.354	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3541	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3542	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3543	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, BILATERAL	ICD-10-CM

9 Type 2 Diabetes mellitus	E11.3549	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH COMBINED TRACTION RETINAL DETACHMENT AND RHEGMATOGENOUS RETINAL DETACHMENT, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.355	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3551	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3552	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3553	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3559	DX	TYPE 2 DIABETES MELLITUS WITH STABLE PROLIFERATIVE DIABETIC RETINOPATHY, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.359	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3591	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3592	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3593	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.3599	DX	TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.36	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC CATARACT	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.37	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.37X1	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, RIGHT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.37X2	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, LEFT EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.37X3	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, BILATERAL	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.37X9	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MACULAR EDEMA, RESOLVED FOLLOWING TREATMENT, UNSPECIFIED EYE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.39	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.4	DX	TYPE 2 DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.40	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.41	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.42	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.43	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.44	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.49	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.5	DX	TYPE 2 DIABETES MELLITUS WITH CIRCULATORY COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.51	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITHOUT GANGRENE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.52	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC PERIPHERAL ANGIOPATHY WITH GANGRENE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.59	DX	TYPE 2 DIABETES MELLITUS WITH OTHER CIRCULATORY COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.6	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.61	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC ARTHROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.610	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHIC ARTHROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.618	DX	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC ARTHROPATHY	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.62	DX	TYPE 2 DIABETES MELLITUS WITH SKIN COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.620	DX	TYPE 2 DIABETES MELLITUS WITH DIABETIC DERMATITIS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.621	DX	TYPE 2 DIABETES MELLITUS WITH FOOT ULCER	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.622	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SKIN ULCER	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.628	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SKIN COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.63	DX	TYPE 2 DIABETES MELLITUS WITH ORAL COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.630	DX	TYPE 2 DIABETES MELLITUS WITH PERIODONTAL DISEASE	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.638	DX	TYPE 2 DIABETES MELLITUS WITH OTHER ORAL COMPLICATIONS	ICD-10-CM

9 Type 2 Diabetes mellitus	E11.64	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.641	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITH COMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.649	DX	TYPE 2 DIABETES MELLITUS WITH HYPOGLYCEMIA WITHOUT COMA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.65	DX	TYPE 2 DIABETES MELLITUS WITH HYPERGLYCEMIA	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.69	DX	TYPE 2 DIABETES MELLITUS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.8	DX	TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	E11.9	DX	TYPE 2 DIABETES MELLITUS WITHOUT COMPLICATIONS	ICD-10-CM
9 Type 2 Diabetes mellitus	250.00	DX	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.02	DX	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.10	DX	DIABETES WITH KETOACIDOSIS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.12	DX	DIABETES WITH KETOACIDOSIS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.20	DX	DIABETES WITH HYPEROSMOLARITY, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.22	DX	DIABETES WITH HYPEROSMOLARITY, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.30	DX	DIABETES WITH OTHER COMA, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.32	DX	DIABETES WITH OTHER COMA, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.40	DX	DIABETES WITH RENAL MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.42	DX	DIABETES WITH RENAL MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.50	DX	DIABETES WITH OPHTHALMIC MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.52	DX	DIABETES WITH OPHTHALMIC MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.60	DX	DIABETES WITH NEUROLOGICAL MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.62	DX	DIABETES WITH NEUROLOGICAL MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.70	DX	DIABETES WITH PERIPHERAL CIRCULATORY DISORDERS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.72	DX	DIABETES WITH PERIPHERAL CIRCULATORY DISORDERS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.80	DX	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.82	DX	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.90	DX	DIABETES WITH UNSPECIFIED COMPLICATION, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM
9 Type 2 Diabetes mellitus	250.92	DX	DIABETES WITH UNSPECIFIED COMPLICATION, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM

Category	Variable_Name	Variable_subtype	Code	Code_category	Description	Code_type	Notes
1,1 Acute MI			I21.0	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF ANTERIOR WALL	ICD-10-CM	
1,1 Acute MI			I21.01	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT MAIN CORONARY ARTERY	ICD-10-CM	
1,1 Acute MI			I21.02	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT ANTERIOR DESCENDING CORONARY ARTERY	ICD-10-CM	
1,1 Acute MI			I21.09	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER CORONARY ARTERY OF ANTERIOR WALL	ICD-10-CM	
1,1 Acute MI			I21	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM	
1,1 Acute MI			I21.1	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF INFERIOR WALL	ICD-10-CM	
1,1 Acute MI			I21.11	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING RIGHT CORONARY ARTERY	ICD-10-CM	
1,1 Acute MI			I21.19	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER CORONARY ARTERY OF INFERIOR WALL	ICD-10-CM	
1,1 Acute MI			I21.2	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM	
1,1 Acute MI			I21.21	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING LEFT CIRCUMFLEX CORONARY ARTERY	ICD-10-CM	
1,1 Acute MI			I21.29	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION INVOLVING OTHER SITES	ICD-10-CM	
1,1 Acute MI			I21.3	DX	ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-10-CM	
1,1 Acute MI			I21.4	DX	NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM	
1,1 Acute MI			I21.9	DX	ACUTE MYOCARDIAL INFARCTION, UNSPECIFIED	ICD-10-CM	
1,1 Acute MI			I21.A	DX	OTHER TYPE OF MYOCARDIAL INFARCTION	ICD-10-CM	
1,1 Acute MI			I21.A1	DX	MYOCARDIAL INFARCTION TYPE 2	ICD-10-CM	
1,1 Acute MI			I21.A9	DX	OTHER MYOCARDIAL INFARCTION TYPE	ICD-10-CM	
1,1 Acute MI			I22	DX	SUBSEQUENT ST ELEVATION (STEMI) AND NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM	
1,1 Acute MI			I22.0	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF ANTERIOR WALL	ICD-10-CM	
1,1 Acute MI			I22.1	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF INFERIOR WALL	ICD-10-CM	
1,1 Acute MI			I22.2	DX	SUBSEQUENT NON-ST ELEVATION (NSTEMI) MYOCARDIAL INFARCTION	ICD-10-CM	
1,1 Acute MI			I22.8	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF OTHER SITES	ICD-10-CM	
1,1 Acute MI			I22.9	DX	SUBSEQUENT ST ELEVATION (STEMI) MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-10-CM	
1,1 Acute MI			410.0	DX	ACUTE MYOCARDIAL INFARCTION OF ANTEROLATERAL WALL	ICD-9-CM	
1,1 Acute MI			410.00	DX	ACUTE MYOCARDIAL INFARCTION OF ANTEROLATERAL WALL, EPISODE OF CARE UNSPECIFIED	ICD-9-CM	
1,1 Acute MI			410.01	DX	ACUTE MYOCARDIAL INFARCTION OF ANTEROLATERAL WALL, INITIAL EPISODE OF CARE	ICD-9-CM	
1,1 Acute MI			410.1	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER ANTERIOR WALL	ICD-9-CM	
1,1 Acute MI			410.10	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER ANTERIOR WALL, EPISODE OF CARE UNSPECIFIED	ICD-9-CM	
1,1 Acute MI			410.11	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER ANTERIOR WALL, INITIAL EPISODE OF CARE	ICD-9-CM	
1,1 Acute MI			410.2	DX	ACUTE MYOCARDIAL INFARCTION OF INFEROLATERAL WALL	ICD-9-CM	
1,1 Acute MI			410.20	DX	ACUTE MYOCARDIAL INFARCTION OF INFEROLATERAL WALL, EPISODE OF CARE UNSPECIFIED	ICD-9-CM	
1,1 Acute MI			410.21	DX	ACUTE MYOCARDIAL INFARCTION OF INFEROLATERAL WALL, INITIAL EPISODE OF CARE	ICD-9-CM	
1,1 Acute MI			410.3	DX	ACUTE MYOCARDIAL INFARCTION OF INFEROPOSTERIOR WALL	ICD-9-CM	
1,1 Acute MI			410.30	DX	ACUTE MYOCARDIAL INFARCTION OF INFEROPOSTERIOR WALL, EPISODE OF CARE UNSPECIFIED	ICD-9-CM	
1,1 Acute MI			410.31	DX	ACUTE MYOCARDIAL INFARCTION OF INFEROPOSTERIOR WALL, INITIAL EPISODE OF CARE	ICD-9-CM	
1,1 Acute MI			410.4	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER INFERIOR WALL	ICD-9-CM	

1.1 AcuteMI	410.40	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER INFERIOR WALL, EPISODE OF CARE UNSPECIFIED	ICD-9-CM
1.1 AcuteMI	410.41	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER INFERIOR WALL, INITIAL EPISODE OF CARE	ICD-9-CM
1.1 AcuteMI	410.5	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER LATERAL WALL	ICD-9-CM
1.1 AcuteMI	410.50	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER LATERAL WALL, EPISODE OF CARE UNSPECIFIED	ICD-9-CM
1.1 AcuteMI	410.51	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER LATERAL WALL, INITIAL EPISODE OF CARE	ICD-9-CM
1.1 AcuteMI	410.6	DX	TRUE POSTERIOR WALL INFARCTION	ICD-9-CM
1.1 AcuteMI	410.60	DX	TRUE POSTERIOR WALL INFARCTION, EPISODE OF CARE UNSPECIFIED	ICD-9-CM
1.1 AcuteMI	410.61	DX	TRUE POSTERIOR WALL INFARCTION, INITIAL EPISODE OF CARE	ICD-9-CM
1.1 AcuteMI	410.7	DX	SUBENDOCARDIAL INFARCTION	ICD-9-CM
1.1 AcuteMI	410.70	DX	SUBENDOCARDIAL INFARCTION, EPISODE OF CARE UNSPECIFIED	ICD-9-CM
1.1 AcuteMI	410.71	DX	SUBENDOCARDIAL INFARCTION, INITIAL EPISODE OF CARE	ICD-9-CM
1.1 AcuteMI	410.8	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER SPECIFIED SITES	ICD-9-CM
1.1 AcuteMI	410.80	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER SPECIFIED SITES, EPISODE OF CARE UNSPECIFIED	ICD-9-CM
1.1 AcuteMI	410.81	DX	ACUTE MYOCARDIAL INFARCTION OF OTHER SPECIFIED SITES, INITIAL EPISODE OF CARE	ICD-9-CM
1.1 AcuteMI	410.9	DX	ACUTE MYOCARDIAL INFARCTION OF UNSPECIFIED SITE	ICD-9-CM
1.1 AcuteMI	410.90	DX	ACUTE MYOCARDIAL INFARCTION OF UNSPECIFIED SITE, EPISODE OF CARE UNSPECIFIED	ICD-9-CM
1.1 AcuteMI	410.91	DX	ACUTE MYOCARDIAL INFARCTION OF UNSPECIFIED SITE, INITIAL EPISODE OF CARE	ICD-9-CM
1.2 CABG	Z95.1	DX	PRESENCE OF AORTOCORONARY BYPASS GRAFT	ICD-10-CM
1.2 CABG	T82.211A	DX	BREAKDOWN (MECHANICAL) OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
1.2 CABG	T82.212A	DX	DISPLACEMENT OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
1.2 CABG	T82.213A	DX	LEAKAGE OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
1.2 CABG	T82.218A	DX	OTHER MECHANICAL COMPLICATION OF CORONARY ARTERY BYPASS GRAFT, INITIAL ENCOUNTER	ICD-10-CM
1.2 CABG	V45.81	DX	AORTOCORONARY BYPASS STATUS	ICD-9-CM
1.2 CABG	996.03	DX	MECHANICAL COMPLICATION DUE TO CORONARY BYPASS GRAFT	ICD-9-CM
1.2 CABG	36.10	PX	AORTOCORONARY BYPASS FOR HEART REVASCULARIZATION, NOT OTHERWISE SPECIFIED	ICD-9-CM
1.2 CABG	36.11	PX	(AORTO)CORONARY BYPASS OF ONE CORONARY ARTERY	ICD-9-CM
1.2 CABG	36.12	PX	(AORTO)CORONARY BYPASS OF TWO CORONARY ARTERIES	ICD-9-CM
1.2 CABG	36.13	PX	(AORTO)CORONARY BYPASS OF THREE CORONARY ARTERIES	ICD-9-CM
1.2 CABG	36.14	PX	(AORTO)CORONARY BYPASS OF FOUR OR MORE CORONARY ARTERIES	ICD-9-CM
1.2 CABG	36.15	PX	SINGLE INTERNAL MAMMARY-CORONARY ARTERY BYPASS	ICD-9-CM
1.2 CABG	36.16	PX	DOUBLE INTERNAL MAMMARY-CORONARY ARTERY BYPASS	ICD-9-CM
1.2 CABG	36.17	PX	ABDOMINAL-CORONARY ARTERY BYPASS	ICD-9-CM
1.2 CABG	36.19	PX	OTHER BYPASS ANASTOMOSIS FOR HEART	ICD-9-CM
1.2 CABG	36.2	PX	REVASCULARIZATION	ICD-9-CM
1.2 CABG	0210083	PX	HEART REVASCULARIZATION BY ARTERIAL IMPLANT	ICD-9-CM
1.2 CABG	0210083	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	0210083	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	0210088	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	0210089	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	021008C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	021008F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM

1.2 CABG	021008W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	0210093	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	0210098	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	0210099	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	021009C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	021009F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	021009W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100A3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100A8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100A9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100AC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100AF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100AW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100J3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100J8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100J9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100JC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100JF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100JW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100K3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100K8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100K9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100KC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.2 CABG	02100KF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,2 CABG	02100KW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02100Z3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02100Z8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02100Z9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02100ZC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02100ZF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	0210344	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	02103D4	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	0210444	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0210483	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0210488	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0210489	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021048C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021048F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021048W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0210493	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0210498	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0210499	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021049C	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021049F	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021049W	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104A3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104A8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,2 CABG	02104A9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104AC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104AF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104AW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104D4	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104J3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104J8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104J9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104JC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104JF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104JW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104K3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104K8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104K9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104KC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104KF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104KW	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104Z3	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104Z8	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104Z9	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104ZC	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02104ZF	PX	BYPASS CORONARY ARTERY, ONE ARTERY FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211083	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM

1,2 CABG	0211088	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0211089	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021108C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021108F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021108W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0211093	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0211098	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0211099	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021109C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021109F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021109W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110A3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110A8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110A9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110AC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110AF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110AW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110J3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110J8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110J9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110JC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110JF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110JW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110K3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,2 CABG	02110K8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110K9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110KC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110KF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110KW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110Z3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110Z8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110Z9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110ZC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02110ZF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	0211344	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	02113D4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	0211444	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211483	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211488	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211489	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021148C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021148F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021148W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211493	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211498	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0211499	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021149C	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,2 CABG	021149F	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021149W	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114A3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114A8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114A9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114AC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114AF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114AW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114D4	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114J3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114J8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114J9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114JC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114JF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114JW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114K3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114K8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114K9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114KC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114KF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114KW	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114Z3	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,2 CABG	02114Z8	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114Z9	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114ZC	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02114ZF	PX	BYPASS CORONARY ARTERY, TWO ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212083	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0212088	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0212089	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021208C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021208F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021208W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0212093	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0212098	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0212099	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021209C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021209F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021209W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120A3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120A8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120A9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120AC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120AF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120AW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120J3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,2 CABG	02120J8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120J9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120JC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120JF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120JW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120K3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120K8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120K9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120KC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120KF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120KW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120Z3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120Z8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120Z9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120ZC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02120ZF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	0212344	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	02123D4	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	0212444	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212483	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212488	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212489	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021248C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,2 CABG	021248F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021248W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212493	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212498	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0212499	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021249C	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021249F	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021249W	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124A3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124A8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124A9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124AC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124AF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124AW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124D4	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124J3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124J8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124J9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124JC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124JF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124JW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,2 CABG	02124K3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124K8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124K9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124KC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124KF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124KW	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124Z3	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124Z8	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124Z9	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124ZC	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02124ZF	PX	BYPASS CORONARY ARTERY, THREE ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213083	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0213088	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0213089	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021308C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021308F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021308W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0213093	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0213098	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	0213099	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021309C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	021309F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

1,2 CABG	021309W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130A3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130A8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130A9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130AC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130AF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130AW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130J3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130J8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130J9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130JC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130JF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130JW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130K3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130K8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130K9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130KC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130KF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130KW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130Z3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130Z8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130Z9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130ZC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
1,2 CABG	02130ZF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM

1,2 CABG	0213344	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	02133D4	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,2 CABG	0213444	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH DRUG-ELUTING INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213483	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213488	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213489	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021348C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021348F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021348W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213493	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213498	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	0213499	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021349C	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021349F	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	021349W	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134A3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134A8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134A9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134AC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134AF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134AW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,2 CABG	02134D4	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134J3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134J8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134J9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134JC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134JF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134JW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134K3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134K8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134K9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134KC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134KF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134KW	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134Z3	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM CORONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134Z8	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134Z9	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134ZC	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	02134ZF	PX	BYPASS CORONARY ARTERY, FOUR OR MORE ARTERIES FROM ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,2 CABG	33510	PX	CORONARY ARTERY BYPASS, VEIN ONLY; SINGLE CORONARY VENOUS GRAFT	CPT/HCPCS
1,2 CABG	33511	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 2 CORONARY VENOUS GRAFTS	CPT/HCPCS
1,2 CABG	33512	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 3 CORONARY VENOUS GRAFTS	CPT/HCPCS
1,2 CABG	33513	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 4 CORONARY VENOUS GRAFTS	CPT/HCPCS
1,2 CABG	33514	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 5 CORONARY VENOUS GRAFTS	CPT/HCPCS
1,2 CABG	33516	PX	CORONARY ARTERY BYPASS, VEIN ONLY; 6 OR MORE CORONARY VENOUS GRAFTS	CPT/HCPCS

1,2 CABG	33517	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,2 CABG	33518	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 2 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,2 CABG	33519	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 3 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,2 CABG	33521	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 4 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,2 CABG	33522	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 5 VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,2 CABG	33523	PX	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); 6 OR MORE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) REOPERATION, CORONARY ARTERY BYPASS PROCEDURE OR VALVE PROCEDURE, MORE THAN 1 MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,2 CABG	33530	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); SINGLE ARTERIAL GRAFT	CPT/HCPCS
1,2 CABG	33533	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 2 CORONARY ARTERIAL GRAFTS	CPT/HCPCS
1,2 CABG	33534	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 3 CORONARY ARTERIAL GRAFTS	CPT/HCPCS
1,2 CABG	33535	PX	CORONARY ARTERY BYPASS, USING ARTERIAL GRAFT(S); 4 OR MORE CORONARY ARTERIAL GRAFTS	CPT/HCPCS
1,2 CABG	33536	PX	UNDER ARTERIAL GRAFTING FOR CORONARY ARTERY BYPASS	CPT/HCPCS
1,2 CABG	33542	PX	UNDER ARTERIAL GRAFTING FOR CORONARY ARTERY BYPASS	CPT/HCPCS
1,2 CABG	33545	PX	UNDER ARTERIAL GRAFTING FOR CORONARY ARTERY BYPASS	CPT/HCPCS
1,2 CABG	33548	PX	UNDER ARTERIAL GRAFTING FOR CORONARY ARTERY BYPASS	CPT/HCPCS
1,2 CABG	33572	PX	UNDER CORONARY ENDARTERECTOMY PROCEDURES	CPT/HCPCS
1,3 Other Major CV surgery	33496	PX	OTHER CARDIAC VALVULAR PROCEDURES	CPT/HCPCS
1,3 Other Major CV surgery	33999	PX	OTHER CARDIAC SURGERY PROCEDURES	CPT/HCPCS
source: https://coder.apc.com/cpt-codes-range/906				
1,3 Other Major CV surgery	33460-33468	PX	SURGICAL PROCEDURES ON THE TRICUSPID VALVE	CPT/HCPCS
1,3 Other Major CV surgery		PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; PERCUTANEOUS FEMORAL ARTERY APPROACH	CPT/HCPCS
1,3 Other Major CV surgery	33361	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN FEMORAL ARTERY APPROACH	CPT/HCPCS
1,3 Other Major CV surgery	33362	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN AXILLARY ARTERY APPROACH	CPT/HCPCS
1,3 Other Major CV surgery	33363	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN ILIAC ARTERY APPROACH	CPT/HCPCS
1,3 Other Major CV surgery	33364	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; TRANSAORTIC APPROACH (E.G., MEDIAN STERNOTOMY, MEDIASTINOTOMY)	CPT/HCPCS
1,3 Other Major CV surgery	33365	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH PERCUTANEOUS PERIPHERAL ARTERIAL AND VENOUS CANNULATION (E.G., FEMORAL VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,3 Other Major CV surgery	33367	PX		

1,3 Other Major CV surgery	33368	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH OPEN PERIPHERAL ARTERIAL AND VENOUS CANNULATION (E.G., FEMORAL, ILIAC, AXILLARY VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,3 Other Major CV surgery	33369	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH CENTRAL ARTERIAL AND VENOUS CANNULATION (E.G., AORTA, RIGHT ATRIUM, PULMONARY ARTERY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
1,3 Other Major CV surgery	33477	PX	TRANSCATHETER PULMONARY VALVE IMPLANTATION, PERCUTANEOUS APPROACH, INCLUDING PRE-STENTING OF THE VALVE DELIVERY SITE, WHEN PERFORMED	CPT/HCPCS
1,3 Other Major CV surgery	33418	PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS	CPT/HCPCS
1,3 Other Major CV surgery	33419	PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS	CPT/HCPCS
1,3 Other Major CV surgery	33400	PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1,3 Other Major CV surgery	33401	PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH INFLOW OCCLUSION	CPT/HCPCS
1,3 Other Major CV surgery	33403	PX		CPT/HCPCS
1,3 Other Major CV surgery	33405	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1,3 Other Major CV surgery	33406	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH ALLOGRAFT VALVE (FREEHAND)	CPT/HCPCS
1,3 Other Major CV surgery	33410	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH STENTLESS TISSUE VALVE	CPT/HCPCS
1,3 Other Major CV surgery	33420	PX	VALVOTOMY, MITRAL VALVE; CLOSED HEART	CPT/HCPCS
1,3 Other Major CV surgery	33422	PX	VALVOTOMY, MITRAL VALVE; OPEN HEART, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1,3 Other Major CV surgery	33425	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS;	CPT/HCPCS
1,3 Other Major CV surgery	33426	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS; WITH PROSTHETIC RING	CPT/HCPCS
1,3 Other Major CV surgery	33427	PX	UNDER SURGICAL PROCEDURES ON THE MITRAL VALVE	CPT/HCPCS
1,3 Other Major CV surgery	33430	PX	REPLACEMENT, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1,3 Other Major CV surgery	33460	PX	VALVECTOMY, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS;	CPT/HCPCS
1,3 Other Major CV surgery	33665	PX	REPAIR OF INTERMEDIATE OR TRANSITIONAL ATRIOVENTRICULAR CANAL, WITH OR WITHOUT ATRIOVENTRICULAR VALVE REPAIR	CPT/HCPCS
1,3 Other Major CV surgery	33463	PX	VALVULOPLASTY, TRICUSPID VALVE, WITHOUT RING INSERTION	CPT/HCPCS
1,3 Other Major CV surgery	33464	PX	VALVULOPLASTY, TRICUSPID VALVE, WITH RING INSERTION	CPT/HCPCS
1,3 Other Major CV surgery	33465	PX	REPLACEMENT, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1,3 Other Major CV surgery	33468	PX	TRICUSPID VALVE REPOSITIONING AND PPLICATION FOR EBSTEIN ANOMALY	CPT/HCPCS
1,3 Other Major CV surgery	33496	PX	REPAIR OF NON-STRUCTURAL PROSTHETIC VALVE DYSFUNCTION WITH CARDIOPULMONARY BYPASS (SEPARATE PROCEDURE)	CPT/HCPCS
1,3 Other Major CV surgery	33475	PX	REPLACEMENT, PULMONARY VALVE	CPT/HCPCS
1,3 Other Major CV surgery	0257T	PX	IMPLANTATION OF CATHETER-DELIVERED PROSTHETIC AORTIC HEART VALVE; OPEN THORACIC APPROACH (EG, TRANSAPICAL, TRANSVENTRICULAR)	CPT/HCPCS

1,3 Other Major CV surgery		0258T	PX	TRANSTHORACIC CARDIAC EXPOSURE (I.E. STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETER- DELIVERED AORTIC VALVE REPLACEMENT; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
1,3 Other Major CV surgery		0259T	PX	TRANSTHORACIC CARDIAC EXPOSURE (I.E. STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETERDELIVERED AORTIC VALVE REPLACEMENT; WITH CARDIOPULMONARY BYPASS.	CPT/HCPCS
1,3 Other Major CV surgery		0262T	PX	MELODY TRANSCATHETER PUL MONARY VALVE.	CPT/HCPCS
1,3 Other Major CV surgery		X2RF332	PX		CPT/HCPCS
1,3 Other Major CV surgery		X2RF032	PX		ICD-10-CM
1,3 Other Major CV surgery		X2RF432	PX		ICD-10-CM
1,3 Other Major CV surgery		0343T	PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS (BEFORE 1/1/2015)	CPT/HCPCS
1,3 Other Major CV surgery		0344T	PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS (ES) DURING SAME SESSION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) BEFORE 1/1/2015 (EXCLUDE IF NOT PRESENT WITH 0343T)	CPT/HCPCS
1,3 Other Major CV surgery	Lung transplant	V42.6	DX	LUNG REPLACED BY TRANSPLANT	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	996.84	DX	COMPLICATIONS OF TRANSPLANTED LUNG	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	Z94.2	DX	LUNG TRANSPLANT STATUS	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	Z94.3	DX	HEART AND LUNGS TRANSPLANT STATUS	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	T86.810	DX	LUNG TRANSPLANT REJECTION	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	T86.811	DX	LUNG TRANSPLANT FAILURE	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	T86.819	DX	UNSPECIFIED COMPLICATION OF LUNG TRANSPLANT	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	33.5	PX	LUNG TRANSPLANT	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	33.50	PX	LUNG TRANSPLANTATION, NOT OTHERWISE SPECIFIED	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	33.52	PX	BILATERAL LUNG TRANSPLANTATION	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	33.51	PX	UNILATERAL LUNG TRANSPLANTATION	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	33.6	PX	COMBINED HEART-LUNG TRANSPLANTATION	ICD-9-CM
1,3 Other Major CV surgery	Lung transplant	0BYC0Z0	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYC0Z1	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYC0Z2	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYD0Z0	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYD0Z1	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYD0Z2	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYF0Z0	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYF0Z1	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYF0Z2	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYG0Z0	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYG0Z1	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYG0Z2	PX	TRANSPLANTATION OF LEFT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYH0Z0	PX	TRANSPLANTATION OF LUNG LINGULA, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYH0Z1	PX	TRANSPLANTATION OF LUNG LINGULA, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYH0Z2	PX	TRANSPLANTATION OF LUNG LINGULA, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Lung transplant	0BYJ0Z0	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM

1.3 Other Major CV surgery	Lung transplant	0BYJ0Z1	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYJ0Z2	PX	TRANSPLANTATION OF LEFT LOWER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYM0Z0	PX	TRANSPLANTATION OF BILATERAL LUNGS, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYM0Z1	PX	TRANSPLANTATION OF BILATERAL LUNGS, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYM0Z2	PX	TRANSPLANTATION OF BILATERAL LUNGS, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYK0Z0	PX	TRANSPLANTATION OF RIGHT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYK0Z1	PX	TRANSPLANTATION OF RIGHT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYK0Z2	PX	TRANSPLANTATION OF RIGHT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYL0Z0	PX	TRANSPLANTATION OF LEFT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYL0Z1	PX	TRANSPLANTATION OF LEFT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	0BYL0Z2	PX	TRANSPLANTATION OF LEFT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Lung transplant	32851	PX	LUNG TRANSPLANT, SINGLE; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
1.3 Other Major CV surgery	Lung transplant	32852	PX	LUNG TRANSPLANT, SINGLE; WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1.3 Other Major CV surgery	Lung transplant	32853	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
1.3 Other Major CV surgery	Lung transplant	32854	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
1.3 Other Major CV surgery	Lung transplant	S2060	PX	LOBAR LUNG TRANSPLANTATION	CPT/HCPCS
1.3 Other Major CV surgery	Lung transplant	33935	PX	HEART-LUNG TRANSPLANT WITH RECIPIENT CARDIECTOMY-PNEUMONECTOMY	CPT/HCPCS
1.3 Other Major CV surgery	Combined heart-lung transplant	33.6	PX	COMBINED HEART-LUNG TRANSPLANTATION	ICD-9-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	T86.30	DX	UNSPECIFIED COMPLICATION OF HEART-LUNG TRANSPLANT	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	T86.31	DX	HEART-LUNG TRANSPLANT REJECTION	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	T86.32	DX	HEART-LUNG TRANSPLANT FAILURE	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	T86.33	DX	HEART-LUNG TRANSPLANT INFECTION	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	T86.39	DX	OTHER COMPLICATIONS OF HEART-LUNG TRANSPLANT	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	Z94.3	DX	HEART AND LUNGS TRANSPLANT STATUS	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	Z48.280	DX	ENCOUNTER FOR AFTERCARE FOLLOWING HEART-LUNG TRANSPLANT	ICD-10-CM
1.3 Other Major CV surgery	Combined heart-lung transplant	33935	PX	HEART-LUNG TRANSPLANT WITH RECIPIENT CARDIECTOMY-PNEUMONECTOMY	CPT/HCPCS
1.3 Other Major CV surgery	Closed heart valvotomy	35.00	PX	CLOSED HEART VALVOTOMY, UNSPECIFIED VALVE	ICD-9-CM
1.3 Other Major CV surgery	Closed heart valvotomy	35.01	PX	CLOSED HEART VALVOTOMY, AORTIC VALVE	ICD-9-CM
1.3 Other Major CV surgery	Closed heart valvotomy	35.02	PX	CLOSED HEART VALVOTOMY, MITRAL VALVE	ICD-9-CM
1.3 Other Major CV surgery	Closed heart valvotomy	35.03	PX	CLOSED HEART VALVOTOMY, PULMONARY VALVE	ICD-9-CM
1.3 Other Major CV surgery	Closed heart valvotomy	35.04	PX	CLOSED HEART VALVOTOMY, TRICUSPID VALVE	ICD-9-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02NF3ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02NF4ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02NG3ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02NG4ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02NH3ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02NH4ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Closed heart valvotomy	02NJ3ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02NJ4ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	35.05	PX	ENDOVASCULAR REPLACEMENT OF AORTIC VALVE	ICD-9-CM
1,3 Other Major CV surgery	Closed heart valvotomy	35.06	PX	TRANSAPICAL REPLACEMENT OF AORTIC VALVE	ICD-9-CM
1,3 Other Major CV surgery	Closed heart valvotomy	35.07	PX	ENDOVASCULAR REPLACEMENT OF PULMONARY VALVE	ICD-9-CM
1,3 Other Major CV surgery	Closed heart valvotomy	35.08	PX	TRANSAPICAL REPLACEMENT OF PULMONARY VALVE	ICD-9-CM
1,3 Other Major CV surgery	Closed heart valvotomy	35.09	PX	ENDOVASCULAR REPLACEMENT OF UNSPECIFIED HEART VALVE	ICD-9-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF37Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF38Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF3JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF3KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF37H	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF38H	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF3JH	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RF3KH	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH37Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH38Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH3JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH3KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH37H	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH38H	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH3JH	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RH3KH	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG37H	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG37Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG38H	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG38Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG3JH	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG3JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG3KH	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RG3KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Closed heart valvotomy	02RJ37H	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM

1.3 Other Major CV surgery	Closed heart valvotomy	02RJ37Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02RJ38H	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02RJ38Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02RJ3JH	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02RJ3JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02RJ3KH	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Closed heart valvotomy	02RJ3KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.10	PX	OPEN HEART VALVULOPLASTY WITHOUT REPLACEMENT, UNSPECIFIED VALVE	ICD-9-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.11	PX	OPEN HEART VALVULOPLASTY OF AORTIC VALVE WITHOUT REPLACEMENT	ICD-9-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.12	PX	OPEN HEART VALVULOPLASTY OF MITRAL VALVE WITHOUT REPLACEMENT	ICD-9-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.13	PX	OPEN HEART VALVULOPLASTY OF PULMONARY VALVE WITHOUT REPLACEMENT	ICD-9-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.14	PX	OPEN HEART VALVULOPLASTY OF TRICUSPID VALVE WITHOUT REPLACEMENT	ICD-9-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027F04Z	PX	DILATION OF AORTIC VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027F0DZ	PX	DILATION OF AORTIC VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027F0ZZ	PX	DILATION OF AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02NF0ZZ	PX	RELEASE AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027G04Z	PX	DILATION OF MITRAL VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027G0DZ	PX	DILATION OF MITRAL VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027G0ZZ	PX	DILATION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02NG0ZZ	PX	RELEASE MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02VG0ZZ	PX	RESTRICTION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027H04Z	PX	DILATION OF PULMONARY VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027H0DZ	PX	DILATION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	027H0ZZ	PX	DILATION OF PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02NH0ZZ	PX	RELEASE PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	027J04Z	PX	DILATION OF TRICUSPID VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	027J0DZ	PX	DILATION OF TRICUSPID VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	027J0ZZ	PX	DILATION OF TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02NJ0ZZ	PX	RELEASE TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.20	PX	OPEN AND OTHER REPLACEMENT OF UNSPECIFIED HEART VALVE	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.21	PX	OPEN AND OTHER REPLACEMENT OF AORTIC VALVE WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.22	PX	OPEN AND OTHER REPLACEMENT OF AORTIC VALVE	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.23	PX	OPEN AND OTHER REPLACEMENT OF MITRAL VALVE WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.24	PX	OPEN AND OTHER REPLACEMENT OF MITRAL VALVE	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.25	PX	OPEN AND OTHER REPLACEMENT OF PULMONARY VALVE WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.26	PX	OPEN AND OTHER REPLACEMENT OF PULMONARY VALVE	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.27	PX	OPEN AND OTHER REPLACEMENT OF TRICUSPID VALVE WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	35.28	PX	OPEN AND OTHER REPLACEMENT OF TRICUSPID VALVE	ICD-9-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF07Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF08Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF0JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF0KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF47Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF48Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF4JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RF4KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG07Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG08Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG0JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG0KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG47Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG48Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG4JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RG4KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH07Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH08Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH0JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH0KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH47Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH48Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH4JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RH4KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ07Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ08Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ0JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ0KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ47Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ48Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ4JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open heart valvuloplasty without replacement	02RJ4KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,3	PX	OPERATIONS ON STRUCTURES ADJACENT TO HEART VALVES	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,31	PX	OPERATIONS ON PAPILLARY MUSCLE	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,32	PX	OPERATIONS ON CHORDAE TENDINEAE	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,33	PX	ANNULOPLASTY	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,34	PX	INFUNDIBULECTOMY	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,35	PX	OPERATIONS ON TRABECULAE CARNEAE CORDIS	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	35,39	PX	OPERATIONS ON OTHER STRUCTURES ADJACENT TO VALVES OF HEART	ICD-9-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	028D0ZZ	PX	DIVISION OF PAPILLARY MUSCLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	028D3ZZ	PX	DIVISION OF PAPILLARY MUSCLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	028D4ZZ	PX	DIVISION OF PAPILLARY MUSCLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QD0ZZ	PX	REPAIR PAPILLARY MUSCLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QD3ZZ	PX	REPAIR PAPILLARY MUSCLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QD4ZZ	PX	REPAIR PAPILLARY MUSCLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02890ZZ	PX	DIVISION OF CHORDAE TENDINEAE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02893ZZ	PX	DIVISION OF CHORDAE TENDINEAE, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02894ZZ	PX	DIVISION OF CHORDAE TENDINEAE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02Q90ZZ	PX	REPAIR CHORDAE TENDINEAE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02Q93ZZ	PX	REPAIR CHORDAE TENDINEAE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02Q94ZZ	PX	REPAIR CHORDAE TENDINEAE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QF3ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QF4ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QG3ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QG4ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QH3ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QH4ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QJ3ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QJ4ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02BK0ZZ	PX	EXCISION OF RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02BK3ZZ	PX	EXCISION OF RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02BK4ZZ	PX	EXCISION OF RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02NK0ZZ	PX	RELEASE RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02NK3ZZ	PX	RELEASE RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02NK4ZZ	PX	RELEASE RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02NL0ZZ	PX	RELEASE LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02NL3ZZ	PX	RELEASE LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02NL4ZZ	PX	RELEASE LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QF3ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Operation on structures adjacent to heart valves	02QF4ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Production of septal defect in heart	35,4	PX	PRODUCTION OF SEPTAL DEFECT IN HEART	ICD-9-CM
1,3 Other Major CV surgery	Production of septal defect in heart	35,41	PX	ENLARGEMENT OF EXISTING ATRIAL SEPTAL DEFECT	ICD-9-CM
1,3 Other Major CV surgery	Production of septal defect in heart	35,42	PX	CREATION OF SEPTAL DEFECT IN HEART	ICD-9-CM
1,3 Other Major CV surgery	Production of septal defect in heart	02QA0ZZ	PX	REPAIR HEART, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Production of septal defect in heart	02QA3ZZ	PX	REPAIR HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Production of septal defect in heart	02QA4ZZ	PX	REPAIR HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Production of septal defect in heart	02B50ZZ	PX	EXCISION OF ATRIAL SEPTUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Production of septal defect in heart	02B53ZZ	PX	EXCISION OF ATRIAL SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Production of septal defect in heart	02B54ZZ	PX	EXCISION OF ATRIAL SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,5	PX	REPAIR OF UNSPECIFIED SEPTAL DEFECT OF HEART WITH PROSTHESIS	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,51	PX	REPAIR OF ATRIAL SEPTAL DEFECT WITH PROSTHESIS, OPEN TECHNIQUE	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,52	PX	REPAIR OF ATRIAL SEPTAL DEFECT WITH PROSTHESIS, CLOSED TECHNIQUE	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,53	PX	REPAIR OF VENTRICULAR SEPTAL DEFECT WITH PROSTHESIS, OPEN TECHNIQUE	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,54	PX	REPAIR OF ENDOCARDIAL CUSHION DEFECT WITH PROSTHESIS	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,55	PX	REPAIR OF VENTRICULAR SEPTAL DEFECT WITH PROSTHESIS, CLOSED TECHNIQUE	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM0JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM4JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U50JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U53JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U54JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM0JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U50JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U53JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U54JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM0JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM0JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM3JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM4JZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	024G0J2	PX	CREATION OF MITRAL VALVE FROM COMMON ATRIOVENTRICULAR VALVE USING SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	024J0J2	PX	CREATION OF TRICUSPID VALVE FROM COMMON ATRIOVENTRICULAR VALVE USING SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM4JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,6	PX	REPAIR OF UNSPECIFIED SEPTAL DEFECT OF HEART WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,61	PX	REPAIR OF ATRIAL SEPTAL DEFECT WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,62	PX	REPAIR OF VENTRICULAR SEPTAL DEFECT WITH TISSUE GRAFT	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM07Z	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM0KZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM47Z	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM4KZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U507Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U508Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U50KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U537Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U538Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U53KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U547Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U548Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U54KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM07Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM0KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM37Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM3KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM47Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM4KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U507Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U508Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U50KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U537Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U538Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U53KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U547Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U548Z	PX	SUPPLEMENT ATRIAL SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02U54KZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM07Z	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM0KZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM47Z	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02RM4KZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM07Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM0KZ	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM38Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02UM48Z	PX	SUPPLEMENT VENTRICULAR SEPTUM WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,70	PX	OTHER AND UNSPECIFIED REPAIR OF UNSPECIFIED SEPTAL DEFECT OF HEART	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,71	PX	OTHER AND UNSPECIFIED REPAIR OF ATRIAL SEPTAL DEFECT	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	35,72	PX	OTHER AND UNSPECIFIED REPAIR OF VENTRICULAR SEPTAL DEFECT	ICD-9-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02Q50ZZ	PX	REPAIR ATRIAL SEPTUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02Q53ZZ	PX	REPAIR ATRIAL SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02Q54ZZ	PX	REPAIR ATRIAL SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02QM0ZZ	PX	REPAIR VENTRICULAR SEPTUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02QM3ZZ	PX	REPAIR VENTRICULAR SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of atrial and ventricular septal defect of heart with prosthesis or tissue	02QM4ZZ	PX	REPAIR VENTRICULAR SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	35,8	PX	TOTAL REPAIR OF CERTAIN CONGENITAL CARDIAC ANOMALIES	ICD-9-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	35,81	PX	TOTAL REPAIR OF TETRALOGY OF FALLOT	ICD-9-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	35,82	PX	TOTAL REPAIR OF TOTAL ANOMALOUS PULMONARY VENOUS CONNECTION	ICD-9-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	35,83	PX	TOTAL REPAIR OF TRUNCUS ARTERIOSUS	ICD-9-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	35,84	PX	TOTAL CORRECTION OF TRANSPOSITION OF GREAT VESSELS, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02BK0ZZ	PX	EXCISION OF RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02NH0ZZ	PX	RELEASE PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02RM0JZ	PX	REPLACEMENT OF VENTRICULAR SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02RP0JZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02RQ0JZ	PX	REPLACEMENT OF RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02RR0JZ	PX	REPLACEMENT OF LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021708S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021708T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021708U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021709S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021709T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021709U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170AS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170AT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170AU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170JS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170JT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170JU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170KS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170KT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170KU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170ZS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170ZT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02170ZU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021748S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021748T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021748U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021749S	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021749T	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021749U	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174AS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174AT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174AU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174JS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174JT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174JU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174KS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174KT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174KU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174ZS	PX	BYPASS LEFT ATRIUM TO RIGHT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174ZT	PX	BYPASS LEFT ATRIUM TO LEFT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02174ZU	PX	BYPASS LEFT ATRIUM TO PULMONARY VEIN CONFLUENCE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V08S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V08T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V08U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V09S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V09T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V09U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0AS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0AT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0AU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0JS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0JT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0JU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0KS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0KT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0KU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0ZS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0ZT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V0ZU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V48S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V48T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V48U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V49S	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V49T	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V49U	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4AS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4AT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4AU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4JS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4JT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4JU	PX	BYPASS SUPERIOR VENA CAVA TO PULMONARY VEIN CONFLUENCE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4KS	PX	BYPASS SUPERIOR VENA CAVA TO RIGHT PULMONARY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	021V4KT	PX	BYPASS SUPERIOR VENA CAVA TO LEFT PULMONARY VEIN WITH NONAUT	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	024F07J	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	024F08J	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	024F0JJ	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	024F0KJ	PX	CREATION OF AORTIC VALVE FROM TRUNCAL VALVE USING NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02S00ZZ	PX	REPOSITION CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02S10ZZ	PX	REPOSITION CORONARY ARTERY, TWO ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02SP0ZZ	PX	REPOSITION PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02SW0ZZ	PX	REPOSITION THORACIC AORTA, DESCENDING, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Total Repair Of Certain Congenital Cardiac Anomalies	02SX0ZZ	PX	REPOSITION THORACIC AORTA, ASCENDING/ARCH, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,9	PX	OTHER OPERATIONS ON VALVES AND SEPTA OF HEART	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,91	PX	INTERATRIAL TRANSPOSITION OF VENOUS RETURN	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,92	PX	CREATION OF CONDUIT BETWEEN RIGHT VENTRICLE AND PULMONARY ARTERY	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,93	PX	CREATION OF CONDUIT BETWEEN LEFT VENTRICLE AND AORTA	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,94	PX	CREATION OF CONDUIT BETWEEN ATRIUM AND PULMONARY ARTERY	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,95	PX	REVISION OF CORRECTIVE PROCEDURE ON HEART	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,96	PX	PERCUTANEOUS BALLOON VALVULOPLASTY	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	35,97	PX	PERCUTANEOUS MITRAL VALVE REPAIR WITH IMPLANT	ICD-9-CM

1.3 Other Major CV surgery	Other operations on valves and septa of heart	35,98	PX	OTHER OPERATIONS ON SEPTA OF HEART	ICD-9-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	35,99	PX	OTHER OPERATIONS ON VALVES OF HEART	ICD-9-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	02U50JZ	PX	SUPPLEMENT ATRIAL SEPTUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K08P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K08Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K08R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K09P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K09Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K09R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0AP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0AQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0AR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0JP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0JQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0JR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0KP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0KQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0KR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0ZP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0ZQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K0ZR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K48P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K48Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K48R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K49P	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K49Q	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K49R	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Other operations on valves and septa of heart	021K4AP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4AQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4AR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4JP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4JQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4JR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4KP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4KQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4KR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4ZP	PX	BYPASS RIGHT VENTRICLE TO PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4ZQ	PX	BYPASS RIGHT VENTRICLE TO RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021K4ZR	PX	BYPASS RIGHT VENTRICLE TO LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH0CZ	PX	OCCLUSION OF PULMONARY VALVE WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH0DZ	PX	OCCLUSION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH0ZZ	PX	OCCLUSION OF PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH3CZ	PX	OCCLUSION OF PULMONARY VALVE WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH3DZ	PX	OCCLUSION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH3ZZ	PX	OCCLUSION OF PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH4CZ	PX	OCCLUSION OF PULMONARY VALVE WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH4DZ	PX	OCCLUSION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02LH4ZZ	PX	OCCLUSION OF PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021L0ZW	PX	BYPASS LEFT VENTRICLE TO AORTA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021L4ZW	PX	BYPASS LEFT VENTRICLE TO AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021648Q	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021648R	PX	BYPASS RIGHT ATRIUM TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021649P	PX	BYPASS RIGHT ATRIUM TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	021649Q	PX	BYPASS RIGHT ATRIUM TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

1,3 Other Major CV surgery	Other operations on valves and septa of heart	027J3ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	027J4ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02UG3JZ	PX	SUPPLEMENT MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02Q50ZZ	PX	REPAIR ATRIAL SEPTUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02Q53ZZ	PX	REPAIR ATRIAL SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02Q54ZZ	PX	REPAIR ATRIAL SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QM0ZZ	PX	REPAIR VENTRICULAR SEPTUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QM3ZZ	PX	REPAIR VENTRICULAR SEPTUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QM4ZZ	PX	REPAIR VENTRICULAR SEPTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QF0ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QF3ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QF4ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QG0ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QG3ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QG4ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QJ0ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QJ3ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02QJ4ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02VG3ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02VG4ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	37.61	PX	IMPLANT OF PULSATION BALLOON	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	37.65	PX	IMPLANT OF SINGLE VENTRICULAR (EXTRACORPOREAL) EXTERNAL HEART ASSIST SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	5A02110	PX	ASSISTANCE WITH CARDIAC OUTPUT USING BALLOON PUMP, INTERMITTENT	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	5A02210	PX	ASSISTANCE WITH CARDIAC OUTPUT USING BALLOON PUMP, CONTINUOUS	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02HA0RZ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	02HA4RZ	PX	INSERTION OF SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on valves and septa of heart	5A02116	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, INTERMITTENT	ICD-10-CM

1,3 Other Major CV surgery	Other operations on valves and septa of heart	5A02216	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, CONTINUOUS	ICD-10-CM
1,3 Other Major CV surgery	TMR	36.3	PX	OTHER HEART REVASCULARIZATION	ICD-9-CM
1,3 Other Major CV surgery	TMR	36.31	PX	OPEN CHEST TRANSMYOCARDIAL REVASCULARIZATION	ICD-9-CM
1,3 Other Major CV surgery	TMR	36.32	PX	OTHER TRANSMYOCARDIAL REVASCULARIZATION	ICD-9-CM
1,3 Other Major CV surgery	TMR	36.33	PX	ENDOSCOPIC TRANSMYOCARDIAL REVASCULARIZATION	ICD-9-CM
1,3 Other Major CV surgery	TMR	36.34	PX	PERCUTANEOUS TRANSMYOCARDIAL REVASCULARIZATION	ICD-9-CM
1,3 Other Major CV surgery	TMR	36.39	PX	OTHER HEART REVASCULARIZATION	ICD-9-CM
1,3 Other Major CV surgery	TMR	021K0Z5	PX	BYPASS RIGHT VENTRICLE TO CORONARY CIRCULATION, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K0Z8	PX	BYPASS RIGHT VENTRICLE TO RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K0Z9	PX	BYPASS RIGHT VENTRICLE TO LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K0ZC	PX	BYPASS RIGHT VENTRICLE TO THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K0ZF	PX	BYPASS RIGHT VENTRICLE TO ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K0ZW	PX	BYPASS RIGHT VENTRICLE TO AORTA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K4Z5	PX	BYPASS RIGHT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K4Z8	PX	BYPASS RIGHT VENTRICLE TO RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K4Z9	PX	BYPASS RIGHT VENTRICLE TO LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K4ZC	PX	BYPASS RIGHT VENTRICLE TO THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K4ZF	PX	BYPASS RIGHT VENTRICLE TO ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021K4ZW	PX	BYPASS RIGHT VENTRICLE TO AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L08P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L08Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L08R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L09P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L09Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L09R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0AP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0AQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0AR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0JP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0JQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0JR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0KP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0KQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0KR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0Z5	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	TMR	021L0Z8	PX	BYPASS LEFT VENTRICLE TO RIGHT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0Z9	PX	BYPASS LEFT VENTRICLE TO LEFT INTERNAL MAMMARY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0ZC	PX	BYPASS LEFT VENTRICLE TO THORACIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0ZF	PX	BYPASS LEFT VENTRICLE TO ABDOMINAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0ZP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0ZQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L0ZR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L48P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L48Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L48R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L49P	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L49Q	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L49R	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4AP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4AQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4AR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4JP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4JQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4JR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4KP	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4KQ	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4KR	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4Z5	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4Z8	PX	BYPASS LEFT VENTRICLE TO CORONARY CIRCULATION, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4Z9	PX	BYPASS LEFT VENTRICLE TO RIGHT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	TMR	021L4ZC	PX	BYPASS LEFT VENTRICLE TO LEFT INTERNAL MAMMARY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4ZF	PX	BYPASS LEFT VENTRICLE TO THORACIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4ZP	PX	BYPASS LEFT VENTRICLE TO ABDOMINAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4ZQ	PX	BYPASS LEFT VENTRICLE TO PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	021L4ZR	PX	BYPASS LEFT VENTRICLE TO RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QA0ZZ	PX	BYPASS LEFT VENTRICLE TO LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QA3ZZ	PX	REPAIR HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QA4ZZ	PX	REPAIR HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QB0ZZ	PX	REPAIR RIGHT HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QB3ZZ	PX	REPAIR RIGHT HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QB4ZZ	PX	REPAIR RIGHT HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QC0ZZ	PX	REPAIR LEFT HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QC3ZZ	PX	REPAIR LEFT HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	TMR	02QC4ZZ	PX	REPAIR LEFT HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	36.91	PX	REPAIR OF ANEURYSM OF CORONARY VESSEL	ICD-9-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	36.99	PX	OTHER OPERATIONS ON VESSELS OF HEART	ICD-9-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02Q00ZZ	PX	REPAIR CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02Q03ZZ	PX	REPAIR CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02Q04ZZ	PX	REPAIR CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02Q40ZZ	PX	REPAIR CORONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02Q43ZZ	PX	REPAIR CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02Q44ZZ	PX	REPAIR CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02H40YZ	PX	INSERTION OF OTHER DEVICE INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02H43YZ	PX	INSERTION OF OTHER DEVICE INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02H44YZ	PX	INSERTION OF OTHER DEVICE INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N00ZZ	PX	RELEASE CORONARY ARTERY, ONE ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N03ZZ	PX	RELEASE CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N04ZZ	PX	RELEASE CORONARY ARTERY, ONE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N10ZZ	PX	RELEASE CORONARY ARTERY, TWO ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N13ZZ	PX	RELEASE CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N14ZZ	PX	RELEASE CORONARY ARTERY, TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N20ZZ	PX	RELEASE CORONARY ARTERY, THREE ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N23ZZ	PX	RELEASE CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N24ZZ	PX	RELEASE CORONARY ARTERY, THREE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N30ZZ	PX	RELEASE CORONARY ARTERY, FOUR OR MORE ARTERIES, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Other operations on vessels of heart	02N33ZZ	PX	RELEASE CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Other operations on vessels of heart	02N34ZZ	PX	RELEASE CORONARY ARTERY, FOUR OR MORE ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	37.0	PX	PERICARDIOCENTESIS	ICD-9-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9C30Z	PX	DRAINAGE OF MEDIASTINUM WITH DRAINAGE DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9C3ZZ	PX	DRAINAGE OF MEDIASTINUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9D30Z	PX	DRAINAGE OF PERICARDIAL CAVITY WITH DRAINAGE DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9D3ZX	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS APPROACH, DIAGNOSTIC	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9D3ZZ	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9D40Z	PX	DRAINAGE OF PERICARDIAL CAVITY WITH DRAINAGE DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9D4ZX	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH, DIAGNOSTIC	ICD-10-CM
1,3 Other Major CV surgery	Pericardiocentesis	0W9D4ZZ	PX	DRAINAGE OF PERICARDIAL CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	37.1	PX	CARDIOTOMY AND PERICARDIOTOMY	ICD-9-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	37.10	PX	INCISION OF HEART, NOT OTHERWISE SPECIFIED	ICD-9-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	37.11	PX	CARDIOTOMY	ICD-9-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	37.12	PX	PERICARDIOTOMY	ICD-9-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02N60ZZ	PX	RELEASE RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02N63ZZ	PX	RELEASE RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02N64ZZ	PX	RELEASE RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02N70ZZ	PX	RELEASE LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02N73ZZ	PX	RELEASE LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02N74ZZ	PX	RELEASE LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NK0ZZ	PX	RELEASE RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NK3ZZ	PX	RELEASE RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NK4ZZ	PX	RELEASE RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NL0ZZ	PX	RELEASE LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NL3ZZ	PX	RELEASE LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NL4ZZ	PX	RELEASE LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C60ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C63ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C64ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C70ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C73ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C74ZZ	PX	EXTIRPATION OF MATTER FROM LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C80ZZ	PX	EXTIRPATION OF MATTER FROM CONDUCTION MECHANISM, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C83ZZ	PX	EXTIRPATION OF MATTER FROM CONDUCTION MECHANISM, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C84ZZ	PX	EXTIRPATION OF MATTER FROM CONDUCTION MECHANISM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C90ZZ	PX	EXTIRPATION OF MATTER FROM CHORDAE TENDINEAE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C93ZZ	PX	EXTIRPATION OF MATTER FROM CHORDAE TENDINEAE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02C94ZZ	PX	EXTIRPATION OF MATTER FROM CHORDAE TENDINEAE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CK0ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CK3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CK4ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CL0ZZ	PX	EXTIRPATION OF MATTER FROM LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CL3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CL4ZZ	PX	EXTIRPATION OF MATTER FROM LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02PA0YZ	PX	REMOVAL OF OTHER DEVICE FROM HEART, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02PA4YZ	PX	REMOVAL OF OTHER DEVICE FROM HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02WA0YZ	PX	REVISION OF OTHER DEVICE IN HEART, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02WA3YZ	PX	REVISION OF OTHER DEVICE IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02WA4YZ	PX	REVISION OF OTHER DEVICE IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CN0ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIUM, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CN3ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02CN4ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NN0ZZ	PX	RELEASE PERICARDIUM, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NN3ZZ	PX	RELEASE PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	02NN4ZZ	PX	RELEASE PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	0W9D00Z	PX	DRAINAGE OF PERICARDIAL CAVITY WITH DRAINAGE DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	0W9D0ZX	PX	DRAINAGE OF PERICARDIAL CAVITY, OPEN APPROACH, DIAGNOSTIC	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	0W9D0ZZ	PX	DRAINAGE OF PERICARDIAL CAVITY, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	0WCD0ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIAL CAVITY, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	0WCD3ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIAL CAVITY, PERCUTANEOUS APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Cardiotomy and pericardiotomy	0WCD4ZZ	PX	EXTIRPATION OF MATTER FROM PERICARDIAL CAVITY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.3	PX	PERICARDIECTOMY AND EXCISION OF LESION OF HEART	ICD-9-CM
1.3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.31	PX	PERICARDIECTOMY	ICD-9-CM
1.3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.32	PX	EXCISION OF ANEURYSM OF HEART	ICD-9-CM

1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.33	PX	EXCISION OR DESTRUCTION OF OTHER LESION OR TISSUE OF HEART, OPEN APPROACH	ICD-9-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.34	PX	EXCISION OR DESTRUCTION OF OTHER LESION OR TISSUE OF HEART, ENDOVASCULAR APPROACH	ICD-9-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.36	PX	EXCISION, DESTRUCTION, OR EXCLUSION OF LEFT ATRIAL APPENDAGE (LAA)	ICD-9-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.37	PX	EXCISION OR DESTRUCTION OF OTHER LESION OR TISSUE OF HEART, THORACOSCOPIC APPROACH	ICD-9-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	37.35	PX	PARTIAL VENTRICULECTOMY	ICD-9-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BN0ZZ	PX	EXCISION OF PERICARDIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BN3ZZ	PX	EXCISION OF PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BN4ZZ	PX	EXCISION OF PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02TN0ZZ	PX	RESECTION OF PERICARDIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02TN3ZZ	PX	RESECTION OF PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02TN4ZZ	PX	RESECTION OF PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B60ZZ	PX	EXCISION OF RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B63ZZ	PX	EXCISION OF RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B64ZZ	PX	EXCISION OF RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B70ZZ	PX	EXCISION OF LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B73ZZ	PX	EXCISION OF LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B74ZZ	PX	EXCISION OF LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BK0ZZ	PX	EXCISION OF RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BK3ZZ	PX	EXCISION OF RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BK4ZZ	PX	EXCISION OF RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BL0ZZ	PX	EXCISION OF LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BL3ZZ	PX	EXCISION OF LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02BL4ZZ	PX	EXCISION OF LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02560ZZ	PX	DESTRUCTION OF RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02570ZZ	PX	DESTRUCTION OF LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	025K0ZZ	PX	DESTRUCTION OF RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	025L0ZZ	PX	DESTRUCTION OF LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02T80ZZ	PX	RESECTION OF CONDUCTION MECHANISM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02563ZZ	PX	DESTRUCTION OF RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02573ZZ	PX	DESTRUCTION OF LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	025K3ZZ	PX	DESTRUCTION OF RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	025L3ZZ	PX	DESTRUCTION OF LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02570ZK	PX	DESTRUCTION OF LEFT ATRIAL APPENDAGE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02573ZK	PX	DESTRUCTION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02574ZK	PX	DESTRUCTION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B70ZK	PX	EXCISION OF LEFT ATRIAL APPENDAGE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B73ZK	PX	EXCISION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02B74ZK	PX	EXCISION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02L70ZK	PX	OCCCLUSION OF LEFT ATRIAL APPENDAGE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02L73ZK	PX	OCCCLUSION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02L74ZK	PX	OCCCLUSION OF LEFT ATRIAL APPENDAGE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02564ZZ	PX	DESTRUCTION OF RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	02574ZZ	PX	DESTRUCTION OF LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	025K4ZZ	PX	DESTRUCTION OF RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Pericardiotomy and excision of heart lesion	025L4ZZ	PX	DESTRUCTION OF LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	37.4	PX	REPAIR OF HEART AND PERICARDIUM	ICD-9-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	37.41	PX	IMPLANTATION OF PROSTHETIC CARDIAC SUPPORT DEVICE AROUND THE HEART	ICD-9-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	37.49	PX	OTHER REPAIR OF HEART AND PERICARDIUM	ICD-9-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02UA0JZ	PX	SUPPLEMENT HEART WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02UA3JZ	PX	SUPPLEMENT HEART WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02UA4JZ	PX	SUPPLEMENT HEART WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02163Z7	PX	BYPASS RIGHT ATRIUM TO LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02H60YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02H63YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02H64YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02H70YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT ATRIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02H73YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT ATRIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02H74YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT ATRIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HA0YZ	PX	INSERTION OF OTHER DEVICE INTO HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HA3YZ	PX	INSERTION OF OTHER DEVICE INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HA4YZ	PX	INSERTION OF OTHER DEVICE INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HK0YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HK3YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HK4YZ	PX	INSERTION OF OTHER DEVICE INTO RIGHT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HL0YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT VENTRICLE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HL3YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT VENTRICLE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HL4YZ	PX	INSERTION OF OTHER DEVICE INTO LEFT VENTRICLE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HN0YZ	PX	INSERTION OF OTHER DEVICE INTO PERICARDIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HN3YZ	PX	INSERTION OF OTHER DEVICE INTO PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02HN4YZ	PX	INSERTION OF OTHER DEVICE INTO PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02QA0ZZ	PX	REPAIR HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02QA3ZZ	PX	REPAIR HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02QA4ZZ	PX	REPAIR HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02QN0ZZ	PX	REPAIR PERICARDIUM, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02QN3ZZ	PX	REPAIR PERICARDIUM, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Repair of Heart and Pericardium	02QN4ZZ	PX	REPAIR PERICARDIUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Heart replacement procedure	37.5	PX	HEART REPLACEMENT PROCEDURES	ICD-9-CM
1,3 Other Major CV surgery	Heart replacement procedure	37.52	PX	IMPLANTATION OF TOTAL INTERNAL BIVENTRICULAR HEART REPLACEMENT SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Heart replacement procedure	37.53	PX	REPLACEMENT OR REPAIR OF THORACIC UNIT OF (TOTAL) REPLACEMENT HEART SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Heart replacement procedure	37.54	PX	REPLACEMENT OR REPAIR OF OTHER IMPLANTABLE COMPONENT OF (TOTAL) REPLACEMENT HEART SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Removal of internal biventricular heart system	37.55	PX	REMOVAL OF INTERNAL BIVENTRICULAR HEART REPLACEMENT SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Heart replacement procedure	02RK0JZ	PX	REPLACEMENT OF RIGHT VENTRICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Heart replacement procedure	02RL0JZ	PX	REPLACEMENT OF LEFT VENTRICLE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Heart replacement procedure	02WA0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Removal of internal biventricular heart system	02PA0JZ	PX	REMOVAL OF SYNTHETIC SUBSTITUTE FROM HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.60	PX	IMPLANTATION OR INSERTION OF BIVENTRICULAR EXTERNAL HEART ASSIST SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.62	PX	INSERTION OF TEMPORARY NON-IMPLANTABLE EXTRACORPOREAL CIRCULATORY ASSIST DEVICE	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.63	PX	REPAIR OF HEART ASSIST SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.64	PX	REMOVAL OF EXTERNAL HEART ASSIST SYSTEM(S) OR DEVICE(S)	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.66	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.67	PX	IMPLANTATION OF CARDIOMYOSTIMULATION SYSTEM	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	37.68	PX	INSERTION OF PERCUTANEOUS EXTERNAL HEART ASSIST DEVICE	ICD-9-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	02HA0RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	02HA3RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	02HA4RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	5A02116	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, INTERMITTENT	ICD-10-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	5A0211D	PX	ASSISTANCE WITH CARDIAC OUTPUT USING IMPELLER PUMP, INTERMITTENT	ICD-10-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	5A02216	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, CONTINUOUS	ICD-10-CM
1,3 Other Major CV surgery	Implantation of heart and circulatory assist system	5A0221D	PX	ASSISTANCE WITH CARDIAC OUTPUT USING IMPELLER PUMP, CONTINUOUS	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	38.34	PX	RESECTION OF VESSEL WITH ANASTOMOSIS, AORTA	ICD-9-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	38.35	PX	RESECTION OF VESSEL WITH ANASTOMOSIS, OTHER THORACIC VESSELS	ICD-9-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BW0ZZ	PX	EXCISION OF THORACIC AORTA, DESCENDING, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BW4ZZ	PX	EXCISION OF THORACIC AORTA, DESCENDING, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BX0ZZ	PX	EXCISION OF THORACIC AORTA, ASCENDING/ARCH, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BX4ZZ	PX	EXCISION OF THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	04B00ZZ	PX	EXCISION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	04B04ZZ	PX	EXCISION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BP0ZZ	PX	EXCISION OF PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BP4ZZ	PX	EXCISION OF PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BQ0ZZ	PX	EXCISION OF RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BQ4ZZ	PX	EXCISION OF RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BR0ZZ	PX	EXCISION OF LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BR4ZZ	PX	EXCISION OF LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BS0ZZ	PX	EXCISION OF RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BS4ZZ	PX	EXCISION OF RIGHT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BT0ZZ	PX	EXCISION OF LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BT4ZZ	PX	EXCISION OF LEFT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BV0ZZ	PX	EXCISION OF SUPERIOR VENA CAVA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	02BV4ZZ	PX	EXCISION OF SUPERIOR VENA CAVA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B00ZZ	PX	EXCISION OF RIGHT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B04ZZ	PX	EXCISION OF RIGHT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B10ZZ	PX	EXCISION OF LEFT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B14ZZ	PX	EXCISION OF LEFT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B20ZZ	PX	EXCISION OF INNOMINATE ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B24ZZ	PX	EXCISION OF INNOMINATE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B30ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B34ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B40ZZ	PX	EXCISION OF LEFT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	03B44ZZ	PX	EXCISION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B00ZZ	PX	EXCISION OF AZYGOS VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B04ZZ	PX	EXCISION OF AZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B10ZZ	PX	EXCISION OF HEMIAZYGOS VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B14ZZ	PX	EXCISION OF HEMIAZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B30ZZ	PX	EXCISION OF RIGHT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B34ZZ	PX	EXCISION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B40ZZ	PX	EXCISION OF LEFT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B44ZZ	PX	EXCISION OF LEFT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B50ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B54ZZ	PX	EXCISION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B60ZZ	PX	EXCISION OF LEFT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with anastomosis	05B64ZZ	PX	EXCISION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	38.36	PX	RESECTION OF VESSEL WITH ANASTOMOSIS, ABDOMINAL ARTERIES	ICD-9-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B10ZZ	PX	EXCISION OF CELIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B14ZZ	PX	EXCISION OF CELIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B20ZZ	PX	EXCISION OF GASTRIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B24ZZ	PX	EXCISION OF GASTRIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B30ZZ	PX	EXCISION OF HEPATIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B34ZZ	PX	EXCISION OF HEPATIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B40ZZ	PX	EXCISION OF SPLENIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B44ZZ	PX	EXCISION OF SPLENIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B50ZZ	PX	EXCISION OF SUPERIOR MESENTERIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B54ZZ	PX	EXCISION OF SUPERIOR MESENTERIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B60ZZ	PX	EXCISION OF RIGHT COLIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B64ZZ	PX	EXCISION OF RIGHT COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B70ZZ	PX	EXCISION OF LEFT COLIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B74ZZ	PX	EXCISION OF LEFT COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B80ZZ	PX	EXCISION OF MIDDLE COLIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B84ZZ	PX	EXCISION OF MIDDLE COLIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B90ZZ	PX	EXCISION OF RIGHT RENAL ARTERY, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B94ZZ	PX	EXCISION OF RIGHT RENAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BA0ZZ	PX	EXCISION OF LEFT RENAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BA4ZZ	PX	EXCISION OF LEFT RENAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BB0ZZ	PX	EXCISION OF INFERIOR MESENTERIC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BB4ZZ	PX	EXCISION OF INFERIOR MESENTERIC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BC0ZZ	PX	EXCISION OF RIGHT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BC4ZZ	PX	EXCISION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BD0ZZ	PX	EXCISION OF LEFT COMMON ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BD4ZZ	PX	EXCISION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BE0ZZ	PX	EXCISION OF RIGHT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BE4ZZ	PX	EXCISION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BF0ZZ	PX	EXCISION OF LEFT INTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BF4ZZ	PX	EXCISION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BH0ZZ	PX	EXCISION OF RIGHT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BH4ZZ	PX	EXCISION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BJ0ZZ	PX	EXCISION OF LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04BJ4ZZ	PX	EXCISION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	38.44	PX	RESECTION OF VESSEL WITH REPLACEMENT, AORTA, ABDOMINAL	ICD-9-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	38.45	PX	RESECTION OF VESSEL WITH REPLACEMENT, THORACIC VESSELS	ICD-9-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	04R007Z	PX	REPLACEMENT OF ABDOMINAL AORTA WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	04R00JZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	04R00KZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	04R047Z	PX	REPLACEMENT OF ABDOMINAL AORTA WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	04R04JZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	04R04KZ	PX	REPLACEMENT OF ABDOMINAL AORTA WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	02RP07Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	02RP08Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	02RP0JZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	02RP0KZ	PX	REPLACEMENT OF PULMONARY TRUNK WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	02RP47Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	02RP48Z	PX	REPLACEMENT OF PULMONARY TRUNK WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R50KZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R547Z	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R54JZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R54KZ	PX	REPLACEMENT OF RIGHT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R607Z	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R60JZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R60KZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R647Z	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Resection of aortic/thoracic vessel with replacement	05R64JZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05R64KZ	PX	REPLACEMENT OF LEFT SUBCLAVIAN VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	38.64	PX	OTHER EXCISION OF VESSELS, AORTA, ABDOMINAL	ICD-9-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04500ZZ	PX	DESTRUCTION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04503ZZ	PX	DESTRUCTION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04504ZZ	PX	DESTRUCTION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B00ZZ	PX	EXCISION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B03ZZ	PX	EXCISION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04B04ZZ	PX	EXCISION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	39.73	PX	ENDOASCULAR IMPLANTATION OF GRAFT IN THORACIC AORTA	ICD-9-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	39.79	PX	OTHER ENDOVASCULAR PROCEDURES ON OTHER VESSELS	ICD-9-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02UW3JZ	PX	SUPPLEMENT THORACIC AORTA, DESCENDING WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02UW4JZ	PX	SUPPLEMENT THORACIC AORTA, DESCENDING WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02UX3JZ	PX	SUPPLEMENT THORACIC AORTA, ASCENDING/ARCH WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02UX4JZ	PX	SUPPLEMENT THORACIC AORTA, ASCENDING/ARCH WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VW0DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VW3DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VW4DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VX0DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VX3DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VX4DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CW3ZZ	PX	EXTIRPATION OF MATTER FROM THORACIC AORTA, DESCENDING, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CX3ZZ	PX	EXTIRPATION OF MATTER FROM THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04C03ZZ	PX	EXTIRPATION OF MATTER FROM ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04L03ZZ	PX	OCCLUSION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04V03ZZ	PX	RESTRICTION OF ABDOMINAL AORTA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CC3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CD3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CE3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CF3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CH3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CJ3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LC0DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LC3DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LC3ZZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LC4DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LD0DZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LD3DZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LD3ZZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LD4DZ	PX	OCCLUSION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LE0DZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LE3DZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LE3ZZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LE4DZ	PX	OCCLUSION OF RIGHT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LF0DZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LF3DZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LF3ZZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LF4DZ	PX	OCCLUSION OF LEFT INTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LH0DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LH3DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LH3ZZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LH4DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LJ0DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LJ3DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LJ3ZZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LJ4DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC0DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC0EZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC3DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC3EZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC3ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC4DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VC4EZ	PX	RESTRICTION OF RIGHT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD0DZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD0EZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD3DZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD3EZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD3ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD4DZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VD4EZ	PX	RESTRICTION OF LEFT COMMON ILIAC ARTERY WITH BRANCHED OR FENESTRATED INTRALUMINAL DEVICE, ONE OR TWO ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06CC3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06CD3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06CF3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06CG3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LC0DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LC3DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LC3ZZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LC4DZ	PX	OCCLUSION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LD0DZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LD3DZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LD3ZZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LD4DZ	PX	OCCLUSION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LF0DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LF3DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LF3ZZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LF4DZ	PX	OCCLUSION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LG0DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LG3DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LG3ZZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LG4DZ	PX	OCCLUSION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VC0DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VC3DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VC3ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VC4DZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VD0DZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VD3DZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VD3ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VD4DZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VF0DZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VF3DZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VF3ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VF4DZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VG0DZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VG3DZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VG3ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VG4DZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03LH3ZZ	PX	OCCLUSION OF RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03LJ3ZZ	PX	OCCLUSION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03LK3ZZ	PX	OCCLUSION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03LL3ZZ	PX	OCCLUSION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03LM3ZZ	PX	OCCLUSION OF RIGHT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03LN3ZZ	PX	OCCLUSION OF LEFT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03VJ3ZZ	PX	RESTRICTION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03VK3ZZ	PX	RESTRICTION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03VL3ZZ	PX	RESTRICTION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03VM3ZZ	PX	RESTRICTION OF RIGHT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03VN3ZZ	PX	RESTRICTION OF LEFT EXTERNAL CAROTID ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CP3ZZ	PX	EXTIRPATION OF MATTER FROM PULMONARY TRUNK, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CQ3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CR3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CS3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CT3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CV3ZZ	PX	EXTIRPATION OF MATTER FROM SUPERIOR VENA CAVA, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CW3ZZ	PX	EXTIRPATION OF MATTER FROM THORACIC AORTA, DESCENDING, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CX3ZZ	PX	EXTIRPATION OF MATTER FROM THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02LS3DZ	PX	OCCCLUSION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02LS3ZZ	PX	OCCCLUSION OF RIGHT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02LT3DZ	PX	OCCCLUSION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02LT3ZZ	PX	OCCCLUSION OF LEFT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VP3DZ	PX	RESTRICTION OF PULMONARY TRUNK WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VP3ZZ	PX	RESTRICTION OF PULMONARY TRUNK, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VQ3DZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VQ3ZZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VR3DT	PX	RESTRICTION OF DUCTUS ARTERIOSUS WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VR3DZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VR3ZT	PX	RESTRICTION OF DUCTUS ARTERIOSUS, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VR3ZZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VS3DZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VS3ZZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VT3DZ	PX	RESTRICTION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02VT3ZZ	PX	RESTRICTION OF LEFT PULMONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03C33ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03C43ZZ	PX	EXTIRPATION OF MATTER FROM LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03L33ZZ	PX	OCCCLUSION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03L43ZZ	PX	OCCLUSION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V30DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V33DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V33ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V34DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V40DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V43DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V43ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V44DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05C53ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05C63ZZ	PX	EXTIRPATION OF MATTER FROM LEFT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05L53ZZ	PX	OCCLUSION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05L63ZZ	PX	OCCLUSION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V50DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V53DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V53ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V54DZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V60DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V63DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V63ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V64DZ	PX	RESTRICTION OF LEFT SUBCLAVIAN VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03C23ZZ	PX	EXTIRPATION OF MATTER FROM INNOMINATE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03L23ZZ	PX	OCCLUSION OF INNOMINATE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V20DZ	PX	RESTRICTION OF INNOMINATE ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V23DZ	PX	RESTRICTION OF INNOMINATE ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V23ZZ	PX	RESTRICTION OF INNOMINATE ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	03V24DZ	PX	RESTRICTION OF INNOMINATE ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05C33ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05C43ZZ	PX	EXTIRPATION OF MATTER FROM LEFT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05L33ZZ	PX	OCCLUSION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05L43ZZ	PX	OCCLUSION OF LEFT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V30DZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V33DZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V33ZZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V34DZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V40DZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V43DZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V43ZZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	05V44DZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	02CV3ZZ	PX	EXTIRPATION OF MATTER FROM SUPERIOR VENA CAVA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06C03ZZ	PX	EXTIRPATION OF MATTER FROM INFERIOR VENA CAVA, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CK3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04CL3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LK0DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LK3DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LK3ZZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LK4DZ	PX	OCCLUSION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LL0DZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LL3DZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LL3ZZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04LL4DZ	PX	OCCLUSION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VK0DZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VK3DZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VK3ZZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VK4DZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VL0DZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VL3DZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VL3ZZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	04VL4DZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06CM3ZZ	PX	EXTIRPATION OF MATTER FROM RIGHT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06CN3ZZ	PX	EXTIRPATION OF MATTER FROM LEFT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LM0DZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LM3DZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LM3ZZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LM4DZ	PX	OCCLUSION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LN0DZ	PX	OCCLUSION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LN3DZ	PX	OCCLUSION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LN3ZZ	PX	OCCLUSION OF LEFT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06LN4DZ	PX	OCCLUSION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VM0DZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VM3DZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VM3ZZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VM4DZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VN0DZ	PX	RESTRICTION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VN3DZ	PX	RESTRICTION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VN3ZZ	PX	RESTRICTION OF LEFT FEMORAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Endovascular implantation of graft in thoracic aorta / other vessels	06VN4DZ	PX	RESTRICTION OF LEFT FEMORAL VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	39.25	PX	AORTA-ILIAC-FEMORAL BYPASS	ICD-9-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410096	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410097	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410098	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410099	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041009B	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041009C	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041009D	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041009F	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04100ZR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410496	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410497	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410498	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	0410499	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049B	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049C	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049D	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049F	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049G	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049H	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049J	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049K	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049Q	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041049R	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104A6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104A7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104A8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104A9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104AR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104J6	PX	BYPASS ABDOMINAL AORTA TO RIGHT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104J7	PX	BYPASS ABDOMINAL AORTA TO LEFT COMMON ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104J8	PX	BYPASS ABDOMINAL AORTA TO BILATERAL COMMON ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104J9	PX	BYPASS ABDOMINAL AORTA TO RIGHT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104JB	PX	BYPASS ABDOMINAL AORTA TO LEFT INTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104JC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104JD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104JF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104JG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104JH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZC	PX	BYPASS ABDOMINAL AORTA TO BILATERAL INTERNAL ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZD	PX	BYPASS ABDOMINAL AORTA TO RIGHT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZF	PX	BYPASS ABDOMINAL AORTA TO LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZG	PX	BYPASS ABDOMINAL AORTA TO BILATERAL EXTERNAL ILIAC ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZH	PX	BYPASS ABDOMINAL AORTA TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZJ	PX	BYPASS ABDOMINAL AORTA TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZK	PX	BYPASS ABDOMINAL AORTA TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZQ	PX	BYPASS ABDOMINAL AORTA TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04104ZR	PX	BYPASS ABDOMINAL AORTA TO LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C09H	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C09J	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C09K	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0AH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0AJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0AK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0JH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0JJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0JK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0KH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0KJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0KK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0ZH	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0ZJ	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C0ZK	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C49H	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041C49J	PX	BYPASS RIGHT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

				BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0KJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0KH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZI	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZL	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D09H	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D09J	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D09K	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0AH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0AJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0AK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0JH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0JJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0JK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE,	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0KH	PX	PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0KI	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE,	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0KK	PX	PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZH	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZJ	PX	BYPASS LEFT COMMON ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZK	PX	BYPASS LEFT COMMON ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041D0ZL	PX	BYPASS LEFT COMMON ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041E09H	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041E09J	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041E09K	PX	BYPASS RIGHT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4AK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4JH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4JJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4JK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4KH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4KJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4KK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4ZH	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4ZJ	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041F4ZK	PX	BYPASS LEFT INTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H09H	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H09J	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H09K	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0AH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0AJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0AK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0JH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0JJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0JK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0KH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0KJ	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0KK	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	041H0ZH	PX	BYPASS RIGHT EXTERNAL ILIAC ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	39,52	PX	OTHER REPAIR OF ANEURYSM	ICD-9-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VP0DZ	PX	RESTRICTION OF PULMONARY TRUNK WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VP0ZZ	PX	RESTRICTION OF PULMONARY TRUNK, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VP4DZ	PX	RESTRICTION OF PULMONARY TRUNK WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VP4ZZ	PX	RESTRICTION OF PULMONARY TRUNK, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VQ0DZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VQ0ZZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VQ4DZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VQ4ZZ	PX	RESTRICTION OF RIGHT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR0DT	PX	RESTRICTION OF DUCTUS ARTERIOSUS WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR0DZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR0ZT	PX	RESTRICTION OF DUCTUS ARTERIOSUS, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR0ZZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR4DT	PX	RESTRICTION OF DUCTUS ARTERIOSUS WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR4DZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR4ZT	PX	RESTRICTION OF DUCTUS ARTERIOSUS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VR4ZZ	PX	RESTRICTION OF LEFT PULMONARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VS0DZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VS0ZZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VS4DZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VS4ZZ	PX	RESTRICTION OF RIGHT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VT0DZ	PX	RESTRICTION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VT0ZZ	PX	RESTRICTION OF LEFT PULMONARY VEIN, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VT4DZ	PX	RESTRICTION OF LEFT PULMONARY VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VT4ZZ	PX	RESTRICTION OF LEFT PULMONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VW0ZZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VW4DZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VW4ZZ	PX	RESTRICTION OF THORACIC AORTA, DESCENDING, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VX0ZZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VX4DZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	02VX4ZZ	PX	RESTRICTION OF THORACIC AORTA, ASCENDING/ARCH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V00ZZ	PX	RESTRICTION OF RIGHT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V04ZZ	PX	RESTRICTION OF RIGHT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V10ZZ	PX	RESTRICTION OF LEFT INTERNAL MAMMARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V14ZZ	PX	RESTRICTION OF LEFT INTERNAL MAMMARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V20ZZ	PX	RESTRICTION OF INNOMINATE ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V24ZZ	PX	RESTRICTION OF INNOMINATE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V30ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V34ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V40ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V44ZZ	PX	RESTRICTION OF LEFT SUBCLAVIAN ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V50ZZ	PX	RESTRICTION OF RIGHT AXILLARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V54ZZ	PX	RESTRICTION OF RIGHT AXILLARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V60ZZ	PX	RESTRICTION OF LEFT AXILLARY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V64ZZ	PX	RESTRICTION OF LEFT AXILLARY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V70ZZ	PX	RESTRICTION OF RIGHT BRACHIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V74ZZ	PX	RESTRICTION OF RIGHT BRACHIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V80ZZ	PX	RESTRICTION OF LEFT BRACHIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V84ZZ	PX	RESTRICTION OF LEFT BRACHIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V90ZZ	PX	RESTRICTION OF RIGHT ULNAR ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03V94ZZ	PX	RESTRICTION OF RIGHT ULNAR ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VA0ZZ	PX	RESTRICTION OF LEFT ULNAR ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VA4ZZ	PX	RESTRICTION OF LEFT ULNAR ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VB0ZZ	PX	RESTRICTION OF RIGHT RADIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VB4ZZ	PX	RESTRICTION OF RIGHT RADIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VC0ZZ	PX	RESTRICTION OF LEFT RADIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VC4ZZ	PX	RESTRICTION OF LEFT RADIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VD0ZZ	PX	RESTRICTION OF RIGHT HAND ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VD4ZZ	PX	RESTRICTION OF RIGHT HAND ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VF0ZZ	PX	RESTRICTION OF LEFT HAND ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VF4ZZ	PX	RESTRICTION OF LEFT HAND ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VG0ZZ	PX	RESTRICTION OF INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VG4ZZ	PX	RESTRICTION OF INTRACRANIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VH0ZZ	PX	RESTRICTION OF RIGHT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VH4ZZ	PX	RESTRICTION OF RIGHT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VJ0ZZ	PX	RESTRICTION OF LEFT COMMON CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VJ4ZZ	PX	RESTRICTION OF LEFT COMMON CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VK0ZZ	PX	RESTRICTION OF RIGHT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VK4ZZ	PX	RESTRICTION OF RIGHT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VL0ZZ	PX	RESTRICTION OF LEFT INTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VL4ZZ	PX	RESTRICTION OF LEFT INTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VM0ZZ	PX	RESTRICTION OF RIGHT EXTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VM4ZZ	PX	RESTRICTION OF RIGHT EXTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VN0ZZ	PX	RESTRICTION OF LEFT EXTERNAL CAROTID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VN4ZZ	PX	RESTRICTION OF LEFT EXTERNAL CAROTID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VP0ZZ	PX	RESTRICTION OF RIGHT VERTEBRAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VP4ZZ	PX	RESTRICTION OF RIGHT VERTEBRAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VQ0ZZ	PX	RESTRICTION OF LEFT VERTEBRAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VQ4ZZ	PX	RESTRICTION OF LEFT VERTEBRAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VR0ZZ	PX	RESTRICTION OF FACE ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VR4ZZ	PX	RESTRICTION OF FACE ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VS0ZZ	PX	RESTRICTION OF RIGHT TEMPORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VS4ZZ	PX	RESTRICTION OF RIGHT TEMPORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VT0ZZ	PX	RESTRICTION OF LEFT TEMPORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VT4ZZ	PX	RESTRICTION OF LEFT TEMPORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VU0ZZ	PX	RESTRICTION OF RIGHT THYROID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VU4ZZ	PX	RESTRICTION OF RIGHT THYROID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VV0ZZ	PX	RESTRICTION OF LEFT THYROID ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VV4ZZ	PX	RESTRICTION OF LEFT THYROID ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VY0ZZ	PX	RESTRICTION OF UPPER ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	03VY4ZZ	PX	RESTRICTION OF UPPER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04V00ZZ	PX	RESTRICTION OF ABDOMINAL AORTA, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04V04ZZ	PX	RESTRICTION OF ABDOMINAL AORTA, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04V10ZZ	PX	RESTRICTION OF CELIAC ARTERY, OPEN APPROACH	ICD-10-CM

[illegible]

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VJ4ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VK0ZZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VK4ZZ	PX	RESTRICTION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VL0ZZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VL4ZZ	PX	RESTRICTION OF LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VM0ZZ	PX	RESTRICTION OF RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VM4ZZ	PX	RESTRICTION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VN0ZZ	PX	RESTRICTION OF LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VN4ZZ	PX	RESTRICTION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VP0ZZ	PX	RESTRICTION OF RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VP4ZZ	PX	RESTRICTION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VQ0ZZ	PX	RESTRICTION OF LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VQ4ZZ	PX	RESTRICTION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VR0ZZ	PX	RESTRICTION OF RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VR4ZZ	PX	RESTRICTION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VS0ZZ	PX	RESTRICTION OF LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VS4ZZ	PX	RESTRICTION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VT0ZZ	PX	RESTRICTION OF RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VT4ZZ	PX	RESTRICTION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VU0ZZ	PX	RESTRICTION OF LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VU4ZZ	PX	RESTRICTION OF LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VY0ZZ	PX	RESTRICTION OF LOWER ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	04VY4ZZ	PX	RESTRICTION OF LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V00ZZ	PX	RESTRICTION OF AZYGOS VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V04ZZ	PX	RESTRICTION OF AZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V10ZZ	PX	RESTRICTION OF HEMIAZYGOS VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V14ZZ	PX	RESTRICTION OF HEMIAZYGOS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V30ZZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V34ZZ	PX	RESTRICTION OF RIGHT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V40ZZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V44ZZ	PX	RESTRICTION OF LEFT INNOMINATE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05V50ZZ	PX	RESTRICTION OF RIGHT SUBCLAVIAN VEIN, OPEN APPROACH	ICD-10-CM

[illegible]

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VS4ZZ	PX	RESTRICTION OF LEFT VERTEBRAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VT0ZZ	PX	RESTRICTION OF RIGHT FACE VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VT4ZZ	PX	RESTRICTION OF RIGHT FACE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VV0ZZ	PX	RESTRICTION OF LEFT FACE VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VV4ZZ	PX	RESTRICTION OF LEFT FACE VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VY0DZ	PX	RESTRICTION OF UPPER VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VY0ZZ	PX	RESTRICTION OF UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VY4DZ	PX	RESTRICTION OF UPPER VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	05VY4ZZ	PX	RESTRICTION OF UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V10ZZ	PX	RESTRICTION OF SPLENIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V14ZZ	PX	RESTRICTION OF SPLENIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V20ZZ	PX	RESTRICTION OF GASTRIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V24ZZ	PX	RESTRICTION OF GASTRIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V30ZZ	PX	RESTRICTION OF ESOPHAGEAL VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V34ZZ	PX	RESTRICTION OF ESOPHAGEAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V40ZZ	PX	RESTRICTION OF HEPATIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V44ZZ	PX	RESTRICTION OF HEPATIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V50ZZ	PX	RESTRICTION OF SUPERIOR MESENTERIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V54ZZ	PX	RESTRICTION OF SUPERIOR MESENTERIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V60ZZ	PX	RESTRICTION OF INFERIOR MESENTERIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V64ZZ	PX	RESTRICTION OF INFERIOR MESENTERIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V70ZZ	PX	RESTRICTION OF COLIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V74ZZ	PX	RESTRICTION OF COLIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V80ZZ	PX	RESTRICTION OF PORTAL VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V84ZZ	PX	RESTRICTION OF PORTAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V90ZZ	PX	RESTRICTION OF RIGHT RENAL VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06V94ZZ	PX	RESTRICTION OF RIGHT RENAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VB0ZZ	PX	RESTRICTION OF LEFT RENAL VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VB4ZZ	PX	RESTRICTION OF LEFT RENAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VC0ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VC4ZZ	PX	RESTRICTION OF RIGHT COMMON ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VD0ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VD4ZZ	PX	RESTRICTION OF LEFT COMMON ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VF0ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VF4ZZ	PX	RESTRICTION OF RIGHT EXTERNAL ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VG0ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VG4ZZ	PX	RESTRICTION OF LEFT EXTERNAL ILIAC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VH0ZZ	PX	RESTRICTION OF RIGHT HYPOGASTRIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VH4ZZ	PX	RESTRICTION OF RIGHT HYPOGASTRIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VJ0ZZ	PX	RESTRICTION OF LEFT HYPOGASTRIC VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VJ4ZZ	PX	RESTRICTION OF LEFT HYPOGASTRIC VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VM0ZZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VM4ZZ	PX	RESTRICTION OF RIGHT FEMORAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VN0ZZ	PX	RESTRICTION OF LEFT FEMORAL VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VN4ZZ	PX	RESTRICTION OF LEFT FEMORAL VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VP0ZZ	PX	RESTRICTION OF RIGHT SAPHENOUS VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VP4ZZ	PX	RESTRICTION OF RIGHT SAPHENOUS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VQ0ZZ	PX	RESTRICTION OF LEFT SAPHENOUS VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VQ4ZZ	PX	RESTRICTION OF LEFT SAPHENOUS VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VT0ZZ	PX	RESTRICTION OF RIGHT FOOT VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VT4ZZ	PX	RESTRICTION OF RIGHT FOOT VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VV0ZZ	PX	RESTRICTION OF LEFT FOOT VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VV4ZZ	PX	RESTRICTION OF LEFT FOOT VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VY0DZ	PX	RESTRICTION OF LOWER VEIN WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VY0ZZ	PX	RESTRICTION OF LOWER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VY4DZ	PX	RESTRICTION OF LOWER VEIN WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	06VY4ZZ	PX	RESTRICTION OF LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Open Abdominal Aortic Aneurysm Repair	39,29	PX	OTHER (PERIPHERAL) VASCULAR SHUNT OR BYPASS	ICD-9-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0312091	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0312092	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0312093	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0312094	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0312095	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120KC	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120KD	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120KF	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120KJ	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120KK	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z0	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z1	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z2	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z3	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z4	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z5	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z6	PX	BYPASS INNOMINATE ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z7	PX	BYPASS INNOMINATE ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z8	PX	BYPASS INNOMINATE ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120Z9	PX	BYPASS INNOMINATE ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120ZB	PX	BYPASS INNOMINATE ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120ZC	PX	BYPASS INNOMINATE ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120ZD	PX	BYPASS INNOMINATE ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120ZF	PX	BYPASS INNOMINATE ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120ZJ	PX	BYPASS INNOMINATE ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03120ZK	PX	BYPASS INNOMINATE ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0313090	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0313091	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0313092	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0313093	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0313094	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0313095	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130K7	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130K8	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130K9	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130KB	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130KC	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130KD	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130KF	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130KJ	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130KK	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z0	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z1	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z2	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z3	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z4	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z5	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z6	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z7	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z8	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130Z9	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130ZB	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130ZC	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO BILATERAL LOWER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130ZD	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO UPPER ARM VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130ZF	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LOWER ARM VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130ZJ	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	03130ZK	PX	BYPASS RIGHT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0314090	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	0314091	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

				BYPASS LEFT SUBCLAVIAN ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03140ZJ	PX	BYPASS LEFT SUBCLAVIAN ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03140ZK	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315090	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315091	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315092	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315093	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315094	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315095	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315096	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315098	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	0315099	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	031509B	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	031509C	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	031509D	PX	BYPASS RIGHT AXILLARY ARTERY TO UPPER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	031509F	PX	BYPASS RIGHT AXILLARY ARTERY TO LOWER ARM VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	031509J	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	031509K	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03150A0	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03150A1	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03150A2	PX	BYPASS RIGHT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03150A3	PX	BYPASS RIGHT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	03150A4	PX	BYPASS RIGHT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160JK	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K0	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K1	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K2	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K3	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K4	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K5	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K6	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K7	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K8	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160K9	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER LEG ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160KB	PX	BYPASS LEFT AXILLARY ARTERY TO UPPER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH BYPASS LEFT AXILLARY ARTERY TO LOWER ARM VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160KJ	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160KK	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z0	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z1	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z2	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL UPPER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z3	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z4	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z5	PX	BYPASS LEFT AXILLARY ARTERY TO BILATERAL LOWER ARM ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z6	PX	BYPASS LEFT AXILLARY ARTERY TO RIGHT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM
1,3	Other Major CV surgery	Infrainguinal Arterial Bypass	03160Z7	PX	BYPASS LEFT AXILLARY ARTERY TO LEFT UPPER LEG ARTERY, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031G0AG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031G0JG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031G0KG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031G0ZG	PX	BYPASS INTRACRANIAL ARTERY TO INTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031H09J	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031H0AJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031H0JJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031H0KJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031H0ZJ	PX	BYPASS RIGHT COMMON CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031J09K	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031J0AK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031J0JK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031J0KK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031J0ZK	PX	BYPASS LEFT COMMON CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031K09J	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031K0AJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031K0JJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031K0KJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031K0ZJ	PX	BYPASS RIGHT INTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031L09K	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031L0AK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031L0JK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031L0KK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031L0ZK	PX	BYPASS LEFT INTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031M09J	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031M0AJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031M0JJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031M0KJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031M0ZJ	PX	BYPASS RIGHT EXTERNAL CAROTID ARTERY TO RIGHT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031N09K	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031N0AK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031N0JK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031N0KK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	031N0ZK	PX	BYPASS LEFT EXTERNAL CAROTID ARTERY TO LEFT EXTRACRANIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09H	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09J	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09K	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09L	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09M	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09N	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09P	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09Q	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K09S	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0AP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K0ZS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49H	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49J	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49K	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49L	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49M	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49N	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49P	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49Q	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K49S	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AL	PX	BYPASS RIGHT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AM	PX	BYPASS RIGHT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AN	PX	BYPASS RIGHT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AP	PX	BYPASS RIGHT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AQ	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4AS	PX	BYPASS RIGHT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4JH	PX	BYPASS RIGHT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4JJ	PX	BYPASS RIGHT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1.3 Other Major CV surgery	Infrainguinal Arterial Bypass	041K4JK	PX	BYPASS RIGHT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0KS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L0ZS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49H	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49J	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49K	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49L	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49M	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49N	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49P	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49Q	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L49S	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4AS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JL	PX	BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JM	PX	BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JN	PX	BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JP	PX	BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JQ	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4JS	PX	BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KH	PX	BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KJ	PX	BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KK	PX	BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

					BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KL	PX		BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KM	PX		BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KN	PX		BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KP	PX		BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KQ	PX		BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4KS	PX		BYPASS LEFT FEMORAL ARTERY TO RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZH	PX		BYPASS LEFT FEMORAL ARTERY TO LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZJ	PX		BYPASS LEFT FEMORAL ARTERY TO BILATERAL FEMORAL ARTERIES, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZK	PX		BYPASS LEFT FEMORAL ARTERY TO POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZL	PX		BYPASS LEFT FEMORAL ARTERY TO PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZM	PX		BYPASS LEFT FEMORAL ARTERY TO POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZN	PX		BYPASS LEFT FEMORAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZP	PX		BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZQ	PX		BYPASS LEFT FEMORAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041L4ZS	PX		BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M09L	PX		BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M09M	PX		BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M09P	PX		BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M09Q	PX		BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M09S	PX		BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0AL	PX		BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0AM	PX		BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0AP	PX		BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0AQ	PX		BYPASS RIGHT POPLITEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0AS	PX		BYPASS RIGHT POPLITEAL ARTERY TO POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0JL	PX		BYPASS RIGHT POPLITEAL ARTERY TO PERONEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0JM	PX		BYPASS RIGHT POPLITEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041M0JP	PX			ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

					BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T49P	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T49Q	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T49S	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4AP	PX		BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4AQ	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4AS	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4JP	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4JQ	PX		BYPASS RIGHT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4JS	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4KQ	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4KP	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE,	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4KS	PX		PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4ZP	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4ZQ	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041T4ZS	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U09P	PX		BYPASS RIGHT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U09Q	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U09Q	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U09S	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0AP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0AQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0AS	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0JP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0JQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0JS	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041U0KP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

					BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U0KQ	PX			ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U0KS	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U0ZP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U0ZQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U0ZS	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U49P	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U49Q	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U49S	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4AP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4AQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4AS	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4JP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4JQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4JS	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4JS	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4KP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4KQ	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4KQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4KS	PX		ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4ZP	PX		BYPASS LEFT PERONEAL ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4ZQ	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041U4ZS	PX		BYPASS LEFT PERONEAL ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041V09P	PX		BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041V09Q	PX		BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041V09S	PX		BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041V0AP	PX		BYPASS RIGHT FOOT ARTERY TO FOOT ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infringuinal Arterial Bypass	041V0AQ	PX		BYPASS RIGHT FOOT ARTERY TO LOWER EXTREMITY ARTERY WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041W4KS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041W4ZP	PX	BYPASS LEFT FOOT ARTERY TO FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041W4ZQ	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	041W4ZS	PX	BYPASS LEFT FOOT ARTERY TO LOWER EXTREMITY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051707Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051709Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05170AY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05170JY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05170KY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05170ZY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051747Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051749Y	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05174AY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05174JY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05174KY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05174ZY	PX	BYPASS RIGHT AXILLARY VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051807Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051809Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05180AY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05180JY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05180KY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05180ZY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051847Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051849Y	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05184AY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05184JY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	05184KY	PX	BYPASS LEFT AXILLARY VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P09Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P0AY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P0JY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P0KY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P0ZY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P47Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P49Y	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P4Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P4JY	PX	APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P4KY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051P4ZY	PX	APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q07Y	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q09Y	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q0AY	PX	BYPASS RIGHT EXTERNAL JUGULAR VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q0JY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q0KY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q0ZY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q47Y	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q49Y	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q4AY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q4JY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q4KY	PX	ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051Q4ZY	PX	BYPASS LEFT EXTERNAL JUGULAR VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051R07Y	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051R09Y	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051R0AY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	051R0JY	PX	BYPASS RIGHT VERTEBRAL VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061H49Y	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061H4AY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061H4JY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061H4KY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061H4ZY	PX	BYPASS RIGHT HYPOGASTRIC VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M07Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M09Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M0AY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M0JY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M0KY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M0ZY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M47Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M49Y	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M4AY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M4JY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M4KY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061M4ZY	PX	BYPASS RIGHT FEMORAL VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N07Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N09Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N0AY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N0JY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N0KY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N0ZY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N47Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N49Y	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	061N4AY	PX	BYPASS LEFT FEMORAL VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV0ZZ	PX	OCCLUSION OF RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV3CZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV3DZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV3ZZ	PX	OCCLUSION OF RIGHT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV4CZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV4DZ	PX	OCCLUSION OF RIGHT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LV4ZZ	PX	OCCLUSION OF RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW0CZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH EXTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW0DZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW0ZZ	PX	OCCLUSION OF LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW3CZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW3DZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW3ZZ	PX	OCCLUSION OF LEFT FOOT ARTERY, PERCUTANEOUS APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW4CZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH EXTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW4DZ	PX	OCCLUSION OF LEFT FOOT ARTERY WITH INTRALUMINAL DEVICE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04LW4ZZ	PX	OCCLUSION OF LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	38.48	PX	RESECTION OF VESSEL WITH REPLACEMENT, LOWER LIMB ARTERIES	ICD-9-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RL07Z	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RL0JZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RL0KZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RL47Z	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RL4JZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RL4KZ	PX	REPLACEMENT OF LEFT FEMORAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RM07Z	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RM0JZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RM0KZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RM47Z	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RM4JZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RM4KZ	PX	REPLACEMENT OF RIGHT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RN07Z	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RN0JZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RP07Z	PX	REPLACEMENT OF RIGHT ANTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RN4KZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RN4JZ	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RN47Z	PX	REPLACEMENT OF LEFT POPLITEAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RR4KZ	PX	REPLACEMENT OF RIGHT POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RS07Z	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RS0JZ	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RS0KZ	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04RS47Z	PX	REPLACEMENT OF LEFT POSTERIOR TIBIAL ARTERY WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	38.38	PX	RESECTION OF VESSEL WITH ANASTOMOSIS, LOWER LIMB ARTERIES	ICD-9-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BK0ZZ	PX	EXCISION OF RIGHT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BK4ZZ	PX	EXCISION OF RIGHT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BL0ZZ	PX	EXCISION OF LEFT FEMORAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BL4ZZ	PX	EXCISION OF LEFT FEMORAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BM0ZZ	PX	EXCISION OF RIGHT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BM4ZZ	PX	EXCISION OF RIGHT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BN0ZZ	PX	EXCISION OF LEFT POPLITEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BN4ZZ	PX	EXCISION OF LEFT POPLITEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BP0ZZ	PX	EXCISION OF RIGHT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BP4ZZ	PX	EXCISION OF RIGHT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BQ0ZZ	PX	EXCISION OF LEFT ANTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BQ4ZZ	PX	EXCISION OF LEFT ANTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BR0ZZ	PX	EXCISION OF RIGHT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BR4ZZ	PX	EXCISION OF RIGHT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BS0ZZ	PX	EXCISION OF LEFT POSTERIOR TIBIAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BS4ZZ	PX	EXCISION OF LEFT POSTERIOR TIBIAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BT0ZZ	PX	EXCISION OF RIGHT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BT4ZZ	PX	EXCISION OF RIGHT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BU0ZZ	PX	EXCISION OF LEFT PERONEAL ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BU4ZZ	PX	EXCISION OF LEFT PERONEAL ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BV0ZZ	PX	EXCISION OF RIGHT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BV4ZZ	PX	EXCISION OF RIGHT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BW0ZZ	PX	EXCISION OF LEFT FOOT ARTERY, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BW4ZZ	PX	EXCISION OF LEFT FOOT ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BY0ZZ	PX	EXCISION OF LOWER ARTERY, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	Infrainguinal Arterial Bypass	04BY4ZZ	PX	EXCISION OF LOWER ARTERY, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G07Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G09Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G0AY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G0JY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G0KY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G0ZY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G47Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G49Y	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G4AY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G4JY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G4KY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051G4ZY	PX	BYPASS RIGHT HAND VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H07Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H09Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H0AY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H0JY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H0KY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H0ZY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H47Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H49Y	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H4AY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H4JY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H4KY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		051H4ZY	PX	BYPASS LEFT HAND VEIN TO UPPER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery		061T07Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		061T09Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		061T0AY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		061T0JY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		061T0KY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery		061T0ZY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM

1,3 Other Major CV surgery	061T47Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061T49Y	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061T4AY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061T4JY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061T4KY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061T4ZY	PX	BYPASS RIGHT FOOT VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V07Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V09Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V0AY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V0JY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V0KY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V0ZY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN, OPEN APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V47Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V49Y	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS VENOUS TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V4AY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH AUTOLOGOUS ARTERIAL TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V4JY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V4KY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,3 Other Major CV surgery	061V4ZY	PX	BYPASS LEFT FOOT VEIN TO LOWER VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
1,4 Stroke	430	DX	SUBARACHNOID HEMORRHAGE	ICD-9-CM
1,4 Stroke	431	DX	INTRACEREBRAL HEMORRHAGE	ICD-9-CM
1,4 Stroke	433.01	DX	OCCLUSION AND STENOSIS OF BASILAR ARTERY WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	433.11	DX	OCCLUSION AND STENOSIS OF CAROTID ARTERY WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	433.21	DX	OCCLUSION AND STENOSIS OF VERTEBRAL ARTERY WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	433.31	DX	OCCLUSION AND STENOSIS OF MULTIPLE AND BILATERAL PRECEREBRAL ARTERIES WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	433.81	DX	OCCLUSION AND STENOSIS OF OTHER SPECIFIED PRECEREBRAL ARTERY WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	433.91	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED PRECEREBRAL ARTERY WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	434.01	DX	CEREBRAL THROMBOSIS WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	434.11	DX	CEREBRAL EMBOLISM WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	434.91	DX	CEREBRAL ARTERY OCCLUSION, UNSPECIFIED WITH CEREBRAL INFARCTION	ICD-9-CM
1,4 Stroke	436	DX	ACUTE, BUT ILL-DEFINED, CEREBROVASCULAR DISEASE	ICD-9-CM
1,4 Stroke	997.02	DX	IATROGENIC CEREBROVASCULAR INFARCTION OR HEMORRHAGE	ICD-9-CM
1,4 Stroke	G43.609	DX	PERSISTENT MIGRAINE AURA WITH CEREBRAL INFARCTION, NOT INTRACTABLE, WITHOUT STATUS MIGRAINOSUS	ICD-10-CM
1,4 Stroke	G43.619	DX	PERSISTENT MIGRAINE AURA WITH CEREBRAL INFARCTION, INTRACTABLE, WITHOUT STATUS MIGRAINOSUS	ICD-10-CM
1,4 Stroke	G46.3	DX	BRAIN STEM STROKE SYNDROME	ICD-10-CM

1,4 Stroke	G46.4	DX	CEREBELLAR STROKE SYNDROME	ICD-10-CM
1,4 Stroke	I60	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE	ICD-10-CM
1,4 Stroke	I60.0	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM CAROTID SIPHON AND BIFURCATION	ICD-10-CM
1,4 Stroke	I60.00	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED CAROTID SIPHON AND BIFURCATION	ICD-10-CM
1,4 Stroke	I60.01	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT CAROTID SIPHON AND BIFURCATION	ICD-10-CM
1,4 Stroke	I60.02	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT CAROTID SIPHON AND BIFURCATION	ICD-10-CM
1,4 Stroke	I60.1	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.10	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.11	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.12	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.2	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM ANTERIOR COMMUNICATING ARTERY	ICD-10-CM
1,4 Stroke	I60.3	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
1,4 Stroke	I60.30	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
1,4 Stroke	I60.31	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
1,4 Stroke	I60.32	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT POSTERIOR COMMUNICATING ARTERY	ICD-10-CM
1,4 Stroke	I60.4	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM BASILAR ARTERY	ICD-10-CM
1,4 Stroke	I60.5	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.50	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.51	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM RIGHT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.52	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM LEFT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	I60.6	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM OTHER INTRACRANIAL ARTERIES	ICD-10-CM
1,4 Stroke	I60.7	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE FROM UNSPECIFIED INTRACRANIAL ARTERY	ICD-10-CM
1,4 Stroke	I60.8	DX	OTHER NONTRAUMATIC SUBARACHNOID HEMORRHAGE	ICD-10-CM
1,4 Stroke	I60.9	DX	NONTRAUMATIC SUBARACHNOID HEMORRHAGE, UNSPECIFIED	ICD-10-CM
1,4 Stroke	I61	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE	ICD-10-CM
1,4 Stroke	I61.0	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN HEMISPHERE, SUBCORTICAL	ICD-10-CM
1,4 Stroke	I61.1	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN HEMISPHERE, CORTICAL	ICD-10-CM
1,4 Stroke	I61.2	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN HEMISPHERE, UNSPECIFIED	ICD-10-CM
1,4 Stroke	I61.3	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN BRAIN STEM	ICD-10-CM
1,4 Stroke	I61.4	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE IN CEREBELLUM	ICD-10-CM
1,4 Stroke	I61.5	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE, INTRAVENTRICULAR	ICD-10-CM
1,4 Stroke	I61.6	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE, MULTIPLE LOCALIZED	ICD-10-CM
1,4 Stroke	I61.8	DX	OTHER NONTRAUMATIC INTRACEREBRAL HEMORRHAGE	ICD-10-CM
1,4 Stroke	I61.9	DX	NONTRAUMATIC INTRACEREBRAL HEMORRHAGE, UNSPECIFIED	ICD-10-CM
1,4 Stroke	I63	DX	CEREBRAL INFARCTION	ICD-10-CM
1,4 Stroke	I63.0	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF PRECEREBRAL ARTERIES	ICD-10-CM

1,4 Stroke	163.01	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.011	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.012	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.013	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.019	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED VERTEBRAL ARTER	ICD-10-CM
1,4 Stroke	163.02	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BASILAR ARTERY	ICD-10-CM
1,4 Stroke	163.03	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.031	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.032	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.033	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	163.039	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.09	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF OTHER PRECEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.1	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF PRECEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.10	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED PRECEREBRAL ARTER	ICD-10-CM
1,4 Stroke	163.11	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.111	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.112	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.113	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.119	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.12	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BASILAR ARTERY	ICD-10-CM
1,4 Stroke	163.13	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.131	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.132	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.133	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	163.139	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.19	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF OTHER PRECEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.2	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF PRECEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.20	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED PRECEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.21	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF VERTEBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.211	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.212	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.213	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM

1,4 Stroke	163.219	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.22	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BASILAR ARTERY	ICD-10-CM
1,4 Stroke	163.23	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	163.231	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	163.232	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	163.233	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	163.239	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
1,4 Stroke	163.29	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF OTHER PRECEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.3	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.30	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.31	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.311	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.312	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.313	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.319	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.32	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.321	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.322	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.323	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.329	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.33	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.331	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.332	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.333	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.339	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.34	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.341	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.342	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF LEFT CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.343	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
1,4 Stroke	163.349	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.39	DX	CEREBRAL INFARCTION DUE TO THROMBOSIS OF OTHER CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.4	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CEREBRAL ARTERIES	ICD-10-CM

1,4 Stroke	163.40	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.41	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.411	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.412	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.413	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.419	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.42	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.421	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.422	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.423	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.429	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.43	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.431	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.432	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.433	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.439	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.44	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.441	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.442	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF LEFT CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.443	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
1,4 Stroke	163.449	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.49	DX	CEREBRAL INFARCTION DUE TO EMBOLISM OF OTHER CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.5	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.50	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.51	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.511	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.512	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.513	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.519	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.52	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.521	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.522	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM

1,4 Stroke	163.523	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.529	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.53	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.531	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.532	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.533	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	163.539	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.54	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.541	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF RIGHT CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.542	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF LEFT CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.543	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF BILATERAL CEREBELLAR ARTERIES	ICD-10-CM
1,4 Stroke	163.549	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF UNSPECIFIED CEREBELLAR ARTERY	ICD-10-CM
1,4 Stroke	163.59	DX	CEREBRAL INFARCTION DUE TO UNSPECIFIED OCCLUSION OR STENOSIS OF OTHER CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	163.6	DX	CEREBRAL INFARCTION DUE TO CEREBRAL VENOUS THROMBOSIS, NONPYOGENIC	ICD-10-CM
1,4 Stroke	163.8	DX	OTHER CEREBRAL INFARCTION	ICD-10-CM
1,4 Stroke	163.81	DX	OTHER CEREBRAL INFARCTION DUE TO OCCLUSION OR STENOSIS OF SMALL ARTERY	ICD-10-CM
1,4 Stroke	163.89	DX	OTHER CEREBRAL INFARCTION	ICD-10-CM
1,4 Stroke	163.9	DX	CEREBRAL INFARCTION, UNSPECIFIED	ICD-10-CM
1,4 Stroke	165.0	DX	OCCLUSION AND STENOSIS OF VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	165.01	DX	OCCLUSION AND STENOSIS OF RIGHT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	165.02	DX	OCCLUSION AND STENOSIS OF LEFT VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	165.03	DX	OCCLUSION AND STENOSIS OF BILATERAL VERTEBRAL ARTERIES	ICD-10-CM
1,4 Stroke	165.09	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED VERTEBRAL ARTERY	ICD-10-CM
1,4 Stroke	165.1	DX	OCCLUSION AND STENOSIS OF BASILAR ARTERY	ICD-10-CM
1,4 Stroke	165.2	DX	OCCLUSION AND STENOSIS OF CAROTID ARTERY	ICD-10-CM
1,4 Stroke	165.21	DX	OCCLUSION AND STENOSIS OF RIGHT CAROTID ARTERY	ICD-10-CM
1,4 Stroke	165.22	DX	OCCLUSION AND STENOSIS OF LEFT CAROTID ARTERY	ICD-10-CM
1,4 Stroke	165.23	DX	OCCLUSION AND STENOSIS OF BILATERAL CAROTID ARTERIES	ICD-10-CM
1,4 Stroke	165.29	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED CAROTID ARTERY	ICD-10-CM
1,4 Stroke	165.8	DX	OCCLUSION AND STENOSIS OF OTHER PRECEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	165.9	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED PRECEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.0	DX	OCCLUSION AND STENOSIS OF MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.01	DX	OCCLUSION AND STENOSIS OF RIGHT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.02	DX	OCCLUSION AND STENOSIS OF LEFT MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.03	DX	OCCLUSION AND STENOSIS OF BILATERAL MIDDLE CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke	166.09	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED MIDDLE CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.1	DX	OCCLUSION AND STENOSIS OF ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.11	DX	OCCLUSION AND STENOSIS OF RIGHT ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke	166.12	DX	OCCLUSION AND STENOSIS OF LEFT ANTERIOR CEREBRAL ARTERY	ICD-10-CM

1,4 Stroke		166.13	DX	OCCLUSION AND STENOSIS OF BILATERAL ANTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke		166.19	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED ANTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke		166.2	DX	OCCLUSION AND STENOSIS OF POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke		166.21	DX	OCCLUSION AND STENOSIS OF RIGHT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke		166.22	DX	OCCLUSION AND STENOSIS OF LEFT POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke		166.23	DX	OCCLUSION AND STENOSIS OF BILATERAL POSTERIOR CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke		166.29	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED POSTERIOR CEREBRAL ARTERY	ICD-10-CM
1,4 Stroke		166.3	DX	OCCLUSION AND STENOSIS OF CEREBELLAR ARTERIES	ICD-10-CM
1,4 Stroke		166.8	DX	OCCLUSION AND STENOSIS OF OTHER CEREBRAL ARTERIES	ICD-10-CM
1,4 Stroke		166.9	DX	OCCLUSION AND STENOSIS OF UNSPECIFIED CEREBRAL ARTERY	ICD-10-CM
1,5 TIA		435	DX	TRANSIENT CEREBRAL ISCHEMIA	ICD-9-CM
1,5 TIA		435.0	DX	BASILAR ARTERY SYNDROME	ICD-9-CM
1,5 TIA		435.1	DX	VERTEBRAL ARTERY SYNDROME	ICD-9-CM
1,5 TIA		435.2	DX	SUBCLAVIAN STEAL SYNDROME	ICD-9-CM
1,5 TIA		435.3	DX	VERTEBROBASILAR ARTERY SYNDROME	ICD-9-CM
1,5 TIA		435.8	DX	OTHER SPECIFIED TRANSIENT CEREBRAL ISCHEMIAS	ICD-9-CM
1,5 TIA		435.9	DX	UNSPECIFIED TRANSIENT CEREBRAL ISCHEMIA	ICD-9-CM
1,5 TIA		G45.0	DX	VERTEBRO-BASILAR ARTERY SYNDROME	ICD-10-CM
1,5 TIA		G45.1	DX	CAROTID ARTERY SYNDROME (HEMISPHERIC)	ICD-10-CM
1,5 TIA		G45.2	DX	MULTIPLE AND BILATERAL PRECEREBRAL ARTERY SYNDROMES	ICD-10-CM
1,5 TIA		G45.8	DX	OTHER TRANSIENT CEREBRAL ISCHEMIC ATTACKS AND RELATED SYNDROMES	ICD-10-CM
1,5 TIA		G45.9	DX	TRANSIENT CEREBRAL ISCHEMIC ATTACK, UNSPECIFIED	ICD-10-CM
1,5 TIA		G46.0	DX	MIDDLE CEREBRAL ARTERY SYNDROME	ICD-10-CM
1,5 TIA		G46.1	DX	ANTERIOR CEREBRAL ARTERY SYNDROME	ICD-10-CM
1,5 TIA		G46.2	DX	POSTERIOR CEREBRAL ARTERY SYNDROME	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	V42.1	DX	HEART REPLACED BY TRANSPLANT	ICD-9-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	996.83	DX	COMPLICATIONS OF TRANSPLANTED HEART	ICD-9-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.20	DX	UNSPECIFIED COMPLICATION OF HEART TRANSPLANT	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.21	DX	HEART TRANSPLANT REJECTION	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.22	DX	HEART TRANSPLANT FAILURE	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.23	DX	HEART TRANSPLANT INFECTION	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.290	DX	CARDIAC ALLOGRAFT VASCULOPATHY	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.298	DX	OTHER COMPLICATIONS OF HEART TRANSPLANT	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.30	DX	UNSPECIFIED COMPLICATION OF HEART-LUNG TRANSPLANT	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.31	DX	HEART-LUNG TRANSPLANT REJECTION	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.32	DX	HEART-LUNG TRANSPLANT FAILURE	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.33	DX	HEART-LUNG TRANSPLANT INFECTION	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	T86.39	DX	OTHER COMPLICATIONS OF HEART-LUNG TRANSPLANT	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	Z94.1	DX	HEART TRANSPLANT STATUS	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	Z94.3	DX	HEART AND LUNGS TRANSPLANT STATUS	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	Z48.21	DX	ENCOUNTER FOR AFTERCARE FOLLOWING HEART TRANSPLANT	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	Z48.280	DX	ENCOUNTER FOR AFTERCARE FOLLOWING HEART-LUNG TRANSPLANT	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Listed for heart transplant	V49.83	DX	AWAITING ORGAN TRANSPLANT STATUS	ICD-9-CM
2 Heart transplant recipient or listed for heart transplant	Listed for heart transplant	Z76.82	DX	AWAITING ORGAN TRANSPLANT STATUS	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	33.6	PX	COMBINED HEART-LUNG TRANSPLANTATION	ICD-9-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	37.51	PX	HEART TRANSPLANTATION	ICD-9-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	02YA0Z0	PX	TRANSPLANTATION OF HEART, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	02YA0Z1	PX	TRANSPLANTATION OF HEART, SYNGENEIC, OPEN APPROACH	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	02YA0Z2	PX	TRANSPLANTATION OF HEART, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	33927	PX	IMPLANTATION OF A TOTAL REPLACEMENT HEART SYSTEM (ARTIFICIAL HEART) WITH RECIPIENT CARDIECTOMY.	CPT/HCPSC
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	33928	PX	REMOVAL AND REPLACEMENT OF TOTAL REPLACEMENT HEART SYSTEM (ARTIFICIAL HEART)	CPT/HCPSC

2 Heart transplant recipient or listed for heart transplant	Heart transplantation	33929	PX	REMOVAL OF A TOTAL REPLACEMENT HEART SYSTEM (ARTIFICIAL HEART) FOR HEART TRANSPLANTATION	CPT/HCPSC
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	33935	PX	HEART-LUNG TRANSPLANT WITH RECIPIENT CARDIECTOMY-PNEUMONECTOMY	CPT/HCPSC
2 Heart transplant recipient or listed for heart transplant	Heart transplantation	33945	PX	HEART TRANSPLANT, WITH OR WITHOUT RECIPIENT CARDIECTOMY	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	V43.2	DX	HEART REPLACED BY OTHER MEANS	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	V43.21	DX	ORGAN OR TISSUE REPLACED BY OTHER MEANS, HEART ASSIST DEVICE	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	V43.22	DX	ORGAN OR TISSUE REPLACED BY OTHER MEANS, FULLY IMPLANTABLE ARTIFICIAL HEART	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	Z95.811	DX	PRESENCE OF HEART ASSIST DEVICE	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	Z95.812	DX	PRESENCE OF FULLY IMPLANTABLE ARTIFICIAL HEART	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	37.60	PX	IMPLANTATION OR INSERTION OF BIVENTRICULAR EXTERNAL HEART ASSIST SYSTEM	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	37.63	PX	REPAIR OF HEART ASSIST SYSTEM	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	37.65	PX	IMPLANT OF SINGLE VENTRICULAR (EXTRACORPOREAL) EXTERNAL HEART ASSIST SYSTEM	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	37.66	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM	ICD-9-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02HA0RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02HA3RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02HA4RS	PX	INSERTION OF BIVENTRICULAR SHORT-TERM EXTERNAL HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	5A02116	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, INTERMITTENT	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	5A02216	PX	ASSISTANCE WITH CARDIAC OUTPUT USING OTHER PUMP, CONTINUOUS	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02HA0QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, OPEN APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02HA3QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02HA4QZ	PX	INSERTION OF IMPLANTABLE HEART ASSIST SYSTEM INTO HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02WA0QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, OPEN APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02WA3QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	02WA4QZ	PX	REVISION OF IMPLANTABLE HEART ASSIST SYSTEM IN HEART, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33975	PX	INSERTION OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33976	PX	INSERTION OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, BIVENTRICULAR	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33977	PX	REMOVAL OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33978	PX	REMOVAL OF VENTRICULAR ASSIST DEVICE; EXTRACORPOREAL, BIVENTRICULAR	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33979	PX	INSERTION OF VENTRICULAR ASSIST DEVICE, IMPLANTABLE, INTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33980	PX	REMOVAL OF VENTRICULAR ASSIST DEVICE, IMPLANTABLE INTRACORPOREAL, SINGLE VENTRICLE	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33881	PX	REPLACEMENT OF EXTRACORPOREAL VENTRICULAR ASSIST DEVICE, SINGLE OR BIVENTRICULAR, PUMP(S), SINGLE OR EACH PUMP	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33982	PX	REPLACEMENT OF VENTRICULAR ASSIST DEVICE PUMP(S); IMPLANTABLE INTRACORPOREAL, SINGLE VENTRICLE, WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPSC
3 Currently implanted left ventricular assist device (LVAD)	LVAD	33983	PX	REPLACEMENT OF VENTRICULAR ASSIST DEVICE PUMP(S); IMPLANTABLE INTRACORPOREAL, SINGLE VENTRICLE, WITH CARDIOPULMONARY BYPASS	CPT/HCPSC
4 Cardiomyopathy	Cardiomyopathy	425.7	DX	NUTRITIONAL AND METABOLIC CARDIOMYOPATHY	ICD-9-CM

4	Cardiomyopathy	Cardiomyopathy	425.8	DX	CARDIOMYOPATHY IN OTHER DISEASES CLASSIFIED ELSEWHERE	ICD-9-CM
4	Cardiomyopathy	Cardiomyopathy	425.9	DX	SECONDARY CARDIOMYOPATHY, UNSPECIFIED	ICD-9-CM
4	Cardiomyopathy	Cardiomyopathy	425.11	DX	HYPER TROPHIC OBSTRUCTIVE CARDIOMYOPATHY	ICD-9-CM
4	Cardiomyopathy	Cardiomyopathy	I42.1	DX	OBSTRUCTIVE HYPERTROPHIC CARDIOMYOPATHY	ICD-10-CM
4	Cardiomyopathy	Cardiomyopathy	I42.5	DX	OTHER RESTRICTIVE CARDIOMYOPATHY	ICD-10-CM
4	Cardiomyopathy	Cardiomyopathy	I42.7	DX	CARDIOMYOPATHY DUE TO DRUG AND EXTERNAL AGENT	ICD-10-CM
4	Cardiomyopathy	Cardiomyopathy	I43	DX	CARDIOMYOPATHY IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	277.3	DX	AMYLOIDOSIS	ICD-9-CM
4	Cardiomyopathy	Amyloidosis	277.30	DX	AMYLOIDOSIS, UNSPECIFIED	ICD-9-CM
4	Cardiomyopathy	Amyloidosis	277.39	DX	OTHER AMYLOIDOSIS	ICD-9-CM
4	Cardiomyopathy	Amyloidosis	E85	DX	AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.0	DX	NON-NEUROPATHIC HEREDOFAMILIAL AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.1	DX	NEUROPATHIC HEREDOFAMILIAL AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.2	DX	HEREDOFAMILIAL AMYLOIDOSIS, UNSPECIFIED	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.3	DX	SECONDARY SYSTEMIC AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.4	DX	ORGAN-LIMITED AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.8	DX	OTHER AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.81	DX	LIGHT CHAIN (AL) AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.82	DX	WILD-TYPE TRANSTHYRETIN-RELATED (ATTR) AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.89	DX	OTHER AMYLOIDOSIS	ICD-10-CM
4	Cardiomyopathy	Amyloidosis	E85.9	DX	AMYLOIDOSIS, UNSPECIFIED	ICD-10-CM
4	Cardiomyopathy	Hemochromatosis	275.01	DX	HEREDITARY HEMOCHROMATOSIS	ICD-9-CM
					HEMOCHROMATOSIS DUE TO REPEATED RED BLOOD CELL	
4	Cardiomyopathy	Hemochromatosis	275.02	DX	TRANSFUSIONS	ICD-9-CM
4	Cardiomyopathy	Hemochromatosis	275.03	DX	OTHER HEMOCHROMATOSIS	ICD-9-CM
4	Cardiomyopathy	Hemochromatosis	275.09	DX	OTHER DISORDERS OF IRON METABOLISM	ICD-9-CM
4	Cardiomyopathy	Hemochromatosis	E83.11	DX	HEMOCHROMATOSIS	ICD-10-CM
4	Cardiomyopathy	Hemochromatosis	E83.110	DX	HEREDITARY HEMOCHROMATOSIS	ICD-10-CM
					HEMOCHROMATOSIS DUE TO REPEATED RED BLOOD CELL	
4	Cardiomyopathy	Hemochromatosis	E83.111	DX	TRANSFUSIONS	ICD-10-CM
4	Cardiomyopathy	Hemochromatosis	E83.118	DX	OTHER HEMOCHROMATOSIS	ICD-10-CM
4	Cardiomyopathy	Hemochromatosis	E83.119	DX	HEMOCHROMATOSIS, UNSPECIFIED	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	359.0	DX	CONGENITAL HEREDITARY MUSCULAR DYSTROPHY	ICD-9-CM
4	Cardiomyopathy	Muscular dystrophies	359.1	DX	HEREDITARY PROGRESSIVE MUSCULAR DYSTROPHY	ICD-9-CM
4	Cardiomyopathy	Muscular dystrophies	G71.0	DX	MUSCULAR DYSTROPHY	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.00	DX	MUSCULAR DYSTROPHY, UNSPECIFIED	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.01	DX	DUCHENNE OR BECKER MUSCULAR DYSTROPHY	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.02	DX	FACIOSCAPULOHUMERAL MUSCULAR DYSTROPHY	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.03	DX	LIMB GIRDLE MUSCULAR DYSTROPHIES	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.031	DX	AUTOSOMAL DOMINANT LIMB GIRDLE MUSCULAR DYSTROPHY	ICD-10-CM
					AUTOSOMAL RECESSIVE LIMB GIRDLE MUSCULAR DYSTROPHY	
4	Cardiomyopathy	Muscular dystrophies	G71.032	DX	DUE TO CALPAIN-3 DYSFUNCTION	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO DYSFERLIN	
4	Cardiomyopathy	Muscular dystrophies	G71.033	DX	DYSFUNCTION	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO SARCOGLYCAN	
4	Cardiomyopathy	Muscular dystrophies	G71.034	DX	DYSFUNCTION	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO SARCOGLYCAN	
4	Cardiomyopathy	Muscular dystrophies	G71.0340	DX	DYSFUNCTION, UNSPECIFIED	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO ALPHA	
4	Cardiomyopathy	Muscular dystrophies	G71.0341	DX	SARCOGLYCAN DYSFUNCTION	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO BETA	
4	Cardiomyopathy	Muscular dystrophies	G71.0342	DX	SARCOGLYCAN DYSFUNCTION	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO OTHER	
4	Cardiomyopathy	Muscular dystrophies	G71.0349	DX	SARCOGLYCAN DYSFUNCTION	ICD-10-CM
					LIMB GIRDLE MUSCULAR DYSTROPHY DUE TO ANOCTAMIN-5	
4	Cardiomyopathy	Muscular dystrophies	G71.035	DX	DYSFUNCTION	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.038	DX	OTHER LIMB GIRDLE MUSCULAR DYSTROPHY	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.039	DX	LIMB GIRDLE MUSCULAR DYSTROPHY, UNSPECIFIED	ICD-10-CM
4	Cardiomyopathy	Muscular dystrophies	G71.09	DX	OTHER SPECIFIED MUSCULAR DYSTROPHIES	ICD-10-CM
4	Cardiomyopathy	Takotsubo syndrome	429.83	DX	TAKOTSUBO SYNDROME	ICD-9-CM
4	Cardiomyopathy	Takotsubo syndrome	I51.81	DX	TAKOTSUBO SYNDROME	ICD-10-CM
4	Cardiomyopathy	Pericardial constriction	423.2	DX	CONSTRICTIVE PERICARDITIS	ICD-9-CM
4	Cardiomyopathy	Pericardial constriction	I31.1	DX	CHRONIC CONSTRICTIVE PERICARDITIS	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	394.0	DX	MITRAL STENOSIS	ICD-9-CM

5	Valvular heart disease	Valvular heart disease	394.1	DX	RHEUMATIC MITRAL INSUFFICIENCY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	394.2	DX	MITRAL STENOSIS WITH INSUFFICIENCY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	394.9	DX	OTHER AND UNSPECIFIED MITRAL VALVE DISEASES	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	395.0	DX	RHEUMATIC AORTIC STENOSIS	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	395.1	DX	RHEUMATIC AORTIC INSUFFICIENCY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	395.2	DX	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	395.9	DX	OTHER AND UNSPECIFIED RHEUMATIC AORTIC DISEASES	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	396.0	DX	MITRAL VALVE STENOSIS AND AORTIC VALVE STENOSIS	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	396.1	DX	MITRAL VALVE STENOSIS AND AORTIC VALVE INSUFFICIENCY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	396.2	DX	MITRAL VALVE INSUFFICIENCY AND AORTIC VALVE STENOSIS	ICD-9-CM
					MITRAL VALVE INSUFFICIENCY AND AORTIC VALVE	
5	Valvular heart disease	Valvular heart disease	396.3	DX	INSUFFICIENCY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	396.8	DX	MULTIPLE INVOLVEMENT OF MITRAL AND AORTIC VALVES	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	396.9	DX	MITRAL AND AORTIC VALVE DISEASES, UNSPECIFIED	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	397.0	DX	DISEASES OF TRICUSPID VALVE	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	397.1	DX	RHEUMATIC DISEASES OF PULMONARY VALVE	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	397.9	DX	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	424.0	DX	MITRAL VALVE DISORDER	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	424.1	DX	AORTIC VALVE DISORDER	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	424.2	DX	TRICUSPID VALVE DISORDERS, SPECIFIED AS NONRHEUMATIC	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	424.3	DX	PULMONARY VALVE DISORDERS	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	424.90	DX	ENDOCARDITIS, VALVE UNSPECIFIED, UNSPECIFIED CAUSE	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	424.99	DX	OTHER ENDOCARDITIS, VALVE UNSPECIFIED	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.00	DX	CONGENITAL PULMONARY VALVE ANOMALY, UNSPECIFIED	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.01	DX	ATRESIA OF PULMONARY VALVE, CONGENITAL	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.02	DX	STENOSIS OF PULMONARY VALVE, CONGENITAL	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.09	DX	OTHER CONGENITAL ANOMALIES OF PULMONARY VALVE	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.1	DX	TRICUSPID ATRESIA AND STENOSIS, CONGENITAL	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.2	DX	EBSTEIN'S ANOMALY	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.3	DX	CONGENITAL STENOSIS OF AORTIC VALVE	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.4	DX	CONGENITAL INSUFFICIENCY OF AORTIC VALVE	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.5	DX	CONGENITAL MITRAL STENOSIS	ICD-9-CM
5	Valvular heart disease	Valvular heart disease	746.6	DX	CONGENITAL MITRAL INSUFFICIENCY	ICD-9-CM
					RHEUMATIC MITRAL STENOSIS (MITRAL VALVE OBSTRUCTION,	
5	Valvular heart disease	Valvular heart disease	105.0	DX	RHEUMATIC)	ICD-10-CM
					RHEUMATIC MITRAL INSUFFICIENCY (RHEUMATIC MITRAL	
5	Valvular heart disease	Valvular heart disease	105.1	DX	INCOMPETENCE, RHEUMATIC MITRAL REGURGITATION)	ICD-10-CM
					RHEUMATIC MITRAL STENOSIS WITH INSUFFICIENCY	
5	Valvular heart disease	Valvular heart disease	105.2	DX	(RHEUMATIC MITRAL STENOSIS WITH INCOMPETENCE OR	ICD-10-CM
					REGURGITATION)	
5	Valvular heart disease	Valvular heart disease	105.8	DX	OTHER RHEUMATIC MITRAL VALVE DISEASES (RHEUMATIC	ICD-10-CM
					MITRAL VALVE FAILURE)	
5	Valvular heart disease	Valvular heart disease	105.9	DX	RHEUMATIC MITRAL VALVE DISEASE, UNSPECIFIED (RHEUMATIC	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	106	DX	MITRAL VALVE DISORDER (CHRONIC) NOS)	ICD-10-CM
					RHEUMATIC AORTIC VALVE DISEASES	
5	Valvular heart disease	Valvular heart disease	106.0	DX	RHEUMATIC AORTIC STENOSIS (RHEUMATIC AORTIC VALVE	ICD-10-CM
					OBSTRUCTION)	
5	Valvular heart disease	Valvular heart disease	106.1	DX	RHEUMATIC AORTIC INSUFFICIENCY (RHEUMATIC AORTIC	ICD-10-CM
					INCOMPETENCE OR REGURGITATION)	
5	Valvular heart disease	Valvular heart disease	106.2	DX	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	106.8	DX	(INCOMPETENCE OR REGURGITATION)	ICD-10-CM
					OTHER RHEUMATIC AORTIC VALVE DISEASES	
5	Valvular heart disease	Valvular heart disease	106.9	DX	RHEUMATIC AORTIC VALVE DISEASE, UNSPECIFIED (RHEUMATIC	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	107	DX	AORTIC VALVE DISEASE NOS)	ICD-10-CM
					RHEUMATIC TRICUSPID VALVE DISEASES	
5	Valvular heart disease	Valvular heart disease	107.0	DX	RHEUMATIC TRICUSPID STENOSIS (TRICUSPID VALVE STENOSIS,	ICD-10-CM
					RHEUMATIC)	
5	Valvular heart disease	Valvular heart disease	107.1	DX	RHEUMATIC TRICUSPID INSUFFICIENCY (TRICUSPID VALVE	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	107.2	DX	INSUFFICIENCY, RHEUMATIC)	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	107.8	DX	RHEUMATIC TRICUSPID STENOSIS AND INSUFFICIENCY	ICD-10-CM
					OTHER RHEUMATIC TRICUSPID VALVE DISEASES	
5	Valvular heart disease	Valvular heart disease	107.9	DX	RHEUMATIC TRICUSPID VALVE DISEASE, UNSPECIFIED	ICD-10-CM
5	Valvular heart disease	Valvular heart disease	108	DX	(RHEUMATIC TRICUSPID VALVE DISORDER NOS)	ICD-10-CM
					MULTIPLE VALVE DISEASES	ICD-10-CM

5 Valvular heart disease	Valvular heart disease	I08.0	DX	RHEUMATIC DISORDERS OF BOTH MITRAL AND AORTIC VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I08.1	DX	RHEUMATIC DISORDERS OF BOTH MITRAL AND TRICUSPID VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I08.2	DX	RHEUMATIC DISORDERS OF BOTH AORTIC AND TRICUSPID VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I08.3	DX	COMBINED RHEUMATIC DISORDERS OF MITRAL, AORTIC, AND TRICUSPID VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I08.8	DX	OTHER RHEUMATIC MULTIPLE VALVE DISEASES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I08.9	DX	RHEUMATIC MULTIPLE VALVE DISEASE, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I09.1	DX	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34	DX	NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.0	DX	NONRHEUMATIC MITRAL (VALVE) INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.1	DX	NONRHEUMATIC MITRAL (VALVE) PROLAPSE	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.2	DX	NONRHEUMATIC MITRAL (VALVE) STENOSIS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.8	DX	OTHER NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.81	DX	NONRHEUMATIC MITRAL (VALVE) ANNULUS CALCIFICATION	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.89	DX	OTHER NONRHEUMATIC MITRAL VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I34.9	DX	NONRHEUMATIC MITRAL VALVE DISORDER, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I35	DX	NONRHEUMATIC AORTIC VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I35.0	DX	NONRHEUMATIC AORTIC (VALVE) STENOSIS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I35.1	DX	NONRHEUMATIC AORTIC (VALVE) INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I35.2	DX	NONRHEUMATIC AORTIC (VALVE) STENOSIS WITH INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I35.8	DX	OTHER NONRHEUMATIC AORTIC VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I35.9	DX	NONRHEUMATIC AORTIC VALVE DISORDER, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I36	DX	NONRHEUMATIC TRICUSPID VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I36.0	DX	NONRHEUMATIC TRICUSPID (VALVE) STENOSIS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I36.1	DX	NONRHEUMATIC TRICUSPID (VALVE) INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I36.2	DX	NONRHEUMATIC TRICUSPID (VALVE) STENOSIS WITH INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I36.8	DX	OTHER NONRHEUMATIC TRICUSPID VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I36.9	DX	NONRHEUMATIC TRICUSPID VALVE DISORDER, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I37	DX	NONRHEUMATIC PULMONARY VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I37.0	DX	NONRHEUMATIC PULMONARY VALVE STENOSIS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I37.1	DX	NONRHEUMATIC PULMONARY VALVE INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I37.2	DX	NONRHEUMATIC PULMONARY VALVE STENOSIS WITH INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I37.8	DX	OTHER NONRHEUMATIC PULMONARY VALVE DISORDERS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I37.9	DX	NONRHEUMATIC PULMONARY VALVE DISORDER, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I38	DX	ENDOCARDITIS, VALVE UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I39	DX	ENDOCARDITIS AND HEART VALVE DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	I42.1	DX	ACUTE AND SUBACUTE INFECTIVE ENDOCARDITIS IN DISEASES CLASSIFIED ELSEWHERE	ICD-9-CM
5 Valvular heart disease	Valvular heart disease	I42.91	DX	ENDOCARDITIS IN DISEASES CLASSIFIED ELSEWHERE	ICD-9-CM
5 Valvular heart disease	Valvular heart disease	Q22.0	DX	PULMONARY VALVE ATRESIA	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.1	DX	CONGENITAL PULMONARY VALVE STENOSIS	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.2	DX	CONGENITAL PULMONARY VALVE INSUFFICIENCY (CONGENITAL PULMONARY VALVE REGURGITATION)	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.3	DX	OTHER CONGENITAL MALFORMATIONS OF PULMONARY VALVE (SUPERNUMERARY CUSPS OF PULMONARY VALVE)	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.4	DX	CONGENITAL TRICUSPID STENOSIS (CONGENITAL TRICUSPID ATRESIA)	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.5	DX	EBSTEIN'S ANOMALY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.6	DX	HYPOPLASTIC RIGHT HEART SYNDROME	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.8	DX	OTHER CONGENITAL MALFORMATIONS OF TRICUSPID VALVE	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q22.9	DX	CONGENITAL MALFORMATION OF TRICUSPID VALVE, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23	DX	CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.0	DX	CONGENITAL STENOSIS OF AORTIC VALVE (CONGENITAL AORTIC ATRESIA)	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.1	DX	CONGENITAL INSUFFICIENCY OF AORTIC VALVE (CONGENITAL AORTIC INSUFFICIENCY)	ICD-10-CM

5 Valvular heart disease	Valvular heart disease	Q23.2	DX	CONGENITAL MITRAL STENOSIS (CONGENITAL MITRAL ATRESIA)	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.3	DX	CONGENITAL MITRAL INSUFFICIENCY	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.8	DX	OTHER CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.81	DX	BICUSPID AORTIC VALVE (CONGENITAL BICUSPID AORTIC VALVE, UNICUSPID AORTIC VALVE)	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.82	DX	CONGENITAL MITRAL VALVE CLEFT LEAFLET	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.88	DX	OTHER CONGENITAL MALFORMATIONS OF AORTIC AND MITRAL VALVES	ICD-10-CM
5 Valvular heart disease	Valvular heart disease	Q23.9	DX	CONGENITAL MALFORMATION OF AORTIC AND MITRAL VALVES, UNSPECIFIED	ICD-10-CM
5 Valvular heart disease	Valve replacement	35.00	PX	CLOSED HEART VALVOTOMY, UNSPECIFIED VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.01	PX	CLOSED HEART VALVOTOMY, AORTIC VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.02	PX	CLOSED HEART VALVOTOMY, MITRAL VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.03	PX	CLOSED HEART VALVOTOMY, PULMONARY VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.04	PX	CLOSED HEART VALVOTOMY, TRICUSPID VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.05	PX	ENDOVASCULAR REPLACEMENT OF AORTIC VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.06	PX	TRANSAPICAL REPLACEMENT OF AORTIC VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.07	PX	ENDOVASCULAR REPLACEMENT OF PULMONARY VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.08	PX	TRANSAPICAL REPLACEMENT OF PULMONARY VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.09	PX	ENDOVASCULAR REPLACEMENT OF UNSPECIFIED HEART VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.10	PX	OPEN HEART VALVULOPLASTY WITHOUT REPLACEMENT, UNSPECIFIED VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.11	PX	OPEN HEART VALVULOPLASTY OF AORTIC VALVE WITHOUT REPLACEMENT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.12	PX	OPEN HEART VALVULOPLASTY OF MITRAL VALVE WITHOUT REPLACEMENT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.13	PX	OPEN HEART VALVULOPLASTY OF PULMONARY VALVE WITHOUT REPLACEMENT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.14	PX	OPEN HEART VALVULOPLASTY OF TRICUSPID VALVE WITHOUT REPLACEMENT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.20	PX	OPEN AND OTHER REPLACEMENT OF UNSPECIFIED HEART VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.21	PX	OPEN AND OTHER REPLACEMENT OF AORTIC VALVE WITH TISSUE GRAFT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.22	PX	OPEN AND OTHER REPLACEMENT OF AORTIC VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.23	PX	OPEN AND OTHER REPLACEMENT OF MITRAL VALVE WITH TISSUE GRAFT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.24	PX	OPEN AND OTHER REPLACEMENT OF MITRAL VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.25	PX	OPEN AND OTHER REPLACEMENT OF PULMONARY VALVE WITH TISSUE GRAFT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.26	PX	OPEN AND OTHER REPLACEMENT OF PULMONARY VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.27	PX	OPEN AND OTHER REPLACEMENT OF TRICUSPID VALVE WITH TISSUE GRAFT	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.28	PX	OPEN AND OTHER REPLACEMENT OF TRICUSPID VALVE	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.95	PX	REVISION OF CORRECTIVE PROCEDURE ON HEART	ICD-9-CM
5 Valvular heart disease	Valve replacement	35.97	PX	PERCUTANEOUS MITRAL VALVE REPAIR WITH IMPLANT	ICD-9-CM
5 Valvular heart disease	Valve replacement	02NF0ZZ	PX	RELEASE AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NF3ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NF4ZZ	PX	RELEASE AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NG0ZZ	PX	RELEASE MITRAL VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NG3ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NG4ZZ	PX	RELEASE MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NH0ZZ	PX	RELEASE PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NH3ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NH4ZZ	PX	RELEASE PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NJ0ZZ	PX	RELEASE TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NJ3ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02NJ4ZZ	PX	RELEASE TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

5 Valvular heart disease	Valve replacement	02QF0ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QF0ZZ	PX	REPAIR AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QF3ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QF3ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QF4ZJ	PX	REPAIR AORTIC VALVE CREATED FROM TRUNCAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QF4ZZ	PX	REPAIR AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QG0ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QG0ZZ	PX	REPAIR MITRAL VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QG3ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QG3ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QG4ZE	PX	REPAIR MITRAL VALVE CREATED FROM LEFT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QG4ZZ	PX	REPAIR MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QJ0ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QJ0ZZ	PX	REPAIR TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QJ3ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QJ3ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QJ4ZG	PX	REPAIR TRICUSPID VALVE CREATED FROM RIGHT ATRIOVENTRICULAR VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QJ4ZZ	PX	REPAIR TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QH0ZZ	PX	REPAIR PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QH3ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02QH4ZZ	PX	REPAIR PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF07Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF08Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF0JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF0KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF37H	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF37Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF38H	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF38Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF3JH	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF3JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF3KH	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF3KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF48Z	PX	REPLACEMENT OF AORTIC VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02RF4JZ	PX	REPLACEMENT OF AORTIC VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

5	Valvular heart disease	Valve replacement	02RF4KZ	PX	REPLACEMENT OF AORTIC VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RF47Z	PX	REPLACEMENT OF AORTIC VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG07Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG08Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG0JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG0KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG37H	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG37Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG3JH	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG3JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG3KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG47Z	PX	REPLACEMENT OF MITRAL VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG48Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG4JZ	PX	REPLACEMENT OF MITRAL VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG4KZ	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG38H	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG38Z	PX	REPLACEMENT OF MITRAL VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RG3KH	PX	REPLACEMENT OF MITRAL VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ07Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ08Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ0JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ0KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ37H	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ37Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ38H	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ38Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ3JH	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ3JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ3KH	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ3KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM

5	Valvular heart disease	Valve replacement	02RJ47Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ48Z	PX	REPLACEMENT OF TRICUSPID VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ4JZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RJ4KZ	PX	REPLACEMENT OF TRICUSPID VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH07Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH08Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH0JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH0KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH37H	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH37Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH38H	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH38Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH3JH	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH3JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH3KH	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, TRANSAPICAL, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH3KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH47Z	PX	REPLACEMENT OF PULMONARY VALVE WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH48Z	PX	REPLACEMENT OF PULMONARY VALVE WITH ZOOPLASTIC TISSUE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH4JZ	PX	REPLACEMENT OF PULMONARY VALVE WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	02RH4KZ	PX	REPLACEMENT OF PULMONARY VALVE WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027F04Z	PX	DILATION OF AORTIC VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027F0DZ	PX	DILATION OF AORTIC VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027F0ZZ	PX	DILATION OF AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027F3ZZ	PX	DILATION OF AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027F4ZZ	PX	DILATION OF AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027G0DZ	PX	DILATION OF MITRAL VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027G0ZZ	PX	DILATION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027G04Z	PX	DILATION OF MITRAL VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027J04Z	PX	DILATION OF TRICUSPID VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027J0DZ	PX	DILATION OF TRICUSPID VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5	Valvular heart disease	Valve replacement	027J0ZZ	PX	DILATION OF TRICUSPID VALVE, OPEN APPROACH	ICD-10-CM

5 Valvular heart disease	Valve replacement	027J3ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	027J4ZZ	PX	DILATION OF TRICUSPID VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	027H04Z	PX	DILATION OF PULMONARY VALVE WITH DRUG-ELUTING INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	027H0DZ	PX	DILATION OF PULMONARY VALVE WITH INTRALUMINAL DEVICE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	027H0ZZ	PX	DILATION OF PULMONARY VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	027H3ZZ	PX	DILATION OF PULMONARY VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	027H4ZZ	PX	DILATION OF PULMONARY VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	X2RF332	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
5 Valvular heart disease	Valve replacement	X2RF032	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, OPEN APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
5 Valvular heart disease	Valve replacement	X2RF432	PX	REPLACEMENT OF AORTIC VALVE USING ZOOPLASTIC TISSUE, RAPID DEPLOYMENT TECHNIQUE, PERCUTANEOUS ENDOSCOPIC APPROACH, NEW TECHNOLOGY GROUP 2	ICD-10-CM
5 Valvular heart disease	Valve replacement	02VG0ZZ	PX	RESTRICTION OF MITRAL VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02VG3ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02VG4ZZ	PX	RESTRICTION OF MITRAL VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF07Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF08Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF0JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF0KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, OPEN APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF37Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF38Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF3JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF3KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF47Z	PX	REVISION OF AUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF48Z	PX	REVISION OF ZOOPLASTIC TISSUE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF4JZ	PX	REVISION OF SYNTHETIC SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	02WF4KZ	PX	REVISION OF NONAUTOLOGOUS TISSUE SUBSTITUTE IN AORTIC VALVE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
5 Valvular heart disease	Valve replacement	33361	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; PERCUTANEOUS FEMORAL ARTERY APPROACH	CPT/HCPCS
5 Valvular heart disease	Valve replacement	33362	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN FEMORAL ARTERY APPROACH	CPT/HCPCS
5 Valvular heart disease	Valve replacement	33363	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN AXILLARY ARTERY APPROACH	CPT/HCPCS
5 Valvular heart disease	Valve replacement	33364	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; OPEN ILIAC ARTERY APPROACH	CPT/HCPCS
5 Valvular heart disease	Valve replacement	33365	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; TRANSAORTIC APPROACH (E.G., MEDIAN STERNOTOMY, MEDIASTINOTOMY)	CPT/HCPCS

5	Valvular heart disease	Valve replacement	33367	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH PERCUTANEOUS PERIPHERAL ARTERIAL AND VENOUS CANNULATION (E.G., FEMORAL VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33368	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH OPEN PERIPHERAL ARTERIAL AND VENOUS CANNULATION (E.G., FEMORAL, ILIAC, AXILLARY VESSELS) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33369	PX	TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR/TAVI) WITH PROSTHETIC VALVE; CARDIOPULMONARY BYPASS SUPPORT WITH CENTRAL ARTERIAL AND VENOUS CANNULATION (E.G., AORTA, RIGHT ATRIUM, PULMONARY ARTERY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33477	PX	TRANSCATHETER PULMONARY VALVE IMPLANTATION, PERCUTANEOUS APPROACH, INCLUDING PRE-STENTING OF THE VALVE DELIVERY SITE, WHEN PERFORMED	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33418	PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33419	PX	TRANSCATHETER MITRAL VALVE REPAIR, PERCUTANEOUS APPROACH, INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33400	PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33401	PX	VALVULOPLASTY, AORTIC VALVE; OPEN, WITH INFLOW OCCLUSION	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33403	PX	VALVULOPLASTY, AORTIC VALVE; USING TRANSVENTRICULAR DILATION, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33405	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33406	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH ALLOGRAFT VALVE (FREEHAND)	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33410	PX	REPLACEMENT, AORTIC VALVE, OPEN, WITH CARDIOPULMONARY BYPASS; WITH STENTLESS TISSUE VALVE	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33420	PX	VALVOTOMY, MITRAL VALVE; CLOSED HEART	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33422	PX	VALVOTOMY, MITRAL VALVE; OPEN HEART, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33425	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33426	PX	VALVULOPLASTY, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS; WITH PROSTHETIC RING	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33427	PX	UNDER SURGICAL PROCEDURES ON THE MITRAL VALVE	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33430	PX	REPLACEMENT, MITRAL VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33460	PX	VALVECTOMY, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33665	PX	REPAIR OF INTERMEDIATE OR TRANSITIONAL ATRIOVENTRICULAR CANAL, WITH OR WITHOUT ATRIOVENTRICULAR VALVE REPAIR	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33463	PX	VALVULOPLASTY, TRICUSPID VALVE, WITHOUT RING INSERTION	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33464	PX	VALVULOPLASTY, TRICUSPID VALVE, WITH RING INSERTION	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33465	PX	REPLACEMENT, TRICUSPID VALVE, WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33468	PX	TRICUSPID VALVE REPOSITIONING AND Plication FOR EBSTEIN ANOMALY	CPT/HCPCS
5	Valvular heart disease	Valve replacement	33496	PX	REPAIR OF NON-STRUCTURAL PROSTHETIC VALVE DYSFUNCTION WITH CARDIOPULMONARY BYPASS (SEPARATE PROCEDURE)	CPT/HCPCS

5	Valvular heart disease	Valve replacement	33475	PX	REPLACEMENT, PULMONARY VALVE	CPT/HCPCS	
5	Valvular heart disease	Valve replacement	0257T	PX	IMPLANTATION OF CATHETER-DELIVERED PROSTHETIC AORTIC HEART VALVE; OPEN THORACIC APPROACH (EG, TRANSAPICAL, TRANSVENTRICULAR)	CPT/HCPCS	
5	Valvular heart disease	Valve replacement	0258T	PX	TRANSTHORACIC CARDIAC EXPOSURE (I.E. STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETER-DELIVERED AORTIC VALVE REPLACEMENT; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS	
5	Valvular heart disease	Valve replacement	0259T	PX	TRANSTHORACIC CARDIAC EXPOSURE (I.E. STERNOTOMY, THORACOTOMY, SUBXIPHOID) FOR CATHETER-DELIVERED AORTIC VALVE REPLACEMENT; WITH CARDIOPULMONARY BYPASS.	CPT/HCPCS	
5	Valvular heart disease	Valve replacement	0262T	PX	MELODY TRANSCATHETER PULMONARY VALVE.	CPT/HCPCS	
5	Valvular heart disease	Valve replacement	0343T	PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; INITIAL PROSTHESIS (BEFORE 1/1/2015)	CPT/HCPCS	
5	Valvular heart disease	Valve replacement	0344T	PX	TRANSCATHETER MITRAL VALVE REPAIR PERCUTANEOUS APPROACH INCLUDING TRANSSEPTAL PUNCTURE WHEN PERFORMED; ADDITIONAL PROSTHESIS (ES) DURING SAME SESSION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	CPT/HCPCS	
6	Acute decompensated HF		428.23	DX	BEFORE 1/1/2015 (EXCLUDE IF NOT PRESENT WITH 0343T)	ICD-9-CM	
6	Acute decompensated HF		428.41	DX	ACUTE ON CHRONIC SYSTOLIC HEART FAILURE	ICD-9-CM	
6	Acute decompensated HF		428.33	DX	ACUTE COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM	
6	Acute decompensated HF		428.43	DX	ACUTE ON CHRONIC DIASTOLIC HEART FAILURE	ICD-9-CM	
6	Acute decompensated HF		150.21	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM	
6	Acute decompensated HF		150.23	DX	FAILURE	ICD-9-CM	
6	Acute decompensated HF		150.31	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
6	Acute decompensated HF		150.33	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
6	Acute decompensated HF		150.41	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
6	Acute decompensated HF		150.43	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
6	Acute decompensated HF		150.811	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
6	Acute decompensated HF		150.813	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial fibrillation	427.31	DX	DIAGNOSTIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial fibrillation	148.0	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial fibrillation	148.1	DX	DIAGNOSTIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial fibrillation	148.19	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial fibrillation	148.2	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial fibrillation	148.91	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial flutter	427.32	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial flutter	148.3	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial flutter	148.4	DX	DIAGNOSTIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Atrial flutter	148.92	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Tachycardia	427.0	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Tachycardia	427.1	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Tachycardia	147.1	DX	DIAGNOSTIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
7	Atrial fibrillation / flutter	Tachycardia	147.2	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
8.1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.1	DX	PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8.1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	147.1	DX	PAROXYSMAL VENTRICULAR TACHYCARDIA	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8.1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.4	DX	VENTRICULAR TACHYCARDIA	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8.1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.41	DX	VENTRICULAR FIBRILLATION AND FLUTTER	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8.1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.42	DX	VENTRICULAR FIBRILLATION	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8.1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.42	DX	VENTRICULAR FLUTTER	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4

8,1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	I49.01	DX	VENTRICULAR FIBRILLATION	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	I49.02	DX	VENTRICULAR FLUTTER	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.5	DX	CARDIAC ARREST	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	I46.9	DX	CARDIAC ARREST, CAUSE UNSPECIFIED	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	427.9	DX	CARDIAC DYSRHYTHMIA, UNSPECIFIED	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,1	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Ventricular arrhythmia	I49.9	DX	CARDIAC ARRHYTHMIA, UNSPECIFIED	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,2	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Syncope	780.2	DX	SYNCOPE AND COLLAPSE	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,2	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Syncope	R55	DX	SYNCOPE AND COLLAPSE	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	AMIODARONE HCL	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	AMIODARONE HCL/DEXTROS E 5% IN WATER	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	AMIODARONE IN DEXTROSE, ISO-OSMOTIC DEXTROMETH ORPHAN	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	HBR/QUINIDINE SULFATE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	DISOPYRAMIDE PHOSPHATE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	DOFETILIDE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	DRONEDARONE HCL	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	FLECAINIDE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	ACETATE IBUTILIDE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	FUMARATE MEXILETINE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	HCL MORICIZINE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	HCL PROCAINAMIDE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	E HCL	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	PROPafenone	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	QUINIDINE GLUCONATE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	QUINIDINE HCL	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	QUINIDINE POLYGALACT URONATE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	QUINIDINE SULFATE	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,3	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	Anti-arrhythmics	TOCAINIDE HCL	RX			8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	ICD	V45.02	DX	AUTOMATIC IMPLANTABLE CARDIAC DEFIBRILLATOR IN SITU	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	ICD	Z95.810	DX	DEFIBRILLATOR PRESENCE OF AUTOMATIC (IMPLANTABLE) CARDIAC	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 1	ICD	37.94	PX	IMPLANTATION OR REPLACEMENT OF AUTOMATIC CARDIOVERTER/DEFIBRILLATOR, TOTAL SYSTEM [AICD]	ICD-9-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4

[illegible]

8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	02H40JZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	02H43JZ	PX	INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33223	PX	RELOCATION OF SKIN POCKET FOR SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33230	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING DUAL LEADS	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33231	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING MULTIPLE LEADS	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33240	PX	INSERTION OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY; WITH EXISTING SINGLE LEAD	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33241	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR ONLY	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33243	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY THORACOTOMY	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33244	PX	REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY TRANSVENOUS EXTRACTION	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33249	PX	INSERTION OR REPLACEMENT OF PERMANENT IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH TRANSVENOUS LEAD(S), SINGLE OR DUAL CHAMBER	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33262	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; SINGLE LEAD SYSTEM	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33263	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; DUAL LEAD SYSTEM	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33264	PX	REMOVAL OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR WITH REPLACEMENT OF IMPLANTABLE DEFIBRILLATOR PULSE GENERATOR; MULTIPLE LEAD SYSTEM	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33270	PX	INSERTION OR REPLACEMENT OF PERMANENT SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH SUBCUTANEOUS ELECTRODE, INCLUDING DEFIBRILLATION THRESHOLD EVALUATION, INDUCTION OF ARRHYTHMIA, EVALUATION OF SENSING FOR ARRHYTHMIA TERMINATION, AND PROGRAMMING OR REPROGRAMMING OF SENSING OR THERAPEUTIC PARAMETERS, WHEN PERFORMED	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33271	PX	INSERTION OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33272	PX	REMOVAL OF SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
8,4	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1	ICD	33273	PX	REPOSITIONING OF PREVIOUSLY IMPLANTED SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR ELECTRODE	CPT/HCPSC	8.1 AND 8.2 WITHOUT 8.3 OR WITHOUT 8.4
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		425.9	DX	SECONDARY CARDIOMYOPATHY, UNSPECIFIED	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		142.7	DX	CARDIOMYOPATHY DUE TO DRUG AND EXTERNAL AGENT	ICD-10-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		674.5	DX	PERIPARTUM CARDIOMYOPATHY	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		674.50	DX	PERIPARTUM CARDIOMYOPATHY, UNSPECIFIED AS TO EPISODE OF CARE OR NOT APPLICABLE	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		674.51	DX	PERIPARTUM CARDIOMYOPATHY, DELIVERED, WITH OR WITHOUT MENTION OF ANTEPARTUM CONDITION	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		674.52	DX	PERIPARTUM CARDIOMYOPATHY, DELIVERED, WITH MENTION OF POSTPARTUM CONDITION	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		674.53	DX	PERIPARTUM CARDIOMYOPATHY, ANTEPARTUM CONDITION OR COMPLICATION	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		674.54	DX	PERIPARTUM CARDIOMYOPATHY, POSTPARTUM CONDITION OR COMPLICATION	ICD-9-CM	
9	Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit1		090.3	DX	PERIPARTUM CARDIOMYOPATHY	ICD-10-CM	
10,1	Symptomatic bradycardia or second or third degree heart block without a pacemaker after adjusting beta-blocker therapy, if appropriate	Bradycardia	427.81	DX	SINOATRIAL NODE DYSFUNCTION	ICD-9-CM	10.1 WITHOUT 10.2

[illegible]

11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	403.00	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, MALIGNANT, WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	403.01	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, MALIGNANT, WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	404.00	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITHOUT HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	404.01	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	404.02	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITHOUT HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	404.03	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	405.01	DX	MALIGNANT RENOVASCULAR HYPERTENSION	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	405.09	DX	OTHER MALIGNANT SECONDARY HYPERTENSION	ICD-9-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	I16.0	DX	HYPERTENSIVE URGENCY	ICD-10-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	I16.1	DX	HYPERTENSIVE EMERGENCY	ICD-10-CM
11	Systolic blood pressure (SBP) ≥ 180 mmHg	Hypertensive crisis	I16.9	DX	HYPERTENSIVE CRISIS, UNSPECIFIED	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	458.0	DX	ORTHOSTATIC HYPOTENSION	ICD-9-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	458.1	DX	CHRONIC HYPOTENSION	ICD-9-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	458.21	DX	HYPOTENSION OF HEMODIALYSIS	ICD-9-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	458.29	DX	OTHER IATROGENIC HYPOTENSION	ICD-9-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	458.8	DX	OTHER SPECIFIED HYPOTENSION	ICD-9-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	458.9	DX	HYPOTENSION, UNSPECIFIED	ICD-9-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95	DX	HYPOTENSION	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.0	DX	IDIOPATHIC HYPOTENSION	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.1	DX	ORTHOSTATIC HYPOTENSION	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.2	DX	HYPOTENSION DUE TO DRUGS	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.3	DX	HYPOTENSION OF HEMODIALYSIS	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.8	DX	OTHER HYPOTENSION	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.81	DX	POSTPROCEDURAL HYPOTENSION	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.89	DX	OTHER HYPOTENSION	ICD-10-CM
12	Symptomatic hypotension and/or a SBP <100 mmHg at Visit1 or Visit2	Hypotension	I95.9	DX	HYPOTENSION, UNSPECIFIED	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	COPD/Tuberculosis	491	DX	SIMPLE CHRONIC BRONCHITIS	ICD-9-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	COPD/Tuberculosis	491.1	DX	MUCOPURULENT CHRONIC BRONCHITIS	ICD-9-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	COPD/Tuberculosis	491.2	DX	OBSTRUCTIVE CHRONIC BRONCHITIS WITHOUT EXACERBATION	ICD-9-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	COPD/Tuberculosis	491.21	DX	OBSTRUCTIVE CHRONIC BRONCHITIS WITH (ACUTE) EXACERBATION	ICD-9-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	COPD/Tuberculosis	491.22	DX	OBSTRUCTIVE CHRONIC BRONCHITIS WITH ACUTE BRONCHITIS	ICD-9-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	COPD/Tuberculosis	491.8	DX	OTHER CHRONIC BRONCHITIS	ICD-9-CM

13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	491.9	DX	UNSPECIFIED CHRONIC BRONCHITIS	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	492	DX	EMPHYSEMATOUS BLEB	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	492.8	DX	OTHER EMPHYSEMA	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	493.2	DX	CHRONIC OBSTRUCTIVE ASTHMA, UNSPECIFIED	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	493.21	DX	CHRONIC OBSTRUCTIVE ASTHMA WITH STATUS ASTHMATICUS	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	493.22	DX	CHRONIC OBSTRUCTIVE ASTHMA WITH (ACUTE) EXACERBATION	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	496	DX	CHRONIC AIRWAY OBSTRUCTION, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J41	DX	SIMPLE AND MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J41.0	DX	SIMPLE CHRONIC BRONCHITIS	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J41.1	DX	MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J41.8	DX	MIXED SIMPLE AND MUCOPURULENT CHRONIC BRONCHITIS	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J42	DX	UNSPECIFIED CHRONIC BRONCHITIS	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J43.0	DX	UNILATERAL PULMONARY EMPHYSEMA [MACLEOD'S SYNDROME]	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J43.1	DX	PANLOBULAR EMPHYSEMA	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J43.2	DX	CENTRILOBULAR EMPHYSEMA	ICD-10-CM
13	arterial hypertension	COPD/Tuberculosis	J43.8	DX	OTHER EMPHYSEMA	ICD-10-CM

13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J43.9	DX	EMPHYSEMA, UNSPECIFIED	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J44.0	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) LOWER RESPIRATORY INFECTION	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J44.1	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) EXACERBATION	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J44.8	DX	OTHER SPECIFIED CHRONIC OBSTRUCTIVE PULMONARY DISEASE	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J44.81	DX	BRONCHIOLITIS OBLITERANS AND BRONCHIOLITIS OBLITERANS SYNDROME	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J44.89	DX	OTHER SPECIFIED CHRONIC OBSTRUCTIVE PULMONARY DISEASE	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	J44.9	DX	CHRONIC OBSTRUCTIVE PULMONARY DISEASE, UNSPECIFIED	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	518.83	DX	CHRONIC RESPIRATORY FAILURE	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	COPD/Tuberculosis	518.84	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.1	DX	CHRONIC RESPIRATORY FAILURE	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.10	DX	CHRONIC RESPIRATORY FAILURE, UNSPECIFIED WHETHER WITH HYPOXIA OR HYPERCAPNIA	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.11	DX	CHRONIC RESPIRATORY FAILURE WITH HYPOXIA	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.12	DX	CHRONIC RESPIRATORY FAILURE WITH HYPERCAPNIA	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.2	DX	CHRONIC RESPIRATORY ACIDOSIS	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.20	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.21	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE WITH HYPOXIA	ICD-10-CM

13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic respiratory failure	J96.22	DX	ACUTE AND CHRONIC RESPIRATORY FAILURE WITH HYPERCAPNIA	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary Hypertension	416	DX	PRIMARY PULMONARY HYPERTENSION	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary arterial hypertension	416.1	DX	KYPHOSCOLIOTIC HEART DISEASE	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic thromboembolic pulmonary hypertension	416.2	DX	CHRONIC PULMONARY EMBOLISM	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary arterial hypertension	416.8	DX	OTHER CHRONIC PULMONARY HEART DISEASE	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary Hypertension	I27.0	DX	PRIMARY PULMONARY HYPERTENSION	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary arterial hypertension	I27.1	DX	KYPHOSCOLIOTIC HEART DISEASE	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary arterial hypertension	I27.23	DX	PULMONARY HYPERTENSION DUE TO LUNG DISEASES AND HYPOXIA	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Chronic thromboembolic pulmonary hypertension	I27.24	DX	CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary arterial hypertension	I27.82	DX	CHRONIC PULMONARY EMBOLISM	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary arterial hypertension	I27.83	DX	EISENMENGER'S SYNDROME	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary Hypertension	416.9	DX	CHRONIC PULMONARY HEART DISEASE, UNSPECIFIED	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Pulmonary Hypertension	I27.81	DX	COR PULMONALE (CHRONIC)	ICD-10-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Lung/Pulmonary Malignancies	162.2	DX	MALIGNANT NEOPLASM OF MAIN BRONCHUS	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Lung/Pulmonary Malignancies	162.3	DX	MALIGNANT NEOPLASM OF UPPER LOBE, BRONCHUS OR LUNG	ICD-9-CM
13	arterial hypertension Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary	Lung/Pulmonary Malignancies	162.4	DX	MALIGNANT NEOPLASM OF MIDDLE LOBE, BRONCHUS OR LUNG	ICD-9-CM

[illegible]

13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.31	DX	MALIGNANT NEOPLASM OF LOWER LOBE, RIGHT BRONCHUS OR LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.32	DX	MALIGNANT NEOPLASM OF LOWER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF BRONCHUS OR LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT BRONCHUS OR LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	C34.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT BRONCHUS OR LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	D02.2	DX	CARCINOMA IN SITU OF BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	D02.20	DX	CARCINOMA IN SITU OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	D02.21	DX	CARCINOMA IN SITU OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung/Pulmonary Malignancies	D02.22	DX	CARCINOMA IN SITU OF LEFT BRONCHUS AND LUNG	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	V42.6	DX	LUNG REPLACED BY TRANSPLANT	ICD-9-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	996.84	DX	COMPLICATIONS OF TRANSPLANTED LUNG	ICD-9-CM

	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	Z94.2	DX	LUNG TRANSPLANT STATUS	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	Z94.3	DX	HEART AND LUNGS TRANSPLANT STATUS	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	T86.810	DX	LUNG TRANSPLANT REJECTION	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	T86.811	DX	LUNG TRANSPLANT FAILURE	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	T86.819	DX	UNSPECIFIED COMPLICATION OF LUNG TRANSPLANT	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	33.5	PX	LUNG TRANSPLANT	ICD-9-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	33.5	PX	LUNG TRANSPLANTATION, NOT OTHERWISE SPECIFIED	ICD-9-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	33.52	PX	BILATERAL LUNG TRANSPLANTATION	ICD-9-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	33.6	PX	COMBINED HEART-LUNG TRANSPLANTATION	ICD-9-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYC0Z0	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYC0Z1	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYC0Z2	PX	TRANSPLANTATION OF RIGHT UPPER LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYD0Z0	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYD0Z1	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, SYNGENEIC, OPEN APPROACH	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYD0Z2	PX	TRANSPLANTATION OF RIGHT MIDDLE LUNG LOBE, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary					
13	arterial hypertension	Lung transplant	0BYF0Z0	PX	TRANSPLANTATION OF RIGHT LOWER LUNG LOBE, ALLOGENEIC, OPEN APPROACH	ICD-10-CM

[illegible]

13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	0BYK0Z2	PX	TRANSPLANTATION OF RIGHT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	0BYLOZ0	PX	TRANSPLANTATION OF LEFT LUNG, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	0BYLOZ1	PX	TRANSPLANTATION OF LEFT LUNG, SYNGENEIC, OPEN APPROACH	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	0BYLOZ2	PX	TRANSPLANTATION OF LEFT LUNG, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	32851	PX	LUNG TRANSPLANT, SINGLE; WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	32852	PX	LUNG TRANSPLANT, SINGLE; WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	32853	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITHOUT CARDIOPULMONARY BYPASS	CPT/HCPCS
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	32854	PX	LUNG TRANSPLANT, DOUBLE (BILATERAL SEQUENTIAL OR EN BLOC); WITH CARDIOPULMONARY BYPASS	CPT/HCPCS
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	S2060	PX	LOBAR LUNG TRANSPLANTATION	CPT/HCPCS
13	Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension	Lung transplant	33935	PX	HEART-LUNG TRANSPLANT WITH RECIPIENT CARDIECTOMY-PNEUMONECTOMY	CPT/HCPCS
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.0	DX	VIRAL HEPATITIS A WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.2	DX		ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.20	DX	VIRAL HEPATITIS B WITH HEPATIC COMA, ACUTE OR UNSPECIFIED, WITHOUT MENTION OF HEPATITIS DELTA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.21	DX	VIRAL HEPATITIS B WITH HEPATIC COMA, ACUTE OR UNSPECIFIED, WITH HEPATITIS DELTA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.22	DX	CHRONIC VIRAL HEPATITIS B WITH HEPATIC COMA WITHOUT HEPATITIS DELTA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.23	DX	CHRONIC VIRAL HEPATITIS B WITH HEPATIC COMA WITH HEPATITIS DELTA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.4	DX	OTHER SPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.41	DX	ACUTE HEPATITIS C WITH HEPATIC COMA	ICD-9-CM

	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.42	DX	HEPATITIS DELTA WITHOUT MENTION OF ACTIVE HEPATITIS B DISEASE WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.43	DX	HEPATITIS E WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.44	DX	CHRONIC HEPATITIS C WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.49	DX	OTHER SPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.6	DX	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	070.71	DX	UNSPECIFIED VIRAL HEPATITIS C WITH HEPATIC COMA	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	572.2	DX	HEPATIC ENCEPHALOPATHY	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B15	DX	ACUTE HEPATITIS A	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B15.0	DX	HEPATITIS A WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B15.9	DX	HEPATITIS A WITHOUT HEPATIC COMA (HEPATITIS A (ACUTE)(VIRAL) NOS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B16	DX	ACUTE HEPATITIS B	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B16.0	DX	ACUTE HEPATITIS B WITH DELTA-AGENT WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B16.1	DX	ACUTE HEPATITIS B WITH DELTA-AGENT WITHOUT HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B16.2	DX	ACUTE HEPATITIS B WITHOUT DELTA-AGENT WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17	DX	OTHER ACUTE VIRAL HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17.0	DX	ACUTE DELTA-(SUPER) INFECTION OF HEPATITIS B CARRIER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17.1	DX	ACUTE HEPATITIS C	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17.10	DX	ACUTE HEPATITIS C WITHOUT HEPATIC COMA (ACUTE HEPATITIS C NOS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B17.11	DX	ACUTE HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17.2	DX	ACUTE HEPATITIS E	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17.8	DX	OTHER SPECIFIED ACUTE VIRAL HEPATITIS (HEPATITIS NON-A NON-B (ACUTE) (VIRAL) NEC)	ICD-10-CM

14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B17.9	DX	ACUTE VIRAL HEPATITIS, UNSPECIFIED (ACUTE HEPATITIS NOS, ACUTE INFECTIOUS HEPATITIS NOS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B18	DX	CHRONIC VIRAL HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B18.0	DX	CHRONIC VIRAL HEPATITIS B WITH DELTA-AGENT	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B18.1	DX	CHRONIC VIRAL HEPATITIS B WITHOUT DELTA-AGENT (CARRIER OF VIRAL HEPATITIS B, CHRONIC VIRAL HEPATITIS B)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B18.2	DX	CHRONIC VIRAL HEPATITIS C (CARRIER OF VIRAL HEPATITIS C)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B18.8	DX	OTHER CHRONIC VIRAL HEPATITIS (CARRIER OF OTHER VIRAL HEPATITIS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B18.9	DX	CHRONIC VIRAL HEPATITIS, UNSPECIFIED (CARRIER OF UNSPECIFIED VIRAL HEPATITIS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B19	DX	UNSPECIFIED VIRAL HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B19.0	DX	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B19.1	DX	UNSPECIFIED VIRAL HEPATITIS B	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B19.10	DX	UNSPECIFIED VIRAL HEPATITIS B WITHOUT HEPATIC COMA (UNSPECIFIED VIRAL HEPATITIS B NOS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B19.11	DX	UNSPECIFIED VIRAL HEPATITIS B WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B19.2	DX	UNSPECIFIED VIRAL HEPATITIS C	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B19.20	DX	UNSPECIFIED VIRAL HEPATITIS C WITHOUT HEPATIC COMA (VIRAL HEPATITIS C NOS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	B19.21	DX	UNSPECIFIED VIRAL HEPATITIS C WITH HEPATIC COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Viral Hepatitis	B19.9	DX	UNSPECIFIED VIRAL HEPATITIS WITHOUT HEPATIC COMA (VIRAL HEPATITIS NOS)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K72	DX	HEPATIC FAILURE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K72.0	DX	ACUTE AND SUBACUTE HEPATIC FAILURE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K72.00	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	K72.01	DX	ACUTE AND SUBACUTE HEPATIC FAILURE WITH COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K72.1	DX	CHRONIC HEPATIC FAILURE	ICD-10-CM

14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	K72.11	DX	CHRONIC HEPATIC FAILURE WITH COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K72.9	DX	HEPATIC FAILURE, UNSPECIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	K72.90	DX	HEPATIC FAILURE, UNSPECIFIED WITHOUT COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Encephalopathy/Coma	K72.91	DX	HEPATIC FAILURE, UNSPECIFIED WITH COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K76.82	DX	HEPATIC ENCEPHALOPATHY	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.2	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.41	DX	CHRONIC PERSISTENT HEPATITIS	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.42	DX	AUTOIMMUNE HEPATITIS	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.49	DX	OTHER CHRONIC HEPATITIS	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.5	DX	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.6	DX	BILIARY CIRRHOSIS	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	571.9	DX	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.2	DX	ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.3	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.30	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.31	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.4	DX	ALCOHOLIC HEPATIC FAILURE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.40	DX	ALCOHOLIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K70.41	DX	ALCOHOLIC HEPATIC FAILURE WITH COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K73	DX	CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K73.0	DX	CHRONIC PERSISTENT HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM

14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K73.1	DX	CHRONIC LOBULAR HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K73.2	DX	CHRONIC ACTIVE HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K73.8	DX	OTHER CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K73.9	DX	CHRONIC HEPATITIS, UNSPECIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74	DX	FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.00	DX	HEPATIC FIBROSIS, UNSPECIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.01	DX	HEPATIC FIBROSIS, EARLY FIBROSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.02	DX	HEPATIC FIBROSIS, ADVANCED FIBROSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.1	DX	HEPATIC SCLEROSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.2	DX	HEPATIC FIBROSIS WITH HEPATIC SCLEROSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.3	DX	PRIMARY BILIARY CIRRHOSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.4	DX	SECONDARY BILIARY CIRRHOSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.5	DX	BILIARY CIRRHOSIS, UNSPECIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.6	DX	OTHER AND UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.60	DX	UNSPECIFIED CIRRHOSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K74.69	DX	OTHER CIRRHOSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K75.2	DX	NONSPECIFIC REACTIVE HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K75.3	DX	GRANULOMATOUS HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Cirrhosis/Chronic hepatic disease	K75.4	DX	AUTOIMMUNE HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	155.0	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	155.1	DX	MALIGNANT NEOPLASM OF INTRAHEPATIC BILE DUCTS	ICD-9-CM

14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	155.2	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22	DX	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.0	DX	LIVER CELL CARCINOMA (HEPATOCELLULAR CARCINOMA, HEPATOMA)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.1	DX	INTRAHEPATIC BILE DUCT CARCINOMA (CHOLANGIOCARCINOMA)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.2	DX	HEPATOBLASTOMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.3	DX	ANGIOSARCOMA OF LIVER (KUPFFER CELL SARCOMA)	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.4	DX	OTHER SARCOMAS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.7	DX	OTHER SPECIFIED CARCINOMAS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.8	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED AS TO TYPE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatic Cancer	C22.9	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatorenal syndrome	572.4	DX	HEPATORENAL SYNDROME	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Hepatorenal syndrome	K76.7	DX	HEPATORENAL SYNDROME	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	V42.7	DX	LIVER REPLACED BY TRANSPLANT	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	996.82	DX	COMPLICATIONS OF TRANSPLANTED LIVER	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	Z94.4	DX	LIVER TRANSPLANT STATUS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	Z48.23	DX	ENCOUNTER FOR AFTERCARE FOLLOWING LIVER TRANSPLANT	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	T86.40	DX	UNSPECIFIED COMPLICATION OF LIVER TRANSPLANT	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	T86.41	DX	LIVER TRANSPLANT REJECTION	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	T86.42	DX	LIVER TRANSPLANT FAILURE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	T86.43	DX	LIVER TRANSPLANT INFECTION	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	T86.49	DX	OTHER COMPLICATIONS OF LIVER TRANSPLANT	ICD-10-CM

14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	50.5	PX	LIVER TRANSPLANT	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	50.51	PX	AUXILIARY LIVER TRANSPLANT	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	50.59	PX	OTHER TRANSPLANT OF LIVER	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	0FY00Z0	PX	TRANSPLANTATION OF LIVER, ALLOGENEIC, OPEN APPROACH	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	0FY00Z1	PX	TRANSPLANTATION OF LIVER, SYNGENEIC, OPEN APPROACH	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	0FY00Z2	PX	TRANSPLANTATION OF LIVER, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Liver transplant	47135	PX	LIVER ALLOTRANSPLANTATION, ORTHOTOPIC, PARTIAL OR WHOLE, FROM CADAVER OR LIVING DONOR, ANY AGE	CPT/HCPCS
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	275.1	DX	DISORDERS OF COPPER METABOLISM	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	E83.00	DX	DISORDER OF COPPER METABOLISM, UNSPECIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	E83.01	DX	WILSON'S DISEASE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	E83.09	DX	OTHER DISORDERS OF COPPER METABOLISM BUDD-CHIARI SYNDROME	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	453.0	DX	BUDD-CHIARI SYNDROME	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	I82.0	DX		ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	571.8	DX	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71	DX	TOXIC LIVER DISEASE INCLUDES DRUG-INDUCED IDIOSYNCRATIC OR TOXIC LIVER DISEASE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.0	DX	TOXIC LIVER DISEASE WITH CHOLESTASIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.1	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.10	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITHOUT COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.11	DX	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITH COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.2	DX	TOXIC LIVER DISEASE WITH ACUTE HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.3	DX	TOXIC LIVER DISEASE WITH CHRONIC PERSISTENT HEPATITIS	ICD-10-CM

	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.4	DX	TOXIC LIVER DISEASE WITH CHRONIC LOBULAR HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.5	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.50	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS WITHOUT ASCITES	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.51	DX	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS WITH ASCITES	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.6	DX	TOXIC LIVER DISEASE WITH HEPATITIS, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.7	DX	TOXIC LIVER DISEASE WITH FIBROSIS AND CIRRHOSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.8	DX	TOXIC LIVER DISEASE WITH OTHER DISORDERS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K71.9	DX	TOXIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	789.51	DX	MALIGNANT ASCITES	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	R18.0	DX	MALIGNANT ASCITES	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	572.8	DX	OTHER SEQUELAE OF CHRONIC LIVER DISEASE	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K72.10	DX	CHRONIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	573.1	DX	HEPATITIS IN VIRAL DISEASES CLASSIFIED ELSEWHERE	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	573.0	DX	CHRONIC PASSIVE CONGESTION OF LIVER	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K76.1	DX	CHRONIC PASSIVE CONGESTION OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K76.2	DX	CENTRAL HEMORRHAGIC NECROSIS OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K76.3	DX	INFARCTION OF LIVER	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K76.4	DX	PELIOSIS HEPATIS	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	573.8	DX	OTHER SPECIFIED DISORDERS OF LIVER	ICD-9-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K76.5	DX	HEPATIC VENO-OCCLUSIVE DISEASE	ICD-10-CM
14	Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN) as determined at Visit 1	Other hepatic diseases	K76.81	DX	HEPATOPULMONARY SYNDROME	ICD-10-CM
15	Impaired renal function	CKD Stage IV and V	585.4	DX	CHRONIC KIDNEY DISEASE, STAGE IV (SEVERE)	ICD-9-CM
15	Impaired renal function	CKD Stage IV and V	585.5	DX	CHRONIC KIDNEY DISEASE, STAGE V	ICD-9-CM

15 Impaired renal function	CKD Stage IV and V	N18.4	DX	CHRONIC KIDNEY DISEASE, STAGE 4 (SEVERE)	ICD-10-CM
15 Impaired renal function	CKD Stage IV and V	N18.5	DX	CHRONIC KIDNEY DISEASE, STAGE 5	ICD-10-CM
15 Impaired renal function	ESRD	585.6	DX	END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	ESRD	N18.6	DX	END STAGE RENAL DISEASE	ICD-10-CM
				END STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS	CPT/HCPCS
15 Impaired renal function	ESRD	90920	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES PER FULL MONTH; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
15 Impaired renal function	ESRD	90921	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
15 Impaired renal function	ESRD	90924	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
15 Impaired renal function	ESRD	90925	PX	HEMODIALYSIS PROCEDURE WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
15 Impaired renal function	ESRD	90935	PX	HEMODIALYSIS PROCEDURE REQUIRING REPEATED EVALUATION(S) WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
15 Impaired renal function	ESRD	90937	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE BLOOD FLOW IN GRAFTS AND ARTERIOVENOUS FISTULAE BY AN INDICATOR DILUTION METHOD, HOOK-UP; TRANSCUTANEOUS MEASUREMENT AND DISCONNECTION	CPT/HCPCS
15 Impaired renal function	ESRD	90939	PX	HEMODIALYSIS ACCESS FLOW STUDY TO DETERMINE BLOOD FLOW IN GRAFTS AND ARTERIOVENOUS FISTULAE BY AN INDICATOR METHOD	CPT/HCPCS
15 Impaired renal function	ESRD	90940	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG, PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES), WITH SINGLE EVALUATION BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL	CPT/HCPCS
15 Impaired renal function	ESRD	90945	PX	DIALYSIS PROCEDURE OTHER THAN HEMODIALYSIS (EG, PERITONEAL DIALYSIS, HEMOFILTRATION, OR OTHER CONTINUOUS RENAL REPLACEMENT THERAPIES) REQUIRING REPEATED EVALUATIONS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL, WITH OR WITHOUT SUBSTANTIAL REVISION OF DIALYSIS PRESCRIPTION	CPT/HCPCS
15 Impaired renal function	ESRD	90947	PX		

15 Impaired renal function	ESRD	90957	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 4 OR MORE FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
15 Impaired renal function	ESRD	90958	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 2-3 FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
15 Impaired renal function	ESRD	90959	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS; WITH 1 FACE-TO-FACE VISIT BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
15 Impaired renal function	ESRD	90960	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 4 OR MORE FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
15 Impaired renal function	ESRD	90961	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 2-3 FACE-TO-FACE VISITS BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
15 Impaired renal function	ESRD	90962	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES MONTHLY, FOR PATIENTS 20 YEARS OF AGE AND OLDER; WITH 1 FACE-TO-FACE VISIT BY A PHYSICIAN OR OTHER QUALIFIED HEALTH CARE PROFESSIONAL PER MONTH	CPT/HCPCS
15 Impaired renal function	ESRD	90965	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS PER FULL MONTH, FOR PATIENTS 12-19 YEARS OF AGE TO INCLUDE MONITORING FOR THE ADEQUACY OF NUTRITION, ASSESSMENT OF GROWTH AND DEVELOPMENT, AND COUNSELING OF PARENTS	CPT/HCPCS
15 Impaired renal function	ESRD	90966	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS PER FULL MONTH, FOR PATIENTS 20 YEARS OF AGE AND OLDER	CPT/HCPCS
15 Impaired renal function	ESRD	90969	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR DIALYSIS LESS THAN A FULL MONTH OF SERVICE, PER DAY; FOR PATIENTS 12-19 YEARS OF AGE	CPT/HCPCS
15 Impaired renal function	ESRD	90970	PX	END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR DIALYSIS LESS THAN A FULL MONTH OF SERVICE, PER DAY; FOR PATIENTS 20 YEARS OF AGE AND OLDER	CPT/HCPCS
15 Impaired renal function	Stage V or ESRD	403.01	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, MALIGNANT, WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	Stage V or ESRD	403.11	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, BENIGN, WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	Stage V or ESRD	403.91	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE, UNSPECIFIED, WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	Stage V or ESRD	404.03	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	Stage V or ESRD	404.13	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, BENIGN, WITH HEART FAILURE AND CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	Stage V or ESRD	404.93	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, UNSPECIFIED, WITH HEART FAILURE AND CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM
15 Impaired renal function	Stage V or ESRD	112.0	DX	HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 5 CHRONIC KIDNEY DISEASE OR END STAGE RENAL DISEASE	ICD-10-CM

15 Impaired renal function	Stage V or ESRD	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	90989	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE APPLICABLE, ANY MODE, COMPLETED COURSE	CPT/HCPCS
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	90993	PX	DIALYSIS TRAINING, PATIENT, INCLUDING HELPER WHERE APPLICABLE, ANY MODE, COURSE NOT COMPLETED, PER TRAINING SESSION	CPT/HCPCS
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	90999	PX	UNLISTED DIALYSIS PROCEDURE, INPATIENT OR OUTPATIENT	CPT/HCPCS
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	99512	PX	HOME VISIT FOR HEMODIALYSIS	CPT/HCPCS
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	99559	PX	HOME INFUSION OF PERITONEAL DIALYSIS, PER DIEM / HOME INFUSION OF PERITONEAL DIALYSIS, PER VISIT	CPT/HCPCS
15 Impaired renal function	ESRD	90925	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OLDER / END-STAGE RENAL DISEASE (ESRD) RELATED SERVICES (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS TWENTY YEARS OF AGE AND OVER	CPT/HCPCS
15 Impaired renal function	ESRD	G0319	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES LESS THAN FULL MONTH, PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
15 Impaired renal function	ESRD	G0326	PX	END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES DURING THE COURSE OF TREATMENT, FOR PATIENTS 20 YEARS OF AGE AND OVER; WITH 1 FACE-TO-FACE PHYSICIAN VISIT PER MONTH / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES FOR HOME DIALYSIS (LESS THAN FULL MONTH), PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE / END STAGE RENAL DISEASE (ESRD) RELATED SERVICES LESS THAN FULL MONTH, PER DAY; FOR PATIENTS BETWEEN TWELVE AND NINETEEN YEARS OF AGE	CPT/HCPCS
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V45.1	DX	POSTSURGICAL RENAL DIALYSIS STATUS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V45.11	DX	RENAL DIALYSIS STATUS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V45.12	DX	NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56	DX	ENCOUNTER FOR DIALYSIS AND DIALYSIS CATHETER CARE	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56.0	DX	ENCOUNTER FOR EXTRACORPOREAL DIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56.1	DX	FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56.2	DX	FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS CATHETER	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56.32	DX	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL DIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	V56.8	DX	ENCOUNTER FOR OTHER DIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	792.5	DX	CLOUDY (HEMODIALYSIS) (PERITONEAL) DIALYSIS EFFLUENT	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	996.56	DX	MECHANICAL COMPLICATION DUE TO PERITONEAL DIALYSIS CATHETER	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	996.68	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	996.73	DX	OTHER COMPLICATIONS DUE TO RENAL DIALYSIS DEVICE, IMPLANT, AND GRAFT	ICD-9-CM

15 Impaired renal function	Hemodialysis/Peritoneal dialysis	E879.1	DX	KIDNEY DIALYSIS AS THE CAUSE OF ABNORMAL REACTION OF PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT TIME OF PROCEDURE	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49	DX	ENCOUNTER FOR CARE INVOLVING RENAL DIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49.0	DX	PREPARATORY CARE FOR RENAL DIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49.3	DX	ENCOUNTER FOR ADEQUACY TESTING FOR DIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49.31	DX	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49.32	DX	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL DIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49.01	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z49.02	DX	ENCOUNTER FOR FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z9115	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Z99.2	DX	DEPENDENCE ON RENAL DIALYSIS	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	R88.0	DX	CLOUDY (HEMODIALYSIS) (PERITONEAL) DIALYSIS EFFLUENT	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.41	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.41XA	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.41XD	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.41XS	DX	BREAKDOWN (MECHANICAL) OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.42	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.42XA	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.42XD	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.42XS	DX	DISPLACEMENT OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.43	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.43XA	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.43XD	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.43XS	DX	LEAKAGE OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.49	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.49XA	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.49XD	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T82.49XS	DX	OTHER COMPLICATION OF VASCULAR DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.611	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.611A	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.611D	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.611S	DX	BREAKDOWN (MECHANICAL) OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.621	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM

15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.621A	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.621D	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.621S	DX	DISPLACEMENT OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.631	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.631A	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.631D	DX	LEAKAGE OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.631S	DX	LEAKAGE OF INTRAPER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.691	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.691A	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.691D	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.691S	DX	OTHER MECHANICAL COMPLICATION OF INTRAPERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.71	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.71XA	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, INITIAL ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.71XD	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, SUBSEQUENT ENCOUNTER	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	T85.71XS	DX	INFECTION AND INFLAMMATORY REACTION DUE TO PERITONEAL DIALYSIS CATHETER, SEQUELA	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	Y84.1	DX	KIDNEY DIALYSIS AS THE CAUSE OF ABNORMAL REACTION OF THE PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF THE PROCEDURE	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	39.95	PX	HEMODIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	54.98	PX	PERITONEAL DIALYSIS	ICD-9-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	5A1D70Z	PX	PERFORMANCE OF URINARY FILTRATION, INTERMITTENT, LESS THAN 6 HOURS PER DAY	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	5A1D80Z	PX	PERFORMANCE OF URINARY FILTRATION, PROLONGED INTERMITTENT, 6-18 HOURS PER DAY	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	5A1D90Z	PX	PERFORMANCE OF URINARY FILTRATION, CONTINUOUS, GREATER THAN 18 HOURS PER DAY	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	5A1D00Z	PX	PERFORMANCE OF URINARY FILTRATION, SINGLE	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	5A1D60Z	PX	PERFORMANCE OF URINARY FILTRATION, MULTIPLE	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	3E1M39Z	PX	IRRIGATION OF PERITONEAL CAVITY USING DIALYSATE, PERCUTANEOUS APPROACH	ICD-10-CM
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	G0257	PX	UNSCHEDULED OR EMERGENCY DIALYSIS TREATMENT FOR AN ESRD PATIENT IN A HOSPITAL OUTPATIENT DEPARTMENT THAT IS NOT CERTIFIED AS AN ESRD FACILITY	CPT/HCPCS
15 Impaired renal function	Hemodialysis/Peritoneal dialysis	S9335	PX	HOME THERAPY, HEMODIALYSIS; ADMINISTRATIVE SERVICES, PROFESSIONAL PHARMACY SERVICES, CARE COORDINATION, AND ALL NECESSARY SUPPLIES AND EQUIPMENT (DRUGS AND NURSING SERVICES CODED SEPARATELY), PER DIEM	CPT/HCPCS
15 Impaired renal function	Kidney Transplant	V42.0	DX	KIDNEY REPLACED BY TRANSPLANT	ICD-9-CM
15 Impaired renal function	Kidney Transplant	996.81	DX	COMPLICATIONS OF TRANSPLANTED KIDNEY	ICD-9-CM
15 Impaired renal function	Kidney Transplant	Z94.0	DX	KIDNEY TRANSPLANT STATUS	ICD-10-CM
15 Impaired renal function	Kidney Transplant	T86.1	DX	COMPLICATIONS OF KIDNEY TRANSPLANT	ICD-10-CM
15 Impaired renal function	Kidney Transplant	T86.10	DX	UNSPECIFIED COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM
15 Impaired renal function	Kidney Transplant	T86.11	DX	KIDNEY TRANSPLANT REJECTION	ICD-10-CM
15 Impaired renal function	Kidney Transplant	T86.12	DX	KIDNEY TRANSPLANT FAILURE	ICD-10-CM
15 Impaired renal function	Kidney Transplant	T86.13	DX	KIDNEY TRANSPLANT INFECTION	ICD-10-CM
15 Impaired renal function	Kidney Transplant	T86.19	DX	OTHER COMPLICATION OF KIDNEY TRANSPLANT	ICD-10-CM

15 Impaired renal function	Kidney Transplant	Z48.22	DX	ENCOUNTER FOR AFTERCARE FOLLOWING KIDNEY TRANSPLANT	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	55.53	PX	REMOVAL OF TRANSPLANTED OR REJECTED KIDNEY	ICD-9-CM	
15 Impaired renal function	Kidney Transplant	55.6	PX	TRANSPLANT OF KIDNEY	ICD-9-CM	
15 Impaired renal function	Kidney Transplant	55.61	PX	RENAL AUTOTRANSPLANTATION	ICD-9-CM	
15 Impaired renal function	Kidney Transplant	55.69	PX	OTHER KIDNEY TRANSPLANTATION	ICD-9-CM	
15 Impaired renal function	Kidney Transplant	0TY00Z0	PX	TRANSPLANTATION OF RIGHT KIDNEY, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TY00Z1	PX	TRANSPLANTATION OF RIGHT KIDNEY, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TY00Z2	PX	TRANSPLANTATION OF RIGHT KIDNEY, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TY10Z0	PX	TRANSPLANTATION OF LEFT KIDNEY, ALLOGENEIC, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TY10Z1	PX	TRANSPLANTATION OF LEFT KIDNEY, SYNGENEIC, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TY10Z2	PX	TRANSPLANTATION OF LEFT KIDNEY, ZOOPLASTIC, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TS00ZZ	PX	REPOSITION RIGHT KIDNEY, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	0TS10ZZ	PX	REPOSITION LEFT KIDNEY, OPEN APPROACH	ICD-10-CM	
15 Impaired renal function	Kidney Transplant	50360	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF GRAFT; WITHOUT RECIPIENT NEPHRECTOMY	CPT/HCPCS	
15 Impaired renal function	Kidney Transplant	50365	PX	RENAL ALLOTRANSPLANTATION, IMPLANTATION OF GRAFT; WITH RECIPIENT NEPHRECTOMY	CPT/HCPCS	
15 Impaired renal function	Kidney Transplant	50370	PX	REMOVAL OF TRANSPLANTED RENAL ALLOGRAFT	CPT/HCPCS	
15 Impaired renal function	Impaired renal function	50380	PX	RENAL AUTOTRANSPLANTATION, REIMPLANTATION OF KIDNEY	CPT/HCPCS	
16 Hb < 9mg/dl	Nutritional anemias	280.0	DX	IRON DEFICIENCY ANEMIA SECONDARY TO BLOOD LOSS (CHRONIC)	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	280.1	DX	IRON DEFICIENCY ANEMIA SECONDARY TO INADEQUATE DIETARY IRON INTAKE	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	280.8	DX	OTHER SPECIFIED IRON DEFICIENCY ANEMIAS	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	280.9	DX	IRON DEFICIENCY ANEMIA, UNSPECIFIED	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.0	DX	PERNICIOUS ANEMIA	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.1	DX	OTHER VITAMIN B12 DEFICIENCY ANEMIA	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.2	DX	FOLATE-DEFICIENCY ANEMIA	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.3	DX	OTHER SPECIFIED MEGALOBLASTIC ANEMIAS NOT ELSEWHERE CLASSIFIED	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.4	DX	PROTEIN-DEFICIENCY ANEMIA	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.8	DX	ANEMIA ASSOCIATED WITH OTHER SPECIFIED NUTRITIONAL DEFICIENCY	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	281.9	DX	UNSPECIFIED DEFICIENCY ANEMIA	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	285.0	DX	SIDEROBLASTIC ANEMIA	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	285.8	DX	OTHER SPECIFIED ANEMIAS	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	285.9	DX	ANEMIA, UNSPECIFIED	ICD-9-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D50	DX	IRON DEFICIENCY ANEMIA INCLUDES ASIDEROTIC ANEMIA HYPOCHROMIC ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D50.0	DX	IRON DEFICIENCY ANEMIA SECONDARY TO BLOOD LOSS (CHRONIC) POSTHEMORRHAGIC ANEMIA (CHRONIC) EXCLUDES1 ACUTE POSTHEMORRHAGIC ANEMIA (D62) CONGENITAL ANEMIA FROM FETAL BLOOD LOSS (P61.3)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D50.1	DX	SIDEROPENIC DYSPHAGIA KELLY-PATERSON SYNDROME PLUMMER-VINSON SYNDROME	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D50.8	DX	OTHER IRON DEFICIENCY ANEMIAS IRON DEFICIENCY ANEMIA DUE TO INADEQUATE DIETARY IRON INTAKE	ICD-10-CM	In primary position only, 183 days before CED

16 Hb < 9mg/dl	Nutritional anemias	D50.9	DX	IRON DEFICIENCY ANEMIA, UNSPECIFIED	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51	DX	VITAMIN B12 DEFICIENCY ANEMIA EXCLUDES1 VITAMIN B12 DEFICIENCY (E53.8) VITAMIN B12 DEFICIENCY ANEMIA DUE TO INTRINSIC FACTOR DEFICIENCY ADDISON ANEMIA BIERMER ANEMIA PERNICIOUS (CONGENITAL) ANEMIA CONGENITAL INTRINSIC FACTOR DEFICIENCY	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51.0	DX		ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51.1	DX	VITAMIN B12 DEFICIENCY ANEMIA DUE TO SELECTIVE VITAMIN B12 MALABSORPTION WITH PROTEINURIA IMERSLUND (GRÄSBECK) SYNDROME MEGALOBLASTIC HEREDITARY ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51.2	DX	TRANSCOBALAMIN II DEFICIENCY	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51.3	DX	OTHER DIETARY VITAMIN B12 DEFICIENCY ANEMIA VEGAN ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51.8	DX	OTHER VITAMIN B12 DEFICIENCY ANEMIAS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D51.9	DX	VITAMIN B12 DEFICIENCY ANEMIA, UNSPECIFIED	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D52	DX	FOLATE DEFICIENCY ANEMIA EXCLUDES1 FOLATE DEFICIENCY WITHOUT ANEMIA (E53.8)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D52.0	DX	DIETARY FOLATE DEFICIENCY ANEMIA NUTRITIONAL MEGALOBLASTIC ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D52.1	DX	DRUG-INDUCED FOLATE DEFICIENCY ANEMIA USE ADDITIONAL CODE FOR ADVERSE EFFECT, IF APPLICABLE, TO IDENTIFY DRUG (T36-T50 WITH FIFTH OR SIXTH CHARACTER 5)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D52.8	DX	OTHER FOLATE DEFICIENCY ANEMIAS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D52.9	DX	FOLATE DEFICIENCY ANEMIA, UNSPECIFIED FOLIC ACID DEFICIENCY ANEMIA NOS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D53	DX	OTHER NUTRITIONAL ANEMIAS INCLUDES MEGALOBLASTIC ANEMIA UNRESPONSIVE TO VITAMIN B12 OR FOLATE THERAPY PROTEIN DEFICIENCY ANEMIA AMINO-ACID DEFICIENCY ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D53.0	DX	OROTACIDURIC ANEMIA EXCLUDES1 LESCH-NYHAN SYNDROME (E79.1)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D53.1	DX	OTHER MEGALOBLASTIC ANEMIAS, NOT ELSEWHERE CLASSIFIED MEGALOBLASTIC ANEMIA NOS EXCLUDES1 DI GUGLIELMO'S DISEASE (C94.0)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D53.2	DX		ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D53.8	DX	SCORBUTIC ANEMIA EXCLUDES1 SCURVY (E54) OTHER SPECIFIED NUTRITIONAL ANEMIAS ANEMIA ASSOCIATED WITH DEFICIENCY OF COPPER ANEMIA ASSOCIATED WITH DEFICIENCY OF MOL YB DENUM ANEMIA ASSOCIATED WITH DEFICIENCY OF ZINC EXCLUDES1 NUTRITIONAL DEFICIENCIES WITHOUT ANEMIA, SUCH AS COPPER DEFICIENCY NOS (E61.0) MOL YB DENUM DEFICIENCY NOS (E61.5) ZINC DEFICIENCY NOS (E60)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Nutritional anemias	D53.9	DX	NUTRITIONAL ANEMIA, UNSPECIFIED SIMPLE CHRONIC ANEMIA EXCLUDES1 ANEMIA NOS (D64.9) HEMOLYTIC ANEMIAS (D55-D59)	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.0	DX	HEREDITARY SIDEROBLASTIC ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.1	DX	SECONDARY SIDEROBLASTIC ANEMIA DUE TO DISEASE	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.2	DX	SECONDARY SIDEROBLASTIC ANEMIA DUE TO DRUGS AND TOXINS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.3	DX	OTHER SIDEROBLASTIC ANEMIAS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.4	DX	CONGENITAL DYSERYTHROPOIETIC ANEMIA	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.8	DX	OTHER SPECIFIED ANEMIAS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.81	DX	ANEMIA DUE TO ANTINEOPLASTIC CHEMOTHERAPY	ICD-10-CM	In primary position only, 183 days before CED

16 Hb < 9mg/dl	Other anemia	D64.89	DX	OTHER SPECIFIED ANEMIAS	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Other anemia	D64.9	DX	ANEMIA, UNSPECIFIED	ICD-10-CM	In primary position only, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.0	DX	HEREDITARY SPHEROCYTOSIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.1	DX	HEREDITARY ELLIPTOCYTOSIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.2	DX	ANEMIAS DUE TO DISORDERS OF GLUTATHIONE METABOLISM	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.3	DX	OTHER HEMOLYTIC ANEMIAS DUE TO ENZYME DEFICIENCY	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.4	DX	THALASSEMIA, UNSPECIFIED	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.41	DX	SICKLE-CELL THALASSEMIA WITHOUT CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.42	DX	SICKLE-CELL THALASSEMIA WITH CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.43	DX	ALPHA THALASSEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.44	DX	BETA THALASSEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.45	DX	DELTA-BETA THALASSEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.46	DX	THALASSEMIA MINOR	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.47	DX	HEMOGLOBIN E-BETA THALASSEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.49	DX	OTHER THALASSEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.5	DX	SICKLE-CELL TRAIT	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.6	DX	SICKLE-CELL DISEASE, UNSPECIFIED	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.61	DX	HB-SS DISEASE WITHOUT CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.62	DX	HB-SS DISEASE WITH CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.63	DX	SICKLE-CELL/HB-C DISEASE WITHOUT CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.64	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.68	DX	OTHER SICKLE-CELL DISEASE WITHOUT CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.69	DX	OTHER SICKLE-CELL DISEASE WITH CRISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.7	DX	OTHER HEMOGLOBINOPATHIES	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.8	DX	OTHER SPECIFIED HEREDITARY HEMOLYTIC ANEMIAS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	282.9	DX	HEREDITARY HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	283.0	DX	AUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	283.1	DX	NON-AUTOIMMUNE HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	283.11	DX	HEMOLYTIC-UREMIC SYNDROME	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	283.19	DX	OTHER NON-AUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	283.2	DX	HEMOGLOBINURIA DUE TO HEMOLYSIS FROM EXTERNAL CAUSES	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	283.9	DX	ACQUIRED HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-9-CM	Any position, 183 days before CED

16 Hb < 9mg/dl	Haemolytic anemias	D56	DX	THALASSEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.0	DX	ALPHA THALASSEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.1	DX	BETA THALASSEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.2	DX	DELTA-BETA THALASSEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.3	DX	THALASSEMIA MINOR	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.4	DX	HEREDITARY PERSISTENCE OF FETAL HEMOGLOBIN [HPFH]	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.5	DX	HEMOGLOBIN E-BETA THALASSEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.8	DX	OTHER THALASSEMIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D56.9	DX	THALASSEMIA, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57	DX	SICKLE-CELL DISORDERS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.0	DX	HB-SS DISEASE WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.00	DX	HB-SS DISEASE WITH CRISIS, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.01	DX	HB-SS DISEASE WITH ACUTE CHEST SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.02	DX	HB-SS DISEASE WITH SPLENIC SEQUESTRATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.03	DX	HB-SS DISEASE WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.04	DX	HB-SS DISEASE WITH DACTYLITIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.09	DX	HB-SS DISEASE WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.1	DX	SICKLE-CELL DISEASE WITHOUT CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.2	DX	SICKLE-CELL/HB-C DISEASE	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.20	DX	SICKLE-CELL/HB-C DISEASE WITHOUT CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.21	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.211	DX	SICKLE-CELL/HB-C DISEASE WITH ACUTE CHEST SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.212	DX	SICKLE-CELL/HB-C DISEASE WITH SPLENIC SEQUESTRATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.213	DX	SICKLE-CELL/HB-C DISEASE WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.214	DX	SICKLE-CELL/HB-C DISEASE WITH DACTYLITIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.218	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.219	DX	SICKLE-CELL/HB-C DISEASE WITH CRISIS, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.3	DX	SICKLE-CELL TRAIT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.4	DX	SICKLE-CELL THALASSEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.40	DX	SICKLE-CELL THALASSEMIA WITHOUT CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.41	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.411	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH ACUTE CHEST SYNDROME	ICD-10-CM	Any position, 183 days before CED

16 Hb < 9mg/dl	Haemolytic anemias	D57.412	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH SPLENIC SEQUESTRATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.413	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.414	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH DACTYLITIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.418	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.419	DX	SICKLE-CELL THALASSEMIA, UNSPECIFIED, WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.42	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITHOUT CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.43	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.431	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH ACUTE CHEST SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.432	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH SPLENIC SEQUESTRATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.433	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.434	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH DACTYLITIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.438	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.439	DX	SICKLE-CELL THALASSEMIA BETA ZERO WITH CRISIS, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.44	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITHOUT CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.45	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.451	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH ACUTE CHEST SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.452	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH SPLENIC SEQUESTRATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.453	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.454	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH DACTYLITIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.458	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.459	DX	SICKLE-CELL THALASSEMIA BETA PLUS WITH CRISIS, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.8	DX	OTHER SICKLE-CELL DISORDERS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.80	DX	OTHER SICKLE-CELL DISORDERS WITHOUT CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.81	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.811	DX	OTHER SICKLE-CELL DISORDERS WITH ACUTE CHEST SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.812	DX	OTHER SICKLE-CELL DISORDERS WITH SPLENIC SEQUESTRATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.813	DX	OTHER SICKLE-CELL DISORDERS WITH CEREBRAL VASCULAR INVOLVEMENT	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.814	DX	OTHER SICKLE-CELL DISORDERS WITH DACTYLITIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.818	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS WITH OTHER SPECIFIED COMPLICATION	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D57.819	DX	OTHER SICKLE-CELL DISORDERS WITH CRISIS, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D58	DX	OTHER HEREDITARY HEMOLYTIC ANEMIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D58.0	DX	HEREDITARY SPHEROCYTOSIS	ICD-10-CM	Any position, 183 days before CED

16 Hb < 9mg/dl	Haemolytic anemias	D58.1	DX	HEREDITARY ELLIPTOCYTOSIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D58.2	DX	OTHER HEMOGLOBINOPATHIES	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D58.8	DX	OTHER SPECIFIED HEREDITARY HEMOLYTIC ANEMIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D58.9	DX	HEREDITARY HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59	DX	ACQUIRED HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.0	DX	DRUG-INDUCED AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.1	DX	OTHER AUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.10	DX	AUTOIMMUNE HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.11	DX	WARM AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.12	DX	COLD AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.13	DX	MIXED TYPE AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.19	DX	OTHER AUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.2	DX	DRUG-INDUCED NONAUTOIMMUNE HEMOLYTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.3	DX	HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.30	DX	HEMOLYTIC-UREMIC SYNDROME, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.31	DX	INFECTION-ASSOCIATED HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.32	DX	HEREDITARY HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.39	DX	OTHER HEMOLYTIC-UREMIC SYNDROME	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.4	DX	OTHER NONAUTOIMMUNE HEMOLYTIC ANEMIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.5	DX	PAROXYSMAL NOCTURNAL HEMOGLOBINURIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.6	DX	HEMOGLOBINURIA DUE TO HEMOLYSIS FROM OTHER EXTERNAL CAUSES	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.8	DX	OTHER ACQUIRED HEMOLYTIC ANEMIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Haemolytic anemias	D59.9	DX	ACQUIRED HEMOLYTIC ANEMIA, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D60	DX	ACQUIRED PURE RED CELL APLASIA [ERYTHROBLASTOPENIA]	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D60.0	DX	CHRONIC ACQUIRED PURE RED CELL APLASIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D60.1	DX	TRANSIENT ACQUIRED PURE RED CELL APLASIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D60.8	DX	OTHER ACQUIRED PURE RED CELL APLASIAS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D60.9	DX	ACQUIRED PURE RED CELL APLASIA, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61	DX	OTHER APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.0	DX	CONSTITUTIONAL APLASTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.01	DX	CONSTITUTIONAL (PURE) RED BLOOD CELL APLASIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.02	DX	SHWACHMAN-DIAMOND SYNDROME	ICD-10-CM	Any position, 183 days before CED

16 Hb < 9mg/dl	Aplastic anemia	D61.03	DX	FANCONI ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.09	DX	OTHER CONSTITUTIONAL APLASTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.1	DX	DRUG-INDUCED APLASTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.2	DX	APLASTIC ANEMIA DUE TO OTHER EXTERNAL AGENTS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.3	DX	IDIOPATHIC APLASTIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.8	DX	OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.81	DX	PANCYTOPENIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.810	DX	ANTINEOPLASTIC CHEMOTHERAPY INDUCED PANCYTOPENIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.811	DX	OTHER DRUG-INDUCED PANCYTOPENIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.818	DX	OTHER PANCYTOPENIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.82	DX	MYELOPHTHISIS	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.89	DX	OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	D61.9	DX	APLASTIC ANEMIA, UNSPECIFIED	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Hemorrhagic anemia	D62	DX	ACUTE POSTHEMORRHAGIC ANEMIA	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Cancer related anemia	D63.0	DX	ANEMIA IN NEOPLASTIC DISEASE	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Anemia due to chronic diseases	D63	DX	ANEMIA IN CHRONIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Anemia due to chronic diseases	D63.1	DX	ANEMIA IN CHRONIC KIDNEY DISEASE	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Anemia due to chronic diseases	D63.8	DX	ANEMIA IN OTHER CHRONIC DISEASES CLASSIFIED ELSEWHERE	ICD-10-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.01	DX	CONSTITUTIONAL RED BLOOD CELL APLASIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.09	DX	OTHER CONSTITUTIONAL APLASTIC ANEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.11	DX	ANTINEOPLASTIC CHEMOTHERAPY INDUCED PANCYTOPENIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.12	DX	OTHER DRUG-INDUCED PANCYTOPENIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.19	DX	OTHER PANCYTOPENIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.2	DX	MYELOPHTHISIS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.81	DX	RED CELL APLASIA (ACQUIRED)(ADULT)(WITH THYMOMA)	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.89	DX	OTHER SPECIFIED APLASTIC ANEMIAS	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Aplastic anemia	284.9	DX	APLASTIC ANEMIA, UNSPECIFIED	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Hemorrhagic anemia	285.1	DX	ACUTE POSTHEMORRHAGIC ANEMIA	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Anemia due to chronic diseases	285.21	DX	ANEMIA IN CHRONIC KIDNEY DISEASE	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Anemia due to chronic diseases	285.22	DX	ANEMIA IN NEOPLASTIC DISEASE	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Anemia due to chronic diseases	285.29	DX	ANEMIA OF OTHER CHRONIC DISEASE	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Cancer related anemia	285.3	DX	ANTINEOPLASTIC CHEMOTHERAPY INDUCED ANEMIA	ICD-9-CM	Any position, 183 days before CED

16 Hb < 9mg/dl	Cancer related anemia	285.22	DX	ANEMIA IN NEOPLASTIC DISEASE	ICD-9-CM	Any position, 183 days before CED
16 Hb < 9mg/dl	Transfusion	99.00	PX	PERIOPERATIVE AUTOLOGOUS TRANSFUSION OF WHOLE BLOOD OR BLOOD COMPONENTS	ICD-9-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	99.01	PX	EXCHANGE TRANSFUSION	ICD-9-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	99.02	PX	TRANSFUSION OF PREVIOUSLY COLLECTED AUTOLOGOUS BLOOD	ICD-9-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	99.03	PX	OTHER TRANSFUSION OF WHOLE BLOOD	ICD-9-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	99.04	PX	TRANSFUSION OF PACKED CELLS	ICD-9-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30233H0	PX	TRANSFUSION OF AUTOLOGOUS WHOLE BLOOD INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30233N0	PX	TRANSFUSION OF AUTOLOGOUS RED BLOOD CELLS INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30243H0	PX	TRANSFUSION OF AUTOLOGOUS WHOLE BLOOD INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30243N0	PX	TRANSFUSION OF AUTOLOGOUS RED BLOOD CELLS INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30233H1	PX	TRANSFUSION OF NONAUTOLOGOUS WHOLE BLOOD INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30243H1	PX	TRANSFUSION OF NONAUTOLOGOUS WHOLE BLOOD INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30233W0	PX	TRANSFUSION OF AUTOLOGOUS FACTOR IX INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30243W0	PX	TRANSFUSION OF AUTOLOGOUS FACTOR IX INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30233N1	PX	TRANSFUSION OF NONAUTOLOGOUS RED BLOOD CELLS INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30233P1	PX	TRANSFUSION OF NONAUTOLOGOUS FROZEN RED CELLS INTO PERIPHERAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30243N1	PX	TRANSFUSION OF NONAUTOLOGOUS RED BLOOD CELLS INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
16 Hb < 9mg/dl	Transfusion	30243P1	PX	TRANSFUSION OF NONAUTOLOGOUS FROZEN RED CELLS INTO CENTRAL VEIN, PERCUTANEOUS APPROACH	ICD-10-CM	Any position, 91 days before CED
17 History of ketoacidosis		249.1	DX	SECONDARY DIABETES MELLITUS WITH KETOACIDOSIS	ICD-9-CM	
17 History of ketoacidosis		249.10	DX	SECONDARY DIABETES MELLITUS WITH KETOACIDOSIS, NOT STATED AS UNCONTROLLED, OR UNSPECIFIED	ICD-9-CM	
17 History of ketoacidosis		249.11	DX	SECONDARY DIABETES MELLITUS WITH KETOACIDOSIS, UNCONTROLLED	ICD-9-CM	
17 History of ketoacidosis		250.10	DX	DIABETES WITH KETOACIDOSIS, TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	ICD-9-CM	
17 History of ketoacidosis		250.11	DX	DIABETES WITH KETOACIDOSIS, TYPE I [JUVENILE TYPE], NOT STATED AS UNCONTROLLED	ICD-9-CM	
17 History of ketoacidosis		250.12	DX	DIABETES WITH KETOACIDOSIS, TYPE II OR UNSPECIFIED TYPE, UNCONTROLLED	ICD-9-CM	
17 History of ketoacidosis		250.13	DX	DIABETES WITH KETOACIDOSIS, TYPE I [JUVENILE TYPE], UNCONTROLLED	ICD-9-CM	
17 History of ketoacidosis		E08.10	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
17 History of ketoacidosis		E08.11	DX	DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
17 History of ketoacidosis		E09.10	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
17 History of ketoacidosis		E09.11	DX	DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
17 History of ketoacidosis		E10.10	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
17 History of ketoacidosis		E10.11	DX	TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
17 History of ketoacidosis		E11.10	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	
17 History of ketoacidosis		E11.11	DX	TYPE 2 DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM	
17 History of ketoacidosis		E13.10	DX	OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA	ICD-10-CM	

17	History of ketoacidosis Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	E13.11			OTHER SPECIFIED DIABETES MELLITUS WITH KETOACIDOSIS WITH COMA	ICD-10-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.2	PX	CRANIOTOMY AND CRANIECTOMY	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.20	PX	CRANIAL IMPLANTATION OR REPLACEMENT OF NEUROSTIMULATOR PULSE GENERATOR	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.21	PX	INCISION AND DRAINAGE OF CRANIAL SINUS	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.22	PX	REMOVAL OF INTRACRANIAL NEUROSTIMULATOR LEAD(S)	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.23	PX	REOPENING OF CRANIOTOMY SITE	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.24	PX	OTHER CRANIOTOMY	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.25	PX	OTHER CRANIECTOMY	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.26	PX	INSERTION OF CATHETER(S) INTO CRANIAL CAVITY OR TISSUE	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.27	PX	REMOVAL OF CATHETER(S) FROM CRANIAL CAVITY OR TISSUE	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.28	PX	PLACEMENT OF INTRACEREBRAL CATHETER(S) VIA BURR HOLE(S)	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.29	PX	REMOVAL OF CRANIAL NEUROSTIMULATOR PULSE GENERATOR	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.3	PX	INCISION OF BRAIN AND CEREBRAL MENINGES	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.31	PX	INCISION OF CEREBRAL MENINGES	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.32	PX	LOBOTOMY AND TRACTOTOMY	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.39	PX	OTHER INCISION OF BRAIN	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.5	PX	OTHER EXCISION OR DESTRUCTION OF BRAIN AND MENINGES	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.51	PX	EXCISION OF LESION OR TISSUE OF CEREBRAL MENINGES	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.52	PX	HEMISPHERECTOMY	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.53	PX	LOBECTOMY OF BRAIN	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	01.59	PX	OTHER EXCISION OR DESTRUCTION OF LESION OR TISSUE OF BRAIN	ICD-9-CM
18	surgery (e.g. hip replacement) within 90 days after visit 1 Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective	Craniotomy	0N500ZZ	PX	DESTRUCTION OF SKULL, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,52	PX	ISOLATION OF SEGMENT OF LARGE INTESTINE	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	44,61	PX	SUTURE OF LACERATION OF STOMACH	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,7	PX	OPEN AND OTHER PARTIAL EXCISION OF LARGE INTESTINE	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,71	PX	OPEN AND OTHER MULTIPLE SEGMENTAL RESECTION OF LARGE INTESTINE	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,72	PX	OPEN AND OTHER CECECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,73	PX	OPEN AND OTHER RIGHT HEMICOLECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,74	PX	OPEN AND OTHER RESECTION OF TRANSVERSE COLON	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,75	PX	OPEN AND OTHER LEFT HEMICOLECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,76	PX	OPEN AND OTHER SIGMOIDECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,79	PX	OTHER AND UNSPECIFIED PARTIAL EXCISION OF LARGE INTESTINE	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,8	PX	TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,9	PX	INTESTINAL ANASTOMOSIS	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,92	PX	ANASTOMOSIS OF SMALL INTESTINE TO RECTAL STUMP	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,9	PX	INTESTINAL ANASTOMOSIS, NOT OTHERWISE SPECIFIED	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,91	PX	SMALL-TO-SMALL INTESTINAL ANASTOMOSIS	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,93	PX	OTHER SMALL-TO-LARGE INTESTINAL ANASTOMOSIS	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,94	PX	LARGE-TO-LARGE INTESTINAL ANASTOMOSIS	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,95	PX	ANASTOMOSIS TO ANUS	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,81	PX	LAPAROSCOPIC TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,82	PX	OPEN TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	45,83	PX	OTHER AND UNSPECIFIED TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	0DBP8ZZ	PX	EXCISION OF RECTUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	48.71	PX	SUTURE OF LACERATION OF RECTUM	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	0DQP0ZZ	PX	REPAIR RECTUM, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	0DQP3ZZ	PX	REPAIR RECTUM, PERCUTANEOUS APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	0DQP4ZZ	PX	REPAIR RECTUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	0DQP7ZZ	PX	REPAIR RECTUM, VIA NATURAL OR ARTIFICIAL OPENING	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Colectomy	0DQP8ZZ	PX	REPAIR RECTUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1		44604	PX	SUTURE OF LARGE INTESTINE (COLORRHAPHY) FOR PERFORATED ULCER, DIVERTICULUM, WOUND, INJURY OR RUPTURE (SINGLE OR MULTIPLE PERFORATIONS); WITHOUT COLOSTOMY / WITH COLOSTOMY	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1		44605	PX	SUTURE OF LARGE INTESTINE (COLORRHAPHY) FOR PERFORATED ULCER, DIVERTICULUM, WOUND, INJURY OR RUPTURE (SINGLE OR MULTIPLE PERFORATIONS); WITHOUT COLOSTOMY / WITH COLOSTOMY	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1		43460	PX	ESOPHOGASTRIC TAMPONADE WITH BALLOON	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1		43840	PX	GASTRORRAPHY, SUTURE OF PERFORATED DUODENAL OR GASTRIC ULCER, WOUND, OR INJURY	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52.5	PX	PARTIAL PANCREATECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52.51	PX	PROXIMAL PANCREATECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52.52	PX	DISTAL PANCREATECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52.53	PX	RADICAL SUBTOTAL PANCREATECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52.59	PX	OTHER PARTIAL PANCREATECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52.6	PX	TOTAL PANCREATECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0FBG0ZZ	PX	EXCISION OF PANCREAS, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0FBG3ZZ	PX	EXCISION OF PANCREAS, PERCUTANEOUS APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0FBG4ZZ	PX	EXCISION OF PANCREAS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0FBG8ZZ	PX	EXCISION OF PANCREAS, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM

Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	52,7	PX	RADICAL PANCREATOCODUODENECTOMY	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0FTG0ZZ	PX	RESECTION OF PANCREAS, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0FTG4ZZ	PX	RESECTION OF PANCREAS, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0D1607A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0D160JA	PX	BYPASS STOMACH TO JEJUNUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0D160KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0D160ZA	PX	BYPASS STOMACH TO JEJUNUM, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0DT90ZZ	PX	RESECTION OF DUODENUM, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0F190Z3	PX	BYPASS COMMON BILE DUCT TO DUODENUM, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Pancreatectomy	0F1G0ZC	PX	BYPASS PANCREAS TO LARGE INTESTINE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	53,51	PX	INCISIONAL HERNIA REPAIR	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	53,61	PX	OTHER OPEN INCISIONAL HERNIA REPAIR WITH GRAFT OR PROSTHESIS	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	53,62	PX	LAPAROSCOPIC INCISIONAL HERNIA REPAIR WITH GRAFT	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1		68,8	PX	PELVIC EVISCERATION	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WQF0ZZ	PX	REPAIR ABDOMINAL WALL, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WQF3ZZ	PX	REPAIR ABDOMINAL WALL, PERCUTANEOUS APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WQF4ZZ	PX	REPAIR ABDOMINAL WALL, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WUF07Z	PX	SUPPLEMENT ABDOMINAL WALL WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WUF0JZ	PX	SUPPLEMENT ABDOMINAL WALL WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WUF0KZ	PX	SUPPLEMENT ABDOMINAL WALL WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WUF47Z	PX	SUPPLEMENT ABDOMINAL WALL WITH AUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WUF4JZ	PX	SUPPLEMENT ABDOMINAL WALL WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Ventral Hernia Repair	0WUF4KZ	PX	SUPPLEMENT ABDOMINAL WALL WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Lower GI	44140	PX	COLECTOMY, PARTIAL; WITH ANASTOMOSIS	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Lower GI	44202-44208	PX	COLECTOMY	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Upper GI	43501	PX	GASTROTOMY; WITH SUTURE REPAIR OF BLEEDING ULCER	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Upper GI	43502	PX	GASTROTOMY; WITH SUTURE REPAIR OF PRE-EXISTING ESOPHAGOGASTRIC LACERATION (EG, MALLORY-WEISS)	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Upper GI	44602-3	PX	SUTURE OF SMALL INTESTINE (ENTERORRHAPHY) FOR PERFORATED ULCER, DIVERTICULUM, WOUND, INJURY OR RUPTURE; SINGLE PERFORATION/MULTIPLE PERFORATIONS	CPT/HCPCS
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	81,51	PX	TOTAL HIP REPLACEMENT	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	81,52	PX	PARTIAL HIP REPLACEMENT	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR90J9	PX	REPLACEMENT OF RIGHT HIP JOINT WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR90JA	PX	REPLACEMENT OF RIGHT HIP JOINT WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR90JZ	PX	REPLACEMENT OF RIGHT HIP JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SRB0J9	PX	REPLACEMENT OF LEFT HIP JOINT WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SRB0JA	PX	REPLACEMENT OF LEFT HIP JOINT WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SRB0JZ	PX	REPLACEMENT OF LEFT HIP JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR90I9	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR90IA	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR90IZ	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR9029	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR902A	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Hip replacement	0SR902Z	PX	REPLACEMENT OF RIGHT HIP JOINT WITH METAL ON POLYETHYLENE SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Knee replacement	OSRW0J9	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, CEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Knee replacement	OSRW0JA	PX	REPLACEMENT OF LEFT KNEE JOINT, TIBIAL SURFACE WITH SYNTHETIC SUBSTITUTE, UNCEMENTED, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	81,80	PX	OTHER TOTAL SHOULDER REPLACEMENT	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	81,88	PX	REVERSE TOTAL SHOULDER REPLACEMENT	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRJ07Z	PX	REPLACEMENT OF RIGHT SHOULDER JOINT WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRJ0JZ	PX	REPLACEMENT OF RIGHT SHOULDER JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRJ0KZ	PX	REPLACEMENT OF RIGHT SHOULDER JOINT WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRK07Z	PX	REPLACEMENT OF LEFT SHOULDER JOINT WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRK0JZ	PX	REPLACEMENT OF LEFT SHOULDER JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRK0KZ	PX	REPLACEMENT OF LEFT SHOULDER JOINT WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRJ00Z	PX	REPLACEMENT OF RIGHT SHOULDER JOINT WITH REVERSE BALL AND SOCKET SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Shoulder replacement	ORRK0JZ	PX	REPLACEMENT OF LEFT SHOULDER JOINT WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	32,20	PX	THORACOSCOPIC EXCISION OF LESION OR TISSUE OF LUNG	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	32,24	PX	PERCUTANEOUS ABLATION OF LUNG LESION OR TISSUE	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	32,26	PX	OTHER AND UNSPECIFIED ABLATION OF LUNG LESION OR TISSUE	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	32,30	PX	THORACOSCOPIC SEGMENTAL RESECTION OF LUNG	ICD-9-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	32,41	PX	THORACOSCOPIC LOBECTOMY OF LUNG	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	0BBC4ZZ	PX	EXCISION OF RIGHT UPPER LUNG LOBE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	0BBD4ZZ	PX	EXCISION OF RIGHT MIDDLE LUNG LOBE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	0BBF4ZZ	PX	EXCISION OF RIGHT LOWER LUNG LOBE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective 18 surgery (e.g. hip replacement) within 90 days after visit 1	Thorascopic pulmonary lobectomy	0BBG4ZZ	PX	EXCISION OF LEFT UPPER LUNG LOBE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM

[illegible]

[illegible]

Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTG4ZZ	PX	RESECTION OF LEFT UPPER LUNG LOBE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTJ4ZZ	PX	RESECTION OF LEFT LOWER LUNG LOBE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTC0ZZ	PX	RESECTION OF RIGHT UPPER LUNG LOBE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTD0ZZ	PX	RESECTION OF RIGHT MIDDLE LUNG LOBE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTF0ZZ	PX	RESECTION OF RIGHT LOWER LUNG LOBE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTG0ZZ	PX	RESECTION OF LEFT UPPER LUNG LOBE, OPEN APPROACH	ICD-10-CM
Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	Open Pulmonary Lobectomy	0BTJ0ZZ	PX	RESECTION OF LEFT LOWER LUNG LOBE, OPEN APPROACH	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	V45.86	DX	BARIATRIC SURGERY STATUS	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	539.01	DX	INFECTION DUE TO GASTRIC BAND PROCEDURE	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	539.09	DX	COMPLICATION OF GASTRIC BAND PROCEDURE	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	539.81	DX	INFECTION DUE TO BARIATRIC PROCEDURE	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	539.89	DX	COMPLICATION OF BARIATRIC PROCEDURE	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	Z98.84	DX	BARIATRIC SURGERY STATUS	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	K95.01	DX	INFECTION DUE TO GASTRIC BAND PROCEDURE	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	K95.09	DX	OTHER COMPLICATIONS OF GASTRIC BAND PROCEDURE	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	K95.81	DX	INFECTION DUE TO OTHER BARIATRIC PROCEDURE	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	K95.89	DX	OTHER COMPLICATIONS OF OTHER BARIATRIC PROCEDURE	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43.89	PX	OPEN AND OTHER PARTIAL GASTRECTOMY	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	44.31	PX	HIGH GASTRIC BYPASS	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	44.38	PX	LAPAROSCOPIC GASTROENTEROSTOMY	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	44.39	PX	OTHER GASTROENTEROSTOMY WITHOUT GASTRECTOMY	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	44.68	PX	LAPAROSCOPIC GASTROPLASTY	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	44.94	PX	REMOVAL OF GASTRIC BUBBLE (BALLOON)	ICD-9-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0DB60ZZ	PX	EXCISION OF STOMACH, OPEN APPROACH	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0DB63ZZ	PX	EXCISION OF STOMACH, PERCUTANEOUS APPROACH	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0DB67ZZ	PX	EXCISION OF STOMACH, VIA NATURAL OR ARTIFICIAL OPENING	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D1607A	PX	BYPASS STOMACH TO JEJUNUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D1607B	PX	BYPASS STOMACH TO ILEUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D1607L	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM

[illegible]

19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164JL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164KA	PX	BYPASS STOMACH TO JEJUNUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164KB	PX	BYPASS STOMACH TO ILEUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164KL	PX	BYPASS STOMACH TO TRANSVERSE COLON WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164Z9	PX	BYPASS STOMACH TO DUODENUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164ZA	PX	BYPASS STOMACH TO JEJUNUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164ZB	PX	BYPASS STOMACH TO ILEUM, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D164ZL	PX	BYPASS STOMACH TO TRANSVERSE COLON, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D16079	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D160J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, OPEN APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D160K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, OPEN APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D160Z9	PX	BYPASS STOMACH TO DUODENUM, OPEN APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D16879	PX	BYPASS STOMACH TO DUODENUM WITH AUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D168J9	PX	BYPASS STOMACH TO DUODENUM WITH SYNTHETIC SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D168K9	PX	BYPASS STOMACH TO DUODENUM WITH NONAUTOLOGOUS TISSUE SUBSTITUTE, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0D168Z9	PX	BYPASS STOMACH TO DUODENUM, VIA NATURAL OR ARTIFICIAL OPENING ENDOSCOPIC	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	0DQ64ZZ	PX	REPAIR STOMACH, PERCUTANEOUS ENDOSCOPIC APPROACH	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43770	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE: PLACEMENT OF ADJUSTABLE GASTRIC BAND	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43644	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE WITH GASTRIC BYPASS AND ROUX-EN-Y GASTROENTEROSTOMY (ROUX LIMB 150 CM OR LESS)	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43645	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE WITH GASTRIC BYPASS AND SMALL INTESTINE RECONSTRUCTION TO LIMIT ABSORPTION	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43842	PX	GASTRIC RESTRICTIVE PROCEDURE, WITHOUT GASTRIC BYPASS, FOR MORBID OBESITY, VERTICAL BANDED GASTROPLASTY	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43843	PX	OTHER GASTRIC RESTRICTIVE PROCEDURES, WITHOUT GASTRIC BYPASS, AND OTHER THAN VERTICAL BANDED GASTROPLASTY	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43844	PX	LAPAROSCOPIC GASTRIC RESTRICTIVE PROCEDURE WITH GASTRIC BYPASS AND ROUX EN Y GASTROENTEROSTOMY	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43845	PX	GASTRIC RESTRICTIVE PROCEDURE WITH PARTIAL GASTRECTOMY, PYLORUS-PRESERVING DUODENOILEOSTOMY AND ILEOILEOSTOMY TO LIMIT ABSORPTION (BPD)	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43846	PX	GASTRIC RESTRICTIVE PROCEDURE, WITH GASTRIC BYPASS, FOR MORBID OBESITY; WITH SHORT LIMB (LESS THAN 100 CM) ROUX-EN-Y GASTROENTEROSTOMY	CPT/HCPCS

19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43847	PX	GASTRIC RESTRICTIVE PROCEDURE, WITH SMALL INTESTINE RECONSTRUCTION TO LIMIT ABSORPTION; WITH LONG LIMB (>150 CM) ROUX-EN-Y	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43659	PX	GASTRECTOMY, TOTAL; WITH ROUX-EN-Y RECONSTRUCTION; MINI-GASTRIC BYPASS	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	S2082	PX	LAPAROSCOPY, SURGICAL; GASTRIC RESTRICTIVE PROCEDURE, ADJUSTABLE GASTRIC BAND INCLUDES PLACEMENT OF SUBCUTANEOUS PORT	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	S2085	PX	LAPAROSCOPIC GASTRIC BYPASS	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43775	PX	LAPAROSCOPY, SURGICAL, GASTRIC RESTRICTIVE PROCEDURE; LONGITUDINAL GASTRECTOMY (E.G., SLEEVE GASTRECTOMY)	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric surgeries	43848	PX	REVISION RYGB	CPT/HCPCS
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	V45.3	DX	INTESTINAL BYPASS OR ANASTOMOSIS STATUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	Z98.0	DX	INTESTINAL BYPASS AND ANASTOMOSIS STATUS	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.01	PX	INCISION OF ESOPHAGEAL WEB	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.09	PX	OTHER INCISION OF ESOPHAGUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.10	PX	ESOPHAGOSTOMY, NOT OTHERWISE SPECIFIED	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.11	PX	CERVICAL ESOPHAGOSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.12	PX	EXTERIORIZATION OF ESOPHAGEAL POUCH	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.19	PX	OTHER EXTERNAL FISTULIZATION OF ESOPHAGUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.40	PX	ESOPHAGECTOMY, NOT OTHERWISE SPECIFIED	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.41	PX	PARTIAL ESOPHAGECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.42	PX	TOTAL ESOPHAGECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.51	PX	INTRATHORACIC ESOPHAGUESOPHAGOSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.52	PX	INTRATHORACIC ESOPHAGOGASTROSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.53	PX	INTRATHORACIC ESOPHAGEAL ANASTOMOSIS WITH INTERPOSITION OF SMALL BOWEL	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.54	PX	OTHER INTRATHORACIC ESOPHAGOENTEROSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.55	PX	INTRATHORACIC ESOPHAGEAL ANASTOMOSIS WITH INTERPOSITION OF COLON	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.56	PX	OTHER INTRATHORACIC ESOPHAGOCOLOSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.58	PX	INTRATHORACIC ESOPHAGEAL ANASTOMOSIS WITH OTHER INTERPOSITION	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.59	PX	OTHER INTRATHORACIC ANASTOMOSIS OF ESOPHAGUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.61	PX	ANTESTERNAL ESOPHAGUESOPHAGOSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.62	PX	ANTESTERNAL ESOPHAGOGASTROSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.63	PX	ANTESTERNAL ESOPHAGEAL ANASTOMOSIS WITH INTERPOSITION OF SMALL BOWEL	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.64	PX	OTHER ANTESTERNAL ESOPHAGOENTEROSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.65	PX	ANTESTERNAL ESOPHAGEAL ANASTOMOSIS WITH INTERPOSITION OF COLON	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.66	PX	OTHER ANTESTERNAL ESOPHAGOCOLOSTOMY	ICD-9-CM

19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.68	PX	OTHER ANTESTERNAL ESOPHAGEAL ANASTOMOSIS WITH INTERPOSITION	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.69	PX	OTHER ANTESTERNAL ANASTOMOSIS OF ESOPHAGUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.7	PX	ESOPHAGOMYOTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.81	PX	INSERTION OF PERMANENT TUBE INTO ESOPHAGUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.83	PX	CLOSURE OF ESOPHAGOSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	42.84	PX	REPAIR OF ESOPHAGEAL FISTULA, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.0	PX	GASTROTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.11	PX	PERCUTANEOUS [ENDOSCOPIC] GASTROSTOMY [PEG]	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.19	PX	OTHER GASTROSTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.5	PX	PARTIAL GASTRECTOMY WITH ANASTOMOSIS TO ESOPHAGUS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.6	PX	PARTIAL GASTRECTOMY WITH ANASTOMOSIS TO DUODENUM	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.7	PX	PARTIAL GASTRECTOMY WITH ANASTOMOSIS TO JEJUNUM	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.81	PX	PARTIAL GASTRECTOMY WITH JEJUNAL TRANSPOSITION	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.82	PX	LAPAROSCOPIC VERTICAL (SLEEVE) GASTRECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.91	PX	TOTAL GASTRECTOMY WITH INTESTINAL INTERPOSITION	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	43.99	PX	OTHER TOTAL GASTRECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.50	PX	ISOLATION OF INTESTINAL SEGMENT, NOT OTHERWISE SPECIFIED	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.51	PX	ISOLATION OF SEGMENT OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.52	PX	ISOLATION OF SEGMENT OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.61	PX	MULTIPLE SEGMENTAL RESECTION OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.62	PX	OTHER PARTIAL RESECTION OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.63	PX	TOTAL REMOVAL OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.71	PX	OPEN AND OTHER MULTIPLE SEGMENTAL RESECTION OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.72	PX	OPEN AND OTHER CECECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.73	PX	OPEN AND OTHER RIGHT HEMICOLECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.74	PX	OPEN AND OTHER RESECTION OF TRANSVERSE COLON	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.75	PX	OPEN AND OTHER LEFT HEMICOLECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.76	PX	OPEN AND OTHER SIGMOIDECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.79	PX	OTHER AND UNSPECIFIED PARTIAL EXCISION OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.81	PX	LAPAROSCOPIC TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.82	PX	OPEN TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	45.83	PX	OTHER AND UNSPECIFIED TOTAL INTRA-ABDOMINAL COLECTOMY	ICD-9-CM

[illegible]

19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.63	PX	FIXATION OF LARGE INTESTINE TO ABDOMINAL WALL	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.64	PX	OTHER FIXATION OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.71	PX	SUTURE OF LACERATION OF DUODENUM	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.72	PX	CLOSURE OF FISTULA OF DUODENUM	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.73	PX	SUTURE OF LACERATION OF SMALL INTESTINE, EXCEPT DUODENUM	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.74	PX	CLOSURE OF FISTULA OF SMALL INTESTINE, EXCEPT DUODENUM	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.75	PX	SUTURE OF LACERATION OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.76	PX	CLOSURE OF FISTULA OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.79	PX	OTHER REPAIR OF INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.80	PX	INTRA-ABDOMINAL MANIPULATION OF INTESTINE, NOT OTHERWISE SPECIFIED	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.81	PX	INTRA-ABDOMINAL MANIPULATION OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.82	PX	INTRA-ABDOMINAL MANIPULATION OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.85	PX	DILATION OF INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.86	PX	ENDOSCOPIC INSERTION OF COLONIC STENT(S)	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.87	PX	OTHER INSERTION OF COLONIC STENT(S)	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.91	PX	MYOTOMY OF SIGMOID COLON	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.92	PX	MYOTOMY OF OTHER PARTS OF COLON	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.93	PX	REVISION OF ANASTOMOSIS OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.94	PX	REVISION OF ANASTOMOSIS OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.95	PX	LOCAL PERFUSION OF SMALL INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.96	PX	LOCAL PERFUSION OF LARGE INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.97	PX	TRANSPLANT OF INTESTINE	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	GI excision/Other Major Procedures	46.99	PX	OTHER OPERATIONS ON INTESTINES	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.0	DX	ULCERATIVE (CHRONIC) ENTEROCOLITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.1	DX	ULCERATIVE (CHRONIC) ILEOCOLITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.2	DX	ULCERATIVE (CHRONIC) PROCTITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.3	DX	ULCERATIVE (CHRONIC) PROCTOSIGMOIDITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.5	DX	LEFT-SIDED ULCERATIVE (CHRONIC) COLITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.6	DX	UNIVERSAL ULCERATIVE (CHRONIC) COLITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.8	DX	OTHER ULCERATIVE COLITIS	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	556.9	DX	ULCERATIVE COLITIS, UNSPECIFIED	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Ulcerative colitis	K51.0	DX	ULCERATIVE (CHRONIC) PANCOLITIS	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Other GI diseases	579.3	DX	OTHER AND UNSPECIFIED POSTSURGICAL NONABSORPTION	ICD-9-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Other GI diseases	K90.82	DX	SHORT BOWEL SYNDROME	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Other GI diseases	K90.821	DX	SHORT BOWEL SYNDROME WITH COLON IN CONTINUITY	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Other GI diseases	K90.822	DX	SHORT BOWEL SYNDROME WITHOUT COLON IN CONTINUITY	ICD-10-CM
19	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Other GI diseases	K90.829	DX	SHORT BOWEL SYNDROME, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140	DX	MALIGNANT NEOPLASM OF LIP	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.0	DX	MALIGNANT NEOPLASM OF UPPER LIP, VERMILION BORDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.1	DX	MALIGNANT NEOPLASM OF LOWER LIP, VERMILION BORDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.3	DX	MALIGNANT NEOPLASM OF UPPER LIP, INNER ASPECT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.4	DX	MALIGNANT NEOPLASM OF LOWER LIP, INNER ASPECT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.5	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED, INNER ASPECT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.6	DX	MALIGNANT NEOPLASM OF COMMISSURE OF LIP	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.8	DX	MALIGNANT NEOPLASM OF OTHER SITES OF LIP	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	140.9	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED, VERMILION BORDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141	DX	MALIGNANT NEOPLASM OF TONGUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.0	DX	MALIGNANT NEOPLASM OF BASE OF TONGUE	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.1	DX	MALIGNANT NEOPLASM OF DORSAL SURFACE OF TONGUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.2	DX	MALIGNANT NEOPLASM OF TIP AND LATERAL BORDER OF TONGUE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.3	DX	MALIGNANT NEOPLASM OF VENTRAL SURFACE OF TONGUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.4	DX	MALIGNANT NEOPLASM OF ANTERIOR TWO-THIRDS OF TONGUE, PART UNSPECIFIED	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.5	DX	MALIGNANT NEOPLASM OF JUNCTIONAL ZONE OF TONGUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.6	DX	MALIGNANT NEOPLASM OF LINGUAL TONSIL	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.8	DX	MALIGNANT NEOPLASM OF OTHER SITES OF TONGUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	141.9	DX	MALIGNANT NEOPLASM OF TONGUE, UNSPECIFIED	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	142	DX	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLANDS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	142.0	DX	MALIGNANT NEOPLASM OF PAROTID GLAND	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	142.1	DX	MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	142.2	DX	MALIGNANT NEOPLASM OF SUBLINGUAL GLAND	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	142.8	DX	MALIGNANT NEOPLASM OF OTHER MAJOR SALIVARY GLANDS	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	142.9	DX	MALIGNANT NEOPLASM OF SALIVARY GLAND, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	143	DX	MALIGNANT NEOPLASM OF GUM	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	143.0	DX	MALIGNANT NEOPLASM OF UPPER GUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	143.1	DX	MALIGNANT NEOPLASM OF LOWER GUM	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	143.8	DX	MALIGNANT NEOPLASM OF OTHER SITES OF GUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	143.9	DX	MALIGNANT NEOPLASM OF GUM, UNSPECIFIED	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	144	DX	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	144.0	DX	MALIGNANT NEOPLASM OF ANTERIOR PORTION OF FLOOR OF MOUTH	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	144.1	DX	MALIGNANT NEOPLASM OF LATERAL PORTION OF FLOOR OF MOUTH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	144.8	DX	MALIGNANT NEOPLASM OF OTHER SITES OF FLOOR OF MOUTH	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	144.9	DX	MALIGNANT NEOPLASM OF FLOOR OF MOUTH, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145	DX	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.0	DX	MALIGNANT NEOPLASM OF CHEEK MUCOSA	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.1	DX	MALIGNANT NEOPLASM OF VESTIBULE OF MOUTH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.2	DX	MALIGNANT NEOPLASM OF HARD PALATE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.3	DX	MALIGNANT NEOPLASM OF SOFT PALATE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.4	DX	MALIGNANT NEOPLASM OF UVULA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.5	DX	MALIGNANT NEOPLASM OF PALATE, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.6	DX	MALIGNANT NEOPLASM OF RETROMOLAR AREA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED PARTS OF MOUTH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	145.9	DX	MALIGNANT NEOPLASM OF MOUTH, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146	DX	MALIGNANT NEOPLASM OF OROPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.0	DX	MALIGNANT NEOPLASM OF TONSIL	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.1	DX	MALIGNANT NEOPLASM OF TONSILLAR FOSSA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.2	DX	MALIGNANT NEOPLASM OF TONSILLAR PILLARS (ANTERIOR) (POSTERIOR)	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.3	DX	MALIGNANT NEOPLASM OF VALLECULA EPIGLOTTICA	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.4	DX	MALIGNANT NEOPLASM OF ANTERIOR ASPECT OF EPIGLOTTIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.5	DX	MALIGNANT NEOPLASM OF JUNCTIONAL REGION OF OROPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.6	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF OROPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.7	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF OROPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF OROPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	146.9	DX	MALIGNANT NEOPLASM OF OROPHARYNX, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147	DX	MALIGNANT NEOPLASM OF NASOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147.0	DX	MALIGNANT NEOPLASM OF SUPERIOR WALL OF NASOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147.1	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF NASOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF NASOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF NASOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF NASOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	147.9	DX	MALIGNANT NEOPLASM OF NASOPHARYNX, UNSPECIFIED SITE	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148	DX	MALIGNANT NEOPLASM OF HYPOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148.0	DX	MALIGNANT NEOPLASM OF POSTCRICOID REGION OF HYPOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148.1	DX	MALIGNANT NEOPLASM OF PYRIFORM SINUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148.2	DX	MALIGNANT NEOPLASM OF ARYEPIGLOTTIC FOLD, HYPOPHARYNGEAL ASPECT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148.3	DX	MALIGNANT NEOPLASM OF POSTERIOR HYPOPHARYNGEAL WALL	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF HYPOPHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	148.9	DX	MALIGNANT NEOPLASM OF HYPOPHARYNX, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	149	DX	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	149.0	DX	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	149.1	DX	MALIGNANT NEOPLASM OF WALDEYER'S RING	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	149.8	DX	MALIGNANT NEOPLASM OF OTHER SITES WITHIN THE LIP AND ORAL CAVITY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	149.9	DX	MALIGNANT NEOPLASM OF ILL-DEFINED SITES WITHIN THE LIP AND ORAL CAVITY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150	DX	MALIGNANT NEOPLASM OF OESOPHAGUS	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.0	DX	MALIGNANT NEOPLASM OF CERVICAL ESOPHAGUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.1	DX	MALIGNANT NEOPLASM OF THORACIC ESOPHAGUS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.2	DX	MALIGNANT NEOPLASM OF ABDOMINAL ESOPHAGUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.3	DX	MALIGNANT NEOPLASM OF UPPER THIRD OF ESOPHAGUS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.4	DX	MALIGNANT NEOPLASM OF MIDDLE THIRD OF ESOPHAGUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.5	DX	MALIGNANT NEOPLASM OF LOWER THIRD OF ESOPHAGUS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED PART OF ESOPHAGUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	150.9	DX	MALIGNANT NEOPLASM OF ESOPHAGUS, UNSPECIFIED SITE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151	DX	MALIGNANT NEOPLASM OF STOMACH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.0	DX	MALIGNANT NEOPLASM OF CARDIA	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.1	DX	MALIGNANT NEOPLASM OF PYLORUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.2	DX	MALIGNANT NEOPLASM OF PYLORIC ANTRUM	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.3	DX	MALIGNANT NEOPLASM OF FUNDUS OF STOMACH	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.4	DX	MALIGNANT NEOPLASM OF BODY OF STOMACH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.5	DX	MALIGNANT NEOPLASM OF LESSER CURVATURE OF STOMACH, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.6	DX	MALIGNANT NEOPLASM OF GREATER CURVATURE OF STOMACH, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF STOMACH	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	151.9	DX	MALIGNANT NEOPLASM OF STOMACH, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152	DX	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152.0	DX	MALIGNANT NEOPLASM OF DUODENUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152.1	DX	MALIGNANT NEOPLASM OF JEJUNUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152.2	DX	MALIGNANT NEOPLASM OF ILEUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152.3	DX	MALIGNANT NEOPLASM OF MECKEL'S DIVERTICULUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF SMALL INTESTINE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	152.9	DX	MALIGNANT NEOPLASM OF SMALL INTESTINE, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153	DX	MALIGNANT NEOPLASM OF COLON	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.0	DX	MALIGNANT NEOPLASM OF HEPATIC FLEXURE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.1	DX	MALIGNANT NEOPLASM OF TRANSVERSE COLON	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.2	DX	MALIGNANT NEOPLASM OF DESCENDING COLON	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.3	DX	MALIGNANT NEOPLASM OF SIGMOID COLON	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.4	DX	MALIGNANT NEOPLASM OF CECUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.5	DX	MALIGNANT NEOPLASM OF APPENDIX VERMIFORMIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.6	DX	MALIGNANT NEOPLASM OF ASCENDING COLON	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.7	DX	MALIGNANT NEOPLASM OF SPLENIC FLEXURE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF LARGE INTESTINE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	153.9	DX	MALIGNANT NEOPLASM OF COLON, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	154	DX	MALIGNANT NEOPLASM OF RECTUM, RECTOSIGMOID JUNCTION AND ANUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	154.0	DX	MALIGNANT NEOPLASM OF RECTOSIGMOID JUNCTION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	154.1	DX	MALIGNANT NEOPLASM OF RECTUM	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	154.2	DX	MALIGNANT NEOPLASM OF ANAL CANAL	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	154.3	DX	MALIGNANT NEOPLASM OF ANUS, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	154.8	DX	MALIGNANT NEOPLASM OF OTHER SITES OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	155	DX	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	155.0	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	155.1	DX	MALIGNANT NEOPLASM OF INTRAHEPATIC BILE DUCTS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	155.2	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	156	DX	MALIGNANT NEOPLASM OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	156.0	DX	MALIGNANT NEOPLASM OF GALLBLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	156.1	DX	MALIGNANT NEOPLASM OF EXTRAHEPATIC BILE DUCTS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	156.2	DX	MALIGNANT NEOPLASM OF AMPULLA OF VATER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	156.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	156.9	DX	MALIGNANT NEOPLASM OF BILIARY TRACT, PART UNSPECIFIED SITE	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157	DX	MALIGNANT NEOPLASM OF PANCREAS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.0	DX	MALIGNANT NEOPLASM OF HEAD OF PANCREAS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.1	DX	MALIGNANT NEOPLASM OF BODY OF PANCREAS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.2	DX	MALIGNANT NEOPLASM OF TAIL OF PANCREAS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.3	DX	MALIGNANT NEOPLASM OF PANCREATIC DUCT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.4	DX	MALIGNANT NEOPLASM OF ISLETS OF LANGERHANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF PANCREAS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	157.9	DX	MALIGNANT NEOPLASM OF PANCREAS, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	158	DX	MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	158.0	DX	MALIGNANT NEOPLASM OF RETROPERITONEUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	158.8	DX	MALIGNANT NEOPLASM OF SPECIFIED PARTS OF PERITONEUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	158.9	DX	MALIGNANT NEOPLASM OF PERITONEUM, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	159	DX	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	159.0	DX	MALIGNANT NEOPLASM OF INTESTINAL TRACT, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	159.1	DX	MALIGNANT NEOPLASM OF SPLEEN, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	159.8	DX	MALIGNANT NEOPLASM OF OTHER SITES OF DIGESTIVE SYSTEM AND INTRA-ABDOMINAL ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	159.9	DX	MALIGNANT NEOPLASM OF ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160	DX	MALIGNANT NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.0	DX	MALIGNANT NEOPLASM OF NASAL CAVITIES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.1	DX	MALIGNANT NEOPLASM OF AUDITORY TUBE, MIDDLE EAR, AND MASTOID AIR CELLS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.2	DX	MALIGNANT NEOPLASM OF MAXILLARY SINUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.3	DX	MALIGNANT NEOPLASM OF ETHMOIDAL SINUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.4	DX	MALIGNANT NEOPLASM OF FRONTAL SINUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.5	DX	MALIGNANT NEOPLASM OF SPHENOIDAL SINUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.8	DX	MALIGNANT NEOPLASM OF OTHER ACCESSORY SINUSES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	160.9	DX	MALIGNANT NEOPLASM OF ACCESSORY SINUS, UNSPECIFIED	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161	DX	MALIGNANT NEOPLASM OF LARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161.0	DX	MALIGNANT NEOPLASM OF GLOTTIS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161.1	DX	MALIGNANT NEOPLASM OF SUPRAGLOTTIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161.2	DX	MALIGNANT NEOPLASM OF SUBGLOTTIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161.3	DX	MALIGNANT NEOPLASM OF LARYNGEAL CARTILAGES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF LARYNX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	161.9	DX	MALIGNANT NEOPLASM OF LARYNX, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162	DX	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS AND LUNG	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.0	DX	MALIGNANT NEOPLASM OF TRACHEA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.2	DX	MALIGNANT NEOPLASM OF MAIN BRONCHUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.3	DX	MALIGNANT NEOPLASM OF UPPER LOBE, BRONCHUS OR LUNG	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.4	DX	MALIGNANT NEOPLASM OF MIDDLE LOBE, BRONCHUS OR LUNG	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.5	DX	MALIGNANT NEOPLASM OF LOWER LOBE, BRONCHUS OR LUNG	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.8	DX	MALIGNANT NEOPLASM OF OTHER PARTS OF BRONCHUS OR LUNG	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	162.9	DX	MALIGNANT NEOPLASM OF BRONCHUS AND LUNG, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	163	DX	MALIGNANT NEOPLASM OF PLEURA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	163.0	DX	MALIGNANT NEOPLASM OF PARIETAL PLEURA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	163.1	DX	MALIGNANT NEOPLASM OF VISCERAL PLEURA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	163.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF PLEURA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	163.9	DX	MALIGNANT NEOPLASM OF PLEURA, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164	DX	MALIGNANT NEOPLASM OF THYMUS, HEART AND MEDIASTINUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164.0	DX	MALIGNANT NEOPLASM OF THYMUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164.1	DX	MALIGNANT NEOPLASM OF HEART	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164.2	DX	MALIGNANT NEOPLASM OF ANTERIOR MEDIASTINUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164.3	DX	MALIGNANT NEOPLASM OF POSTERIOR MEDIASTINUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164.8	DX	MALIGNANT NEOPLASM OF OTHER PARTS OF MEDIASTINUM	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	164.9	DX	MALIGNANT NEOPLASM OF MEDIASTINUM, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	165	DX	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	165.0	DX	MALIGNANT NEOPLASM OF UPPER RESPIRATORY TRACT, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	165.8	DX	MALIGNANT NEOPLASM OF OTHER SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	165.9	DX	MALIGNANT NEOPLASM OF ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170	DX	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.0	DX	MALIGNANT NEOPLASM OF BONES OF SKULL AND FACE, EXCEPT MANDIBLE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.1	DX	MALIGNANT NEOPLASM OF MANDIBLE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.2	DX	MALIGNANT NEOPLASM OF VERTEBRAL COLUMN, EXCLUDING SACRUM AND COCCYX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.3	DX	MALIGNANT NEOPLASM OF RIBS, STERNUM, AND CLAVICLE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.4	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.5	DX	MALIGNANT NEOPLASM OF SHORT BONES OF UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.6	DX	MALIGNANT NEOPLASM OF PELVIC BONES, SACRUM, AND COCCYX	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.7	DX	MALIGNANT NEOPLASM OF LONG BONES OF LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.8	DX	MALIGNANT NEOPLASM OF SHORT BONES OF LOWER LIMB	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	170.9	DX	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.0	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.2	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF UPPER LIMB, INCLUDING SHOULDER	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.3	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF LOWER LIMB, INCLUDING HIP	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.4	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF THORAX	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.5	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF ABDOMEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.6	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF PELVIS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.7	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF TRUNK, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF CONNECTIVE AND OTHER SOFT TISSUE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	171.9	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE, SITE UNSPECIFIED	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172	DX	MALIGNANT MELANOMA OF SKIN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.0	DX	MALIGNANT MELANOMA OF SKIN OF LIP	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.1	DX	MALIGNANT MELANOMA OF SKIN OF EYELID, INCLUDING CANTHUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.2	DX	MALIGNANT MELANOMA OF SKIN OF EAR AND EXTERNAL AUDITORY CANAL	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.3	DX	MALIGNANT MELANOMA OF SKIN OF OTHER AND UNSPECIFIED PARTS OF FACE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.4	DX	MALIGNANT MELANOMA OF SKIN OF SCALP AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.5	DX	MALIGNANT MELANOMA OF SKIN OF TRUNK, EXCEPT SCROTUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.6	DX	MALIGNANT MELANOMA OF SKIN OF UPPER LIMB, INCLUDING SHOULDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.7	DX	MALIGNANT MELANOMA OF SKIN OF LOWER LIMB, INCLUDING HIP	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.8	DX	MALIGNANT MELANOMA OF OTHER SPECIFIED SITES OF SKIN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	172.9	DX	MELANOMA OF SKIN, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174	DX	MALIGNANT NEOPLASM OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.0	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA OF FEMALE BREAST	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.1	DX	MALIGNANT NEOPLASM OF CENTRAL PORTION OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.2	DX	MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.3	DX	MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.4	DX	MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.5	DX	MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.6	DX	MALIGNANT NEOPLASM OF AXILLARY TAIL OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF FEMALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	174.9	DX	MALIGNANT NEOPLASM OF BREAST (FEMALE), UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	175	DX	MALIGNANT NEOPLASM OF MALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	175.0	DX	MALIGNANT NEOPLASM OF NIPPLE AND AREOLA OF MALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	175.9	DX	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES OF MALE BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176	DX	KAPOSI'S SARCOMA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.0	DX	KAPOSI'S SARCOMA, SKIN	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.1	DX	KAPOSI'S SARCOMA, SOFT TISSUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.2	DX	KAPOSI'S SARCOMA, PALATE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.3	DX	KAPOSI'S SARCOMA, GASTROINTESTINAL SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.4	DX	KAPOSI'S SARCOMA, LUNG	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.5	DX	KAPOSI'S SARCOMA, LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.8	DX	KAPOSI'S SARCOMA, OTHER SPECIFIED SITES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	176.9	DX	KAPOSI'S SARCOMA, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	179	DX	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	179.	DX	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	180	DX	MALIGNANT NEOPLASM OF CERVIX UTERI	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	180.0	DX	MALIGNANT NEOPLASM OF ENDOCERVIX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	180.1	DX	MALIGNANT NEOPLASM OF EXOCERVIX	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	180.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF CERVIX	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	180.9	DX	MALIGNANT NEOPLASM OF CERVIX UTERI, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	181	DX	MALIGNANT NEOPLASM OF PLACENTA	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	181.	DX	MALIGNANT NEOPLASM OF PLACENTA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	182	DX	MALIGNANT NEOPLASM OF BODY OF UTERUS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	182.0	DX	MALIGNANT NEOPLASM OF CORPUS UTERI, EXCEPT ISTHMUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	182.1	DX	MALIGNANT NEOPLASM OF ISTHMUS	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	182.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF BODY OF UTERUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183	DX	MALIGNANT NEOPLASM OF OVARY AND OTHER UTERINE ADNEXA	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.0	DX	MALIGNANT NEOPLASM OF OVARY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.2	DX	MALIGNANT NEOPLASM OF FALLOPIAN TUBE	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.3	DX	MALIGNANT NEOPLASM OF BROAD LIGAMENT OF UTERUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.4	DX	MALIGNANT NEOPLASM OF PARAMETRIUM	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.5	DX	MALIGNANT NEOPLASM OF ROUND LIGAMENT OF UTERUS	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF UTERINE ADNEXA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	183.9	DX	MALIGNANT NEOPLASM OF UTERINE ADNEXA, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184	DX	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.0	DX	MALIGNANT NEOPLASM OF VAGINA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.1	DX	MALIGNANT NEOPLASM OF LABIA MAJORA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.2	DX	MALIGNANT NEOPLASM OF LABIA MINORA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.3	DX	MALIGNANT NEOPLASM OF CLITORIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.4	DX	MALIGNANT NEOPLASM OF VULVA, UNSPECIFIED SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF FEMALE GENITAL ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	184.9	DX	MALIGNANT NEOPLASM OF FEMALE GENITAL ORGAN, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	185	DX	MALIGNANT NEOPLASM OF PROSTATE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	185.	DX	MALIGNANT NEOPLASM OF PROSTATE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	186	DX	MALIGNANT NEOPLASM OF TESTIS	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	186.0	DX	MALIGNANT NEOPLASM OF UNDESCENDED TESTIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	186.9	DX	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED TESTIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187	DX	MALIGNANT NEOPLASM OF PENIS AND OTHER MALE GENITAL ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.1	DX	MALIGNANT NEOPLASM OF PREPUCE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.2	DX	MALIGNANT NEOPLASM OF GLANS PENIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.3	DX	MALIGNANT NEOPLASM OF BODY OF PENIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.4	DX	MALIGNANT NEOPLASM OF PENIS, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.5	DX	MALIGNANT NEOPLASM OF EPIDIDYMISS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.6	DX	MALIGNANT NEOPLASM OF SPERMATIC CORD	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.7	DX	MALIGNANT NEOPLASM OF SCROTUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF MALE GENITAL ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	187.9	DX	MALIGNANT NEOPLASM OF MALE GENITAL ORGAN, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188	DX	MALIGNANT NEOPLASM OF BLADDER	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.0	DX	MALIGNANT NEOPLASM OF TRIGONE OF URINARY BLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.1	DX	MALIGNANT NEOPLASM OF DOME OF URINARY BLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF URINARY BLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF URINARY BLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.4	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF URINARY BLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.5	DX	MALIGNANT NEOPLASM OF BLADDER NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.6	DX	MALIGNANT NEOPLASM OF URETERIC ORIFICE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.7	DX	MALIGNANT NEOPLASM OF URACHUS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF BLADDER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	188.9	DX	MALIGNANT NEOPLASM OF BLADDER, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189	DX	MALIGNANT NEOPLASM OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.0	DX	MALIGNANT NEOPLASM OF KIDNEY, EXCEPT PELVIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.1	DX	MALIGNANT NEOPLASM OF RENAL PELVIS	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.2	DX	MALIGNANT NEOPLASM OF URETER	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.3	DX	MALIGNANT NEOPLASM OF URETHRA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.4	DX	MALIGNANT NEOPLASM OF PARAURETHRAL GLANDS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF URINARY ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	189.9	DX	MALIGNANT NEOPLASM OF URINARY ORGAN, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190	DX	MALIGNANT NEOPLASM OF EYE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.0	DX	MALIGNANT NEOPLASM OF EYEBALL, EXCEPT CONJUNCTIVA, CORNEA, RETINA, AND CHOROID	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.1	DX	MALIGNANT NEOPLASM OF ORBIT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.2	DX	MALIGNANT NEOPLASM OF LACRIMAL GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.3	DX	MALIGNANT NEOPLASM OF CONJUNCTIVA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.4	DX	MALIGNANT NEOPLASM OF CORNEA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.5	DX	MALIGNANT NEOPLASM OF RETINA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.6	DX	MALIGNANT NEOPLASM OF CHOROID	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.7	DX	MALIGNANT NEOPLASM OF LACRIMAL DUCT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF EYE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	190.9	DX	MALIGNANT NEOPLASM OF EYE, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191	DX	MALIGNANT NEOPLASM OF BRAIN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.0	DX	MALIGNANT NEOPLASM OF CEREBRUM, EXCEPT LOBES AND VENTRICLES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.1	DX	MALIGNANT NEOPLASM OF FRONTAL LOBE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.2	DX	MALIGNANT NEOPLASM OF TEMPORAL LOBE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.3	DX	MALIGNANT NEOPLASM OF PARIETAL LOBE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.4	DX	MALIGNANT NEOPLASM OF OCCIPITAL LOBE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.5	DX	MALIGNANT NEOPLASM OF VENTRICLES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.6	DX	MALIGNANT NEOPLASM OF CEREBELLUM NOS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.7	DX	MALIGNANT NEOPLASM OF BRAIN STEM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.8	DX	MALIGNANT NEOPLASM OF OTHER PARTS OF BRAIN	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	191.9	DX	MALIGNANT NEOPLASM OF BRAIN, UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192	DX	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192.0	DX	MALIGNANT NEOPLASM OF CRANIAL NERVES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192.1	DX	MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192.2	DX	MALIGNANT NEOPLASM OF SPINAL CORD	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192.3	DX	MALIGNANT NEOPLASM OF SPINAL MENINGES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES OF NERVOUS SYSTEM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	192.9	DX	MALIGNANT NEOPLASM OF NERVOUS SYSTEM, PART UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	193	DX	MALIGNANT NEOPLASM OF THYROID GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	193.	DX	MALIGNANT NEOPLASM OF THYROID GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194	DX	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.0	DX	MALIGNANT NEOPLASM OF ADRENAL GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.1	DX	MALIGNANT NEOPLASM OF PARATHYROID GLAND	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.3	DX	MALIGNANT NEOPLASM OF PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.4	DX	MALIGNANT NEOPLASM OF PINEAL GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.5	DX	MALIGNANT NEOPLASM OF CAROTID BODY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.6	DX	MALIGNANT NEOPLASM OF AORTIC BODY AND OTHER PARAGANGLIA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.8	DX	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	194.9	DX	MALIGNANT NEOPLASM OF ENDOCRINE GLAND, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195	DX	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.0	DX	MALIGNANT NEOPLASM OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.1	DX	MALIGNANT NEOPLASM OF THORAX	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.2	DX	MALIGNANT NEOPLASM OF ABDOMEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.3	DX	MALIGNANT NEOPLASM OF PELVIS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.4	DX	MALIGNANT NEOPLASM OF UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.5	DX	MALIGNANT NEOPLASM OF LOWER LIMB	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	195.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.0	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.1	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.2	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.3	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.5	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.6	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.8	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	196.9	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES, SITE UNSPECIFIED	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197	DX	SECONDARY MALIGNANT NEOPLASM OF RESPIRATORY AND DIGESTIVE SYSTEMS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.0	DX	SECONDARY MALIGNANT NEOPLASM OF LUNG	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.1	DX	SECONDARY MALIGNANT NEOPLASM OF MEDIASTINUM	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.2	DX	SECONDARY MALIGNANT NEOPLASM OF PLEURA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.3	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER RESPIRATORY ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.4	DX	SECONDARY MALIGNANT NEOPLASM OF SMALL INTESTINE INCLUDING DUODENUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.5	DX	SECONDARY MALIGNANT NEOPLASM OF LARGE INTESTINE AND RECTUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.6	DX	SECONDARY MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.7	DX	MALIGNANT NEOPLASM OF LIVER, SECONDARY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	197.8	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER DIGESTIVE ORGANS AND SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.0	DX	SECONDARY MALIGNANT NEOPLASM OF KIDNEY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.1	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER URINARY ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.2	DX	SECONDARY MALIGNANT NEOPLASM OF SKIN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.3	DX	SECONDARY MALIGNANT NEOPLASM OF BRAIN AND SPINAL CORD	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.4	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.5	DX	SECONDARY MALIGNANT NEOPLASM OF BONE AND BONE MARROW	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.6	DX	SECONDARY MALIGNANT NEOPLASM OF OVARY	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.7	DX	SECONDARY MALIGNANT NEOPLASM OF ADRENAL GLAND	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.81	DX	SECONDARY MALIGNANT NEOPLASM OF BREAST	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.82	DX	SECONDARY MALIGNANT NEOPLASM OF GENITAL ORGANS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	198.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	199	DX	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	199.0	DX	DISSEMINATED MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	199.1	DX	OTHER MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	199.2	DX	MALIGNANT NEOPLASM ASSOCIATED WITH TRANSPLANT ORGAN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200	DX	LYMPHOSARCOMA AND RETICULOSARCOMA AND OTHER SPECIFIED MALIGNANT TUMORS OF LYMPHATIC TISSUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.00	DX	RETICULOSARCOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.01	DX	RETICULOSARCOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.02	DX	RETICULOSARCOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.03	DX	RETICULOSARCOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.04	DX	RETICULOSARCOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.05	DX	RETICULOSARCOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.06	DX	RETICULOSARCOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.07	DX	RETICULOSARCOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.08	DX	RETICULOSARCOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.10	DX	LYMPHOSARCOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.11	DX	LYMPHOSARCOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.12	DX	LYMPHOSARCOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.13	DX	LYMPHOSARCOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.14	DX	LYMPHOSARCOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.15	DX	LYMPHOSARCOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.16	DX	LYMPHOSARCOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.17	DX	LYMPHOSARCOMA, SPLEEN	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.18	DX	LYMPHOSARCOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.20	DX	BURKITT'S TUMOR OR LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.21	DX	BURKITT'S TUMOR OR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.22	DX	BURKITT'S TUMOR OR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.23	DX	BURKITT'S TUMOR OR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.24	DX	BURKITT'S TUMOR OR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.25	DX	BURKITT'S TUMOR OR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.26	DX	BURKITT'S TUMOR OR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.27	DX	BURKITT'S TUMOR OR LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.28	DX	BURKITT'S TUMOR OR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.30	DX	MARGINAL ZONE LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.31	DX	MARGINAL ZONE LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.32	DX	MARGINAL ZONE LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.33	DX	MARGINAL ZONE LYMPHOMA, INTRAABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.34	DX	MARGINAL ZONE LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.35	DX	MARGINAL ZONE LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.36	DX	MARGINAL ZONE LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.37	DX	MARGINAL ZONE LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.38	DX	MARGINAL ZONE LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.40	DX	MANTLE CELL LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.41	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.42	DX	MANTLE CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.43	DX	MANTLE CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.44	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.45	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.46	DX	MANTLE CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.47	DX	MANTLE CELL LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.48	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.50	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.51	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.52	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.53	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.54	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.55	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.56	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.57	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.58	DX	PRIMARY CENTRAL NERVOUS SYSTEM LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.60	DX	ANAPLASTIC LARGE CELL LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.61	DX	ANAPLASTIC LARGE CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.62	DX	ANAPLASTIC LARGE CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.63	DX	ANAPLASTIC LARGE CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.64	DX	ANAPLASTIC LARGE CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.65	DX	ANAPLASTIC LARGE CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.66	DX	ANAPLASTIC LARGE CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.67	DX	ANAPLASTIC LARGE CELL LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.68	DX	ANAPLASTIC LARGE CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.70	DX	LARGE CELL LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.71	DX	LARGE CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.72	DX	LARGE CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.73	DX	LARGE CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.74	DX	LARGE CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.75	DX	LARGE CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.76	DX	LARGE CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.77	DX	LARGE CELL LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.78	DX	LARGE CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.80	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.81	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.82	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.83	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.84	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.85	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.86	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.87	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, SPLEEN	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	200.88	DX	OTHER NAMED VARIANTS OF LYMPHOSARCOMA AND RETICULOSARCOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201	DX	HODGKIN'S DISEASE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.00	DX	HODGKIN'S PARAGRANULOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.01	DX	HODGKIN'S PARAGRANULOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.02	DX	HODGKIN'S PARAGRANULOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.03	DX	HODGKIN'S PARAGRANULOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.04	DX	HODGKIN'S PARAGRANULOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.05	DX	HODGKIN'S PARAGRANULOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.06	DX	HODGKIN'S PARAGRANULOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.07	DX	HODGKIN'S PARAGRANULOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.08	DX	HODGKIN'S PARAGRANULOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.10	DX	HODGKIN'S GRANULOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.11	DX	HODGKIN'S GRANULOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20112	DX	HODGKIN'S GRANULOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20113	DX	HODGKIN'S GRANULOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20114	DX	HODGKIN'S GRANULOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20115	DX	HODGKIN'S GRANULOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20116	DX	HODGKIN'S GRANULOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20117	DX	HODGKIN'S GRANULOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20118	DX	HODGKIN'S GRANULOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20120	DX	HODGKIN'S SARCOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20121	DX	HODGKIN'S SARCOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20122	DX	HODGKIN'S SARCOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20123	DX	HODGKIN'S SARCOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20124	DX	HODGKIN'S SARCOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	20125	DX	HODGKIN'S SARCOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.26	DX	HODGKIN'S SARCOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.27	DX	HODGKIN'S SARCOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.28	DX	HODGKIN'S SARCOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.40	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.41	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.42	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.43	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.44	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.45	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.46	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.47	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.48	DX	HODGKIN'S DISEASE, LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.50	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.51	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.52	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.53	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.54	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.55	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.56	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.57	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.58	DX	HODGKIN'S DISEASE, NODULAR SCLEROSIS, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.60	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.61	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.62	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.63	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.64	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.65	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.66	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.67	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.68	DX	HODGKIN'S DISEASE, MIXED CELLULARITY, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.70	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.71	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.72	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.73	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.74	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.75	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.76	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.77	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.78	DX	HODGKIN'S DISEASE, LYMPHOCYTIC DEPLETION, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.90	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.91	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.92	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.93	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.94	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.95	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.96	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.97	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	201.98	DX	HODGKIN'S DISEASE, UNSPECIFIED TYPE, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202	DX	OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.00	DX	NODULAR LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.01	DX	NODULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.02	DX	NODULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.03	DX	NODULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.04	DX	NODULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.05	DX	NODULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.06	DX	NODULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.07	DX	NODULAR LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.08	DX	NODULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.10	DX	MYCOSIS FUNGOIDES, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.11	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.12	DX	MYCOSIS FUNGOIDES, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.13	DX	MYCOSIS FUNGOIDES, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.14	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.15	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.16	DX	MYCOSIS FUNGOIDES, INTRAPELVIC LYMPH NODES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.17	DX	MYCOSIS FUNGOIDES, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.18	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.20	DX	SEZARY'S DISEASE, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.21	DX	SEZARY'S DISEASE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.22	DX	SEZARY'S DISEASE, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.23	DX	SEZARY'S DISEASE, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.24	DX	SEZARY'S DISEASE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.25	DX	SEZARY'S DISEASE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.26	DX	SEZARY'S DISEASE, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.27	DX	SEZARY'S DISEASE, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.28	DX	SEZARY'S DISEASE, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.30	DX	MALIGNANT HISTIOCYTOSIS, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.31	DX	MALIGNANT HISTIOCYTOSIS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.32	DX	MALIGNANT HISTIOCYTOSIS, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.33	DX	MALIGNANT HISTIOCYTOSIS, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.34	DX	MALIGNANT HISTIOCYTOSIS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.35	DX	MALIGNANT HISTIOCYTOSIS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.36	DX	MALIGNANT HISTIOCYTOSIS, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.37	DX	MALIGNANT HISTIOCYTOSIS, SPLEEN	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.38	DX	MALIGNANT HISTIOCYTOSIS, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.40	DX	LEUKEMIC RETICULOENDOTHELIOSIS, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.41	DX	LEUKEMIC RETICULOENDOTHELIOSIS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.42	DX	LEUKEMIC RETICULOENDOTHELIOSIS, INTRATHORACIC LYMPH NODES	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.43	DX	LEUKEMIC RETICULOENDOTHELIOSIS, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.44	DX	LEUKEMIC RETICULOENDOTHELIOSIS, LYMPH NODES OF AXILLA AND UPPER ARM	ICD-9-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.45	DX	LEUKEMIC RETICULOENDOTHELIOSIS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.46	DX	LEUKEMIC RETICULOENDOTHELIOSIS, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.47	DX	LEUKEMIC RETICULOENDOTHELIOSIS, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.48	DX	LEUKEMIC RETICULOENDOTHELIOSIS, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.50	DX	LETTERER-SIWE DISEASE, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.51	DX	LETTERER-SIWE DISEASE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.52	DX	LETTERER-SIWE DISEASE, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.53	DX	LETTERER-SIWE DISEASE, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.54	DX	LETTERER-SIWE DISEASE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.55	DX	LETTERER-SIWE DISEASE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.56	DX	LETTERER-SIWE DISEASE, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.57	DX	LETTERER-SIWE DISEASE, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.58	DX	LETTERER-SIWE DISEASE, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.60	DX	MALIGNANT MAST CELL TUMORS, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.61	DX	MALIGNANT MAST CELL TUMORS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.62	DX	MALIGNANT MAST CELL TUMORS, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.63	DX	MALIGNANT MAST CELL TUMORS, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.64	DX	MALIGNANT MAST CELL TUMORS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.65	DX	MALIGNANT MAST CELL TUMORS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.66	DX	MALIGNANT MAST CELL TUMORS, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.67	DX	MALIGNANT MAST CELL TUMORS, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.68	DX	MALIGNANT MAST CELL TUMORS, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.70	DX	PERIPHERAL T CELL LYMPHOMA, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.71	DX	PERIPHERAL T CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.72	DX	PERIPHERAL T CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.73	DX	PERIPHERAL T CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.74	DX	PERIPHERAL T CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.75	DX	PERIPHERAL T CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.76	DX	PERIPHERAL T CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.77	DX	PERIPHERAL T CELL LYMPHOMA, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.78	DX	PERIPHERAL T CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.80	DX	OTHER MALIGNANT LYMPHOMAS, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.81	DX	OTHER MALIGNANT LYMPHOMAS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.82	DX	OTHER MALIGNANT LYMPHOMAS, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.83	DX	OTHER MALIGNANT LYMPHOMAS, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.84	DX	OTHER MALIGNANT LYMPHOMAS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.85	DX	OTHER MALIGNANT LYMPHOMAS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.86	DX	OTHER MALIGNANT LYMPHOMAS, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.87	DX	OTHER MALIGNANT LYMPHOMAS, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.88	DX	OTHER MALIGNANT LYMPHOMAS, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.90	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, UNSPECIFIED SITE, EXTRANODAL AND SOLID ORGAN SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.91	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.92	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, INTRATHORACIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.93	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, INTRA-ABDOMINAL LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.94	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.95	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.96	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, INTRAPELVIC LYMPH NODES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.97	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, SPLEEN	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	202.98	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE, LYMPH NODES OF MULTIPLE SITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203	DX	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.00	DX	MULTIPLE MYELOMA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.01	DX	MULTIPLE MYELOMA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.02	DX	MULTIPLE MYELOMA, IN RELAPSE	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.10	DX	PLASMA CELL LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.11	DX	PLASMA CELL LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.12	DX	PLASMA CELL LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.80	DX	OTHER IMMUNOPROLIFERATIVE NEOPLASMS, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.81	DX	OTHER IMMUNOPROLIFERATIVE NEOPLASMS, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	203.82	DX	OTHER IMMUNOPROLIFERATIVE NEOPLASMS, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204	DX	LYMPHOID LEUKEMIA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204.00	DX	ACUTE LYMPHOID LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204.01	DX	ACUTE LYMPHOID LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204.02	DX	ACUTE LYMPHOID LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204.10	DX	CHRONIC LYMPHOID LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204.11	DX	CHRONIC LYMPHOID LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	204.12	DX	CHRONIC LYMPHOID LEUKEMIA, IN RELAPSE	ICD-9-CM

[illegible]

[illegible]

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	205.91	DX	UNSPECIFIED MYELOID LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	205.92	DX	UNSPECIFIED MYELOID LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206	DX	MONOCYTIC LEUKEMIA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.00	DX	ACUTE MONOCYTIC LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.01	DX	ACUTE MONOCYTIC LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.02	DX	ACUTE MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.10	DX	CHRONIC MONOCYTIC LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.11	DX	CHRONIC MONOCYTIC LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.12	DX	CHRONIC MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.20	DX	SUBACUTE MONOCYTIC LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.21	DX	SUBACUTE MONOCYTIC LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.22	DX	SUBACUTE MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.80	DX	OTHER MONOCYTIC LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.81	DX	OTHER MONOCYTIC LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.82	DX	OTHER MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.90	DX	UNSPECIFIED MONOCYTIC LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.91	DX	UNSPECIFIED MONOCYTIC LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	206.92	DX	UNSPECIFIED MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207	DX	OTHER SPECIFIED LEUKEMIA	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.00	DX	ACUTE ERYTHREMIA AND ERYTHROLEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.01	DX	ACUTE ERYTHREMIA AND ERYTHROLEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.02	DX	ACUTE ERYTHREMIA AND ERYTHROLEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.10	DX	CHRONIC ERYTHREMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.11	DX	CHRONIC ERYTHREMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.12	DX	CHRONIC ERYTHREMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.20	DX	MEGAKARYOCYTIC LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.21	DX	MEGAKARYOCYTIC LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.22	DX	MEGAKARYOCYTIC LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.80	DX	OTHER SPECIFIED LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.81	DX	OTHER SPECIFIED LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	207.82	DX	OTHER SPECIFIED LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208	DX	LEUKEMIA OF UNSPECIFIED CELL TYPE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.00	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.01	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.02	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.10	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.11	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.12	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.20	DX	SUBACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.21	DX	SUBACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.22	DX	SUBACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.80	DX	OTHER LEUKEMIA OF UNSPECIFIED CELL TYPE, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.81	DX	OTHER LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.82	DX	OTHER LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.90	DX	UNSPECIFIED LEUKEMIA, WITHOUT MENTION OF HAVING ACHIEVED REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.91	DX	UNSPECIFIED LEUKEMIA, IN REMISSION	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	208.92	DX	UNSPECIFIED LEUKEMIA, IN RELAPSE	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.0	DX	MALIGNANT NEOPLASM OF EXTERNAL UPPER LIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.1	DX	MALIGNANT NEOPLASM OF EXTERNAL LOWER LIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.2	DX	MALIGNANT NEOPLASM OF EXTERNAL LIP, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.3	DX	MALIGNANT NEOPLASM OF UPPER LIP, INNER ASPECT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.4	DX	MALIGNANT NEOPLASM OF LOWER LIP, INNER ASPECT	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.5	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED, INNER ASPECT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.6	DX	MALIGNANT NEOPLASM OF COMMISSURE OF LIP, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C00.9	DX	MALIGNANT NEOPLASM OF LIP, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C01	DX	MALIGNANT NEOPLASM OF BASE OF TONGUE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.0	DX	MALIGNANT NEOPLASM OF DORSAL SURFACE OF TONGUE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.1	DX	MALIGNANT NEOPLASM OF BORDER OF TONGUE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.2	DX	MALIGNANT NEOPLASM OF VENTRAL SURFACE OF TONGUE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.3	DX	MALIGNANT NEOPLASM OF ANTERIOR TWO-THIRDS OF TONGUE, PART UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.4	DX	MALIGNANT NEOPLASM OF LINGUAL TONSIL	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONGUE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C02.9	DX	MALIGNANT NEOPLASM OF TONGUE, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C03.0	DX	MALIGNANT NEOPLASM OF UPPER GUM	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C03.1	DX	MALIGNANT NEOPLASM OF LOWER GUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C03.9	DX	MALIGNANT NEOPLASM OF GUM, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.0	DX	MALIGNANT NEOPLASM OF ANTERIOR FLOOR OF MOUTH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.1	DX	MALIGNANT NEOPLASM OF LATERAL FLOOR OF MOUTH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF FLOOR OF MOUTH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C04.9	DX	MALIGNANT NEOPLASM OF FLOOR OF MOUTH, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.0	DX	MALIGNANT NEOPLASM OF HARD PALATE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.1	DX	MALIGNANT NEOPLASM OF SOFT PALATE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.2	DX	MALIGNANT NEOPLASM OF UVULA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PALATE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C05.9	DX	MALIGNANT NEOPLASM OF PALATE, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.0	DX	MALIGNANT NEOPLASM OF CHEEK MUCOSA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.1	DX	MALIGNANT NEOPLASM OF VESTIBULE OF MOUTH	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.2	DX	MALIGNANT NEOPLASM OF RETROMOLAR AREA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED PARTS OF MOUTH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.89	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF OTHER PARTS OF MOUTH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C06.9	DX	MALIGNANT NEOPLASM OF MOUTH, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C07	DX	MALIGNANT NEOPLASM OF PAROTID GLAND	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C08.0	DX	MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C08.1	DX	MALIGNANT NEOPLASM OF SUBLINGUAL GLAND	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C08.9	DX	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLAND, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.0	DX	MALIGNANT NEOPLASM OF TONSILLAR FOSSA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.1	DX	MALIGNANT NEOPLASM OF TONSILLAR PILLAR (ANTERIOR) (POSTERIOR)	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONSIL	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C09.9	DX	MALIGNANT NEOPLASM OF TONSIL, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.0	DX	MALIGNANT NEOPLASM OF VALLECULA	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.1	DX	MALIGNANT NEOPLASM OF ANTERIOR SURFACE OF EPIGLOTTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF OROPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.3	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF OROPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.4	DX	MALIGNANT NEOPLASM OF BRANCHIAL CLEFT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF OROPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C10.9	DX	MALIGNANT NEOPLASM OF OROPHARYNX, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.0	DX	MALIGNANT NEOPLASM OF SUPERIOR WALL OF NASOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.1	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF NASOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF NASOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF NASOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF NASOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C11.9	DX	MALIGNANT NEOPLASM OF NASOPHARYNX, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C12	DX	MALIGNANT NEOPLASM OF PYRIFORM SINUS	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.0	DX	MALIGNANT NEOPLASM OF POSTCRICOID REGION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.1	DX	MALIGNANT NEOPLASM OF ARYEPIGLOTTIC FOLD, HYPOPHARYNGEAL ASPECT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.2	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF HYPOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF HYPOPHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C13.9	DX	MALIGNANT NEOPLASM OF HYPOPHARYNX, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C14.0	DX	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C14.2	DX	MALIGNANT NEOPLASM OF WALDEYER'S RING	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C14.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LIP, ORAL CAVITY AND PHARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.3	DX	MALIGNANT NEOPLASM OF UPPER THIRD OF ESOPHAGUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.4	DX	MALIGNANT NEOPLASM OF MIDDLE THIRD OF ESOPHAGUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.5	DX	MALIGNANT NEOPLASM OF LOWER THIRD OF ESOPHAGUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF ESOPHAGUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C15.9	DX	MALIGNANT NEOPLASM OF ESOPHAGUS, UNSPECIFIED	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.0	DX	MALIGNANT NEOPLASM OF CARDIA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.1	DX	MALIGNANT NEOPLASM OF FUNDUS OF STOMACH	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.2	DX	MALIGNANT NEOPLASM OF BODY OF STOMACH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.3	DX	MALIGNANT NEOPLASM OF PYLORIC ANTRUM	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.4	DX	MALIGNANT NEOPLASM OF PYLORUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.5	DX	MALIGNANT NEOPLASM OF LESSER CURVATURE OF STOMACH, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.6	DX	MALIGNANT NEOPLASM OF GREATER CURVATURE OF STOMACH, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF STOMACH	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C16.9	DX	MALIGNANT NEOPLASM OF STOMACH, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.0	DX	MALIGNANT NEOPLASM OF DUODENUM	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.1	DX	MALIGNANT NEOPLASM OF JEJUNUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.2	DX	MALIGNANT NEOPLASM OF ILEUM	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.3	DX	MECKEL'S DIVERTICULUM, MALIGNANT	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF SMALL INTESTINE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C17.9	DX	MALIGNANT NEOPLASM OF SMALL INTESTINE, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.0	DX	MALIGNANT NEOPLASM OF CECUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.1	DX	MALIGNANT NEOPLASM OF APPENDIX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.2	DX	MALIGNANT NEOPLASM OF ASCENDING COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.3	DX	MALIGNANT NEOPLASM OF HEPATIC FLEXURE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.4	DX	MALIGNANT NEOPLASM OF TRANSVERSE COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.5	DX	MALIGNANT NEOPLASM OF SPLENIC FLEXURE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.6	DX	MALIGNANT NEOPLASM OF DESCENDING COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.7	DX	MALIGNANT NEOPLASM OF SIGMOID COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C18.9	DX	MALIGNANT NEOPLASM OF COLON, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C19	DX	MALIGNANT NEOPLASM OF RECTOSIGMOID JUNCTION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C20	DX	MALIGNANT NEOPLASM OF RECTUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.0	DX	MALIGNANT NEOPLASM OF ANUS, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.1	DX	MALIGNANT NEOPLASM OF ANAL CANAL	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.2	DX	MALIGNANT NEOPLASM OF CLOACOGENIC ZONE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C21.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RECTUM, ANUS AND ANAL CANAL	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.0	DX	LIVER CELL CARCINOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.1	DX	INTRAHEPATIC BILE DUCT CARCINOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.2	DX	HEPATOBLASTOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.3	DX	ANGIOSARCOMA OF LIVER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.4	DX	OTHER SARCOMAS OF LIVER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.7	DX	OTHER SPECIFIED CARCINOMAS OF LIVER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.8	DX	MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED AS TO TYPE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C22.9	DX	MALIGNANT NEOPLASM OF LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C23	DX	MALIGNANT NEOPLASM OF GALLBLADDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.0	DX	MALIGNANT NEOPLASM OF EXTRAHEPATIC BILE DUCT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.1	DX	MALIGNANT NEOPLASM OF AMPULLA OF VATER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BILIARY TRACT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C24.9	DX	MALIGNANT NEOPLASM OF BILIARY TRACT, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.0	DX	MALIGNANT NEOPLASM OF HEAD OF PANCREAS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.1	DX	MALIGNANT NEOPLASM OF BODY OF PANCREAS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.2	DX	MALIGNANT NEOPLASM OF TAIL OF PANCREAS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.3	DX	MALIGNANT NEOPLASM OF PANCREATIC DUCT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.4	DX	MALIGNANT NEOPLASM OF ENDOCRINE PANCREAS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.7	DX	MALIGNANT NEOPLASM OF OTHER PARTS OF PANCREAS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PANCREAS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C25.9	DX	MALIGNANT NEOPLASM OF PANCREAS, UNSPECIFIED	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C26.0	DX	MALIGNANT NEOPLASM OF INTESTINAL TRACT, PART UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C26.1	DX	MALIGNANT NEOPLASM OF SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C26.9	DX	MALIGNANT NEOPLASM OF ILL-DEFINED SITES WITHIN THE DIGESTIVE SYSTEM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C30.0	DX	MALIGNANT NEOPLASM OF NASAL CAVITY	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C30.1	DX	MALIGNANT NEOPLASM OF MIDDLE EAR	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.0	DX	MALIGNANT NEOPLASM OF MAXILLARY SINUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.1	DX	MALIGNANT NEOPLASM OF ETHMOIDAL SINUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.2	DX	MALIGNANT NEOPLASM OF FRONTAL SINUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.3	DX	MALIGNANT NEOPLASM OF SPHENOID SINUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF ACCESSORY SINUSES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C31.9	DX	MALIGNANT NEOPLASM OF ACCESSORY SINUS, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.0	DX	MALIGNANT NEOPLASM OF GLOTTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.1	DX	MALIGNANT NEOPLASM OF SUPRAGLOTTIS	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.2	DX	MALIGNANT NEOPLASM OF SUBGLOTTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.3	DX	MALIGNANT NEOPLASM OF LARYNGEAL CARTILAGE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LARYNX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C32.9	DX	MALIGNANT NEOPLASM OF LARYNX, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C33	DX	MALIGNANT NEOPLASM OF TRACHEA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED MAIN BRONCHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.01	DX	MALIGNANT NEOPLASM OF RIGHT MAIN BRONCHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.02	DX	MALIGNANT NEOPLASM OF LEFT MAIN BRONCHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.10	DX	MALIGNANT NEOPLASM OF UPPER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.12	DX	MALIGNANT NEOPLASM OF UPPER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.2	DX	MALIGNANT NEOPLASM OF MIDDLE LOBE, BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.30	DX	MALIGNANT NEOPLASM OF LOWER LOBE, UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.31	DX	MALIGNANT NEOPLASM OF LOWER LOBE, RIGHT BRONCHUS OR LUNG	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.32	DX	MALIGNANT NEOPLASM OF LOWER LOBE, LEFT BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED BRONCHUS AND LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT BRONCHUS AND LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT BRONCHUS AND LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C34.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT BRONCHUS OR LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C37	DX	MALIGNANT NEOPLASM OF THYMUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.0	DX	MALIGNANT NEOPLASM OF HEART	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.1	DX	MALIGNANT NEOPLASM OF ANTERIOR MEDIASTINUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.2	DX	MALIGNANT NEOPLASM OF POSTERIOR MEDIASTINUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.3	DX	MALIGNANT NEOPLASM OF MEDIASTINUM, PART UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.4	DX	MALIGNANT NEOPLASM OF PLEURA	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C38.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF HEART, MEDIASTINUM AND PLEURA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C39.0	DX	MALIGNANT NEOPLASM OF UPPER RESPIRATORY TRACT, PART UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C39.9	DX	MALIGNANT NEOPLASM OF LOWER RESPIRATORY TRACT, PART UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.00	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF UNSPECIFIED UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.01	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF RIGHT UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.02	DX	MALIGNANT NEOPLASM OF SCAPULA AND LONG BONES OF LEFT UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.10	DX	MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.11	DX	MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.12	DX	MALIGNANT NEOPLASM OF SHORT BONES OF LEFT UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.20	DX	MALIGNANT NEOPLASM OF LONG BONES OF UNSPECIFIED LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.21	DX	MALIGNANT NEOPLASM OF LONG BONES OF RIGHT LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.22	DX	MALIGNANT NEOPLASM OF LONG BONES OF LEFT LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.30	DX	MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED LOWER LIMB	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.31	DX	MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.32	DX	MALIGNANT NEOPLASM OF SHORT BONES OF LEFT LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.80	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.81	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF RIGHT LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.82	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF LEFT LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.91	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF RIGHT LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C40.92	DX	MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF LEFT LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.0	DX	MALIGNANT NEOPLASM OF BONES OF SKULL AND FACE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.1	DX	MALIGNANT NEOPLASM OF MANDIBLE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.2	DX	MALIGNANT NEOPLASM OF VERTEBRAL COLUMN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.3	DX	MALIGNANT NEOPLASM OF RIBS, STERNUM AND CLAVICLE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.4	DX	MALIGNANT NEOPLASM OF PELVIC BONES, SACRUM AND COCCYX	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C41.9	DX	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.0	DX	MALIGNANT MELANOMA OF LIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.10	DX	MALIGNANT MELANOMA OF UNSPECIFIED EYELID, INCLUDING CANTHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.111	DX	MALIGNANT MELANOMA OF RIGHT UPPER EYELID, INCLUDING CANTHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.112	DX	MALIGNANT MELANOMA OF RIGHT LOWER EYELID, INCLUDING CANTHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.12	DX	MALIGNANT MELANOMA OF LEFT EYELID, INCLUDING CANTHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.121	DX	MALIGNANT MELANOMA OF LEFT UPPER EYELID, INCLUDING CANTHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.122	DX	MALIGNANT MELANOMA OF LEFT LOWER EYELID, INCLUDING CANTHUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.20	DX	MALIGNANT MELANOMA OF UNSPECIFIED EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.21	DX	MALIGNANT MELANOMA OF RIGHT EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.22	DX	MALIGNANT MELANOMA OF LEFT EAR AND EXTERNAL AURICULAR CANAL	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.30	DX	MALIGNANT MELANOMA OF UNSPECIFIED PART OF FACE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.31	DX	MALIGNANT MELANOMA OF NOSE	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.39	DX	MALIGNANT MELANOMA OF OTHER PARTS OF FACE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.4	DX	MALIGNANT MELANOMA OF SCALP AND NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.51	DX	MALIGNANT MELANOMA OF ANAL SKIN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.52	DX	MALIGNANT MELANOMA OF SKIN OF BREAST	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.59	DX	MALIGNANT MELANOMA OF OTHER PART OF TRUNK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.60	DX	MALIGNANT MELANOMA OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.61	DX	MALIGNANT MELANOMA OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.62	DX	MALIGNANT MELANOMA OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.70	DX	MALIGNANT MELANOMA OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.71	DX	MALIGNANT MELANOMA OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.72	DX	MALIGNANT MELANOMA OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.8	DX	MALIGNANT MELANOMA OF OVERLAPPING SITES OF SKIN	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C43.9	DX	MALIGNANT MELANOMA OF SKIN, UNSPECIFIED	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.0	DX	MESOTHELIOMA OF PLEURA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.1	DX	MESOTHELIOMA OF PERITONEUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.2	DX	MESOTHELIOMA OF PERICARDIUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.7	DX	MESOTHELIOMA OF OTHER SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C45.9	DX	MESOTHELIOMA, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.0	DX	KAPOS'I'S SARCOMA OF SKIN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.1	DX	KAPOS'I'S SARCOMA OF SOFT TISSUE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.2	DX	KAPOS'I'S SARCOMA OF PALATE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.3	DX	KAPOS'I'S SARCOMA OF LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.4	DX	KAPOS'I'S SARCOMA OF GASTROINTESTINAL SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.50	DX	KAPOS'I'S SARCOMA OF UNSPECIFIED LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.51	DX	KAPOS'I'S SARCOMA OF RIGHT LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.52	DX	KAPOS'I'S SARCOMA OF LEFT LUNG	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.7	DX	KAPOSI'S SARCOMA OF OTHER SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C46.9	DX	KAPOSI'S SARCOMA, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.0	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF HEAD, FACE AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.10	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.11	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.12	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.20	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.21	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.22	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.3	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF THORAX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.4	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF ABDOMEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.5	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.6	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF TRUNK, UNSPECIFIED	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C47.9	DX	MALIGNANT NEOPLASM OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.0	DX	MALIGNANT NEOPLASM OF RETROPERITONEUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.1	DX	MALIGNANT NEOPLASM OF SPECIFIED PARTS OF PERITONEUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.2	DX	MALIGNANT NEOPLASM OF PERITONEUM, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C48.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RETROPERITONEUM AND PERITONEUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.0	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF HEAD, FACE AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.10	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF UNSPECIFIED UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.11	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF RIGHT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.12	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF LEFT UPPER LIMB, INCLUDING SHOULDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.20	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF UNSPECIFIED LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.21	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF RIGHT LOWER LIMB, INCLUDING HIP	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.22	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF LEFT LOWER LIMB, INCLUDING HIP	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.3	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF THORAX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.4	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF ABDOMEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.5	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.6	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF TRUNK, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CONNECTIVE AND SOFT TISSUE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.9	DX	MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A0	DX	GASTROINTESTINAL STROMAL TUMOR, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A1	DX	GASTROINTESTINAL STROMAL TUMOR OF ESOPHAGUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A2	DX	GASTROINTESTINAL STROMAL TUMOR OF STOMACH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A3	DX	GASTROINTESTINAL STROMAL TUMOR OF SMALL INTESTINE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A4	DX	GASTROINTESTINAL STROMAL TUMOR OF LARGE INTESTINE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A5	DX	GASTROINTESTINAL STROMAL TUMOR OF RECTUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C49.A9	DX	GASTROINTESTINAL STROMAL TUMOR OF OTHER SITES	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.0	DX	MALIGNANT NEOPLASM OF ENDOCERVIX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.1	DX	MALIGNANT NEOPLASM OF EXOCERVIX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CERVIX UTERI	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C53.9	DX	MALIGNANT NEOPLASM OF CERVIX UTERI, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.0	DX	MALIGNANT NEOPLASM OF ISTHMUS UTERI	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.1	DX	MALIGNANT NEOPLASM OF ENDOMETRIUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.2	DX	MALIGNANT NEOPLASM OF MYOMETRIUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.3	DX	MALIGNANT NEOPLASM OF FUNDUS UTERI	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CORPUS UTERI	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C54.9	DX	MALIGNANT NEOPLASM OF CORPUS UTERI, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C55	DX	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C56.1	DX	MALIGNANT NEOPLASM OF RIGHT OVARY	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C56.2	DX	MALIGNANT NEOPLASM OF LEFT OVARY	ICD-10-CM

[illegible]

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF FEMALE GENITAL ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C57.9	DX	MALIGNANT NEOPLASM OF FEMALE GENITAL ORGAN, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C58	DX	MALIGNANT NEOPLASM OF PLACENTA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.0	DX	MALIGNANT NEOPLASM OF PREPUCE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.1	DX	MALIGNANT NEOPLASM OF GLANS PENIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.2	DX	MALIGNANT NEOPLASM OF BODY OF PENIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PENIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C60.9	DX	MALIGNANT NEOPLASM OF PENIS, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C61	DX	MALIGNANT NEOPLASM OF PROSTATE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED UNDESCENDED TESTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.01	DX	MALIGNANT NEOPLASM OF UNDESCENDED RIGHT TESTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.02	DX	MALIGNANT NEOPLASM OF UNDESCENDED LEFT TESTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED DESCENDED TESTIS	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.11	DX	MALIGNANT NEOPLASM OF DESCENDED RIGHT TESTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.12	DX	MALIGNANT NEOPLASM OF DESCENDED LEFT TESTIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.90	DX	MALIGNANT NEOPLASM OF UNSPECIFIED TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.91	DX	MALIGNANT NEOPLASM OF RIGHT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C62.92	DX	MALIGNANT NEOPLASM OF LEFT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED EPIDIDYMIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.01	DX	MALIGNANT NEOPLASM OF RIGHT EPIDIDYMIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.02	DX	MALIGNANT NEOPLASM OF LEFT EPIDIDYMIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.10	DX	MALIGNANT NEOPLASM OF UNSPECIFIED SPERMATIC CORD	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.11	DX	MALIGNANT NEOPLASM OF RIGHT SPERMATIC CORD	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.12	DX	MALIGNANT NEOPLASM OF LEFT SPERMATIC CORD	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.2	DX	MALIGNANT NEOPLASM OF SCROTUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.7	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED MALE GENITAL ORGANS	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF MALE GENITAL ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C63.9	DX	MALIGNANT NEOPLASM OF MALE GENITAL ORGAN, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C64.1	DX	MALIGNANT NEOPLASM OF RIGHT KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C64.2	DX	MALIGNANT NEOPLASM OF LEFT KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C64.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY, EXCEPT RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C65.1	DX	MALIGNANT NEOPLASM OF RIGHT RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C65.2	DX	MALIGNANT NEOPLASM OF LEFT RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C65.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C66.1	DX	MALIGNANT NEOPLASM OF RIGHT URETER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C66.2	DX	MALIGNANT NEOPLASM OF LEFT URETER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C66.9	DX	MALIGNANT NEOPLASM OF UNSPECIFIED URETER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.0	DX	MALIGNANT NEOPLASM OF TRIGONE OF BLADDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.1	DX	MALIGNANT NEOPLASM OF DOME OF BLADDER	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.2	DX	MALIGNANT NEOPLASM OF LATERAL WALL OF BLADDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.3	DX	MALIGNANT NEOPLASM OF ANTERIOR WALL OF BLADDER	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.4	DX	MALIGNANT NEOPLASM OF POSTERIOR WALL OF BLADDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.5	DX	MALIGNANT NEOPLASM OF BLADDER NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.6	DX	MALIGNANT NEOPLASM OF URETERIC ORIFICE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.7	DX	MALIGNANT NEOPLASM OF URACHUS	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BLADDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C67.9	DX	MALIGNANT NEOPLASM OF BLADDER, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.0	DX	MALIGNANT NEOPLASM OF URETHRA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.1	DX	MALIGNANT NEOPLASM OF PARAURETHRAL GLANDS	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF URINARY ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C68.9	DX	MALIGNANT NEOPLASM OF URINARY ORGAN, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C69.00	DX	MALIGNANT NEOPLASM OF UNSPECIFIED CONJUNCTIVA	ICD-10-CM

[illegible]

[illegible]

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C70.0	DX	MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C70.1	DX	MALIGNANT NEOPLASM OF SPINAL MENINGES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C70.9	DX	MALIGNANT NEOPLASM OF MENINGES, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.0	DX	MALIGNANT NEOPLASM OF CEREBRUM, EXCEPT LOBES AND VENTRICLES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.1	DX	MALIGNANT NEOPLASM OF FRONTAL LOBE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.2	DX	MALIGNANT NEOPLASM OF TEMPORAL LOBE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.3	DX	MALIGNANT NEOPLASM OF PARIETAL LOBE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.4	DX	MALIGNANT NEOPLASM OF OCCIPITAL LOBE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.5	DX	MALIGNANT NEOPLASM OF CEREBRAL VENTRICLE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.6	DX	MALIGNANT NEOPLASM OF CEREBELLUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.7	DX	MALIGNANT NEOPLASM OF BRAIN STEM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.8	DX	MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BRAIN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C71.9	DX	MALIGNANT NEOPLASM OF BRAIN, UNSPECIFIED	ICD-10-CM

[illegible]

[illegible]

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.2	DX	MALIGNANT NEOPLASM OF CRANIOPHARYNGEAL DUCT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.3	DX	MALIGNANT NEOPLASM OF PINEAL GLAND	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.4	DX	MALIGNANT NEOPLASM OF CAROTID BODY	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.5	DX	MALIGNANT NEOPLASM OF AORTIC BODY AND OTHER PARAGANGLIA	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.8	DX	MALIGNANT NEOPLASM WITH PLURIGLANDULAR INVOLVEMENT, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C75.9	DX	MALIGNANT NEOPLASM OF ENDOCRINE GLAND, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.0	DX	MALIGNANT NEOPLASM OF HEAD, FACE AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.1	DX	MALIGNANT NEOPLASM OF THORAX	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.2	DX	MALIGNANT NEOPLASM OF ABDOMEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.3	DX	MALIGNANT NEOPLASM OF PELVIS	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.4	DX	MALIGNANT NEOPLASM OF UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.40	DX	MALIGNANT NEOPLASM OF UNSPECIFIED UPPER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.41	DX	MALIGNANT NEOPLASM OF RIGHT UPPER LIMB	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.42	DX	MALIGNANT NEOPLASM OF LEFT UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.50	DX	MALIGNANT NEOPLASM OF UNSPECIFIED LOWER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.51	DX	MALIGNANT NEOPLASM OF RIGHT LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.52	DX	MALIGNANT NEOPLASM OF LEFT LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C76.8	DX	MALIGNANT NEOPLASM OF OTHER SPECIFIED ILL-DEFINED SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.0	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF HEAD, FACE AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.1	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.2	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.3	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF AXILLA AND UPPER LIMB LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.4	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INGUINAL AND LOWER LIMB LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.5	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.8	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES OF MULTIPLE REGIONS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C77.9	DX	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODE, UNSPECIFIED	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.00	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.01	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.02	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.1	DX	SECONDARY MALIGNANT NEOPLASM OF MEDIASTINUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.2	DX	SECONDARY MALIGNANT NEOPLASM OF PLEURA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.30	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED RESPIRATORY ORGAN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.39	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER RESPIRATORY ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.4	DX	SECONDARY MALIGNANT NEOPLASM OF SMALL INTESTINE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.5	DX	SECONDARY MALIGNANT NEOPLASM OF LARGE INTESTINE AND RECTUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.6	DX	SECONDARY MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.7	DX	SECONDARY MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCT	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.8	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED DIGESTIVE ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.80	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGAN	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C78.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER DIGESTIVE ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.00	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY AND RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.01	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT KIDNEY AND RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.02	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT KIDNEY AND RENAL PELVIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.10	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED URINARY ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.11	DX	SECONDARY MALIGNANT NEOPLASM OF BLADDER	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.19	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER URINARY ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.2	DX	SECONDARY MALIGNANT NEOPLASM OF SKIN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.31	DX	SECONDARY MALIGNANT NEOPLASM OF BRAIN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.32	DX	SECONDARY MALIGNANT NEOPLASM OF CEREBRAL MENINGES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.40	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED PART OF NERVOUS SYSTEM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.49	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.51	DX	SECONDARY MALIGNANT NEOPLASM OF BONE	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.52	DX	SECONDARY MALIGNANT NEOPLASM OF BONE MARROW	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.60	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED OVARY	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.61	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT OVARY	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.62	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT OVARY	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.70	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED ADRENAL GLAND	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.71	DX	SECONDARY MALIGNANT NEOPLASM OF RIGHT ADRENAL GLAND	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.72	DX	SECONDARY MALIGNANT NEOPLASM OF LEFT ADRENAL GLAND	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.81	DX	SECONDARY MALIGNANT NEOPLASM OF BREAST	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.82	DX	SECONDARY MALIGNANT NEOPLASM OF GENITAL ORGANS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.89	DX	SECONDARY MALIGNANT NEOPLASM OF OTHER SPECIFIED SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C79.9	DX	SECONDARY MALIGNANT NEOPLASM OF UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.0	DX	MALIGNANT CARCINOID TUMORS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.00	DX	MALIGNANT CARCINOID TUMOR OF UNSPECIFIED SITE	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.01	DX	MALIGNANT CARCINOID TUMORS OF THE SMALL INTESTINE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.010	DX	MALIGNANT CARCINOID TUMOR OF THE DUODENUM	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.011	DX	MALIGNANT CARCINOID TUMOR OF THE JEJUNUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.012	DX	MALIGNANT CARCINOID TUMOR OF THE ILEUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.019	DX	MALIGNANT CARCINOID TUMOR OF THE SMALL INTESTINE, UNSPECIFIED PORTION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.02	DX	MALIGNANT CARCINOID TUMORS OF THE APPENDIX, LARGE INTESTINE, AND RECTUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.020	DX	MALIGNANT CARCINOID TUMOR OF THE APPENDIX	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.021	DX	MALIGNANT CARCINOID TUMOR OF THE CECUM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.022	DX	MALIGNANT CARCINOID TUMOR OF THE ASCENDING COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.023	DX	MALIGNANT CARCINOID TUMOR OF THE TRANSVERSE COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.024	DX	MALIGNANT CARCINOID TUMOR OF THE DESCENDING COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.025	DX	MALIGNANT CARCINOID TUMOR OF THE SIGMOID COLON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.026	DX	MALIGNANT CARCINOID TUMOR OF THE RECTUM	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.029	DX	MALIGNANT CARCINOID TUMOR OF THE LARGE INTESTINE, UNSPECIFIED PORTION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.09	DX	MALIGNANT CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.090	DX	MALIGNANT CARCINOID TUMOR OF THE BRONCHUS AND LUNG	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.091	DX	MALIGNANT CARCINOID TUMOR OF THE THYMUS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.092	DX	MALIGNANT CARCINOID TUMOR OF THE STOMACH	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.093	DX	MALIGNANT CARCINOID TUMOR OF THE KIDNEY	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.094	DX	MALIGNANT CARCINOID TUMOR OF THE FOREGUT, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.095	DX	MALIGNANT CARCINOID TUMOR OF THE MIDGUT, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.096	DX	MALIGNANT CARCINOID TUMOR OF THE HINDGUT, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.098	DX	MALIGNANT CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.1	DX	MALIGNANT POORLY DIFFERENTIATED NEUROENDOCRINE TUMORS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7A.8	DX	OTHER MALIGNANT NEUROENDOCRINE TUMORS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B	DX	SECONDARY NEUROENDOCRINE TUMORS	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.0	DX	SECONDARY CARCINOID TUMORS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.00	DX	SECONDARY CARCINOID TUMORS, UNSPECIFIED SITE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.01	DX	SECONDARY CARCINOID TUMORS OF DISTANT LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.02	DX	SECONDARY CARCINOID TUMORS OF LIVER	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.03	DX	SECONDARY CARCINOID TUMORS OF BONE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.04	DX	SECONDARY CARCINOID TUMORS OF PERITONEUM	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.09	DX	SECONDARY CARCINOID TUMORS OF OTHER SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.1	DX	SECONDARY MERKEL CELL CARCINOMA	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C7B.8	DX	OTHER SECONDARY NEUROENDOCRINE TUMORS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C80.0	DX	DISSEMINATED MALIGNANT NEOPLASM, UNSPECIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C80.1	DX	MALIGNANT (PRIMARY) NEOPLASM, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C80.2	DX	MALIGNANT NEOPLASM ASSOCIATED WITH TRANSPLANTED ORGAN	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.00	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.01	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.02	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.03	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.04	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.05	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.06	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.07	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.08	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.09	DX	NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.10	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.11	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.12	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.13	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.14	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.15	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.16	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.17	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.18	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.19	DX	NODULAR SCLEROSIS HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.20	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.21	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.22	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.23	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.24	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.25	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.26	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.27	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.28	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.29	DX	MIXED CELLULARITY HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.30	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.31	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.32	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.33	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.34	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.35	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.36	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.37	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.38	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.39	DX	LYMPHOCYTE DEPLETED HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.40	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.41	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.42	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.43	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.44	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.45	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.46	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.47	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.48	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.49	DX	LYMPHOCYTE-RICH HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.70	DX	OTHER HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.71	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.72	DX	OTHER HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.73	DX	OTHER HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.74	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.75	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.76	DX	OTHER HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.77	DX	OTHER HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.78	DX	OTHER HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.79	DX	OTHER HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.90	DX	HODGKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.91	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.92	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.93	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.94	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.95	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.96	DX	HODGKIN LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.97	DX	HODGKIN LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.98	DX	HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C81.99	DX	HODGKIN LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.00	DX	FOLLICULAR LYMPHOMA GRADE I, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.01	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.02	DX	FOLLICULAR LYMPHOMA GRADE I, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.03	DX	FOLLICULAR LYMPHOMA GRADE I, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.04	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.05	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.06	DX	FOLLICULAR LYMPHOMA GRADE I, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.07	DX	FOLLICULAR LYMPHOMA GRADE I, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.08	DX	FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.09	DX	FOLLICULAR LYMPHOMA GRADE I, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.10	DX	FOLLICULAR LYMPHOMA GRADE II, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.11	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.12	DX	FOLLICULAR LYMPHOMA GRADE II, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.13	DX	FOLLICULAR LYMPHOMA GRADE II, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.14	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.15	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.16	DX	FOLLICULAR LYMPHOMA GRADE II, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.17	DX	FOLLICULAR LYMPHOMA GRADE II, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.18	DX	FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.19	DX	FOLLICULAR LYMPHOMA GRADE II, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.20	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.21	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.22	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.23	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.24	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.25	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.26	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.27	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.28	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.29	DX	FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.30	DX	FOLLICULAR LYMPHOMA GRADE IIIA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.31	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.32	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.33	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.34	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.35	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.36	DX	FOLLICULAR LYMPHOMA GRADE IIIA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.37	DX	FOLLICULAR LYMPHOMA GRADE IIIA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.38	DX	FOLLICULAR LYMPHOMA GRADE IIIA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.39	DX	FOLLICULAR LYMPHOMA GRADE IIIA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.40	DX	FOLLICULAR LYMPHOMA GRADE IIIB, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.41	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.42	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.43	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.44	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.45	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.46	DX	FOLLICULAR LYMPHOMA GRADE IIIB, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.47	DX	FOLLICULAR LYMPHOMA GRADE IIIB, SPLEEN	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.48	DX	FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.49	DX	FOLLICULAR LYMPHOMA GRADE IIIB, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.81	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.82	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.83	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.84	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.85	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.86	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.87	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.88	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.89	DX	OTHER TYPES OF FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.90	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.91	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.92	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.93	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.94	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.95	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.96	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.97	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.98	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C82.99	DX	FOLLICULAR LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.00	DX	SMALL CELL B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.01	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.02	DX	SMALL CELL B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.03	DX	SMALL CELL B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.04	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.05	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.06	DX	SMALL CELL B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.07	DX	SMALL CELL B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.08	DX	SMALL CELL B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.09	DX	SMALL CELL B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.10	DX	MANTLE CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.11	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.12	DX	MANTLE CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.13	DX	MANTLE CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.14	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.15	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.16	DX	MANTLE CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.17	DX	MANTLE CELL LYMPHOMA, SPLEEN	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.18	DX	MANTLE CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.19	DX	MANTLE CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.30	DX	DIFFUSE LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.31	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.32	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.33	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.34	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.35	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.36	DX	DIFFUSE LARGE B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.37	DX	DIFFUSE LARGE B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.38	DX	DIFFUSE LARGE B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.39	DX	DIFFUSE LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.50	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.51	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.52	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.53	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.54	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.55	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.56	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.57	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.58	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.59	DX	LYMPHOBLASTIC (DIFFUSE) LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.70	DX	BURKITT LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.71	DX	BURKITT LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.72	DX	BURKITT LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.73	DX	BURKITT LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.74	DX	BURKITT LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.75	DX	BURKITT LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.76	DX	BURKITT LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.77	DX	BURKITT LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.78	DX	BURKITT LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.79	DX	BURKITT LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.80	DX	OTHER NON-FOLLICULAR LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.81	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.82	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.83	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.84	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.85	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.86	DX	OTHER NON-FOLLICULAR LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.87	DX	OTHER NON-FOLLICULAR LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.88	DX	OTHER NON-FOLLICULAR LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.89	DX	OTHER NON-FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.90	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.91	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.92	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.93	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.94	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.95	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.96	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.97	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.98	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C83.99	DX	NON-FOLLICULAR (DIFFUSE) LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.00	DX	MYCOSIS FUNGOIDES, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.01	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.02	DX	MYCOSIS FUNGOIDES, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.03	DX	MYCOSIS FUNGOIDES, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.04	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.05	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.06	DX	MYCOSIS FUNGOIDES, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.07	DX	MYCOSIS FUNGOIDES, SPLEEN	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.08	DX	MYCOSIS FUNGOIDES, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.09	DX	MYCOSIS FUNGOIDES, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.10	DX	SEZARY DISEASE, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.11	DX	SEZARY DISEASE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.12	DX	SEZARY DISEASE, INTRATHORACIC LYMPH NODES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.13	DX	SEZARY DISEASE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.14	DX	SEZARY DISEASE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.15	DX	SEZARY DISEASE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.16	DX	SEZARY DISEASE, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.17	DX	SEZARY DISEASE, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.18	DX	SEZARY DISEASE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.19	DX	SEZARY DISEASE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.40	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.41	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.42	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.43	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.44	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.45	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.46	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.47	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.48	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.49	DX	PERIPHERAL T-CELL LYMPHOMA, NOT ELSEWHERE CLASSIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.60	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.61	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.62	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.63	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.64	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.65	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.66	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.67	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.68	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.69	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-POSITIVE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.70	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.71	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.72	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.73	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.74	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.75	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.76	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.77	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.78	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.79	DX	ANAPLASTIC LARGE CELL LYMPHOMA, ALK-NEGATIVE, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.90	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.91	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.92	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.93	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.94	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.95	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.96	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.97	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.98	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.99	DX	MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A0	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A1	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A2	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A3	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A4	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A5	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A6	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A7	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A8	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.A9	DX	CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z0	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z1	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z2	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z3	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z4	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z5	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z6	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z7	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, SPLEEN	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z8	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C84.Z9	DX	OTHER MATURE T/NK-CELL LYMPHOMAS, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.10	DX	UNSPECIFIED B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.11	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.12	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.13	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.14	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.15	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.16	DX	UNSPECIFIED B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.17	DX	UNSPECIFIED B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.18	DX	UNSPECIFIED B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.19	DX	UNSPECIFIED B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.20	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.21	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.22	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.23	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.24	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.25	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.26	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.27	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.28	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.29	DX	MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.80	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, UNSPECIFIED SITE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.81	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.82	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.83	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.84	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.85	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.86	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.87	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, SPLEEN	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.88	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.89	DX	OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.91	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.92	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRATHORACIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.93	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRA-ABDOMINAL LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.94	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF AXILLA AND UPPER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.95	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF INGUINAL REGION AND LOWER LIMB	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.96	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, INTRAPELVIC LYMPH NODES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.97	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, SPLEEN	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.98	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, LYMPH NODES OF MULTIPLE SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C85.99	DX	NON-HODGKIN LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.0	DX	EXTRANODAL NK/T-CELL LYMPHOMA, NASAL TYPE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.1	DX	HEPATOSPLENIC T-CELL LYMPHOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.2	DX	ENTEROPATHY-TYPE (INTESTINAL) T-CELL LYMPHOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.3	DX	SUBCUTANEOUS PANNICULITIS-LIKE T-CELL LYMPHOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.4	DX	BLASTIC NK-CELL LYMPHOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.5	DX	ANGIOIMMUNOBLASTIC T-CELL LYMPHOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C86.6	DX	PRIMARY CUTANEOUS CD30-POSITIVE T-CELL PROLIFERATIONS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.0	DX	WALDENSTROM MACROGLOBULINEMIA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.2	DX	HEAVY CHAIN DISEASE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.3	DX	IMMUNOPROLIFERATIVE SMALL INTESTINAL DISEASE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.4	DX	EXTRANODAL MARGINAL ZONE B-CELL LYMPHOMA OF MUCOSA-ASSOCIATED LYMPHOID TISSUE [MALT-LYMPHOMA]	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.8	DX	OTHER MALIGNANT IMMUNOPROLIFERATIVE DISEASES	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C88.9	DX	MALIGNANT IMMUNOPROLIFERATIVE DISEASE, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.00	DX	MULTIPLE MYELOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.01	DX	MULTIPLE MYELOMA IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.02	DX	MULTIPLE MYELOMA IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.10	DX	PLASMA CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.11	DX	PLASMA CELL LEUKEMIA IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.12	DX	PLASMA CELL LEUKEMIA IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.20	DX	EXTRAMEDULLARY PLASMACYTOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.21	DX	EXTRAMEDULLARY PLASMACYTOMA IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.22	DX	EXTRAMEDULLARY PLASMACYTOMA IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.30	DX	SOLITARY PLASMACYTOMA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.31	DX	SOLITARY PLASMACYTOMA IN REMISSION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C90.32	DX	SOLITARY PLASMACYTOMA IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.00	DX	ACUTE LYMPHOBLASTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.01	DX	ACUTE LYMPHOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.02	DX	ACUTE LYMPHOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.10	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.11	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.12	DX	CHRONIC LYMPHOCYTIC LEUKEMIA OF B-CELL TYPE IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.30	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.31	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.32	DX	PROLYMPHOCYTIC LEUKEMIA OF B-CELL TYPE, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.40	DX	HAIRY CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.41	DX	HAIRY CELL LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.42	DX	HAIRY CELL LEUKEMIA, IN RELAPSE	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.50	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED) NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.51	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED), IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.52	DX	ADULT T-CELL LYMPHOMA/LEUKEMIA (HTLV-1-ASSOCIATED), IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.60	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.61	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.62	DX	PROLYMPHOCYTIC LEUKEMIA OF T-CELL TYPE, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.90	DX	LYMPHOID LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.91	DX	LYMPHOID LEUKEMIA, UNSPECIFIED, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.92	DX	LYMPHOID LEUKEMIA, UNSPECIFIED, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.A0	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.A1	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.A2	DX	MATURE B-CELL LEUKEMIA BURKITT-TYPE, IN PERSON	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.Z0	DX	OTHER LYMPHOID LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.Z1	DX	OTHER LYMPHOID LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C91.Z2	DX	OTHER LYMPHOID LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.00	DX	ACUTE MYELOBLASTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.01	DX	ACUTE MYELOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.02	DX	ACUTE MYELOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.10	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.11	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.12	DX	CHRONIC MYELOID LEUKEMIA, BCR/ABL-POSITIVE, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.20	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.21	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.22	DX	ATYPICAL CHRONIC MYELOID LEUKEMIA, BCR/ABL-NEGATIVE, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.30	DX	MYELOID SARCOMA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.31	DX	MYELOID SARCOMA, IN REMISSION	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.32	DX	MYELOID SARCOMA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.40	DX	ACUTE PROMYELOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.41	DX	ACUTE PROMYELOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.42	DX	ACUTE PROMYELOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.50	DX	ACUTE MYELOMONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.51	DX	ACUTE MYELOMONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.52	DX	ACUTE MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.60	DX	ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.61	DX	ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.62	DX	ACUTE MYELOID LEUKEMIA WITH 11Q23-ABNORMALITY IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.90	DX	MYELOID LEUKEMIA, UNSPECIFIED, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.91	DX	MYELOID LEUKEMIA, UNSPECIFIED IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.92	DX	MYELOID LEUKEMIA, UNSPECIFIED IN RELAPSE	ICD-10-CM

20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.A0	DX	ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.A1	DX	ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.A2	DX	ACUTE MYELOID LEUKEMIA WITH MULTILINEAGE DYSPLASIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.Z0	DX	OTHER MYELOID LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.Z1	DX	OTHER MYELOID LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C92.Z2	DX	OTHER MYELOID LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.00	DX	ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.01	DX	ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.02	DX	ACUTE MONOBLASTIC/MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.10	DX	CHRONIC MYELOMONOCYTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.11	DX	CHRONIC MYELOMONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.12	DX	CHRONIC MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.30	DX	JUVENILE MYELOMONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.31	DX	JUVENILE MYELOMONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.32	DX	JUVENILE MYELOMONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.90	DX	MONOCYTIC LEUKEMIA, UNSPECIFIED, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.91	DX	MONOCYTIC LEUKEMIA, UNSPECIFIED IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.92	DX	MONOCYTIC LEUKEMIA, UNSPECIFIED IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.Z0	DX	OTHER MONOCYTIC LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.Z1	DX	OTHER MONOCYTIC LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C93.Z2	DX	OTHER MONOCYTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.00	DX	ACUTE ERYTHROID LEUKEMIA, NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.01	DX	ACUTE ERYTHROID LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.02	DX	ACUTE ERYTHROID LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.20	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.21	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA, IN REMISSION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.22	DX	ACUTE MEGAKARYOBLASTIC LEUKEMIA, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.30	DX	MAST CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.31	DX	MAST CELL LEUKEMIA, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.32	DX	MAST CELL LEUKEMIA, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.40	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.41	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.42	DX	ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.6	DX	MYELOYDYLASTIC DISEASE, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.80	DX	OTHER SPECIFIED LEUKEMIAS NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.81	DX	OTHER SPECIFIED LEUKEMIAS, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C94.82	DX	OTHER SPECIFIED LEUKEMIAS, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.00	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.01	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.02	DX	ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.10	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.11	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.12	DX	CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN RELAPSE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.90	DX	LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.91	DX	LEUKEMIA, UNSPECIFIED, IN REMISSION	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C95.92	DX	LEUKEMIA, UNSPECIFIED, IN RELAPSE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96	DX	OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.0	DX	MULTIFOCAL AND MULTISYSTEMIC (DISSEMINATED) LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.2	DX	MALIGNANT MAST CELL NEOPLASM	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.20	DX	MALIGNANT MAST CELL NEOPLASM, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.21	DX	AGGRESSIVE SYSTEMIC MASTOCYTOSIS	ICD-10-CM
	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.22	DX	MAST CELL SARCOMA	ICD-10-CM

	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.29	DX	OTHER MALIGNANT MAST CELL NEOPLASM	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.4	DX	SARCOMA OF DENDRITIC CELLS (ACCESSORY CELLS)	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.5	DX	MULTIFOCAL AND UNISYSTEMIC LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.6	DX	UNIFOCAL LANGERHANS-CELL HISTIOCYTOSIS	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.9	DX	MALIGNANT NEOPLASM OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE, UNSPECIFIED	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.A	DX	HISTIOCYTIC SARCOMA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	C96.Z	DX	OTHER SPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	D45	DX	POLYCYTHEMIA VERA	ICD-10-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	789.51	DX	MALIGNANT ASCITES	ICD-9-CM
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	Cancer	R18.0	DX	MALIGNANT ASCITES	ICD-10-CM
21	Presence of any other disease than heart failure with a life expectancy of <1 year in the investigator's opinion	CCI	N/A	N/A	N/A	N/A
22	Patients who must or wish to continue the intake of restricted medications (see Section 4.2.2) or any drug considered likely to interfere with the safe conduct of the trial	Intake of restricted medications that may interfere with the safe conduct	N/A	N/A	N/A	
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	EMPAGLIFLOZIN/LINAGLIPTIN	RX	Generic	

23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	EMPAGLIFLOZIN/LINAGLIPTIN/METFORMIN HCL	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	DAPAGLIFLOZIN PROPANEDIO L	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	DAPAGLIFLOZIN PROPANEDIO L/METFORMIN HCL	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	DAPAGLIFLOZIN PROPANEDIO L/SAXAGLIPTIN HCL	RX	Generic
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	SGLT2i	SAXAGLIPTIN HCL/METFORMIN HCL	RX	Generic
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	SGLT2i	CANAGLIFLOZIN	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	CANAGLIFLOZIN/METFORMIN HCL	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	ERTUGLIFLOZIN PIDOLATE	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	ERTUGLIFLOZIN PIDOLATE/METFORMIN HCL	RX	Generic
23	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted	SGLT2i	ERTUGLIFLOZIN PIDOLATE/SITAGLIPTIN PHOSPHATE	RX	Generic
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	DPP4i	SOTAGLIFLOZIN ALOGLIPTIN BENZOATE	RX	Generic
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	DPP4i	ALOGLIPTIN BENZOATE/METFORMIN HCL	RX	Generic
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	DPP4i	ALOGLIPTIN BENZOATE/PIGLITAZONE HCL	RX	Generic

23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	DPP4i	LINAGLIPTIN LINAGLIPTIN/ METFORMIN HCL	RX	Generic	
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	DPP4i	SAXAGLIPTIN HCL	RX	Generic	
23	Current use or prior use of SGLT2i or combined SGLT1/2i or DPP-4i	DPP4i	SAXAGLIPTIN HCL/METFOR MIN HCL	RX	Generic	
23	Currently enrolled in another investigational device or drug trial, or less than 30 days since ending another investigational device or drug trial(s), or receiving other investigational treatment(s). Patients participating in a purely observational trial will not be excluded	Enrolled in another trial	N/A	N/A	N/A	N/A
24	Known allergy or hypersensitivity to empagliflozin or other SGLT-2 inhibitors		N/A	N/A	N/A	N/A
25	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.0	DX	ACUTE ALCOHOLIC INTOXICATION	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.01	DX	ACUTE ALCOHOLIC INTOXICATION IN ALCOHOLISM, CONTINUOUS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.02	DX	ACUTE ALCOHOLIC INTOXICATION IN ALCOHOLISM, EPISODIC	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.03	DX	ACUTE ALCOHOLIC INTOXICATION IN ALCOHOLISM, IN REMISSION	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.9	DX	OTHER AND UNSPECIFIED ALCOHOL DEPENDENCE	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.90	DX	OTHER AND UNSPECIFIED ALCOHOL DEPENDENCE, UNSPECIFIED	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.91	DX	OTHER AND UNSPECIFIED ALCOHOL DEPENDENCE, CONTINUOUS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.92	DX	OTHER AND UNSPECIFIED ALCOHOL DEPENDENCE, EPISODIC	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	303.93	DX	OTHER AND UNSPECIFIED ALCOHOL DEPENDENCE, IN REMISSION	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	305.0	DX	NONDEPENDENT ALCOHOL ABUSE	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	305.01	DX	ALCOHOL ABUSE, CONTINUOUS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	305.02	DX	ALCOHOL ABUSE, EPISODIC	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	305.03	DX	ALCOHOL ABUSE, IN REMISSION	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291	DX	ALCOHOL-INDUCED MENTAL DISORDERS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.0	DX	ALCOHOL WITHDRAWAL DELIRIUM	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.1	DX	ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER	ICD-9-CM

24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.2	DX	ALCOHOL-INDUCED PERSISTING DEMENTIA	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.3	DX	ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.4	DX	IDIOSYNCRATIC ALCOHOL INTOXICATION	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.5	DX	ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.8	DX	OTHER SPECIFIED ALCOHOL-INDUCED MENTAL DISORDERS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.81	DX	ALCOHOL WITHDRAWAL	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.82	DX	ALCOHOL INDUCED SLEEP DISORDERS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.89	DX	OTHER ALCOHOL-INDUCED MENTAL DISORDERS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	291.9	DX	UNSPECIFIED ALCOHOL-INDUCED MENTAL DISORDERS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	357.5	DX	ALCOHOLIC POLYNEUROPATHY	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	425.5	DX	ALCOHOLIC CARDIOMYOPATHY	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	571.0	DX	ALCOHOLIC FATTY LIVER	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	571.1	DX	ACUTE ALCOHOLIC HEPATITIS	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	571.2	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	571.3	DX	ALCOHOLIC LIVER DAMAGE, UNSPECIFIED	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	V11.3	DX	PERSONAL HISTORY OF ALCOHOLISM	ICD-9-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.1	DX	ALCOHOL ABUSE	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.10	DX	ALCOHOL ABUSE, UNCOMPLICATED (ALCOHOL USE DISORDER, MILD)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.11	DX	ALCOHOL ABUSE, IN REMISSION	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.12	DX	ALCOHOL ABUSE WITH INTOXICATION	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.120	DX	ALCOHOL ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM

24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.121	DX	ALCOHOL ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.129	DX	ALCOHOL ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.13	DX	ALCOHOL ABUSE WITH WITHDRAWAL	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.130	DX	ALCOHOL ABUSE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.131	DX	ALCOHOL ABUSE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.132	DX	ALCOHOL ABUSE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.139	DX	ALCOHOL ABUSE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.14	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED MOOD DISORDER (ALCOHOL USE DISORDER, MILD, WITH ALCOHOL-INDUCED BIPOLAR OR DEPRESSIVE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.15	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.150	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.151	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.159	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.18	DX	ALCOHOL ABUSE WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.180	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED ANXIETY DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.181	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.182	DX	ALCOHOL ABUSE WITH ALCOHOL-INDUCED SLEEP DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.188	DX	ALCOHOL ABUSE WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.19	DX	ALCOHOL ABUSE WITH UNSPECIFIED ALCOHOL-INDUCED DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.2	DX	ALCOHOL DEPENDENCE	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.20	DX	ALCOHOL DEPENDENCE, UNCOMPLICATED (ALCOHOL USE DISORDER, MODERATE OR SEVERE)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.21	DX	ALCOHOL DEPENDENCE, IN REMISSION	ICD-10-CM

24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.22	DX	ALCOHOL DEPENDENCE WITH INTOXICATION (ACUTE DRUNKENNESS IN ALCOHOLISM)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.220	DX	ALCOHOL DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.221	DX	ALCOHOL DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.229	DX	ALCOHOL DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.23	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.230	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.231	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.232	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.239	DX	ALCOHOL DEPENDENCE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.24	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED MOOD DISORDER (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED BIPOLAR OR DEPRESSIVE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.25	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.250	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.251	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.259	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.26	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC-CONFABULATORY TYPE)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.27	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED PERSISTING DEMENTIA (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NONAMNESTIC-CONFABULATORY TYPE)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.28	DX	ALCOHOL DEPENDENCE WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.280	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED ANXIETY DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.281	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.282	DX	ALCOHOL DEPENDENCE WITH ALCOHOL-INDUCED SLEEP DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.288	DX	ALCOHOL DEPENDENCE WITH OTHER ALCOHOL-INDUCED DISORDER (ALCOHOL USE DISORDER, MODERATE OR SEVERE, WITH ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER)	ICD-10-CM

24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.29	DX	ALCOHOL DEPENDENCE WITH UNSPECIFIED ALCOHOL-INDUCED DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.9	DX	Alcohol use, unspecified	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.90	DX	Alcohol use, unspecified, uncomplicated	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.91	DX	Alcohol use, unspecified, in remission	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.92	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.920	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.921	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION DELIRIUM	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.929	DX	ALCOHOL USE, UNSPECIFIED WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.93	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.930	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.931	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL DELIRIUM	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.932	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.939	DX	ALCOHOL USE, UNSPECIFIED WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.94	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED MOOD DISORDER (ALCOHOL-INDUCED BIPOLAR OR DEPRESSIVE DISORDER WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.95	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.950	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.951	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.959	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED (ALCOHOL-INDUCED PSYCHOTIC DISORDER WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.96	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PERSISTING AMNESTIC DISORDER (ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC-CONFABULATORY TYPE WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.97	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED PERSISTING DEMENTIA (ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NONAMNESTIC-CONFABULATORY TYPE WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.98	DX	ALCOHOL USE, UNSPECIFIED WITH OTHER ALCOHOL-INDUCED DISORDERS	ICD-10-CM

24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.980	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED ANXIETY DISORDER (ALCOHOL-INDUCED ANXIETY DISORDER WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.981	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED SEXUAL DYSFUNCTION (ALCOHOL-INDUCED SEXUAL DYSFUNCTION WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.982	DX	ALCOHOL USE, UNSPECIFIED WITH ALCOHOL-INDUCED SLEEP DISORDER (ALCOHOL-INDUCED SLEEP DISORDER WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.988	DX	ALCOHOL USE, UNSPECIFIED WITH OTHER ALCOHOL-INDUCED DISORDER (ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER WITHOUT USE DISORDER)	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	F10.99	DX	ALCOHOL USE, UNSPECIFIED WITH UNSPECIFIED ALCOHOL-INDUCED DISORDER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.0	DX	ALCOHOLIC FATTY LIVER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.1	DX	ALCOHOLIC HEPATITIS	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.10	DX	ALCOHOLIC HEPATITIS WITHOUT ASCITES	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.11	DX	ALCOHOLIC HEPATITIS WITH ASCITES	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.2	DX	ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.3	DX	ALCOHOLIC CIRRHOSIS OF LIVER	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.30	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.31	DX	ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.4	DX	ALCOHOLIC HEPATIC FAILURE	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.40	DX	ALCOHOLIC HEPATIC FAILURE WITHOUT COMA	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.41	DX	ALCOHOLIC HEPATIC FAILURE WITH COMA	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	K70.9	DX	ALCOHOLIC LIVER DISEASE, UNSPECIFIED	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	G62.1	DX	ALCOHOLIC POLYNEUROPATHY	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	I42.6	DX	ALCOHOLIC CARDIOMYOPATHY	ICD-10-CM
24.1	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Alcohol Abuse	Z71.41	DX	ALCOHOL ABUSE COUNSELING AND SURVEILLANCE OF ALCOHOLIC	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.0	DX	OPIOID TYPE DEPENDENCE	ICD-9-CM

[illegible]

[illegible]

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.82	DX	COMBINATIONS OF DRUG DEPENDENCE EXCLUDING OPIOID TYPE DRUG, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.83	DX	COMBINATIONS OF DRUG DEPENDENCE EXCLUDING OPIOID TYPE DRUG, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.9	DX	UNSPECIFIED DRUG DEPENDENCE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.90	DX	UNSPECIFIED DRUG DEPENDENCE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.91	DX	UNSPECIFIED DRUG DEPENDENCE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.92	DX	UNSPECIFIED DRUG DEPENDENCE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	304.93	DX	UNSPECIFIED DRUG DEPENDENCE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.2	DX	NONDEPENDENT CANNABIS ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.20	DX	CANNABIS ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.21	DX	CANNABIS ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.22	DX	CANNABIS ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.23	DX	CANNABIS ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.3	DX	NONDEPENDENT HALLUCINOGEN ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.30	DX	HALLUCINOGEN ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.31	DX	HALLUCINOGEN ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.32	DX	HALLUCINOGEN ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.33	DX	HALLUCINOGEN ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.4	DX	NONDEPENDENT SEDATIVE, HYPNOTIC, OR ANXIOLYTIC ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.40	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.41	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.42	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE, EPISODIC	ICD-9-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.43	DX	SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.5	DX	NONDEPENDENT OPIOID ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.50	DX	OPIOID ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.51	DX	OPIOID ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.52	DX	OPIOID ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.53	DX	OPIOID ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.6	DX	NONDEPENDENT COCAINE ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.60	DX	COCAINE ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.61	DX	COCAINE ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.62	DX	COCAINE ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.63	DX	COCAINE ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.7	DX	NONDEPENDENT AMPHETAMINE OR RELATED ACTING SYMPATHOMIMETIC ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.70	DX	AMPHETAMINE OR RELATED ACTING SYMPATHOMIMETIC ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.71	DX	AMPHETAMINE OR RELATED ACTING SYMPATHOMIMETIC ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.72	DX	AMPHETAMINE OR RELATED ACTING SYMPATHOMIMETIC ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.73	DX	AMPHETAMINE OR RELATED ACTING SYMPATHOMIMETIC ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.8	DX	NONDEPENDENT ANTIDEPRESSANT TYPE ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.80	DX	ANTIDEPRESSANT TYPE ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.81	DX	ANTIDEPRESSANT TYPE ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.82	DX	ANTIDEPRESSANT TYPE ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.83	DX	ANTIDEPRESSANT TYPE ABUSE, IN REMISSION	ICD-9-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.9	DX	NONDEPENDENT OTHER MIXED OR UNSPECIFIED DRUG ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.90	DX	OTHER, MIXED, OR UNSPECIFIED DRUG ABUSE, UNSPECIFIED	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.91	DX	OTHER, MIXED, OR UNSPECIFIED DRUG ABUSE, CONTINUOUS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.92	DX	OTHER, MIXED, OR UNSPECIFIED DRUG ABUSE, EPISODIC	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	305.93	DX	OTHER, MIXED, OR UNSPECIFIED DRUG ABUSE, IN REMISSION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292	DX	DRUG WITHDRAWAL	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.11	DX	DRUG-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.12	DX	DRUG-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.2	DX	PATHOLOGICAL DRUG INTOXICATION	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.81	DX	DRUG-INDUCED DELIRIUM	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.82	DX	DRUG-INDUCED PERSISTING DEMENTIA	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.83	DX	DRUG-INDUCED PERSISTING AMNESTIC DISORDER	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.84	DX	DRUG-INDUCED MOOD DISORDER	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.85	DX	DRUG INDUCED SLEEP DISORDERS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.89	DX	OTHER SPECIFIED DRUG-INDUCED MENTAL DISORDERS	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	292.9	DX	UNSPECIFIED DRUG-INDUCED MENTAL DISORDER	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	V65.42	DX	COUNSELING ON SUBSTANCE USE AND ABUSE	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.0	DX	OPIOID DEPENDENCE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.02	DX	OPIOID DEPENDENCE, WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.020	DX	OPIOID DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.09	DX	OPIOID DEPENDENCE WITH UNSPECIFIED OPIOID-INDUCED DISORDER	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F111	DX	OPIOID ABUSE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1110	DX	OPIOID ABUSE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1112	DX	OPIOID ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11120	DX	OPIOID ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11121	DX	OPIOID ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11122	DX	OPIOID ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11129	DX	OPIOID ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1113	DX	OPIOID ABUSE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1114	DX	OPIOID ABUSE WITH OPIOID-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1115	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11150	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11151	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11159	DX	OPIOID ABUSE WITH OPIOID-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1118	DX	OPIOID ABUSE WITH OTHER OPIOID-INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11181	DX	OPIOID ABUSE WITH OPIOID-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11182	DX	OPIOID ABUSE WITH OPIOID-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11188	DX	OPIOID ABUSE WITH OTHER OPIOID-INDUCED DISORDERS (INCLUDES OPIOID-ASSOCIATED AMNESTIC SYNDROME WITH OPIOID ABUSE)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1119	DX	OPIOID ABUSE WITH UNSPECIFIED OPIOID-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F112	DX	OPIOID DEPENDENCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1120	DX	OPIOID DEPENDENCE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F1122	DX	OPIOID DEPENDENCE WITH INTOXICATION	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.220	DX	OPIOID DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.221	DX	OPIOID DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.222	DX	OPIOID DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.229	DX	OPIOID DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.23	DX	OPIOID DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.24	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.25	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.250	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.251	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.259	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.28	DX	OPIOID DEPENDENCE WITH OTHER OPIOID-INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.281	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.282	DX	OPIOID DEPENDENCE WITH OPIOID-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.288	DX	OPIOID DEPENDENCE WITH OTHER OPIOID-INDUCED DISORDERS (INCLUDES OPIOID-ASSOCIATED AMNESTIC SYNDROME WITH OPIOID DEPENDENCE)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.29	DX	OPIOID DEPENDENCE WITH UNSPECIFIED OPIOID-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.9	DX	OPIOID USE, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.10	DX	CANNABIS ABUSE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.12	DX	CANNABIS ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.120	DX	CANNABIS ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.121	DX	CANNABIS ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.122	DX	CANNABIS ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM

[illegible]

[illegible]

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.120	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.121	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.129	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.13	DX	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC ABUSE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.130	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.131	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.132	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.139	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.14	DX	WITH INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.15	DX	WITH PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.150	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.151	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.159	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.18	DX	WITH OTHER INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.180	DX	WITH INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.181	DX	WITH INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.182	DX	WITH INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.188	DX	WITH OTHER INDUCED DISORDERS (INCLUDES AMNESTIC SYNDROME)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.19	DX	WITH UNSPECIFIED INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.20	DX	SEDATIVE, HYPNOTIC, OR ANXIOLYTIC DEPENDENCE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.22	DX	DEPENDENCE WITH INTOXICATION	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.220	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.221	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.229	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.23	DX	DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.230	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.231	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.232	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.239	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.24	DX	WITH INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.25	DX	WITH PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.250	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.251	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.259	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.26	DX	WITH PERSISTING AMNESTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.27	DX	WITH PERSISTING DEMENTIA	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.28	DX	WITH OTHER INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.280	DX	WITH INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.281	DX	WITH INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.282	DX	WITH INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.288	DX	WITH OTHER INDUCED DISORDERS (INCLUDES AMNESTIC SYNDROME)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.29	DX	WITH UNSPECIFIED INDUCED DISORDER	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.90	DX	USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.92	DX	USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.921	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.93	DX	USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.930	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.931	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.932	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.939	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.94	DX	USE, UNSPECIFIED WITH MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.95	DX	USE, UNSPECIFIED WITH PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.959	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.96	DX	USE, UNSPECIFIED WITH PERSISTING AMNESTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.97	DX	USE, UNSPECIFIED WITH PERSISTING DEMENTIA	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.98	DX	USE, UNSPECIFIED WITH OTHER INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.980	DX	WITH INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.981	DX	WITH INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.982	DX	WITH INDUCED SLEEP DISORDER	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.988	DX	WITH OTHER INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.99	DX	USE, UNSPECIFIED WITH UNSPECIFIED INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.10	DX	COCAINE ABUSE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.12	DX	COCAINE ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.120	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.121	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.122	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.129	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.13	DX	COCAINE ABUSE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.14	DX	COCAINE ABUSE WITH COCAINE-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.15	DX	COCAINE ABUSE WITH COCAINE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.150	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.151	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.159	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.18	DX	COCAINE ABUSE WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.180	DX	WITH COCAINE-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.181	DX	WITH COCAINE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.182	DX	WITH COCAINE-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.188	DX	WITH OTHER COCAINE-INDUCED DISORDER (INCLUDES COCAINE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.19	DX	WITH UNSPECIFIED COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.20	DX	COCAINE DEPENDENCE, UNCOMPLICATED	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.22	DX	COCAINE DEPENDENCE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.220	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.221	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.222	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.229	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.23	DX	COCAINE DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.24	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.25	DX	COCAINE DEPENDENCE WITH COCAINE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.250	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.251	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.259	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.28	DX	COCAINE DEPENDENCE WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.280	DX	WITH COCAINE-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.281	DX	WITH COCAINE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.282	DX	WITH COCAINE-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.288	DX	WITH OTHER COCAINE-INDUCED DISORDER (INCLUDES COCAINE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.29	DX	WITH UNSPECIFIED COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.90	DX	COCAINE USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.92	DX	COCAINE USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.921	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.922	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.93	DX	COCAINE USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.94	DX	COCAINE USE, UNSPECIFIED WITH COCAINE-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.95	DX	COCAINE USE, UNSPECIFIED WITH COCAINE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.98	DX	COCAINE USE, UNSPECIFIED WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.980	DX	WITH COCAINE-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.981	DX	WITH COCAINE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.982	DX	WITH COCAINE-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.988	DX	WITH OTHER COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.99	DX	COCAINE USE, UNSPECIFIED WITH UNSPECIFIED COCAINE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.10	DX	OTHER STIMULANT ABUSE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.12	DX	OTHER STIMULANT ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.120	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.121	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.122	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.129	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.13	DX	OTHER STIMULANT ABUSE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.14	DX	OTHER STIMULANT ABUSE WITH STIMULANT-INDUCED MOOD DISORDER	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.15	DX	OTHER STIMULANT ABUSE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.150	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.151	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.159	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.18	DX	OTHER STIMULANT ABUSE WITH OTHER STIMULANT-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.180	DX	WITH STIMULANT-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.181	DX	WITH STIMULANT-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.182	DX	WITH STIMULANT-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.188	DX	WITH OTHER STIMULANT-INDUCED DISORDER (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.19	DX	WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.20	DX	OTHER STIMULANT DEPENDENCE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.22	DX	OTHER STIMULANT DEPENDENCE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.220	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.221	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.222	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.229	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.23	DX	OTHER STIMULANT DEPENDENCE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.24	DX	OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.25	DX	OTHER STIMULANT DEPENDENCE WITH STIMULANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.250	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.251	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.259	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.26	DX	OTHER STIMULANT DEPENDENCE WITH PERSISTING AMNESTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.28	DX	OTHER STIMULANT DEPENDENCE WITH OTHER STIMULANT-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.280	DX	WITH STIMULANT-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.281	DX	WITH STIMULANT-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.282	DX	WITH STIMULANT-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.288	DX	WITH OTHER STIMULANT-INDUCED DISORDERS (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.29	DX	OTHER STIMULANT DEPENDENCE WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.90	DX	OTHER STIMULANT USE, UNSPECIFIED, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.92	DX	OTHER STIMULANT USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.921	DX	WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.922	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.93	DX	OTHER STIMULANT USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.94	DX	OTHER STIMULANT USE, UNSPECIFIED WITH STIMULANT-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.95	DX	OTHER STIMULANT USE, UNSPECIFIED WITH STIMULANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.959	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.98	DX	OTHER STIMULANT USE, UNSPECIFIED WITH OTHER STIMULANT-INDUCED DISORDER	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.980	DX	WITH STIMULANT-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.981	DX	WITH STIMULANT-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.982	DX	WITH STIMULANT-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.988	DX	WITH OTHER STIMULANT-INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.99	DX	OTHER STIMULANT USE, UNSPECIFIED WITH UNSPECIFIED STIMULANT-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.1	DX	HALLUCINOGEN ABUSE EXCLUDES1: HALLUCINOGEN DEPENDENCE (F16.2-), HALLUCINOGEN USE, UNSPECIFIED (F16.9-)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.10	DX	HALLUCINOGEN ABUSE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.11	DX	HALLUCINOGEN ABUSE, IN REMISSION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.12	DX	HALLUCINOGEN ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.120	DX	HALLUCINOGEN ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.121	DX	HALLUCINOGEN ABUSE WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.122	DX	HALLUCINOGEN ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.129	DX	HALLUCINOGEN ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.14	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.15	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.150	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.151	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.159	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.18	DX	HALLUCINOGEN ABUSE WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.180	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.183	DX	HALLUCINOGEN ABUSE WITH HALLUCINOGEN PERSISTING PERCEPTION DISORDER (FLASHBACKS)	ICD-10-CM

[illegible]

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.91	DX	HALLUCINOGEN USE, UNSPECIFIED, IN REMISSION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.92	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.920	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.921	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION WITH DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.929	DX	HALLUCINOGEN USE, UNSPECIFIED WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.94	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.95	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.950	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.951	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.959	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.98	DX	HALLUCINOGEN USE, UNSPECIFIED WITH OTHER SPECIFIED HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.980	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.983	DX	HALLUCINOGEN USE, UNSPECIFIED WITH HALLUCINOGEN PERSISTING PERCEPTION DISORDER (FLASHBACKS)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.988	DX	HALLUCINOGEN USE, UNSPECIFIED WITH OTHER HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.99	DX	HALLUCINOGEN USE, UNSPECIFIED WITH UNSPECIFIED HALLUCINOGEN-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.10	DX	INHALANT ABUSE, UNCOMPLICATED; INHALANT USE DISORDER, MILD	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.11	DX	INHALANT ABUSE, IN REMISSION; INHALANT USE DISORDER, MILD, IN EARLY REMISSION; INHALANT USE DISORDER, MILD, IN SUSTAINED REMISSION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.12	DX	INHALANT ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.120	DX	INHALANT ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.121	DX	INHALANT ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.129	DX	INHALANT ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.14	DX	INHALANT ABUSE WITH INHALANT-INDUCED MOOD DISORDER; INHALANT USE DISORDER, MILD, WITH INHALANT INDUCED DEPRESSIVE DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.15	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.150	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.151	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.159	DX	INHALANT ABUSE WITH INHALANT-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.17	DX	INHALANT ABUSE WITH INHALANT-INDUCED DEMENTIA; INHALANT USE DISORDER, MILD, WITH INHALANT INDUCED MAJOR NEUROCOGNITIVE DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.18	DX	INHALANT ABUSE WITH OTHER INHALANT-INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.180	DX	INHALANT ABUSE WITH INHALANT-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.188	DX	INHALANT ABUSE WITH OTHER INHALANT-INDUCED DISORDER; INHALANT USE DISORDER, MILD, WITH INHALANT INDUCED MILD NEUROCOGNITIVE DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F18.19	DX	INHALANT ABUSE WITH UNSPECIFIED INHALANT-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.10	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.11	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE, IN REMISSION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.12	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.120	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.121	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.122	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.129	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.13	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.130	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.131	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.132	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL WITH PERCEPTUAL DISTURBANCE	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.139	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.14	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.15	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.150	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.151	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.159	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.16	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.17	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.18	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.180	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.181	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.182	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH PSYCHOACTIVE SUBSTANCE-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.188	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER (INCLUDES OBSESSIVE-COMPULSIVE OR RELATED DISORDER)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.19	DX	OTHER PSYCHOACTIVE SUBSTANCE ABUSE WITH UNSPECIFIED PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.20	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.21	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE, IN REMISSION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.22	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.220	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.221	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.222	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.229	DX	OTHER PSYCHOACTIVE SUBSTANCE DEPENDENCE WITH INTOXICATION, UNSPECIFIED	ICD-10-CM

[illegible]

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.920	DX	WITH INTOXICATION, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.921	DX	WITH INTOXICATION DELIRIUM (INCLUDES OTHER STIMULANT INTOXICATION DELIRIUM)	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.922	DX	WITH INTOXICATION WITH PERCEPTUAL DISTURBANCE	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.929	DX	WITH INTOXICATION, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.93	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH WITHDRAWAL	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.930	DX	WITHDRAWAL, UNCOMPLICATED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.931	DX	WITHDRAWAL DELIRIUM	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.932	DX	WITHDRAWAL WITH PERCEPTUAL DISTURBANCES	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.939	DX	WITHDRAWAL, UNSPECIFIED	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.94	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED MOOD DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.95	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PSYCHOTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.950	DX	WITH PSYCHOTIC DISORDER WITH DELUSIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.951	DX	WITH PSYCHOTIC DISORDER WITH HALLUCINATIONS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.959	DX	WITH PSYCHOTIC DISORDER, UNSPECIFIED OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING AMNESTIC DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.96	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH PSYCHOACTIVE SUBSTANCE-INDUCED PERSISTING DEMENTIA	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.97	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDERS	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.980	DX	WITH PSYCHOACTIVE SUBSTANCE-INDUCED ANXIETY DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.981	DX	WITH PSYCHOACTIVE SUBSTANCE-INDUCED SEXUAL DYSFUNCTION	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.982	DX	WITH PSYCHOACTIVE SUBSTANCE-INDUCED SLEEP DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.988	DX	WITH OTHER PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F19.99	DX	OTHER PSYCHOACTIVE SUBSTANCE USE, UNSPECIFIED WITH UNSPECIFIED PSYCHOACTIVE SUBSTANCE-INDUCED DISORDER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	Z71.51	DX	DRUG ABUSE COUNSELING AND SURVEILLANCE OF DRUG ABUSER	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.11	DX	Opioid abuse, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.21	DX	Opioid dependence, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.90	DX	Opioid use, unspecified, uncomplicated	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F11.91	DX	Opioid use, unspecified, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.11	DX	Cannabis abuse, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F12.21	DX	Cannabis dependence, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.11	DX	Sedative, hypnotic, or anxiolytic abuse, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.21	DX	Sedative, hypnotic, or anxiolytic dependence, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F13.91	DX	Sedative, hypnotic, or anxiolytic use, unspecified, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.11	DX	Cocaine abuse, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.21	DX	Cocaine dependence, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F14.91	DX	Cocaine use, unspecified, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.11	DX	Other stimulant abuse, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.21	DX	Other stimulant dependence, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F15.91	DX	Other stimulant use, unspecified, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.11	DX	Hallucinogen abuse, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.21	DX	Hallucinogen dependence, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	F16.91	DX	Hallucinogen use, unspecified, in remission	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	G31.2	DX	Degeneration of nervous system due to alcohol	ICD-10-CM

24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K29.2	DX	Alcoholic gastritis	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K29.20	DX	Alcoholic gastritis without bleeding	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K29.21	DX	Alcoholic gastritis with bleeding	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K85.2	DX	Alcohol-induced acute pancreatitis	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K85.20	DX	Alcohol-induced acute pancreatitis without necrosis or infection	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K85.21	DX	Alcohol-induced acute pancreatitis with uninfected necrosis	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K85.22	DX	Alcohol-induced acute pancreatitis with infected necrosis	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	K86.0	DX	Alcohol-induced chronic pancreatitis	ICD-10-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	331.7	DX	Cerebral degeneration in diseases classified elsewhere	ICD-9-CM
24.2	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial	Drug Abuse	357.6	DX	Polyneuropathy due to drugs	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	630	DX	HYDATIDIFORM MOLE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	631	DX	OTHER ABNORMAL PRODUCT OF CONCEPTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	632	DX	MISSED ABORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	633	DX	ECTOPIC PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	633.0	DX	ABDOMINAL PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	633.1	DX	TUBAL PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	633.2	DX	OVARIAN PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	633.8	DX	OTHER ECTOPIC PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	633.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634	DX	SPONTANEOUS ABORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.0	DX	COMPLICATED BY GENITAL TRACT AND PELVIC INFECTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.1	DX	COMPLICATED BY DELAYED OR EXCESSIVE HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.2	DX	COMPLICATED BY DAMAGE TO PELVIC ORGANS AND TISSUES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.3	DX	COMPLICATED BY RENAL FAILURE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.4	DX	COMPLICATED BY METABOLIC DISORDER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.5	DX	COMPLICATED BY SHOCK	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	634.6	DX	COMPLICATED BY EMBOLISM	ICD-9-CM

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	637.6	DX	COMPLICATED BY EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	637.7	DX	WITH OTHER SPECIFIED COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	637.8	DX	WITH UNSPECIFIED COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	637.9	DX	WITHOUT MENTION OF COMPLICATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638	DX	FAILED ATTEMPTED ABORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.0	DX	COMPLICATED BY GENITAL TRACT AND PELVIC INFECTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.1	DX	COMPLICATED BY DELAYED OR EXCESSIVE HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.2	DX	COMPLICATED BY DAMAGE TO PELVIC ORGANS AND TISSUES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.3	DX	COMPLICATED BY RENAL FAILURE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.4	DX	COMPLICATED BY METABOLIC DISORDER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.5	DX	COMPLICATED BY SHOCK	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.6	DX	COMPLICATED BY EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.7	DX	WITH OTHER SPECIFIED COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.8	DX	WITH UNSPECIFIED COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	638.9	DX	WITHOUT MENTION OF COMPLICATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639	DX	COMPLICATIONS FOLLOWING ABORTION AND ECTOPIC AND MOLAR PREGNANCIES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.0	DX	GENITAL TRACT AND PELVIC INFECTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.1	DX	DELAYED OR EXCESSIVE HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.2	DX	DAMAGE TO PELVIC ORGANS AND TISSUES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.3	DX	RENAL FAILURE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.4	DX	METABOLIC DISORDERS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.5	DX	SHOCK	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.6	DX	EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.8	DX	OTHER SPECIFIED COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	639.9	DX	UNSPECIFIED COMPLICATIONS FOLLOWING CONDITIONS CLASSIFIABLE TO 630-638	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	640	DX	HAEMORRHAGE IN EARLY PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	640.0	DX	THREATENED ABORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	640.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	640.9	DX	UNSPECIFIED ANTEPARTUM HAEMORRHAGE, ABRUPTIO PLACENTAE, AND PLACENTA PRAEVIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641	DX	PLACENTA PRAEVIA WITHOUT HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641.0	DX	PLACENTA PRAEVIA WITHOUT HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641.1	DX	HAEMORRHAGE FROM PLACENTA PRAEVIA	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641.2	DX	PREMATURE SEPARATION OF PLACENTA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641.3	DX	ANTEPARTUM HAEMORRHAGE ASSOCIATED WITH COAGULATION DEFECTS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641.8	DX	OTHER ANTEPARTUM HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	641.9	DX	UNSPECIFIED ANTEPARTUM HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642	DX	HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.0	DX	BENIGN ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.0	DX	AND THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.1	DX	HYPERTENSION SECONDARY TO RENAL DISEASE, COMPLICATING PREGNANCY,	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.2	DX	OTHER PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.2	DX	THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.3	DX	TRANSIENT HYPERTENSION OF PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.4	DX	MILD OR UNSPECIFIED PRE-ECLAMPSIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.5	DX	SEVERE PRE-ECLAMPSIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.6	DX	ECLAMPSIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.7	DX	PRE-ECLAMPSIA OR ECLAMPSIA SUPERIMPOSED ON PRE-EXISTING HYPERTENSION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	642.9	DX	UNSPECIFIED HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	643	DX	EXCESSIVE VOMITING IN PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	643.0	DX	MILD HYPEREMESIS GRAVIDARUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	643.1	DX	HYPEREMESIS GRAVIDARUM WITH METABOLIC DISTURBANCE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	643.2	DX	LATE VOMITING OF PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	643.8	DX	OTHER VOMITING COMPLICATING PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	643.9	DX	UNSPECIFIED VOMITING OF PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	644	DX	EARLY OR THREATENED LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	644.0	DX	THREATENED LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	644.1	DX	EARLY ONSET OF DELIVERY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	645	DX	PROLONGED PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646	DX	OTHER COMPLICATIONS OF PREGNANCY, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.0	DX	PAPYRACEOUS FETUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.1	DX	OEDEMA OR EXCESSIVE WEIGHT GAIN IN PREGNANCY, WITHOUT MENTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.2	DX	UNSPECIFIED RENAL DISEASE IN PREGNANCY, WITHOUT MENTION OF HYPERTENSION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.3	DX	HABITUAL ABORTER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.4	DX	PERIPHERAL NEURITIS IN PREGNANCY	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.5	DX	ASYMPTOMATIC BACTERIURIA IN PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.6	DX	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.7	DX	LIVER DISORDERS IN PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.8	DX	OTHER SPECIFIED COMPLICATIONS OF PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	646.9	DX	UNSPECIFIED COMPLICATION OF PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647	DX	INFECTIVE AND PARASITIC CONDITIONS IN THE MOTHER CLASSIFIABLE ELSEWHERE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.0	DX	SYPHILIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.1	DX	GONORRHOEA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.2	DX	OTHER VENEREAL DISEASES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.3	DX	TUBERCULOSIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.4	DX	MALARIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.5	DX	RUBELLA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.6	DX	OTHER VIRAL DISEASES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.8	DX	OTHER SPECIFIED INFECTIVE AND PARASITIC DISEASES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	647.9	DX	UNSPECIFIED INFECTION OR INFESTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648	DX	OTHER CURRENT CONDITIONS IN THE MOTHER CLASSIFIABLE ELSEWHERE BUT	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648	DX	COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.0	DX	DIABETES MELLITUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.1	DX	THYROID DYSFUNCTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.2	DX	ANAEMIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.3	DX	DRUG DEPENDENCE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.4	DX	MENTAL DISORDERS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.5	DX	CONGENITAL CARDIOVASCULAR DISORDERS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.6	DX	OTHER CARDIOVASCULAR DISEASES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.7	DX	BONE AND JOINT DISORDERS OF BACK, PELVIS AND LOWER LIMBS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.8	DX	ABNORMAL GLUCOSE TOLERANCE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	648.9	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	650	DX	DELIVERY IN A COMPLETELY NORMAL CASE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	651	DX	MULTIPLE GESTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	651.0	DX	TWIN PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	651.1	DX	TRIPLET PREGNANCY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	651.2	DX	QUADRUPLET PREGNANCY	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	651.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	651.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652	DX	MALPOSITION AND MALPRESENTATION OF FETUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.0	DX	UNSTABLE LIE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.1	DX	BREECH OR OTHER MALPRESENTATION SUCCESSFULLY CONVERTED TO CEPHALIC	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.2	DX	BREECH PRESENTATION WITHOUT MENTION OF VERSION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.3	DX	TRANSVERSE OR OBLIQUE PRESENTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.4	DX	FACE OR BROW PRESENTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.5	DX	HIGH HEAD AT TERM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.6	DX	MULTIPLE GESTATION WITH MALPRESENTATION OF ONE FETUS OR MORE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.7	DX	PROLAPSED ARM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	652.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653	DX	DISPROPORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.0	DX	MAJOR ABNORMALITY OF BONY PELVIS, NOT FURTHER SPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.1	DX	GENERALLY CONTRACTED PELVIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.2	DX	INLET CONTRACTION OF PELVIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.3	DX	OUTLET CONTRACTION OF PELVIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.4	DX	FETOPELVIC DISPROPORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.5	DX	UNUSUALLY LARGE FETUS CAUSING DISPROPORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.6	DX	HYDROCEPHALIC FETUS CAUSING DISPROPORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.7	DX	OTHER FETAL ABNORMALITY CAUSING DISPROPORTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.8	DX	DISPROPORTION OF OTHER ORIGIN	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	653.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654	DX	ABNORMALITY OF ORGANS AND SOFT TISSUES OF PELVIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.0	DX	CONGENITAL ABNORMALITIES OF UTERUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.1	DX	TUMOURS OF BODY OF UTERUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.2	DX	UTERINE SCAR FROM PREVIOUS SURGERY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.3	DX	RETROVERTED AND INCARCERATED GRAVID UTERUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.4	DX	OTHER ABNORMALITIES IN SHAPE OR POSITION OF GRAVID UTERUS AND OF NEIGHBOURING	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.5	DX	CERVICAL INCOMPETENCE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.6	DX	OTHER CONGENITAL OR ACQUIRED ABNORMALITY OF CERVIX	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.7	DX	CONGENITAL OR ACQUIRED ABNORMALITY OF VAGINA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.8	DX	CONGENITAL OR ACQUIRED ABNORMALITY OF VULVA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	654.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655	DX	KNOWN OR SUSPECTED FETAL ABNORMALITY AFFECTING MANAGEMENT OF MOTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.0	DX	CENTRAL NERVOUS SYSTEM MALFORMATION IN FETUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.1	DX	CHROMOSOMAL ABNORMALITY IN FETUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.2	DX	HEREDITARY DISEASE IN FAMILY POSSIBLY AFFECTING FETUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.3	DX	SUSPECTED DAMAGE TO FETUS FROM VIRAL DISEASE IN THE MOTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.4	DX	SUSPECTED DAMAGE TO FETUS FROM OTHER DISEASE IN THE MOTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.5	DX	SUSPECTED DAMAGE TO FETUS FROM DRUGS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.6	DX	SUSPECTED DAMAGE TO FETUS FROM RADIATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.8	DX	OTHER KNOWN OR SUSPECTED FETAL ABNORMALITY, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	655.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656	DX	OTHER FETAL AND PLACENTAL PROBLEMS AFFECTING MANAGEMENT OF MOTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.0	DX	FETAL-MATERNAL HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.1	DX	RHESUS ISOIMMUNIZATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.2	DX	ISOIMMUNIZATION FROM OTHER AND UNSPECIFIED BLOOD-GROUP INCOMPATIBILITY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.3	DX	FETAL DISTRESS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.4	DX	INTRAUTERINE DEATH	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.5	DX	POOR FETAL GROWTH	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.6	DX	EXCESSIVE FETAL GROWTH	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.7	DX	OTHER PLACENTAL CONDITIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	656.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	657	DX	POLYHYDRAMNIOS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658	DX	OTHER PROBLEMS ASSOCIATED WITH AMNIOTIC CAVITY AND MEMBRANES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.0	DX	OLIGOHYDRAMNIOS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.1	DX	PREMATURE RUPTURE OF MEMBRANES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.2	DX	DELAYED DELIVERY AFTER SPONTANEOUS OR UNSPECIFIED RUPTURE OF MEMBRANES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.3	DX	DELAYED DELIVERY AFTER ARTIFICIAL RUPTURE OF MEMBRANES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.4	DX	INFECTION OF AMNIOTIC CAVITY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.8	DX	OTHER	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	658.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659	DX	OTHER INDICATIONS FOR CARE OR INTERVENTION RELATED TO LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.0	DX	AND DELIVERY AND NOT ELSEWHERE CLASSIFIED FAILED MECHANICAL INDUCTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.1	DX	FAILED MEDICAL OR UNSPECIFIED INDUCTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.2	DX	MATERNAL PYREXIA DURING LABOUR, UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.3	DX	GENERALIZED INFECTION DURING LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.4	DX	GRAND MULTIPARITY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.5	DX	ELDERLY PRIMIGRAVIDA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	659.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660	DX	OBSTRUCTED LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.0	DX	OBSTRUCTION CAUSED BY MALPOSITION OF FETUS AT ONSET OF LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.1	DX	OBSTRUCTION BY BONY PELVIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.2	DX	OBSTRUCTION BY ABNORMAL PELVIC SOFT TISSUES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.3	DX	DEEP TRANSVERSE ARREST AND PERSISTENT OCCIPITOPOSTERIOR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.4	DX	OR OCCIPITOANTERIOR POSITION SHOULDER DYSTOCIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.5	DX	LOCKED TWINS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.6	DX	FAILED TRIAL OF LABOUR, UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.7	DX	FAILED FORCEPS OR VENTOUSE, UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	660.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661	DX	ABNORMALITY OF FORCES OF LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661.0	DX	PRIMARY UTERINE INERTIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661.1	DX	SECONDARY UTERINE INERTIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661.2	DX	OTHER AND UNSPECIFIED UTERINE INERTIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661.3	DX	PRECIPITATE LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661.4	DX	HYPERTONIC, INCOORDINATE, OR PROLONGED UTERINE CONTRACTIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	661.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	662	DX	LONG LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	662.0	DX	PROLONGED FIRST STAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	662.1	DX	PROLONGED LABOUR, UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	662.2	DX	PROLONGED SECOND STAGE	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	6623	DX	DELAYED DELIVERY OF SECOND TWIN, TRIPLET, ETC.	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663	DX	UMBILICAL CORD COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.0	DX	PROLAPSE OF CORD	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.1	DX	CORD AROUND NECK, WITH COMPRESSION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.2	DX	OTHER AND UNSPECIFIED CORD ENTANGLEMENT, WITH COMPRESSION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.3	DX	OTHER AND UNSPECIFIED CORD ENTANGLEMENT, WITHOUT MENTION OF COMPRESSION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.4	DX	SHORT CORD	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.5	DX	VASA PRAEVIA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.6	DX	VASCULAR LESIONS OF CORD	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	663.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664	DX	TRAUMA TO PERINEUM AND VULVA DURING DELIVERY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.0	DX	FIRST-DEGREE PERINEAL LACERATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.1	DX	SECOND-DEGREE PERINEAL LACERATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.2	DX	THIRD-DEGREE PERINEAL LACERATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.3	DX	FOURTH-DEGREE PERINEAL LACERATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.4	DX	UNSPECIFIED PERINEAL LACERATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.5	DX	VULVAL AND PERINEAL HAEMATOMA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	664.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665	DX	OTHER OBSTETRICAL TRAUMA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.0	DX	RUPTURE OF UTERUS BEFORE ONSET OF LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.1	DX	RUPTURE OF UTERUS DURING AND AFTER LABOUR	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.2	DX	INVERSION OF UTERUS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.3	DX	LACERATION OF CERVIX	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.4	DX	HIGH VAGINAL LACERATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.5	DX	OTHER INJURY TO PELVIC ORGANS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.6	DX	DAMAGE TO PELVIC JOINTS AND LIGAMENTS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.7	DX	PELVIC HAEMATOMA	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	665.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	666	DX	POSTPARTUM HAEMORRHAGE	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	666.0	DX	THIRD-STAGE HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	666.1	DX	OTHER IMMEDIATE POSTPARTUM HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	666.2	DX	DELAYED AND SECONDARY POSTPARTUM HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	666.3	DX	POSTPARTUM COAGULATION DEFECTS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	667	DX	RETAINED PLACENTA OR MEMBRANES, WITHOUT HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	667.0	DX	RETAINED PLACENTA WITHOUT HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	667.1	DX	RETAINED PORTIONS OF PLACENTA OR MEMBRANES, WITHOUT HAEMORRHAGE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	668	DX	COMPLICATIONS OF THE ADMINISTRATION OF ANAESTHETIC OR OTHER SEDATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	668.0	DX	IN LABOUR AND DELIVERY PULMONARY COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	668.1	DX	CARDIAC COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	668.2	DX	CENTRAL NERVOUS SYSTEM COMPLICATIONS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	668.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	668.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669	DX	OTHER COMPLICATIONS OF LABOUR AND DELIVERY, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.0	DX	MATERNAL DISTRESS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.1	DX	SHOCK DURING OR FOLLOWING LABOUR AND DELIVERY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.2	DX	MATERNAL HYPOTENSION SYNDROME	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.3	DX	ACUTE RENAL FAILURE FOLLOWING LABOUR AND DELIVERY	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.4	DX	OTHER COMPLICATIONS OF OBSTETRICAL SURGERY AND PROCEDURES	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.5	DX	FORCEPS OR VENTOUSE DELIVERY WITHOUT MENTION OF INDICATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.6	DX	BREECH EXTRACTION, WITHOUT MENTION OF INDICATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.7	DX	CAESAREAN DELIVERY, WITHOUT MENTION OF INDICATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	669.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	670	DX	MAJOR PUERPERAL INFECTION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671	DX	VENOUS COMPLICATIONS IN PREGNANCY AND THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.0	DX	VARICOSE VEINS OF LEGS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.1	DX	VARICOSE VEINS OF VULVA AND PERINEUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.2	DX	SUPERFICIAL THROMBOPHLEBITIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.3	DX	DEEP PHLEBOTHROMBOSIS, ANTEPARTUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.4	DX	DEEP PHLEBOTHROMBOSIS, POSTPARTUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.5	DX	OTHER PHLEBITIS AND THROMBOSIS	ICD-9-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	671.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	672	DX	PYREXIA OF UNKNOWN ORIGIN DURING THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	673	DX	OBSTETRICAL PULMONARY EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	673.0	DX	OBSTETRICAL AIR EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	673.1	DX	AMNIOTIC FLUID EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	673.2	DX	OBSTETRICAL BLOOD-CLOT EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	673.3	DX	OBSTETRICAL PYAEMIC AND SEPTIC EMBOLISM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	673.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674	DX	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM, NOT ELSEWHERE CLASSIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.0	DX	CEREBROVASCULAR DISORDERS IN THE PUERPERIUM	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.1	DX	DISRUPTION OF CAESAREAN WOUND	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.2	DX	DISRUPTION OF PERINEAL WOUND	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.3	DX	OTHER COMPLICATIONS OF OBSTETRICAL SURGICAL WOUNDS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.4	DX	PLACENTAL POLYP	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	674.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	675	DX	INFECTIONS OF THE BREAST AND NIPPLE ASSOCIATED WITH CHILDBIRTH	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	675.0	DX	INFECTIONS OF NIPPLE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	675.1	DX	ABSCESS OF BREAST	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	675.2	DX	NONPURULENT MASTITIS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	675.8	DX	OTHER	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	675.9	DX	UNSPECIFIED	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676	DX	OTHER DISORDERS OF THE BREAST ASSOCIATED WITH CHILDBIRTH, AND DISORDERS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676	DX	OF LACTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.0	DX	RETRACTED NIPPLE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.1	DX	CRACKED NIPPLE	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.2	DX	ENGORGEMENT OF BREASTS	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.3	DX	OTHER AND UNSPECIFIED DISORDER OF BREAST	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.4	DX	FAILURE OF LACTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.5	DX	SUPPRESSED LACTATION	ICD-9-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	676.6	DX	GALACTORRHOEA	ICD-9-CM

[illegible]

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.219	DX	UNSPECIFIED OVARIAN PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.8	DX	OTHER ECTOPIC PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.80	DX	OTHER ECTOPIC PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.81	DX	OTHER ECTOPIC PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.9	DX	ECTOPIC PREGNANCY, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.90	DX	UNSPECIFIED ECTOPIC PREGNANCY WITHOUT INTRAUTERINE PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	000.91	DX	UNSPECIFIED ECTOPIC PREGNANCY WITH INTRAUTERINE PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	001	DX	HYDATIDIFORM MOLE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	001.0	DX	CLASSICAL HYDATIDIFORM MOLE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	001.1	DX	INCOMPLETE AND PARTIAL HYDATIDIFORM MOLE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	001.9	DX	HYDATIDIFORM MOLE, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002	DX	OTHER ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002.0	DX	BLIGHTED OVUM AND NONHYDATIDIFORM MOLE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002.1	DX	MISSED ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002.8	DX	OTHER SPECIFIED ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002.81	DX	INAPPROPRIATE CHANGE IN QUANTITATIVE HUMAN CHORIONIC GONADOTROPIN (HCG) IN EARLY PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002.89	DX	OTHER ABNORMAL PRODUCTS OF CONCEPTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	002.9	DX	ABNORMAL PRODUCT OF CONCEPTION, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003	DX	SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.0	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.1	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.2	DX	EMBOLISM FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.3	DX	OTHER AND UNSPECIFIED COMPLICATIONS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.30	DX	UNSPECIFIED COMPLICATION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.31	DX	SHOCK FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.32	DX	RENAL FAILURE FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.33	DX	METABOLIC DISORDER FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.34	DX	DAMAGE TO PELVIC ORGANS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.35	DX	OTHER VENOUS COMPLICATIONS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.36	DX	CARDIAC ARREST FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.37	DX	SEPSIS FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.38	DX	URINARY TRACT INFECTION FOLLOWING INCOMPLETE SPONTANEOUS ABORTION	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.39	DX	INCOMPLETE SPONTANEOUS ABORTION WITH OTHER COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.4	DX	INCOMPLETE SPONTANEOUS ABORTION WITHOUT COMPLICATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.5	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.6	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.7	DX	EMBOLISM FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.8	DX	OTHER AND UNSPECIFIED COMPLICATIONS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.80	DX	UNSPECIFIED SPONTANEOUS ABORTION SHOCK FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.81	DX	RENAL FAILURE FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.82	DX	METABOLIC DISORDER FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.83	DX	DAMAGE TO PELVIC ORGANS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.84	DX	OTHER VENOUS COMPLICATIONS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.85	DX	CARDIAC ARREST FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.86	DX	SEPSIS FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.87	DX	URINARY TRACT INFECTION FOLLOWING COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.88	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION WITH OTHER COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.89	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION WITHOUT COMPLICATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	003.9	DX	COMPLICATIONS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.5	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.6	DX	EMBOLISM FOLLOWING (INDUCED) TERMINATION OF PREGNANCY (INDUCED) TERMINATION OF PREGNANCY WITH OTHER AND UNSPECIFIED COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.7	DX	(INDUCED) TERMINATION OF PREGNANCY WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.8	DX	SHOCK FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.80	DX	RENAL FAILURE FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.81	DX	METABOLIC DISORDER FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.82	DX	DAMAGE TO PELVIC ORGANS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.83	DX	OTHER VENOUS COMPLICATIONS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.84	DX	CARDIAC ARREST FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.85	DX	SEPSIS FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.86	DX	URINARY TRACT INFECTION FOLLOWING (INDUCED) TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.87	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.88	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	004.89	DX	COMPLETE OR UNSPECIFIED SPONTANEOUS ABORTION	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.0	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.1	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.2	DX	EMBOLISM FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.3	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH OTHER AND UNSPECIFIED COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.30	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH UNSPECIFIED COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.31	DX	SHOCK FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.32	DX	RENAL FAILURE FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.33	DX	METABOLIC DISORDER FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.34	DX	DAMAGE TO PELVIC ORGANS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.35	DX	OTHER VENOUS COMPLICATIONS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.36	DX	CARDIAC ARREST FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.37	DX	SEPSIS FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.38	DX	URINARY TRACT INFECTION FOLLOWING FAILED ATTEMPTED TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.39	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITH OTHER COMPLICATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	007.4	DX	FAILED ATTEMPTED TERMINATION OF PREGNANCY WITHOUT COMPLICATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008	DX	COMPLICATIONS FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.0	DX	GENITAL TRACT AND PELVIC INFECTION FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.1	DX	DELAYED OR EXCESSIVE HEMORRHAGE FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.2	DX	EMBOLISM FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.3	DX	SHOCK FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.4	DX	RENAL FAILURE FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.5	DX	METABOLIC DISORDERS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.6	DX	DAMAGE TO PELVIC ORGANS AND TISSUES FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.7	DX	OTHER VENOUS COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.8	DX	OTHER COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.81	DX	CARDIAC ARREST FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.82	DX	SEPSIS FOLLOWING ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.83	DX	URINARY TRACT INFECTION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.89	DX	OTHER COMPLICATIONS FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	008.9	DX	UNSPECIFIED COMPLICATION FOLLOWING AN ECTOPIC AND MOLAR PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	009	DX	SUPERVISION OF HIGH RISK PREGNANCY	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.9	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.91	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.911	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.912	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.913	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.919	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.92	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O10.93	DX	UNSPECIFIED PRE-EXISTING HYPERTENSION COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11.1	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11.2	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11.3	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11.4	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11.5	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O11.9	DX	PRE-EXISTING HYPERTENSION WITH PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12	DX	GESTATIONAL [PREGNANCY-GESTATIONAL (PREGNANCY-INDUCED)] EDEMA AND PROTEINURIA WITHOUT HYPERTENSION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.0	DX	GESTATIONAL EDEMA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.00	DX	GESTATIONAL EDEMA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.01	DX	GESTATIONAL EDEMA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.02	DX	GESTATIONAL EDEMA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.03	DX	GESTATIONAL EDEMA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.04	DX	GESTATIONAL EDEMA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.05	DX	GESTATIONAL EDEMA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.1	DX	GESTATIONAL PROTEINURIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.10	DX	GESTATIONAL PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.11	DX	GESTATIONAL PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.12	DX	GESTATIONAL PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.13	DX	GESTATIONAL PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.14	DX	GESTATIONAL PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.15	DX	GESTATIONAL PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.2	DX	GESTATIONAL EDEMA WITH PROTEINURIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O12.20	DX	GESTATIONAL EDEMA WITH PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	012.21	DX	GESTATIONAL EDEMA WITH PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	012.22	DX	GESTATIONAL EDEMA WITH PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	012.23	DX	GESTATIONAL EDEMA WITH PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	012.24	DX	GESTATIONAL EDEMA WITH PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	012.25	DX	GESTATIONAL EDEMA WITH PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013.1	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013.2	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013.3	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013.4	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013.5	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	013.9	DX	GESTATIONAL [PREGNANCY-INDUCED] HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014	DX	PRE-ECLAMPSIA-ECLAMPSIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.0	DX	MILD TO MODERATE PRE-ECLAMPSIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.00	DX	MILD TO MODERATE PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.02	DX	MILD TO MODERATE PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.03	DX	MILD TO MODERATE PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.04	DX	MILD TO MODERATE PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.05	DX	MILD TO MODERATE PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.1	DX	SEVERE PRE-ECLAMPSIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.10	DX	SEVERE PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.12	DX	SEVERE PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.13	DX	SEVERE PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.14	DX	SEVERE PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.15	DX	SEVERE PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.2	DX	HELLP SYNDROME	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.20	DX	HELLP SYNDROME (HELLP), UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.22	DX	HELLP SYNDROME (HELLP), SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.23	DX	HELLP SYNDROME (HELLP), THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.24	DX	HELLP SYNDROME, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.25	DX	HELLP SYNDROME, COMPLICATING THE PUERPERIUM	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.9	DX	UNSPECIFIED PRE-ECLAMPSIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.90	DX	UNSPECIFIED PRE-ECLAMPSIA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.92	DX	UNSPECIFIED PRE-ECLAMPSIA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.93	DX	UNSPECIFIED PRE-ECLAMPSIA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.94	DX	UNSPECIFIED PRE-ECLAMPSIA, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	014.95	DX	UNSPECIFIED PRE-ECLAMPSIA, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015	DX	ECLAMPSIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.0	DX	ECLAMPSIA COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.00	DX	ECLAMPSIA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.02	DX	ECLAMPSIA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.03	DX	ECLAMPSIA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.1	DX	ECLAMPSIA COMPLICATING LABOR	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.2	DX	ECLAMPSIA COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	015.9	DX	ECLAMPSIA, UNSPECIFIED AS TO TIME PERIOD	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016	DX	UNSPECIFIED MATERNAL HYPERTENSION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016.1	DX	UNSPECIFIED MATERNAL HYPERTENSION, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016.2	DX	UNSPECIFIED MATERNAL HYPERTENSION, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016.3	DX	UNSPECIFIED MATERNAL HYPERTENSION, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016.4	DX	UNSPECIFIED MATERNAL HYPERTENSION, COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016.5	DX	UNSPECIFIED MATERNAL HYPERTENSION, COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	016.9	DX	UNSPECIFIED MATERNAL HYPERTENSION, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	020	DX	HEMORRHAGE IN EARLY PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	020.0	DX	THREATENED ABORTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	020.8	DX	OTHER HEMORRHAGE IN EARLY PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	020.9	DX	HEMORRHAGE IN EARLY PREGNANCY, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	021	DX	EXCESSIVE VOMITING IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	021.0	DX	MILD HYPEREMESIS GRAVIDARUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	021.1	DX	HYPEREMESIS GRAVIDARUM WITH METABOLIC DISTURBANCE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	021.2	DX	LATE VOMITING OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	021.8	DX	OTHER VOMITING COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	021.9	DX	VOMITING OF PREGNANCY, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	022	DX	VENOUS COMPLICATIONS AND HEMORRHOIDS IN PREGNANCY	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.439	DX	GESTATIONAL DIABETES MELLITUS IN THE PUERPERIUM, UNSPECIFIED CONTROL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.8	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.81	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.811	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.812	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.813	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.819	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.82	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.83	DX	OTHER PRE-EXISTING DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.9	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.91	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.911	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.912	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.913	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.919	DX	UNSPECIFIED DIABETES MELLITUS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.92	DX	UNSPECIFIED DIABETES MELLITUS IN CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	024.93	DX	UNSPECIFIED DIABETES MELLITUS IN THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025	DX	MALNUTRITION IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.1	DX	MALNUTRITION IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.10	DX	MALNUTRITION IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.11	DX	MALNUTRITION IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.12	DX	MALNUTRITION IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.13	DX	MALNUTRITION IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.2	DX	MALNUTRITION IN CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	025.3	DX	MALNUTRITION IN THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026	DX	MATERNAL CARE FOR OTHER CONDITIONS PREDOMINANTLY RELATED TO PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.0	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.00	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.01	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.02	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.03	DX	EXCESSIVE WEIGHT GAIN IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.1	DX	LOW WEIGHT GAIN IN PREGNANCY	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.10	DX	LOW WEIGHT GAIN IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.11	DX	LOW WEIGHT GAIN IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.12	DX	LOW WEIGHT GAIN IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.13	DX	LOW WEIGHT GAIN IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.2	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.20	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.21	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.22	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.23	DX	PREGNANCY CARE FOR PATIENT WITH RECURRENT PREGNANCY LOSS, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.3	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.30	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.31	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.32	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.33	DX	RETAINED INTRAUTERINE CONTRACEPTIVE DEVICE IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.4	DX	HERPES GESTATIONIS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.40	DX	HERPES GESTATIONIS, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.41	DX	HERPES GESTATIONIS, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.42	DX	HERPES GESTATIONIS, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.43	DX	HERPES GESTATIONIS, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.5	DX	MATERNAL HYPOTENSION SYNDROME	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.50	DX	MATERNAL HYPOTENSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.51	DX	MATERNAL HYPOTENSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.52	DX	MATERNAL HYPOTENSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.53	DX	MATERNAL HYPOTENSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.6	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.61	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.611	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.612	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.613	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.619	DX	LIVER AND BILIARY TRACT DISORDERS IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.62	DX	LIVER AND BILIARY TRACT DISORDERS IN CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.63	DX	LIVER AND BILIARY TRACT DISORDERS IN THE PUERPERIUM	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.7	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.71	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.711	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.712	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.713	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.719	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.72	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.73	DX	SUBLUXATION OF SYMPHYSIS (PUBIS) IN THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.8	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.81	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.811	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.812	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.813	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.819	DX	PREGNANCY RELATED EXHAUSTION AND FATIGUE, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.82	DX	PREGNANCY RELATED PERIPHERAL NEURITIS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.821	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.822	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.823	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.829	DX	PREGNANCY RELATED PERIPHERAL NEURITIS, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.83	DX	PREGNANCY RELATED RENAL DISEASE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.831	DX	PREGNANCY RELATED RENAL DISEASE, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.832	DX	PREGNANCY RELATED RENAL DISEASE, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.833	DX	PREGNANCY RELATED RENAL DISEASE, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.839	DX	PREGNANCY RELATED RENAL DISEASE, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.84	DX	UTERINE SIZE-DATE DISCREPANCY COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.841	DX	UTERINE SIZE-DATE DISCREPANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.842	DX	UTERINE SIZE-DATE DISCREPANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.843	DX	UTERINE SIZE-DATE DISCREPANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.849	DX	UTERINE SIZE-DATE DISCREPANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.85	DX	SPOTTING COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.851	DX	SPOTTING COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.852	DX	SPOTTING COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.853	DX	SPOTTING COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.859	DX	SPOTTING COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.86	DX	PRURITIC URTICARIAL PAPULES AND PLAQUES OF PREGNANCY (PUPPP)	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.87	DX	CERVICAL SHORTENING	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.872	DX	CERVICAL SHORTENING, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.873	DX	CERVICAL SHORTENING, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.879	DX	CERVICAL SHORTENING, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.89	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.891	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.892	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.893	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.899	DX	OTHER SPECIFIED PREGNANCY RELATED CONDITIONS, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.9	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.90	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.91	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.92	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	026.93	DX	PREGNANCY RELATED CONDITIONS, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028	DX	ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.0	DX	ABNORMAL HEMATOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.1	DX	ABNORMAL BIOCHEMICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.2	DX	ABNORMAL CYTOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.3	DX	ABNORMAL ULTRASONIC FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.4	DX	ABNORMAL RADIOLOGICAL FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.5	DX	ABNORMAL CHROMOSOMAL AND GENETIC FINDING ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.8	DX	OTHER ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	028.9	DX	UNSPECIFIED ABNORMAL FINDINGS ON ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	029	DX	COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	029.0	DX	PULMONARY COMPLICATIONS OF ANESTHESIA DURING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	029.01	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	029.011	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	029.012	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	029.013	DX	ASPIRATION PNEUMONITIS DUE TO ANESTHESIA DURING PREGNANCY, THIRD TRIMESTER	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 1	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 2	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 3	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 4	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, FETUS 5	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.6XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO HYDROCEPHALIC FETUS, OTHER FETUS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX0	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX1	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 1	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX2	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 2	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX3	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 3	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX4	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 4	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX5	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, FETUS 5	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.7XX9	DX	MATERNAL CARE FOR DISPROPORTION DUE TO OTHER FETAL DEFORMITIES, OTHER FETUS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.8	DX	MATERNAL CARE FOR DISPROPORTION OF OTHER ORIGIN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	033.9	DX	MATERNAL CARE FOR DISPROPORTION, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034	DX	MATERNAL CARE FOR ABNORMALITY OF PELVIC ORGANS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.0	DX	MATERNAL CARE FOR CONGENITAL MALFORMATION OF UTERUS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.00	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.01	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.02	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.03	DX	MATERNAL CARE FOR UNSPECIFIED CONGENITAL MALFORMATION OF UTERUS, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.1	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.10	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.11	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.12	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.13	DX	MATERNAL CARE FOR BENIGN TUMOR OF CORPUS UTERI, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.2	DX	MATERNAL CARE DUE TO UTERINE SCAR FROM PREVIOUS SURGERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.21	DX	MATERNAL CARE FOR SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.211	DX	MATERNAL CARE FOR LOW TRANSVERSE SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	034.212	DX	MATERNAL CARE FOR VERTICAL SCAR FROM PREVIOUS CESAREAN DELIVERY	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	042.92	DX	FULL-TERM PREMATURE RUPTURE OF MEMBRANES, UNSPECIFIED AS TO LENGTH OF TIME BETWEEN RUPTURE AND ONSET OF LABOR	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043	DX	PLACENTAL DISORDERS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.0	DX	PLACENTAL TRANSFUSION SYNDROMES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.01	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.011	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.012	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.013	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.019	DX	FETOMATERNAL PLACENTAL TRANSFUSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.02	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.021	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.022	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.023	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.029	DX	FETUS-TO-FETUS PLACENTAL TRANSFUSION SYNDROME, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.1	DX	MALFORMATION OF PLACENTA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.10	DX	MALFORMATION OF PLACENTA, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.101	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.102	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.103	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.109	DX	MALFORMATION OF PLACENTA, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.11	DX	CIRCUMVALLATE PLACENTA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.111	DX	CIRCUMVALLATE PLACENTA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.112	DX	CIRCUMVALLATE PLACENTA, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.113	DX	CIRCUMVALLATE PLACENTA, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.119	DX	CIRCUMVALLATE PLACENTA, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.12	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.121	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.122	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.123	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.129	DX	VELAMENTOUS INSERTION OF UMBILICAL CORD, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.19	DX	OTHER MALFORMATION OF PLACENTA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.191	DX	OTHER MALFORMATION OF PLACENTA, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	043.192	DX	OTHER MALFORMATION OF PLACENTA, SECOND TRIMESTER	ICD-10-CM

[illegible]

[illegible]

[illegible]

[illegible]

	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O46.91	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O46.92	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O46.93	DX	ANTEPARTUM HEMORRHAGE, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47	DX	FALSE LABOR	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47.0	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47.00	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, UNSPECIFIED TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47.02	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, SECOND TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47.03	DX	FALSE LABOR BEFORE 37 COMPLETED WEEKS OF GESTATION, THIRD TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47.1	DX	FALSE LABOR AT OR AFTER 37 COMPLETED WEEKS OF GESTATION	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O47.9	DX	FALSE LABOR, UNSPECIFIED	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O48	DX	LATE PREGNANCY	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O48.0	DX	POST-TERM PREGNANCY	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O48.1	DX	PROLONGED PREGNANCY	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.0	DX	PRETERM LABOR WITHOUT DELIVERY	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.00	DX	PRETERM LABOR WITHOUT DELIVERY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.02	DX	PRETERM LABOR WITHOUT DELIVERY, SECOND TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.03	DX	PRETERM LABOR WITHOUT DELIVERY, THIRD TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.1	DX	PRETERM LABOR WITH PRETERM DELIVERY	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X	DX		ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X0	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X1	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 1	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X2	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 2	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X3	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 3	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X4	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 4	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X5	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, FETUS 5	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.10X9	DX	PRETERM LABOR WITH PRETERM DELIVERY, UNSPECIFIED TRIMESTER, OTHER FETUS	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.12	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.12X	DX		ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.12X0	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, NOT APPLICABLE OR UNSPECIFIED	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.12X1	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 1	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O60.12X2	DX	PRETERM LABOR SECOND TRIMESTER WITH PRETERM DELIVERY SECOND TRIMESTER, FETUS 2	ICD-10-CM

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	072	DX	POSTPARTUM HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	072.0	DX	THIRD-STAGE HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	072.1	DX	OTHER IMMEDIATE POSTPARTUM HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	072.2	DX	DELAYED AND SECONDARY POSTPARTUM HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	072.3	DX	POSTPARTUM COAGULATION DEFECTS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	073	DX	RETAINED PLACENTA AND MEMBRANES, WITHOUT HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	073.0	DX	RETAINED PLACENTA WITHOUT HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	073.1	DX	RETAINED PORTIONS OF PLACENTA AND MEMBRANES, WITHOUT HEMORRHAGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075	DX	OTHER COMPLICATIONS OF LABOR AND DELIVERY, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.0	DX	MATERNAL DISTRESS DURING LABOR AND DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.1	DX	SHOCK DURING OR FOLLOWING LABOR AND DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.2	DX	PYREXIA DURING LABOR, NOT ELSEWHERE CLASSIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.3	DX	OTHER INFECTION DURING LABOR	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.4	DX	OTHER COMPLICATIONS OF OBSTETRIC SURGERY AND PROCEDURES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.5	DX	DELAYED DELIVERY AFTER ARTIFICIAL RUPTURE OF MEMBRANES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.8	DX	OTHER SPECIFIED COMPLICATIONS OF LABOR AND DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.81	DX	MATERNAL EXHAUSTION COMPLICATING LABOR AND DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.82	DX	ONSET (SPONTANEOUS) OF LABOR AFTER 37 COMPLETED WEEKS OF GESTATION BUT BEFORE 39 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.89	DX	GESTATION, WITH DELIVERY BY (PLANNED) CESAREAN SECTION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	075.9	DX	OTHER SPECIFIED COMPLICATIONS OF LABOR AND DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	094	DX	COMPLICATION OF LABOR AND DELIVERY, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098	DX	SEQUELAE OF COMPLICATION OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.0	DX	MATERNAL INFECTIOUS AND PARASITIC DISEASES CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.01	DX	TUBERCULOSIS COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.011	DX	TUBERCULOSIS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.012	DX	TUBERCULOSIS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.013	DX	TUBERCULOSIS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.019	DX	TUBERCULOSIS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.02	DX	TUBERCULOSIS COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.03	DX	TUBERCULOSIS COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	098.1	DX	SYPHILIS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM

[illegible]

[illegible]

	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.82	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.83	DX	OTHER MATERNAL INFECTIOUS AND PARASITIC DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.9	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.91	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.911	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.912	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.913	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.919	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.92	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O98.93	DX	UNSPECIFIED MATERNAL INFECTIOUS AND PARASITIC DISEASE COMPLICATING THE PUERPERIUM	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99	DX	OTHER MATERNAL DISEASES CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.0	DX	ANEMIA COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.01	DX	ANEMIA COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.011	DX	ANEMIA COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.012	DX	ANEMIA COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.013	DX	ANEMIA COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.019	DX	ANEMIA COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.02	DX	ANEMIA COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.03	DX	ANEMIA COMPLICATING THE PUERPERIUM	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.1	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.11	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.111	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.112	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.113	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.119	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	O99.12	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING CHILDBIRTH	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.13	DX	OTHER DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.2	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.21	DX	OBESITY COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.210	DX	OBESITY COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.211	DX	OBESITY COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.212	DX	OBESITY COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.213	DX	OBESITY COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.214	DX	OBESITY COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.215	DX	OBESITY COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.28	DX	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.280	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.281	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.282	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.283	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.284	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.285	DX	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.3	DX	MENTAL DISORDERS AND DISEASES OF THE NERVOUS SYSTEM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.31	DX	ALCOHOL USE COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.310	DX	ALCOHOL USE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.311	DX	ALCOHOL USE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.312	DX	ALCOHOL USE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.313	DX	ALCOHOL USE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.314	DX	ALCOHOL USE COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.315	DX	ALCOHOL USE COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.32	DX	DRUG USE COMPLICATING PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.320	DX	DRUG USE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.321	DX	DRUG USE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.322	DX	DRUG USE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.323	DX	DRUG USE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.324	DX	DRUG USE COMPLICATING CHILDBIRTH	ICD-10-CM

[illegible]

[illegible]

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.830	DX	OTHER INFECTION CARRIER STATE COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.834	DX	OTHER INFECTION CARRIER STATE COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.835	DX	OTHER INFECTION CARRIER STATE COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.84	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.840	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.841	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.842	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.843	DX	BARIATRIC SURGERY STATUS COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.844	DX	BARIATRIC SURGERY STATUS COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.845	DX	BARIATRIC SURGERY STATUS COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	099.89	DX	OTHER SPECIFIED DISEASES AND CONDITIONS COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A	DX	MATERNAL MALIGNANT NEOPLASMS, TRAUMATIC INJURIES AND ABUSE CLASSIFIABLE ELSEWHERE BUT COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.1	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.11	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.111	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.112	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.113	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.119	DX	MALIGNANT NEOPLASM COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.12	DX	MALIGNANT NEOPLASM COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.13	DX	MALIGNANT NEOPLASM COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.2	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.21	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.211	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.212	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.213	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.219	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.22	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.23	DX	INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.3	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.31	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.311	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.312	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.313	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.319	DX	PHYSICAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.32	DX	PHYSICAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.33	DX	PHYSICAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.4	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.41	DX	SEXUAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.411	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.412	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.413	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.419	DX	SEXUAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.42	DX	SEXUAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.43	DX	SEXUAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.5	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.51	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.511	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.512	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.513	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.519	DX	PSYCHOLOGICAL ABUSE COMPLICATING PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.52	DX	PSYCHOLOGICAL ABUSE COMPLICATING CHILDBIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	09A.53	DX	PSYCHOLOGICAL ABUSE COMPLICATING THE PUERPERIUM	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P015	DX	NEWBORN AFFECTED BY MULTIPLE PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.01	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, LESS THAN 500 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.02	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 500-749 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.03	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 750-999 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.04	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1000-1249 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.05	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1250-1499 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.06	DX	NEWBORN LIGHT FOR GESTATIONAL AGE, 1500-1749 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.11	DX	NEWBORN SMALL FOR GESTATIONAL AGE, LESS THAN 500 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.12	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 500-749 GRAMS	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.13	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 750-999 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.14	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1000-1249 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.15	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1250-1499 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P05.16	DX	NEWBORN SMALL FOR GESTATIONAL AGE, 1500-1749 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.01	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, LESS THAN 500 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.02	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, 500-749 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.03	DX	EXTREMELY LOW BIRTH WEIGHT NEWBORN, 750-999 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.14	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1000-1249 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.15	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1250-1499 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.16	DX	OTHER LOW BIRTH WEIGHT NEWBORN, 1500-1749 GRAMS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.2	DX	EXTREME IMMATUREITY OF NEWBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.20	DX	EXTREME IMMATUREITY OF NEWBORN, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.21	DX	EXTREME IMMATUREITY OF NEWBORN, GESTATIONAL AGE LESS THAN 23 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.22	DX	EXTREME IMMATUREITY OF NEWBORN, GESTATIONAL AGE 23 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.23	DX	EXTREME IMMATUREITY OF NEWBORN, GESTATIONAL AGE 24 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.24	DX	EXTREME IMMATUREITY OF NEWBORN, GESTATIONAL AGE 25 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.25	DX	EXTREME IMMATUREITY OF NEWBORN, GESTATIONAL AGE 26 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.26	DX	EXTREME IMMATUREITY OF NEWBORN, GESTATIONAL AGE 27 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.3	DX	PRETERM [PREMATURE] NEWBORN [OTHER]	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.30	DX	PRETERM NEWBORN, UNSPECIFIED WEEKS OF GESTATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.31	DX	PRETERM NEWBORN, GESTATIONAL AGE 28 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.32	DX	PRETERM NEWBORN, GESTATIONAL AGE 29 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.33	DX	PRETERM NEWBORN, GESTATIONAL AGE 30 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.34	DX	PRETERM NEWBORN, GESTATIONAL AGE 31 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.35	DX	PRETERM NEWBORN, GESTATIONAL AGE 32 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.36	DX	PRETERM NEWBORN, GESTATIONAL AGE 33 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.37	DX	PRETERM NEWBORN, GESTATIONAL AGE 34 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.38	DX	PRETERM NEWBORN, GESTATIONAL AGE 35 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P07.39	DX	PRETERM NEWBORN, GESTATIONAL AGE 36 COMPLETED WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P08.2	DX	LATE NEWBORN, NOT HEAVY FOR GESTATIONAL AGE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P08.21	DX	POST-TERM NEWBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P08.22	DX	PROLONGED GESTATION OF NEWBORN	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	P61.2	DX	ANEMIA OF PREMATURITY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z32.01	DX	ENCOUNTER FOR PREGNANCY TEST, RESULT POSITIVE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z33	DX	PREGNANT STATE	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z33.1	DX	PREGNANT STATE, INCIDENTAL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z33.2	DX	ENCOUNTER FOR ELECTIVE TERMINATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z33.3	DX	PREGNANT STATE, GESTATIONAL CARRIER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.0	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.00	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.01	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.02	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.03	DX	ENCOUNTER FOR SUPERVISION OF NORMAL FIRST PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.8	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.80	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.81	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.82	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.83	DX	ENCOUNTER FOR SUPERVISION OF OTHER NORMAL PREGNANCY, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.9	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.1	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR RAISED ALPHAFETOPROTEIN LEVEL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.3	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR MALFORMATIONS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.4	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL GROWTH RETARDATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.84	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL LUNG MATURITY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.85	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR STREPTOCOCCUS B	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.87	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR UNCERTAIN DATES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.89	DX	ENCOUNTER FOR OTHER SPECIFIED ANTENATAL SCREENING	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.9	DX	ENCOUNTER FOR ANTENATAL SCREENING, UNSPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.5	DX	OTHER MULTIPLE BIRTHS, ALL LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.50	DX	MULTIPLE BIRTHS, UNSPECIFIED, ALL LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.51	DX	TRIPLETS, ALL LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.52	DX	QUADRUPLTS, ALL LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.54	DX	SEXTUPLETS, ALL LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.59	DX	OTHER MULTIPLE BIRTHS, ALL LIVEBORN	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.6	DX	OTHER MULTIPLE BIRTHS, SOME LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.60	DX	MULTIPLE BIRTHS, UNSPECIFIED, SOME LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.61	DX	TRIPLETS, SOME LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.62	DX	QUADRUPLETS, SOME LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.69	DX	OTHER MULTIPLE BIRTHS, SOME LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.3	DX	TWIN LIVEBORN INFANT, BORN IN HOSPITAL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.31	DX	TWIN LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.4	DX	TWIN LIVEBORN INFANT, BORN OUTSIDE HOSPITAL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.5	DX	TWIN LIVEBORN INFANT, UNSPECIFIED AS TO PLACE OF BIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.6	DX	OTHER MULTIPLE LIVEBORN INFANT, BORN IN HOSPITAL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.62	DX	TRIPLT LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.64	DX	QUADRUPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.66	DX	QUINTUPLET LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.69	DX	OTHER MULTIPLE LIVEBORN INFANT, DELIVERED BY CESAREAN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.7	DX	OTHER MULTIPLE LIVEBORN INFANT, BORN OUTSIDE HOSPITAL	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.8	DX	OTHER MULTIPLE LIVEBORN INFANT, UNSPECIFIED AS TO PLACE OF BIRTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z39	DX	ENCOUNTER FOR MATERNAL POSTPARTUM CARE AND EXAMINATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z39.0	DX	ENCOUNTER FOR CARE AND EXAMINATION OF MOTHER IMMEDIATELY AFTER DELIVERY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z39.2	DX	ENCOUNTER FOR ROUTINE POSTPARTUM FOLLOW-UP	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A	DX	WEEKS OF GESTATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.0	DX	WEEKS OF GESTATION OF PREGNANCY, UNSPECIFIED OR LESS THAN 10 WEEKS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.01	DX	LESS THAN 8 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.09	DX	9 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.1	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 10-19	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.12	DX	12 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.13	DX	13 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.14	DX	14 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.16	DX	16 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.17	DX	17 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.18	DX	18 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.19	DX	19 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.24	DX	24 WEEKS GESTATION OF PREGNANCY	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.25	DX	25 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.26	DX	26 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.27	DX	27 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.28	DX	28 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.29	DX	29 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.3	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 30-29	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.32	DX	32 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.33	DX	33 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.34	DX	34 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.39	DX	39 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.40	DX	40 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.41	DX	41 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.49	DX	GREATER THAN 42 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.90	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, UNSPECIFIED TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.91	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, FIRST TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.92	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, SECOND TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z34.93	DX	ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY, UNSPECIFIED, THIRD TRIMESTER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36	DX	ENCOUNTER FOR ANTENATAL SCREENING OF MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.0	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR CHROMOSOMAL ANOMALIES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.2	DX	ENCOUNTER FOR OTHER ANTENATAL SCREENING FOLLOW-UP	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.5	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR ISOIMMUNIZATION	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.8	DX	ENCOUNTER FOR OTHER ANTENATAL SCREENING	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.81	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR HYDROPS FETALIS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.82	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR NUCHAL TRANSLUCENCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.83	DX	ENCOUNTER FOR FETAL SCREENING FOR CONGENITAL CARDIAC ABNORMALITIES	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.86	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR CERVICAL LENGTH	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.88	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR FETAL MACROSOMIA	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z36.8A	DX	ENCOUNTER FOR ANTENATAL SCREENING FOR OTHER GENETIC DEFECTS	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.2	DX	TWINS, BOTH LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.3	DX	TWINS, ONE LIVEBORN AND ONE STILLBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.53	DX	QUINTUPLETS, ALL LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.63	DX	QUINTUPLETS, SOME LIVEBORN	ICD-10-CM

27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z37.64	DX	SEXTUPLETS, SOME LIVEBORN	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.30	DX	TWIN LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.61	DX	TRIPLT LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.63	DX	QUADRUPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.65	DX	QUINTUPLET LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z38.68	DX	OTHER MULTIPLE LIVEBORN INFANT, DELIVERED VAGINALLY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z39.1	DX	ENCOUNTER FOR CARE AND EXAMINATION OF LACTATING MOTHER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.00	DX	WEEKS OF GESTATION OF PREGNANCY NOT SPECIFIED	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.08	DX	8 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.10	DX	10 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.11	DX	11 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.15	DX	15 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.2	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 20-29	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.20	DX	20 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.21	DX	21 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.22	DX	22 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.23	DX	23 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.30	DX	30 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.31	DX	31 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.35	DX	35 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.36	DX	36 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.37	DX	37 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.38	DX	38 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.4	DX	WEEKS OF GESTATION OF PREGNANCY, WEEKS 40 OR GREATER	ICD-10-CM
27	Women who are pregnant, nursing, or who plan to become pregnant while in the trial	Pregnancy	Z3A.42	DX	42 WEEKS GESTATION OF PREGNANCY	ICD-10-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	V15.81	DX	PERSONAL HISTORY OF NONCOMPLIANCE WITH MEDICAL TREATMENT, PRESENTING HAZARDS TO HEALTH	ICD-9-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	V45.12	DX	NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-9-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	Z91.120	DX	PATIENT'S INTENTIONAL UNDERDOSING OF MEDICATION REGIMEN DUE TO FINANCIAL HARDSHIP	ICD-10-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	Z91.128	DX	PATIENT'S INTENTIONAL UNDERDOSING OF MEDICATION REGIMEN FOR OTHER REASON	ICD-10-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	Z91.13	DX	PATIENT'S UNINTENTIONAL UNDERDOSING OF MEDICATION REGIMEN	ICD-10-CM

28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	Z91.14	DX	PATIENT'S OTHER NONCOMPLIANCE WITH MEDICATION REGIMEN	ICD-10-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	Z91.15	DX	PATIENT'S NONCOMPLIANCE WITH RENAL DIALYSIS	ICD-10-CM
28	Any other clinical condition that would jeopardise patients safety while participating in this trial, or may prevent the subject from adhering to the trial protocol	Non-compliance/Non-adherence	Z91.19	DX	PATIENT'S NONCOMPLIANCE WITH OTHER MEDICAL TREATMENT AND REGIMEN	ICD-10-CM

Category	Variable_Name	Code	Code_category	Description	Code_type	Notes
1	Hospitalisation for heart failure	398.91	DX	RHEUMATIC HEART FAILURE (CONGESTIVE)	ICD-9-CM	
1	Hospitalization for heart failure	402.01	DX	MALIGNANT HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	402.11	DX	BENIGN HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	402.91	DX	UNSPECIFIED HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	404.01	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	404.03	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, MALIGNANT, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM	
1	Hospitalization for heart failure	404.11	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, BENIGN, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	404.13	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, BENIGN, WITH HEART FAILURE AND CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM	
1	Hospitalization for heart failure	404.91	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, UNSPECIFIED, WITH HEART FAILURE AND WITH CHRONIC KIDNEY DISEASE STAGE I THROUGH STAGE IV, OR UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	404.93	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE, UNSPECIFIED, WITH HEART FAILURE AND CHRONIC KIDNEY DISEASE STAGE V OR END STAGE RENAL DISEASE	ICD-9-CM	
1	Hospitalization for heart failure	428	DX	HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.0	DX	CONGESTIVE HEART FAILURE, UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	428.1	DX	LEFT HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.2	DX	SYSTOLIC HEART FAILURE, UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	428.21	DX	ACUTE SYSTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.22	DX	CHRONIC SYSTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.23	DX	ACUTE ON CHRONIC SYSTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.3	DX	DIASTOLIC HEART FAILURE, UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	428.31	DX	ACUTE DIASTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.32	DX	CHRONIC DIASTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.33	DX	ACUTE ON CHRONIC DIASTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.4	DX	COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE, UNSPECIFIED	ICD-9-CM	
1	Hospitalization for heart failure	428.41	DX	ACUTE COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.42	DX	CHRONIC COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC AND DIASTOLIC HEART FAILURE	ICD-9-CM	
1	Hospitalization for heart failure	428.9	DX	HEART FAILURE, UNSPECIFIED	ICD-9-CM	
1	Hospitalisation for heart failure	I09.81	DX	RHEUMATIC HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I11.0	DX	HYPERTENSIVE HEART DISEASE WITH HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I13.0	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC KIDNEY DISEASE	ICD-10-CM	
1	Hospitalization for heart failure	I13.2	DX	HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE WITH HEART FAILURE AND WITH STAGE 5 CHRONIC KIDNEY DISEASE, OR END STAGE RENAL DISEASE	ICD-10-CM	
1	Hospitalization for heart failure	I50	DX	HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.1	DX	LEFT VENTRICULAR FAILURE, UNSPECIFIED	ICD-10-CM	
1	Hospitalization for heart failure	I50.2	DX	SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.20	DX	UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.21	DX	ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.22	DX	CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	
1	Hospitalization for heart failure	I50.23	DX	ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM	

1 Hospitalization for heart failure	I50.3	DX	DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.30	DX	UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.31	DX	ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.32	DX	CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.33	DX	ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.4	DX	COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.40	DX	UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.41	DX	ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.42	DX	CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.43	DX	ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.8	DX	OTHER HEART FAILURE	ICD-10-CM
1 Hospitalisation for heart failure	I50.810	DX	RIGHT HEART FAILURE, UNSPECIFIED	ICD-10-CM
1 Hospitalisation for heart failure	I50.811	DX	ACUTE RIGHT HEART FAILURE	ICD-10-CM
1 Hospitalisation for heart failure	I50.812	DX	CHRONIC RIGHT HEART FAILURE	ICD-10-CM
1 Hospitalisation for heart failure	I50.813	DX	ACUTE ON CHRONIC RIGHT HEART FAILURE	ICD-10-CM
1 Hospitalisation for heart failure	I50.814	DX	RIGHT HEART FAILURE DUE TO LEFT HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.82	DX	BIVENTRICULAR HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.83	DX	HIGH OUTPUT HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.84	DX	END STAGE HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.89	DX	OTHER HEART FAILURE	ICD-10-CM
1 Hospitalization for heart failure	I50.9	DX	HEART FAILURE, UNSPECIFIED	ICD-10-CM
2 Death	20			IP: Discharge status All database
2 Death	41			IP: Discharge status All database
2 Death	42			IP: Discharge status All database
2 Death	21			IP: Discharge status Marketscan/Optum database
2 Death	22			IP: Discharge status Marketscan/Optum database
2 Death	23			IP: Discharge status Marketscan/Optum database
2 Death	24			IP: Discharge status Marketscan/Optum database
2 Death	25			IP: Discharge status Marketscan/Optum database
2 Death	26			IP: Discharge status Marketscan/Optum database
2 Death	27			IP: Discharge status Marketscan/Optum database
2 Death	28			IP: Discharge status Marketscan/Optum database
2 Death	29			IP: Discharge status Marketscan/Optum database
2 Death	40			IP: Discharge status Marketscan/Optum database

2 Death	BENE_DEATH_DT	file: mbsf_abdc_summary	Medicare database
2 Death	BENE_DEATH_DT	file: vital_status_file	Medicare database
2 Death	YMDOD in DOD	file: member enrollment	Optum database
2 Death	DEATHYRMO	file: mortality file	Marketscan database

Medicare fee-for-service:

information on mortality was available through the vital status file

Optum Clinformatics: information on mortality was available through four sources: Centers for Medicare and Medicaid Services, Social Security Administration Master Death Files, in-hospital deaths, and death as a reason for insurance discontinuation

IBM MarketScan: information on mortality was limited to in-hospital deaths.

Negative control outcome: cataract

3 surgery

3 Cataract surgery	13.3	PX	EXTRACAPSULAR EXTRACTION OF LENS BY SIMPLE ASPIRATION (AND IRRIGATION) TECHNIQUE	ICD-9-CM
3 Cataract surgery	13.2	PX	EXTRACAPSULAR EXTRACTION OF LENS BY LINEAR EXTRACTION TECHNIQUE	ICD-9-CM
3 Cataract surgery	13.3	PX	EXTRACAPSULAR EXTRACTION OF LENS BY SIMPLE ASPIRATION TECHNIQUE; IRRIGATION OF TRAUMATIC CATARACT	ICD-9-CM
3 Cataract surgery	13.5	PX	OTHER EXTRACAPSULAR EXTRACTION OF LENS	ICD-9-CM
3 Cataract surgery	13.51	PX	EXTRACAPSULAR EXTRACTION OF LENS BY TEMPORAL INFERIOR ROUTE	ICD-9-CM
3 Cataract surgery	13.59	PX	OTHER EXTRACAPSULAR EXTRACTION OF LENS	ICD-9-CM
3 Cataract surgery	13.1	PX	INTRACAPSULAR EXTRACTION OF LENS	ICD-9-CM
3 Cataract surgery	13.19	PX	OTHER INTRACAPSULAR EXTRACTION OF LENS	ICD-9-CM
3 Cataract surgery	13.4	PX	EXTRACAPSULAR EXTRACTION OF LENS BY FRAGMENTATION AND ASPIRATION TECHNIQUE	ICD-9-CM
3 Cataract surgery	13.41	PX	PHACOEMULSIFICATION AND ASPIRATION OF CATARACT	ICD-9-CM
3 Cataract surgery	13.43	PX	MECHANICAL PHACOEMULSIFICATION AND OTHER ASPIRATION OF CATARACT	ICD-9-CM
3 Cataract surgery	08DJ3ZZ	PX	EXTRACTION OF RIGHT LENS, PERCUTANEOUS APPROACH	ICD-10-CM
3 Cataract surgery	08DK3ZZ	PX	EXTRACTION OF LEFT LENS, PERCUTANEOUS APPROACH	ICD-10-CM
3 Cataract surgery	08RJ3JZ	PX	REPLACEMENT OF RIGHT LENS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
3 Cataract surgery	08RK3JZ	PX	REPLACEMENT OF LEFT LENS WITH SYNTHETIC SUBSTITUTE, PERCUTANEOUS APPROACH	ICD-10-CM
3 Cataract surgery	66830	PX	REMOVAL OF SECONDARY MEMBRANOUS CATARACT (OPACIFIED POSTERIOR LENS CAPSULE AND/OR ANTERIOR HYALOID) WITH CORNEO-SCLERAL SECTION, WITH OR WITHOUT IRIDECTOMY (IRIDOCAPSULOTOMY, IRIDOCAPSULECTOMY)	CPT / HCPCS
3 Cataract surgery	66840	PX	REMOVAL OF LENS MATERIAL; ASPIRATION TECHNIQUE, ≥1 STAGES	CPT / HCPCS
3 Cataract surgery	66850	PX	PHACOFRAGMENTATION TECHNIQUE (MECHANICAL OR ULTRASONIC) WITH ASPIRATION	CPT / HCPCS
3 Cataract surgery	66852	PX	REMOVAL OF LENS MATERIAL	CPT / HCPCS
3 Cataract surgery	66920	PX	INTRACAPSULAR	CPT / HCPCS

3	Cataract surgery	66930	PX	INTRACAPSULAR, FOR DISLOCATED LENS	CPT / HCPCS	
3	Cataract surgery	66940	PX	EXTRACAPSULAR (OTHER THAN 66840, 66850, 66852) EXTRACAPSULAR CATARACT REMOVAL WITH INSERTION OF IOL PROSTHESIS (1-STAGE PROCEDURE), MANUAL OR MECHANICAL TECHNIQUE (E.G., IRRIGATION AND ASPIRATION OR PHACOEMULSIFICATION) COMPLEX, REQUIRING DEVICES OR TECHNIQUES NOT GENERALLY USED IN ROUTINE CATARACT SURGERY	CPT / HCPCS	
3	Cataract surgery	66982	PX	INTRACAPSULAR EXTRACTION WITH INSERTION OF IOL PROSTHESIS (1-STAGE PROCEDURE)	CPT / HCPCS	
3	Cataract surgery	66983	PX	EXTRACAPSULAR CATARACT REMOVAL WITH INSERTION OF IOL PROSTHESIS (1-STAGE PROCEDURE), MANUAL OR MECHANICAL TECHNIQUE (E.G., IRRIGATION AND ASPIRATION OR PHACOEMULSIFICATION)	CPT / HCPCS	
3	Cataract surgery	66984	PX	EXTRACAPSULAR CATARACT REMOVAL WITH INSERTION OF INTRAOCULAR LENS PROSTHESIS (1-STAGE PROCEDURE), MANUAL OR MECHANICAL TECHNIQUE (E.G., IRRIGATION AND ASPIRATION OR PHACOEMULSIFICATION), COMPLEX, REQUIRING DEVICES OR TECHNIQUES NOT GENERALLY USED IN ROUTINE CATARACT SURGERY (E.G., IRIS EXPANSION DEVICE, SUTURE SUPPORT FOR INTRAOCULAR LENS, OR PRIMARY POSTERIOR CAPSULORRHESIS) OR PERFORMED ON PATIENTS IN THE AMBLYOGENIC DEVELOPMENTAL STAGE; WITH ENDOSCOPIC CYCLOPHOTOCOAGULATION	CPT / HCPCS	
3	Cataract surgery	66987	PX	CYCLOPHOTOCOAGULATION	CPT / HCPCS	
3	Cataract surgery	66988	PX	XCAPSL CTRC RMVL W/ECF	CPT / HCPCS	
3	Cataract surgery	C1780	PX	LENS, INTRAOCULAR (NEW TECHNOLOGY)	CPT / HCPCS	
3	Cataract surgery	Q1004	PX	NEW TECHNOLOGY INTRAOCULAR LENS CATEGORY 4 AS DEFINED IN FEDERAL REGISTER NOTICE	CPT / HCPCS	
3	Cataract surgery	Q1005	PX	NEW TECHNOLOGY INTRAOCULAR LENS CATEGORY 5 AS DEFINED IN FEDERAL REGISTER NOTICE	CPT / HCPCS	
3	Cataract surgery	V2630	PX	ANTERIOR CHAMBER INTRAOCULAR LENS	CPT / HCPCS	
3	Cataract surgery	V2631	PX	IRIS SUPPORTED INTRAOCULAR LENS	CPT / HCPCS	
3	Cataract surgery	V2632	PX	POSTERIOR CHAMBER INTRAOCULAR LENS	CPT / HCPCS	
4	Negative control: Lumbar radiculopathy	724.4	DX	Thoracic or lumbosacral neuritis or radiculitis, unspecified	ICD-9-CM	
4	Negative control: Lumbar radiculopathy	M54.15	DX	RADICULOPATHY, THORACOLUMBAR REGION	ICD-10-CM	Inpatient and outpatient setting, any position
4	Negative control: Lumbar radiculopathy	M54.16	DX	RADICULOPATHY, LUMBAR REGION	ICD-10-CM	Inpatient and outpatient setting, any position
4	Negative control: Lumbar radiculopathy	M54.17	DX	RADICULOPATHY, LUMBOSACRAL REGION	ICD-10-CM	Inpatient and outpatient setting, any position
5	Negative control: Hernia	550	DX	Inguinal hernia	ICD-9-CM	
5	Negative control: Hernia	550.0	DX	Inguinal hernia with gangrene	ICD-9-CM	
5	Negative control: Hernia	550.00	DX	Inguinal hernia, with gangrene, unilateral or unspecified (not specified as recurrent)	ICD-9-CM	
5	Negative control: Hernia	550.01	DX	Inguinal hernia, with gangrene, unilateral or unspecified, recurrent	ICD-9-CM	
5	Negative control: Hernia	550.02	DX	Inguinal hernia, with gangrene, bilateral (not specified as recurrent)	ICD-9-CM	
5	Negative control: Hernia	550.03	DX	Inguinal hernia, with gangrene, bilateral, recurrent	ICD-9-CM	
5	Negative control: Hernia	550.1	DX	Inguinal hernia with obstruction without mention of gangrene	ICD-9-CM	
5	Negative control: Hernia	550.10	DX	Inguinal hernia, with obstruction, without mention of gangrene, unilateral or unspecified (not specified as recurrent)	ICD-9-CM	
5	Negative control: Hernia	550.11	DX	Inguinal hernia with obstruction, without mention of gangrene, unilateral or unspecified, recurrent	ICD-9-CM	
5	Negative control: Hernia	550.12	DX	Inguinal hernia, with obstruction, without mention of gangrene, bilateral (not specified as recurrent)	ICD-9-CM	

5 Negative control: Hernia	550.13	DX	Inguinal hernia, with obstruction, without mention of gangrene, bilateral, recurrent	ICD-9-CM
5 Negative control: Hernia	550.9	DX	Inguinal hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	550.90	DX	Inguinal hernia, without mention of obstruction or gangrene, unilateral or unspecified (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	550.91	DX	Inguinal hernia, without mention of obstruction or gangrene, unilateral or unspecified, recurrent	ICD-9-CM
5 Negative control: Hernia	550.92	DX	Inguinal hernia, without mention of obstruction or gangrene, bilateral (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	550.93	DX	Inguinal hernia, without mention of obstruction or gangrene, bilateral, recurrent	ICD-9-CM
5 Negative control: Hernia	551	DX	Other hernia of abdominal cavity with gangrene	ICD-9-CM
5 Negative control: Hernia	551.0	DX	Femoral hernia with gangrene	ICD-9-CM
5 Negative control: Hernia	551.00	DX	Femoral hernia with gangrene, unilateral or unspecified (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	551.01	DX	Femoral hernia with gangrene, unilateral or unspecified, recurrent	ICD-9-CM
5 Negative control: Hernia	551.02	DX	Femoral hernia with gangrene, bilateral (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	551.03	DX	Femoral hernia with gangrene, bilateral, recurrent	ICD-9-CM
5 Negative control: Hernia	551.1	DX	Umbilical hernia with gangrene	ICD-9-CM
5 Negative control: Hernia	551.2	DX	Ventral hernia with gangrene	ICD-9-CM
5 Negative control: Hernia	551.20	DX	Ventral hernia, unspecified, with gangrene	ICD-9-CM
5 Negative control: Hernia	551.21	DX	Incisional ventral hernia, with gangrene	ICD-9-CM
5 Negative control: Hernia	551.29	DX	Other ventral hernia with gangrene	ICD-9-CM
5 Negative control: Hernia	551.3	DX	Diaphragmatic hernia with gangrene	ICD-9-CM
5 Negative control: Hernia	551.8	DX	Hernia of other specified sites, with gangrene	ICD-9-CM
5 Negative control: Hernia	551.9	DX	Hernia of unspecified site, with gangrene	ICD-9-CM
5 Negative control: Hernia	552	DX	Other hernia of abdominal cavity with obstruction but without mention of gangrene	ICD-9-CM
5 Negative control: Hernia	552.0	DX	Femoral hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.00	DX	Femoral hernia with obstruction, unilateral or unspecified (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	552.01	DX	Femoral hernia with obstruction, unilateral or unspecified, recurrent	ICD-9-CM
5 Negative control: Hernia	552.02	DX	Femoral hernia with obstruction, bilateral (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	552.03	DX	Femoral hernia with obstruction, bilateral, recurrent	ICD-9-CM
5 Negative control: Hernia	552.1	DX	Umbilical hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.2	DX	Ventral hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.20	DX	Ventral, unspecified, hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.21	DX	Incisional ventral hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.29	DX	Other ventral hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.3	DX	Diaphragmatic hernia with obstruction	ICD-9-CM
5 Negative control: Hernia	552.8	DX	Hernia of other specified sites, with obstruction	ICD-9-CM
5 Negative control: Hernia	552.9	DX	Hernia of unspecified site, with obstruction	ICD-9-CM
5 Negative control: Hernia	553	DX	Other hernia of abdominal cavity without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.0	DX	Femoral hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.00	DX	Femoral hernia without mention of obstruction or gangrene, unilateral or unspecified (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	553.01	DX	Femoral hernia without mention of obstruction or gangrene, unilateral or unspecified, recurrent	ICD-9-CM
5 Negative control: Hernia	553.02	DX	Femoral hernia without mention of obstruction or gangrene, bilateral (not specified as recurrent)	ICD-9-CM
5 Negative control: Hernia	553.03	DX	Femoral hernia without mention of obstruction or gangrene, bilateral, recurrent	ICD-9-CM
5 Negative control: Hernia	553.1	DX	Umbilical hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.2	DX	Ventral hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.20	DX	Ventral, unspecified, hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.21	DX	Incisional hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.29	DX	Other ventral hernia without mention of obstruction or gangrene	ICD-9-CM
5 Negative control: Hernia	553.3	DX	Diaphragmatic hernia without mention of obstruction or gangrene	ICD-9-CM

5 Negative control: Hernia	553.8	DX	Hernia of other specified sites without mention of obstruction or gangrene	ICD-9-CM	
5 Negative control: Hernia	553.9	DX	Hernia of unspecified site without mention of obstruction or gangrene	ICD-9-CM	
5 Negative control: Hernia	K40	DX	INGUINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41	DX	FEMORAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.0	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.00	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.01	DX	BILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.1	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.10	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.11	DX	BILATERAL FEMORAL HERNIA, WITH GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.2	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.20	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.21	DX	BILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.3	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.30	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.31	DX	UNILATERAL FEMORAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.4	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.40	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position

5 Negative control: Hernia	K41.41	DX	UNILATERAL FEMORAL HERNIA, WITH GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.9	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.90	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K41.91	DX	UNILATERAL FEMORAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, RECURRENT	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42	DX	UMBILICAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.0	DX	UMBILICAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.1	DX	UMBILICAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K42.9	DX	UMBILICAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43	DX	VENTRAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.0	DX	INCISIONAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.1	DX	INCISIONAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.2	DX	INCISIONAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.3	DX	PARASTOMAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.4	DX	PARASTOMAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.5	DX	PARASTOMAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.6	DX	OTHER AND UNSPECIFIED VENTRAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K43.7	DX	OTHER AND UNSPECIFIED VENTRAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position

5 Negative control: Hernia	K43.9	DX	VENTRAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44	DX	DIAPHRAGMATIC HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.0	DX	DIAPHRAGMATIC HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.1	DX	DIAPHRAGMATIC HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K44.9	DX	DIAPHRAGMATIC HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45	DX	OTHER ABDOMINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.0	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.1	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K45.8	DX	OTHER SPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46	DX	UNSPECIFIED ABDOMINAL HERNIA	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.0	DX	UNSPECIFIED ABDOMINAL HERNIA WITH OBSTRUCTION, WITHOUT GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.1	DX	UNSPECIFIED ABDOMINAL HERNIA WITH GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position
5 Negative control: Hernia	K46.9	DX	UNSPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	ICD-10-CM	Inpatient and outpatient setting, any position

Outcomes	Category	Subcategory	ICD	Validation source	Type of the source	Codes in the study	Codes in the emulation	Modification	Description of Modifications	Notes
						398.91 Rheumatic heart failure 402.01 Malignant hypertensive heart disease with heart failure 402.1 Benign hypertensive heart disease 402.11 Benign hypertensive heart disease with heart failure 402.91 Hypertensive heart disease unspecified with heart failure 404.00 Malignant heart and chronic kidney disease without heart failure and with chronic kidney disease stage I-stage IV or unspecified 404.01 Malignant hypertensive heart and chronic kidney disease with heart failure 404.03 Malignant hypertensive heart and chronic kidney disease with heart failure stage V or end-stage renal disease 404.10 Benign hypertensive heart and chronic kidney disease without heart failure and with chronic kidney disease stage I-stage IV or unspecified 404.11 Benign hypertensive heart	402.x1 402.01 402.11 402.91 404.x1 404.01 404.03 404.11 404.13 404.91 404.93 428.x 428.1 428.2 428.21 428.22 428.23 428.3 428.31 428.32 428.33 428.4 428.41 428.42 428.43 428.9		chronic ischemic heart disease, 416.9 Chronic pulmonary heart disease unspecified, 422 Acute myocarditis*, 425 Cardiomyopathy*, 425.0 Endomyocardial fibrosis, 425.1 Hypertrophic obstructive cardiomyopathy, 425.2 Obscure cardiomyopathy of Africa, 425.3 Endocardial fibroelastosis, 425.4 Other primary cardiomyopathies, 425.5 Alcoholic cardiomyopathy, 425.7 Metabolic cardiomyopathy, 425.8 Cardiomyopathy in other diseases classified elsewhere, 425.9 Secondary cardiomyopathy unspecified, 429.3 Cardiomegaly, 429.4 Heart disease following cardiac surgery, 514 Pulmonary congestion and hypostasis, 518.4 Acute lung edema unspecified, 785.51	The reason for not adding these codes is that they are either part of the exclusion criteria (i.e. alcoholic cardiomyopathy, hypertrophic obstructive cardiomyopathy, heart transplant) or do not clearly refer to heart failure (i.e., dyspnea, pulmonary congestion) and can have different etiologies besides heart failure
	1 Hospitalisation for heart failure		ICD-9-CM ICD-10-CM	A systematic review of validated methods for identifying heart failure using administrative data PROMISE team Bias Implications of Outcome Misclassification in Observational Studies Evaluating Association Between Treatments and All-Cause or Cardiovascular Mortality Using Administrative Claims Investigator review of codes based on: https://pubmed.ncbi.nlm.nih.gov/32828874/ , https://pubmed.ncbi.nlm.nih.gov/29433851/ , https://pubmed.ncbi.nlm.nih.gov/29075781/ , https://pubmed.ncbi.nlm.nih.gov/34935591/ and https://pubmed.ncbi.nlm.nih.gov/23993357/ and department ICD-9 to ICD-10 conversion	Systematic review DoPE			Yes		
	2 All-cause mortality		N/A		N/A					
	3 Cataract surgery		ICD-9-CM ICD-10-CM		N/A					
	4 Lumbar radiculopathy		ICD-10-CM ICD-9-CM	Clinical Outcomes of Tirzepatide or GLP-1 Receptor Agonists in Individuals With Type 2 Diabetes Association between chiropractic spinal manipulation and lumbar discectomy in adults with lumbar disc herniation and radiculopathy: retrospective cohort study using United States' data Investigator reviewed codes, based on ICD-10-CM translations	Study w/ same criteria N/A					
	5 Hernia		ICD-10-CM ICD-9-CM ICD-10-CM	Clinical Outcomes of Tirzepatide or GLP-1 Receptor Agonists in Individuals With Type 2 Diabetes Investigator reviewed codes, based on ICD-10-CM translations PROMISE team	Study w/ same criteria N/A DoPE					
Inclusion criteria										
	Male or female, age ≥ 18 years at screening; A woman is considered of childbearing potential must be ready and able to use highly effective methods of birth control per ICH M3 (R2) that result in a low failure rate of less than 1% per year when used consistently and correctly. A list of contraception methods meeting these criteria is provided in the									
	1 patient information	Male or Female, age > 18 y.o		Can't be validated Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure	N/A DoPE					
	2 Chronic HF diagnosed for at least 3 months before screening, and currently in HF NYHA class II-IV	Heart Failure, NYHA II-IV		Development and Preliminary Validation of a Medicare Claims-Based Model to Predict Left Ventricular Ejection Fraction Class in Patients With Heart Failure	DoPE					
	3 Chronic HF with preserved EF defined as LVEF > 40 % and no prior measurement of LVEF ≤40% under stable conditions.	Heart Failure, EF > 40%			DoPE					

At least one on of the following evidence of HF:
a) If EF ≥36% to ≤40%: Elevated NT-proBNP at Visit 1 ≥2500 pg/ml for patients without AF, OR ≥5000 pg/ml for patients with AF, analysed at the Central Laboratory,
b) If EF ≥31% to ≤35%: Elevated NT-proBNP at Visit 1 ≥1000 pg/ml for patients without AF, OR ≥2000 pg/ml for patients with AF, analysed at the Central Laboratory,
c) If EF ≤30%: Elevated NT-proBNP at Visit 1 ≥600 pg/ml for patients without AF, OR ≥1200 pg/ml for patients with AF, analysed at the Central Laboratory
d) For EF ≤ 40% and documented HHFc within 12 months prior to visit 1, elevated NT-proBNP at Visit 1 ≥ 600 pg/ml for patients without AF and ≥1200 pg/ml for patients with AF, analysed at the Central Laboratory.

4 Laboratory.
Appropriate dose of medical therapy for HF (such as ACEi, ARB, β-blocker, oral diuretics, MRA, ARNI, ivabradine) consistent with prevailing local and international CV guidelines, stable for at least 1 week prior to Visit 1 and during screening period until Visit 2 (Randomisation) with the exception of diuretics stable for only one week prior to Visit 2 to control symptoms.

NT-proBNP

Can't be validated

N/A

2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines

N/A

Guideline recommended heart failure therapy

Appropriate use of medical devices such as cardioverter defibrillator (ICD) or a cardiac resynchronization therapy (CRT) consistent with prevailing local or international CV guidelines, unless it is implanted within 3 months prior to Visit 1, or 6 if there is an intent to implant ICD or CRT

Appropriate use of CRT and ICD devices.

ICD-9-CM
ICD-10-CM

N/A
N/A

N/A
N/A

37.94
37.95
37.96
37.97
37.98
37.89
33223
33249
33230
33231
33240
33262
33263
33264
33271
33233 + 33249

V45.02
Z95.810

ICD-9-CM

Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score

Study w/ same criteria

33241
33243
33244
33249
33262
33263
33264
33270
33271
33272
33273

Yes

chronic ischemic heart disease, 416.9 Chronic pulmonary heart disease unspecified, 422 Acute myocarditis*, 425 Cardiomyopathy*, 425.0 Endomyocardial fibrosis, 425.1 Hypertrophic obstructive cardiomyopathy, 425.2 Obscure cardiomyopathy of Africa, 425.3 Endocardial fibroelastosis, 425.4 Other primary cardiomyopathies, 425.5 Alcoholic cardiomyopathy, 425.7 Metabolic cardiomyopathy, 425.8 Cardiomyopathy in other diseases classified elsewhere, 425.9 Secondary cardiomyopathy unspecified, 429.3 Cardiomegaly, 429.4 Heart disease following cardiac surgery, 514 Pulmonary congestion and hypostasis, 518.4 Acute lung edema unspecified, 785.51

The reason for not adding these codes is that they are either part of the exclusion criteria (i.e., alcoholic cardiomyopathy, hypertrophic obstructive cardiomyopathy, heart transplant) or do not clearly refer to heart failure (i.e., dyspnea, pulmonary congestion) and can have different etiologies besides heart failure

IMPLANTABLE CARDIAC DEFIBRILLATOR IN SITU, Z95.810 PRESENCE OF AUTOMATIC (IMPLANTABLE) CARDIAC DEFIBRILLATOR, 33243 REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY THORACOTOMY, 33244 REMOVAL OF SINGLE OR DUAL CHAMBER IMPLANTABLE DEFIBRILLATOR ELECTRODE(S); BY TRANSVENOUS EXTRACTION, 33270 INSERTION OR REPLACEMENT OF PERMANENT SUBCUTANEOUS IMPLANTABLE DEFIBRILLATOR SYSTEM, WITH SUBCUTANEOUS ELECTRODE, INCLUDING

Yes

The added codes indicate the presence of an ICD

					0JH608Z 0JH808Z 02H63KZ 02H64KZ 02H73KZ 02H74KZ 02HK3KZ 02HK4KZ				02H40KZ 02H43KZ 02H44KZ 02H60KZ 02H63KZ 02H64KZ 02H70KZ 02H73KZ 02H74KZ 02HK0KZ 02HK3KZ 02HK4KZ 02HL0KZ 02HL3KZ 02HL4KZ 02HN0KZ 02HN3KZ 02HN4KZ 0JH608Z 0JH60FZ 0JH638Z 0JH63FZ 0JH808Z 0JH838Z 0JPT0FZ 0JPT3FZ 02H40JZ					OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS APPROACH, 02H40KZ INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, OPEN APPROACH, 02H44KZ INSERTION OF DEFIBRILLATOR LEAD INTO CORONARY VEIN, PERCUTANEOUS ENDOSCOPIC APPROACH, 02H60KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT ATRIUM, OPEN APPROACH, 02H70KZ INSERTION OF DEFIBRILLATOR LEAD INTO LEFT ATRIUM, OPEN APPROACH, 02HK0KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, OPEN APPROACH, 02HK3KZ INSERTION OF DEFIBRILLATOR LEAD INTO RIGHT VENTRICLE, OPEN APPROACH, 02HK3KZ	The added codes indicate the presence of an ICD		
	ICD	ICD-10-CM	Device-related infection in de novo transvenous implantable cardioverter-defibrillator Medicare patients	Study w/ same criteria	CRT-P ICD-9 00.50 00.52 37.71 37.72 37.73 37.81 37.83 37.85 37.87 CPT-4 33206 33225 33207 33208 33212 33213 33221 33229 33214												
	CRT	ICD-9-CM ICD-10-CM	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score Cardiac pacemakers Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data	Study w/ same criteria N/A	CRT-D ICD-9 00.51 00.52 00.54		CRT 00.50 00.51 00.53 00.54										
7	Body Mass Index (BMI) < 45 kg/m2 at Visit 1	ICD-9-CM	ICD-9 and ICD-10 codes Validation of body mass index (BMI)-related ICD-9-CM and ICD-10-CM administrative diagnosis codes recorded in US claims data	Validation study				No									
	BMI	ICD-10-CM	ICD-9 and ICD-10 codes	Validation study				No									
8	Signed and dated written ICF in accordance with GCP and local legislation prior to admission to the trial	Signed informed consent	N/A	N/A													
9	Trial subgroup of patients with Type 2 Diabetes Mellitus (T2DM)	ICD-9-CM ICD-10-CM	PROMISE team PROMISE team	DoPE DoPE													
Exclusion criteria																	
	Myocardial infarction (increase in cardiac enzymes in combination with symptoms of ischaemia or newly developed ischaemic ECG changes), coronary artery bypass graft surgery or other major cardiovascular surgery, stroke or TIA in past 90 days	Myocardial infarction	Validity of Myocardial Infarction Diagnoses in Administrative Databases: A Systematic Review Specificity and NPV were available only from three studies and in these ranged from 89–99%, and 75–99% PROMISE team	Systematic review DoPE	410.x		410.x	No No									

					ICD-9 diagnosis code 'V4581'	V45.81			
					ICD-9 procedure codes	996.03			
					'3610'	36.10			
					'3611'	36.11			
					'3612'	36.12			
					'3613'	36.13			
					'3614'	36.14			
					'3615'	36.15			
					'3616'	36.16			
					'3617'	36.17			
					'3619'	36.19			
						36.2			
							Yes		
							No		
								Added: 996.03 Mechanical complication due to coronary bypass graft	This added code describes the consequences following coronary artery bypass grafting (CABG), which aligns closely with established exclusion criteria
CABG	ICD-9-CM	pragmatic clinical trial	Validation study						
	ICD-10-CM	PROMISE team	DoPE						
	ICD-9-CM	Outcomes after left ventricular assist device implantation in patients with acute kidney injury	Study w/ same criteria						
		Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score	Study w/ same criteria						
Major CV surgery	ICD-10-CM	Validity of Diagnostic Codes for Acute Stroke in Administrative Databases: A Systematic Review		430					
				431					
				433	430				
				434	431				
				436	433.01				
		The PPV specifically for acute stroke was ≤ 68%. In at least 50% of studies, PPVs were ≥ 93% for subarachnoid haemorrhage (ICD-9 430/ICD-10 I60), 89% for intracerebral haemorrhage (ICD-9 431/ICD-10 I61), and 82% for ischaemic stroke (ICD-9 434/ICD-10 I63 or ICD-9 434&436)			433.11				
					433.21				
					433.31			Added: 997.02 Iatrogenic cerebrovascular infarction or hemorrhage, 433.x1 - Occlusion and stenosis (This code is mentioned in the study, but not recommended in the conclusion) - code from PROMISE	
					433.81				
					433.91				
					434.01				
					434.11				
					434.91				
					997.02		Yes		
Stroke	ICD-9-CM	PROMISE team	Systematic review				No		
	ICD-10-CM	A systematic review of validated methods for identifying cerebrovascular accident or transient ischemic attack using administrative data	DoPE	PROMISE team	PROMISE team				
				435.x					
		In three of the six studies evaluating ICD-9 codes 435.x in hospitalizations or hospitalizations/emergency department encounters for the identification of TIA (Table 2), the PPVs were 70% or higher							
TIA	ICD-9-CM	PROMISE team	Systematic review			435.x	No		
	ICD-10-CM		DoPE						
				V42.1 HEART REPLACED BY TRANSPLANT	V42.1 HEART REPLACED BY TRANSPLANT				
				996.83 COMPLICATIONS OF TRANSPLANTED HEART	996.83 COMPLICATIONS OF TRANSPLANTED HEART				
				Z48.21 ENCOUNTER FOR AFTERCARE FOLLOWING HEART TRANSPLANT	Z48.21 ENCOUNTER FOR AFTERCARE FOLLOWING HEART TRANSPLANT				
				Z48.280 ENCOUNTER FOR AFTERCARE FOLLOWING HEART-LUNG TRANSPLANT	Z48.280 ENCOUNTER FOR AFTERCARE FOLLOWING HEART-LUNG TRANSPLANT				
				V49.83 AWAITING ORGAN TRANSPLANT STATUS	V49.83 AWAITING ORGAN TRANSPLANT STATUS				
				33.6 COMBINED HEART-LUNG TRANSPLANTATION	33.6 COMBINED HEART-LUNG TRANSPLANTATION				
				37.51 HEART TRANSPLANTATION	37.51 HEART TRANSPLANTATION				
					V49.83 AWAITING ORGAN TRANSPLANT STATUS				
Heart transplant recipient or listed for heart transplant	ICD-9-CM	PROMISE team	DoPE				Yes	Added: V49.83	An added code for "awaiting organ transplant status" has been included, as individuals listed for heart transplant are excluded from the study

[illegible]

Cardiomyopathy based on infiltrative diseases (e.g. amyloidosis), accumulation diseases (e.g. haemochromatosis, Fabry disease), muscular dystrophies, cardiomyopathy with reversible causes (e.g. stress cardiomyopathy), hypertrophic obstructive cardiomyopathy or known pericardial constriction

4

ICD-9-CM

Performance of claims-based algorithms for identifying heart failure and cardiomyopathy among patients diagnosed with breast cancer

Validation study

N/A

425.4
425.5
425.6
425.7
425.8
425.9
425.11
I42.1 - (HOCM validation study below)
I42.5
I42.6
I42.7
I43

Yes

Added: 425.5 ALCOHOLIC CARDIOMYOPATHY, 425.7 NUTRITIONAL AND METABOLIC CARDIOMYOPATHY, 425.8 CARDIOMYOPATHY IN OTHER DISEASES CLASSIFIED ELSEWHERE, 425.11 HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY (see validation study HOCM below)

Added codes indicate cardiomyopathy that has etiology which is not of our interest (i.e. alcoholic, metabolic cardiomyopathy)

Cardiomyopathy

ICD-10-CM

N/A
Validation of an administrative coding algorithm for the identification of individuals with amyloid light chain amyloidosis using administrative data

N/A

277.30
277.39

Validation study

E85.8x
E85.4x
E84.9x

277.30
277.39
E85.0
E85.1
E85.2
E85.3
E85.4
E85.8
E85.81
E85.82
E85.89
E85.9

N/A

No

Added: E85.0 Non-neuropathic hereditary familial amyloidosis, E85.1 Neuropathic hereditary familial amyloidosis, E85.2 Hereditary familial amyloidosis, unspecified, E85.3 Secondary systemic amyloidosis

Added codes indicate the presence of amyloidosis

Amyloidosis

ICD-10-CM

Validation of an administrative coding algorithm for the identification of individuals with amyloid light chain amyloidosis using administrative data

Validation study

275.0
275.01
275.02
275.03
275.09

275.01
275.02
275.03
275.09
E83.11
E83.110
E83.111
E83.118
E83.119

Yes

Not added: 275.0 Disorders of iron metabolism (non-billable code, not specific)

Disorders of iron metabolism are a broad category that may include iron deficiency and not just hemochromatosis. Individuals with these disorders will be excluded under the criterion of "Hb < 9 mg/dl"

Haemochromatosis

ICD-10-CM

N/A

N/A

359.1

N/A

We are interested in different types of muscular dystrophies. The provided validation study has investigated "duchenne muscular dystrophy"

ICD-9-CM

Development and electronic health record validation of an algorithm for identifying patients with Duchenne muscular dystrophy in US administrative claims

Study w/ same criteria

G71.0
G71.01

359.0
359.1

Yes

Added: 359.0 CONGENITAL HEREDITARY MUSCULAR DYSTROPHY

We are interested in different types of muscular dystrophies. The provided validation study has investigated Duchenne muscular dystrophy.

Muscular dystrophies
Stress cardiomyopathy

ICD-10-CM

Development and electronic health record validation of an algorithm for identifying patients with Duchenne muscular dystrophy in US administrative claims

Study w/ same criteria

N/A

429.83

G71x

Yes

Added: G71.02, G71.03, G71.031, G71.032, G71.033, G71.034, G71.0340, G71.0341, G71.0342, G71.0349, G71.035, G71.038, G71.039, G71.09

We are interested in different types of muscular dystrophies. The provided validation study has investigated Duchenne muscular dystrophy.

ICD-9-CM

Trends in hospitalization for takotsubo cardiomyopathy in the United States

Study w/ same criteria

N/A

429.83

429.83

No

ICD-10-CM

N/A

Study w/ same criteria

N/A

425.11

I51.81

No

HOCM
Known pericardial
constriction

ICD-10-CM

Clinical and economic burden of obstructive hypertrophic cardiomyopathy in the United States

Study w/ same criteria

I42.1

I42.1

No

ICD-9-CM

Clinical and economic burden of obstructive hypertrophic cardiomyopathy in the United States

Study w/ same criteria

N/A

N/A

N/A

ICD-10-CM

N/A

N/A

N/A

N/A

N/A

Any severe (obstructive or regurgitant) valvular heart disease expected to lead to surgery during the trial in the Investigator's opinion

Valvular heart diseases (Aortic/mitral/pulmonary/tricuspid)

ICD-9-CM/CPT

Mitral valve: Use of Medicare Claims to Identify Adverse Clinical Outcomes After Mitral Valve Repair

Study w/ same criteria

Mitral valve
ICD-9 procedure codes:
35.02 Closed heart valvotomy, mitral valve
35.12 Open heart valvuloplasty of mitral valve without replacement
35.23 Open and other replacement of mitral valve with tissue graft
35.24 Open and other replacement of mitral valve
35.96 before Oct 1, 2010
35.97 on or after Oct 1, 2010
35.96 Percutaneous balloon valvuloplasty
35.97 Percutaneous mitral valve repair with implant
CPT:
33422 Valvotomy, mitral valve; open heart, with cardiopulmonary bypass
33425 Valvuloplasty, mitral valve, with cardiopulmonary bypass;
33426 Valvuloplasty, mitral valve, with cardiopulmonary bypass; with prosthetic ring
33427 Valvuloplasty, mitral valve, with cardiopulmonary bypass;
Aortic valve
ICD-9
35.00 Closed heart valvotomy, unspecified valve
35.01 Closed heart valvotomy, aortic valve
35.05 Endovascular replacement of aortic valve
35.06 Transapical replacement of aortic valve
35.09 Endovascular replacement of unspecified heart valve
35.10 Open heart valvuloplasty without replacement, unspecified valve
35.11 Open heart valvuloplasty of aortic valve without replacement
35.20 Open and other replacement of unspecified heart valve
35.21 Open and other replacement of aortic valve with tissue graft
35.22 Open and other replacement of aortic valve
35.95 Revision of corrective

ICD-9 procedures:
35.02
35.12
35.23
35.24
35.96
35.97
CPT
33418 PX Transcatheter mitral valve repair, percutaneous approach, including transseptal puncture when performed; initial prosthesis
33419 PX Transcatheter mitral valve repair, percutaneous approach, including transseptal puncture when performed; additional prosthesis
33420 PX Valvotomy, mitral valve; closed heart
33422 PX Valvotomy, mitral valve; open heart, with cardiopulmonary bypass
33425 PX Valvuloplasty, mitral valve, with cardiopulmonary bypass;
33426 PX Valvuloplasty, mitral valve, with cardiopulmonary bypass; with prosthetic ring
33427 PX Under Surgical

No

ICD-9-CM/ICD-10-CM

Aortic valve: Validation of Administrative Claims to Ascertain Outcomes in Pivotal Trials of Transcatheter Aortic Valve Replacement

Study w/ same criteria

Tricuspid valve
ICD-9
35.14
35.27
35.28

Tricuspid valve
ICD-9
35.04
35.14
35.27
35.28
N/A

Yes

Added: 02NF* Release Aortic Valve (open, percutaneous, or percutaneous endoscopic), X2RF* Replacement of Aortic Valve

Added other operations on valves. Claims demonstrated good performance in identifying trial-adjudicated aortic valve reintervention (sensitivity 84.4%, specificity 99.6%, positive predictive value [PPV] 69.1%, negative predictive value [NPV] 99.8%, kappa 0.76)
Added other operations on valves. Claims demonstrated good performance in identifying trial-adjudicated aortic valve reintervention (sensitivity 84.4%, specificity 99.6%, positive predictive value [PPV] 69.1%, negative predictive value [NPV] 99.8%, kappa 0.76)

ICD-9-CM

Tricuspid valve: The past 10 years from the Nationwide Inpatient Sample (NIS) database
Pulmonary valve: N/A

Study w/ same criteria
N/A

N/A

N/A

Yes

Added: ICD-9, 35.04 Closed heart valvotomy, tricuspid valve

Acute decompensated HF (exacerbation of chronic HF) requiring intravenous (i.v.) diuretics, i.v. inotropes or i.v. vasodilators, or left ventricular assist device within 1 week from discharge to Visit 1, and during screening period until Visit 2 (Randomisation)

ICD-9-CM

N/A

N/A

N/A

428.23
428.41
428.33
428.43

N/A

Acute decompensated HF + i.v. diuretics/inotropes/vasodilators or LVAD

ICD-10-CM

Validity of International Classification of Diseases (ICD)-10 Diagnosis Codes for Identification of Acute Heart Failure Hospitalization and Heart Failure with Reduced Versus Preserved Ejection Fraction in a National Medicare Sample
Sensitivity, specificity, positive and negative predictive values of identifying atrial fibrillation using administrative data: a systematic review and meta-analysis

Validation study

427.31
427.32

150.23
150.33
150.41
150.43

Yes

Not added: 150.1, 150.2, 150.20, 150.21, 150.22, 150.3, 150.30, 150.31, 150.32, 150.4x, 150.8x, 150.9

Added codes 150.3 and 150.41 clearly indicate "acute heart failure", while the other 150.x codes are standard codes for defining heart failure

Atrial fibrillation or atrial flutter with a resting heart rate > 110 bpm documented by ECG at Visit 2 (Randomisation)

ICD-9-CM

Systematic review

427.31
427.32

427.31
427.32

No

Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension (with 13 oxygen OR oral steroid therapy)	Worsening Asthma/Status Asthmaticus	Validation of Diagnostic Coding for Asthma in an Electronic Health Record System in Hong Kong	Validation study	493.0	493.00	Yes	N/A	Added: 493.81 DX Exercise induced bronchospasm, 493.82 DX Cough variant asthma	Study has been conducted in Hong Kong. The overall positive predictive value (PPV) was 85.0% (95% CI 80.1-89.9%)
				493.1	493.01				
				493.2	493.02				
				493.9	493.10				
					493.11				
					493.12				
					493.2				
					493.20				
					493.21				
					493.22				
	COPD/Chronic Tuberculosis (Inpatient codes only)	An independently validated, portable algorithm for the rapid identification of COPD patients using electronic health records	Validation study	N/A	491.0	Yes	N/A	Added: 494.0 Bronchiectasis without acute exacerbation, 494.1 Bronchiectasis with acute exacerbation, 506.4 Chronic respiratory conditions due to fumes and vapors	Bronchiectasis and chronic respiratory conditions due to fumes have been added, as these individuals are at higher risk for adverse outcomes that may influence our results
				491.x	491.1				
				492.x	491.20				
				496.x	491.21				
					491.22				
					491.8				
					491.9				
					492.0				
					492.8				
					494.0				
	COPD/Chronic Tuberculosis (Inpatient codes only)	Clinical evaluation of code-based algorithms to identify patients with pulmonary arterial hypertension in healthcare databases	Validation study	J40	J40	Yes	N/A	Added: J47.0 Bronchiectasis with acute lower respiratory infection J47.1 Bronchiectasis with (acute) exacerbation J47.9 Bronchiectasis, uncomplicated J68.4 Chronic respiratory conditions due to chemicals, gases, fumes and vapors	Bronchiectasis and chronic respiratory conditions due to fumes have been added, as these individuals are at higher risk for adverse outcomes that may influence our results
				J41	J41				
				J42	J42				
				J43	J43				
				J44	J44				
					J47.0				
					J47.1				
					J47.9				
					J68.4				
					416.0				
	Pulmonary Hypertension/Other Pulmonary Heart Disease	Clinical evaluation of code-based algorithms to identify patients with pulmonary arterial hypertension in healthcare databases	Study w/ same criteria	416.8		Yes	416	Not added: 416.8, 416.9	The criteria is primary hypertension only, which is why only codes for primary pulmonary hypertension have been used
				416.9					
				I27.0					
				I27.1					
				I27.2					
				I27.20					
				I27.21	I27.0 Primary pulmonary hypertension				
				I27.29					
				162					
				163					
	Lung/Pulmonary Malignancies	Diagnosis of Pulmonary Malignancy after Hospitalization for Pneumonia	Study w/ same criteria	165		Yes	235.7, 235.8, 235.9, 238	Not added: 163, 165, 165.0, 165.8, 165.9, 176.4, 197.0, 197.1, 197.2, 197.3, 198, 199, 199.0, 199.1, 230, 231, 231.1, 231.2, 231.8, 231.9, 234, 235, 235.6, 235.7, 235.8, 235.9, 238	Did not add indicated codes, as they represent cancer in different parts of the respiratory system, other than the lung and bronchus. Malignancy codes for other parts of the respiratory system have been included in the exclusion criteria for "cancer"
				165.0					
				165.8					
				165.9					
				176.4					
				197.0					
				197.1					
				197.2					
				197.3					
				198					

				C34.00	C34.00		
				C34.01	C34.01		
				C34.02	C34.02		
				C34.1	C34.1		
				C34.10	C34.10		
				C34.11	C34.11		
				C34.12	C34.12		
				C34.2	C34.2		
				C34.30	C34.3		
				C34.31	C34.30		
				C34.32	C34.31		
				C34.80	C34.32		
				C34.81	C34.8		
				C34.82	C34.80		
				C34.90	C34.81		
				C34.91	C34.82		
				C34.92	C34.9		
					C34.90		
					C34.91		
					C34.92		
					D02.2		
					D02.20		
					D02.21		
					D02.22		
	ICD-10-CM	Development and Validation of Coding Algorithms to Identify Patients with Incident Non-Small Cell Lung Cancer in United States Healthcare Claims Data	Study w/ same criteria	V42.6		Yes	Added: D02.2 Carcinoma in situ of bronchus and lung, D02.20 Carcinoma in situ of unspecified bronchus and lung, D02.21 Carcinoma in situ of right bronchus and lung, D02.22 Carcinoma in situ of left bronchus and lung
	ICD-9-CM diagnosis	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria	Z94.2	V42.6	Yes	Added: 996.84 Complications of transplanted lung
				Z94.3	996.84		Added codes indicate the post-operative complications after lung transplantation
	ICD-10-CM diagnosis	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria		Z94.2		
					Z94.3		
					T86.810		
					T86.811		
					T86.819	Yes	Added: T86.810, T86.811, T86.819
				33.50	33.5		The codes indicate different types of failure after lung transplant
				33.51	33.50		
				33.52	33.52		
	ICD-9-CM procedures	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria	33.6	33.51	No	
				0BYC0Z0	33.6		
				0BYC0Z1	0BYC0Z1		
				0BYC0Z2	0BYC0Z2		
				0BYD0Z0	0BYD0Z0		
				0BYD0Z1	0BYD0Z1		
				0BYD0Z2	0BYD0Z2		
				0BYF0Z0	0BYF0Z0		
				0BYF0Z1	0BYF0Z1		
				0BYF0Z2	0BYF0Z2		
				0BYG0Z0	0BYG0Z0		
				0BYG0Z1	0BYG0Z1		
				0BYG0Z2	0BYG0Z2		
				0BYH0Z0	0BYH0Z0		
				0BYH0Z1	0BYH0Z1		
				0BYH0Z2	0BYH0Z2		
				0BYJ0Z0	0BYJ0Z0		
				0BYJ0Z1	0BYJ0Z1		
				0BYJ0Z2	0BYJ0Z2		
				0BYK0Z0	0BYK0Z0		
				0BYK0Z1	0BYK0Z1		
				0BYK0Z2	0BYK0Z2		
				0BYL0Z0	0BYL0Z0		
				0BYL0Z1	0BYL0Z1		
				0BYL0Z2	0BYL0Z2		
	ICD-10-CM procedures	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria	0BYM0Z0	0BYM0Z0	No	
				0BYM0Z1	0BYM0Z1		
				0BYM0Z2	0BYM0Z2		
				32851	32851		
				32852	32852		
				32853	32853		
				32854	32854		
				33935	33935		
				S2060	S2060	No	
Other pulmonary diseases	CPT/HCPCS	The healthcare resource utilization and costs of chronic lung allograft dysfunction following lung transplantation in patients with commercial insurance in the United States	Study w/ same criteria				
		N/A	N/A				

Impaired renal function, defined as eGFR < 20 mL/min/1.73 m2 (CKD-EPI) or requiring dialysis, as determined at Visit1	Hepatorenal Syndrome	ICD-9-CM	N/A	N/A	K76.7					
	Liver Transplant	ICD-10-CM	Accuracy of International Classification of Diseases-10 Codes for Cirrhosis and Portal Hypertensive Complications	Validation study		K76.7 Diagnosis: V42.7 996.82 Procedure: 50.5 50.51 50.59 Diagnosis: Z94.4 Z48.23 T86.40 T86.41 T86.42 T86.43 T86.49 Procedure: 0FY00Z0 0FY00Z1 0FY00Z2 CPT: 47135 47136	No			
		ICD-9-CM	PROMISE Team	DoPE						
		ICD-10-CM	PROMISE Team	DoPE	585.4 585.5	585.4 585.5				
		ICD-9-CM	Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data	Validation study	N18.4 N18.5	N18.4 N18.5	No			
		ICD-10-CM	Accuracy of identifying diagnosis of moderate to severe chronic kidney disease in administrative claims data	Validation study	403.01 403.91 585.6		No			
	ESRD								Added: 403.11 Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or end stage renal disease, 404.03 Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage renal disease, 404.13 Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disease, 404.93 Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal disease	Codes indicate stage V or end-stage renal disease (ESRD)
		ICD-9-CM	Kidney Failure and ESRD in the Atherosclerosis Risk in Communities (ARIC) Study: Comparing Ascertainment of Treated and Untreated Kidney Failure in a Cohort Study	Study w/ same criteria		403.01 403.11 403.91 404.03 404.13 404.93 585.6	Yes			
	Hemodialysis/Peritoneal Dialysis	ICD-10-CM	PROMISE Team	DoPE	Diagnosis V45.1 V56.0-V56.8 Procedure 39.95 54.98	V45.1 Post-surgical renal dialysis status V45.11 Renal dialysis status V45.12 Noncompliance with renal dialysis V56.0 Encounter for dialysis and dialysis catheter care V56.0 Encounter for extracorporeal dialysis V56.1 Fitting and adjustment of extracorporeal dialysis catheter V56.2 Fitting and adjustment of peritoneal dialysis catheter V56.31 Encounter for adequacy testing for hemodialysis V56.8 Encounter for other dialysis 792.5 Cloudy (hemodialysis) (peritoneal) dialysis effluent 996.56 Mechanical complication due to peritoneal dialysis catheter 996.68 Infection and inflammatory reaction due to peritoneal dialysis catheter 996.73 Other complications due to renal dialysis device, implant, and graft E879.1 Kidney dialysis as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at time of procedure Procedure, 39.95, 54.98		Added: V45.11 Renal dialysis status, V45.12 Noncompliance with renal dialysis, 792.5 Cloudy (hemodialysis) (peritoneal) dialysis effluent, 996.56 Mechanical complication due to peritoneal dialysis catheter, 996.68 Infection and inflammatory reaction due to peritoneal dialysis catheter, 996.73 Other complications due to renal dialysis device, implant, and graft, E879.1 Kidney dialysis as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at time of procedure, Procedure		
	Kidney Transplant	ICD-9-CM	Developing and validating an algorithm to identify incident chronic dialysis patients using administrative data	Study w/ same criteria			Yes			Codes indicate the presence of dialysis and its complications
	ICD-10-CM	PROMISE Team	DoPE						Codes indicate renal transplantation or autotransplantation, which fits the criteria. Besides modification, same codes also have been used in PROMISE team.	
		ICD-9-CM	PROMISE Team	DoPE			Yes	Added: 55.53 Removal of transplanted or rejected kidney, 55.61 Renal autotransplantation		

									Added: OTS00ZZ Reposition Right Kidney, Open Approach, OTS10ZZ Reposition Left Kidney, Open Approach, 50370 Removal of transplanted renal allograft, 50380 Renal autotransplantation, reimplantation of kidney	Codes mention repositioning, transplantation, or autotransplantation of kidneys, which fit the criteria for renal transplantation
	Anemia (non-deficiency/neoplastic/chemotherapy/hemorrhagic associated)	ICD-10-CM	PROMISE Team	DoPE		99.04 99.00-99.04		Yes		
16	Haemoglobin < 9 g/dl at Visit 1	ICD-9-CM ICD-10-CM	The accuracy of claims data for measuring transfusion rates N/A	Validation study N/A				Yes	Added: 99.00-99.03 and all anemia codes	Codes represent red blood cell and whole blood transfusion. Codes for anemia have been investigator-reviewed and categorized
	History of ketoacidosis									
17	History of ketoacidosis	ICD-9-CM	Sociodemographic, Clinical, and Treatment-Related Factors Associated With Hyperglycemic Crises Among Adults With Type 1 or Type 2 Diabetes in the US From 2014 to 2020	Study w/ same criteria				Yes	Added: 249.1 Secondary diabetes mellitus with ketoacidosis, 249.10 Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified, 249.11 Secondary diabetes mellitus with ketoacidosis, uncontrolled	Added codes that mention ketoacidosis. Same codes without modification used in PROMISE team.
		ICD-10-CM	Sociodemographic, Clinical, and Treatment-Related Factors Associated With Hyperglycemic Crises Among Adults With Type 1 or Type 2 Diabetes in the US From 2014 to 2020	Study w/ same criteria				Yes	Added: E08.10 Diabetes mellitus due to underlying condition with ketoacidosis without coma, E08.11 Diabetes mellitus due to underlying condition with ketoacidosis with coma, E09.10 Drug or chemical induced diabetes mellitus with ketoacidosis without coma, E09.11 Drug or chemical induced diabetes mellitus with ketoacidosis with coma	Added codes that mention ketoacidosis. Same codes without modification used in PROMISE team. Codes from the indicated study have been investigator reviewed, categorized, and translated from ICD-9 to ICD-10 and vice versa
	Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	ICD-9-CM	Readmission destination and risk of mortality after major surgery: an observational cohort study	Study w/ same criteria						
		ICD-10-CM	Assessment of Potentially Preventable Hospital Readmissions After Major Surgery and Association With Public vs Private Health Insurance and Comorbidities	Study w/ same criteria						
	Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication in the investigator's opinion	Bariatric Surgeries			N/A	N/A				
19		ICD-9-CM	N/A	N/A						
		ICD-10-CM	Antihypertensive Medication Use Trajectories After Bariatric Surgery: A Matched Cohort Study	DoPE				No		
	GI Excision/Other Major Procedures		N/A	N/A						
					556.xx	556.0 556.1 556.2 556.3 556.5 556.6 556.8 556.9				
	Ulcerative Colitis	ICD-9-CM	Development and Validation of an Inflammatory Bowel Disease Severity Index Using US Administrative Claims Data: A Retrospective Cohort Study	Study w/ same criteria				No		

[illegible]

	Gastric Ulcers			531x	531.00 531.01 531.10 531.11 531.20 531.21 531.30 531.31 531.90 531.91 K25.0 K25.1 K25.2 K25.3 K25.9	
		ICD-9-CM	Validation of diagnoses of peptic ulcers and bleeding from administrative databases: a multi-health maintenance organization study	Study w/ same criteria	K25.x	No
		ICD-10-CM	Validity of peptic ulcer disease and upper gastrointestinal bleeding diagnoses in administrative databases: a systematic review protocol	Study w/ same criteria		No
20	Any documented active or suspected malignancy or history of malignancy within 2 years prior to screening, except appropriately treated basal cell carcinoma of the skin, in situ carcinoma of uterine cervix or low risk prostate cancer (patients with pretreatment PSA < 10 ng/mL and biopsy Gleason score of ≤ 6 and clinical stage T1c or T2a)	History of malignant neoplasm				
		ICD-9-CM	PROMISE Team	DoPE		No
		ICD-10-CM	PROMISE Team	DoPE		No
21	Presence of any other disease than heart failure with a life expectancy of <1 year in the investigator's opinion	CCI	A combined comorbidity score predicted mortality in elderly patients better than existing scores	DoPE		
22	Patients who must or wish to continue the intake of restricted medications (see Section 4.2.2) or any drug considered likely to interfere with the safe conduct of the trial	Intake of restricted medications that may interfere with the safe conduct				
	Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment		N/A	N/A		
23	is not permitted	Current use or prior use of SGLT2i or combined SGLT1/2i		N/A		
24	Currently enrolled in another investigational device or drug trial, or less than 30 days since ending another investigational device or drug trial(s), or receiving other investigational treatment(s). Patients participating in a purely observational trial will not be excluded	Enrolled in another trial		N/A		
25	Known allergy or hypersensitivity to empagliflozin or other SGLT-2 inhibitors	Known allergy or hypersensitivity to empagliflozin or other SGLT2i Alcohol Abuse or Dependence		N/A	303.0 303.9 305.0 291.x	alcoholic intoxication in alcoholism, continuous, 303.02 Acute alcoholic intoxication in alcoholism, episodic, 303.03 Acute alcoholic intoxication in alcoholism, in remission, 303.90 Other and unspecified alcohol dependence, unspecified, 303.91 Other and unspecified alcohol dependence, continuous, 303.92 Other and unspecified alcohol dependence, episodic, 303.93 Other and unspecified alcohol dependence, in remission, 305.01 Alcohol abuse, continuous, 305.02 Alcohol abuse, episodic, 305.03 Alcohol abuse, in remission, 357.5 Alcoholic polyneuropathy, 425.4 Alcoholic cardiomyopathy, 571.0 Alcoholic fatty liver, 571.1 Acute alcoholic hepatitis, 571.2 Alcoholic cirrhosis of liver, 571.3
26	Chronic alcohol or drug abuse or any condition that, in the investigator's opinion, makes them an unreliable trial subject or unlikely to complete the trial		Validation of key behaviourally based mental health diagnoses in administrative data: suicide attempt, alcohol abuse, illicit drug abuse and tobacco use	Validation study	571.0	Yes
		ICD-9-CM				
		ICD-10-CM	N/A	N/A		

[illegible]

Flowchart for Cohort Assembly*

Link to Aetion reports:

CMS

<https://bwh-dope.aetion.com/substantiate/project/3084/cohort/79931/156154/comparative/basics>

OPTUM

<https://bwh-dope.aetion.com/substantiate/project/3076/cohort/79929/156153/comparative/basics>

MarketScan

<https://bwh-dope.aetion.com/substantiate/project/3083/cohort/79930/156155/comparative/basics>

Date conducted:

13.05.26

13.05.26

13.05.26

	Optum		Marketscan		CMS	
	Less Excluded Patients	Remaining Patients	Less Excluded Patients	Remaining Patients	Less Excluded Patients	Remaining Patients
Patients in dataset		97,451,572		126,118,011		28,874,258
Patients meeting cohort entry criteria		1,286,334		1,094,216		1,747,061
Excluded due to insufficient enrollment	-184,077 (14%)	1,102,257	-116,715 (11%)	977,501	-512,275 (29%)	1,234,786
Excluded due to prior use of referent	-348,814 (32%)	753,443	-520,545 (53%)	456,956	-849,025 (69%)	385,761
Excluded due to prior use of exposure	-561,101 (74%)	192,342	-315,503 (69%)	141,453	-203,688 (53%)	182,073
Excluded because patient qualified in >1 exposure category	-596 (<1%)	191,746	-478 (<1%)	140,975	-356 (<1%)	181,717
Excluded based on Incl 1.1 - Age	-23 (<1%)	191,723	-78 (<1%)	140,897	-0 (<1%)	181,717
Excluded based on Incl 1.2 - Gender	-86 (<1%)	191,637	-17 (<1%)	140,880	-0 (<1%)	181,717
Excluded based on Incl 2 - Chronic heart failure	-145,085 (76%)	46,552	-126,671 (90%)	14,209	-142,572 (78%)	39,145
Excluded based on Incl 3 - Chronic HF with reduced EF defined as LVEF ≤ 40% per local reading	-19,976 (43%)	26,576	-5,425 (38%)	8,784	-16,483 (42%)	22,662
Excluded based on Incl 5 - Medical therapy for HF	-0 (<1%)	26,576	-92 (1%)	8,692	-308 (1%)	22,354
Excluded based on Incl 6 - Cardioverter defibrillator or CRT	-482 (2%)	26,094	-109 (1%)	8,583	-737 (3%)	21,617
Excluded based on Incl 7 - Body Mass Index (BMI) < 45 kg/m2	-887 (3%)	25,207	-231 (3%)	8,352	-811 (4%)	20,806
Excluded based on Incl 9 - Type 2 Diabetes mellitus	-5,213 (21%)	19,994	-1,427 (17%)	6,925	-364 (2%)	20,442
Excluded based on Excl 1 - Myocardial infarction (increase in cardiac enzymes in combination with symptoms of ischaemia or newly developed ischaemic ECG changes), coronary artery bypass graft surgery or other major cardiovascular surgery, stroke or TIA in past 90 days	-1,135 (6%)	18,859	-457 (7%)	6,468	-3,947 (19%)	16,495
Excluded based on Excl 2 - Heart transplantation	-247 (1%)	18,612	-83 (1%)	6,385	-174 (1%)	16,321
Excluded based on Excl 3 - LVAD	-0 (<1%)	18,612	-0 (<1%)	6,385	-0 (<1%)	16,321
Excluded based on Excl 4 - Cardiomyopathy	-284 (2%)	18,328	-110 (2%)	6,275	-303 (2%)	16,018
Excluded based on Excl 5 - Valvular heart disease	-173 (<1%)	18,155	-627 (10%)	5,648	-4,696 (29%)	11,322
Excluded based on Excl 6 - Acute decompensated HF	-107 (<1%)	18,048	-16 (<1%)	5,632	-48 (<1%)	11,274
Excluded based on Excl 7 - Atrial fibrillation / flutter	-791 (4%)	17,257	-383 (7%)	5,249	-1,109 (10%)	10,165
Excluded based on Excl 8 - Untreated ventricular arrhythmia with syncope in patients without ICD documented within the 3 months prior to Visit 60	-1,403 (8%)	15,854	-449 (9%)	4,800	-543 (5%)	9,622
Excluded based on Excl 9 - Diagnosis of cardiomyopathy induced by chemotherapy or peripartum within the 12 months prior to Visit 1	-44 (<1%)	15,810	-13 (<1%)	4,787	-9 (<1%)	9,613
Excluded based on Excl 10 - Symptomatic bradycardia or second or third degree heart block without a pacemaker after adjusting beta-blocker therapy	-520 (3%)	15,290	-24 (<1%)	4,763	-189 (2%)	9,424

Excluded based on Excl 11 - Systolic blood pressure (SBP) \geq 180 mmHg	-87 (<1%)	15.203	-56 (1%)	4.707	-67 (<1%)	9.357
Excluded based on Excl 12 - Symptomatic hypotension and/or a SBP < 100 mmHg at Visit 1 or Visit 2	-387 (3%)	14.816	-44 (<1%)	4.663	-166 (2%)	9.191
Excluded based on Excl 13 - Chronic pulmonary disease requiring home oxygen, oral steroid therapy or hospitalisation for exacerbation within 12 months, or significant chronic pulmonary disease in the Investigator's opinion, or primary pulmonary arterial hypertension Copy	-113 (<1%)	14.703	-15 (<1%)	4.648	-135 (1%)	9.056
Excluded based on Excl 14 - Indication of liver disease, defined by serum levels of either ALT (SGPT), AST (SGOT), or alkaline phosphatase above 3 x upper limit of normal (ULN)	-215 (1%)	14.488	-0 (<1%)	4.648	-111 (1%)	8.945
Excluded based on Excl 15 - Impaired renal function	-444 (3%)	14.044	-86 (2%)	4.562	-260 (3%)	8.685
Excluded based on 16 - Hb < 9mg/dl (in primary position only, 183 days before CED)	-341 (2%)	13.703	-55 (1%)	4.507	-191 (2%)	8.494
Excluded based on 16 - Hb < 9mg/dl (any position, 183 days before CED)	-37 (<1%)	13.666	-120 (3%)	4.387	-124 (1%)	8.370
Excluded based on 16 - Hb < 9mg/dl (any position, 91 days before CED)	-9 (<1%)	13.657	-2 (<1%)	4.385	-4 (<1%)	8.366
Excluded based on Excl 17 - History of ketoacidosis	-42 (<1%)	13.615	-12 (<1%)	4.373	-17 (<1%)	8.349
Excluded based on Excl 18 - Major surgery (major according to the investigator's assessment) performed within 90 days prior to Visit 1, or scheduled major elective surgery (e.g. hip replacement) within 90 days after visit 1	-9 (<1%)	13.606	-6 (<1%)	4.367	-10 (<1%)	8.339
Excluded based on Excl 19 - Gastrointestinal (GI) surgery or GI disorder that could interfere with absorption of trial medication	-58 (<1%)	13.548	-9 (<1%)	4.358	-25 (<1%)	8.314
Excluded based on Excl 20 - Cancer	-542 (4%)	13.006	-135 (3%)	4.223	-389 (5%)	7.925
Excluded based on Excl 21 - Presence of any other disease than heart failure with a life expectancy of <1 year in the investigator's opinion	-93 (<1%)	12.913	-3 (<1%)	4.220	-10 (<1%)	7.915
Excluded based on Excl 23 - Current use or prior use of a sodium-glucose cotransporter 2 (SGLT2) inhibitor or combined inhibitor of SGLT1 and SGLT2 within 12 weeks prior to screening or randomization. Discontinuation of a SGLT2 inhibitor or combined inhibitor of SGLT1 and SGLT2 inhibitor for the purposes of study enrolment is not permitted.	-250 (2%)	12.663	-79 (2%)	4.141	-174 (2%)	7.741
Excluded based on Excl 26 - Chronic alcohol or drug abuse	-220 (2%)	12.443	-39 (<1%)	4.102	-134 (2%)	7.607
Excluded based on Excl 27 - Pregnancy	-1 (<1%)	12.442	-1 (<1%)	4.101	-1 (<1%)	7.606
Excluded based on Excl 28 - Non-compliance/Non-adherence	-115 (<1%)	12.327	-11 (<1%)	4.090	-68 (<1%)	7.538
Patients in Exposure Group		9.583		2.683		2.441
Patients in Referent Group		2.744		1.407		5.097
Total Patients		12.327		4.090		7.538

*Prior to inferential analyses, cohorts will undergo an additional comprehensive quality-control review; therefore, cohort counts may be subject to changes.

Appendix 4. 1st Feasibility Assessment

Table of Contents

- A. Patient characteristics by treatment group
- B. Summary Parameters of Study Population
- C. Median Follow up Time in Overall Study Population
- D. Reasons for Censoring in Overall Study Population
- E. Initial Power Assessment
- F. Aetion Report Links
- G. Review by Principal Investigator and FDA

In order to complete the initial power analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the comparative risks of the outcomes of interest are available at this stage. We completed a weighted PS-matched comparative analysis using this outcome. The PS included only 3 covariates: age, sex, and combined comorbidity index. Power calculations are based on the formulas from Chow et al. (2008).

Optum: Study period between (Aug 01, 2014 and Aug 31, 2024)

Marketscan: Study period between (Aug 01, 2014 and Sep 30,

Medicare: Study period between (Aug 01, 2014 and Sep 30,

A. Patient characteristics by treatment group (we start 1 days after CED, so we drop few patients and hence table 1 number of patients are little different than the attrition table)

UNMATCHED	Optum			Marketscan			Medicare		
Variable	Sitagliptin	Empagliflozin	Difference	Sitagliptin	Empagliflozin	Difference	Sitagliptin	Empagliflozin	Difference
Number of patients	2.722	9.532	- (-, -)	1.404	2.675	- (-, -)	5.073	2.433	- (-, -)
Age									
...mean (sd)	71.84 (8.77)	68.26 (10.33)	3.58 (3.19, 3.97)	64.16 (12.61)	61.66 (11.53)	2.50 (1.70, 3.29)	75.18 (7.12)	72.32 (5.62)	2.86 (2.57, 3.16)
...median [IQR]	73.00 [67.00, 79.00]	69.00 [62.00, 76.00]	- (-, -)	63.00 [56.00, 73.00]	61.00 [54.00, 70.00]	- (-, -)	74.00 [69.00, 80.00]	71.00 [68.00, 76.00]	- (-, -)
...Missing; n (%)									
Gender without unknown									
...Male; n (%)	1,681 (61.8%)	6,600 (69.2%)	-7.5% (-9.6%, -5.4%)	1,031 (73.4%)	2,052 (76.7%)	-3.3% (-6.1%, -0.4%)	3,686 (72.7%)	1,947 (80.0%)	-7.4% (-9.4%, -5.3%)
CCI (365 days)- ICD9 and ICD10									
...mean (sd)	4.32 (1.97)	4.06 (1.87)	0.26 (0.17, 0.34)	3.35 (1.68)	3.27 (1.51)	0.08 (-0.02, 0.19)	3.15 (2.00)	3.05 (1.75)	0.10 (0.02, 0.19)
...median [IQR]	4.00 [3.00, 6.00]	4.00 [3.00, 5.00]	- (-, -)	3.00 [2.00, 4.00]	3.00 [2.00, 4.00]	- (-, -)	3.00 [2.00, 4.00]	3.00 [2.00, 4.00]	- (-, -)

B. Summary Parameters of Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Variable	Value	Value	Value
Number of patients in full cohort	12.327	4.090	7.538

Number of patients dropped as incomplete cases	0,00	1,00	0,00
Number of patients that did not begin follow-up	73	10	32
Number of patients in analytic cohort	12.254	4.079	7.506
Number of events	547	197	314
Number of person-years	6.529,56	2.099,17	3.591,90
Number of patients in group: Sitagliptin	2.722	1.404	5.073
Number of patients in group: Empagliflozin	9.532	2.675	2.433
Risk per 1,000 patients	44,64	48,3	41,83
Rate per 1,000 person-years	83,77	93,85	87,42

C. Median Follow up Time in Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Patient Group	Median Follow-Up Time (Days) [IQR]	Median Follow-Up Time (Days) [IQR]	Median Follow-Up Time (Days) [IQR]
Overall Patient Population	156 [86, 365]	148 [84, 330]	125 [58, 297]

D. Reasons for Censoring in Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Overall	Value	Value	Value
Outcome	547 (4.5%)	197 (4.8%)	314 (4.2%)
Death	0 (0.0%)	0 (0.0%)	52 (0.7%)
Start of an additional exposure	177 (1.4%)	82 (2.0%)	122 (1.6%)
End of index exposure	6,130 (50.0%)	1,801 (44.2%)	3,526 (47.0%)
Maximum follow-up time (365 days)	3,159 (25.8%)	914 (22.4%)	1,441 (19.2%)
Specified date reached	0 (0.0%)	371 (9.1%)	1,001 (13.3%)

End of patient enrollment	1,235 (10.1%)	602 (14.8%)	286 (3.8%)
Censor: Other DPP-4i/SGLT2/Nursing home began	1,006 (8.2%)	112 (2.7%)	764 (10.2%)

Weighted number	Optum	Marketscan	Medicare
Exposure	8.701	2.624	2.391
Reference	2.702	1.394	4.601

E. Initial Power Assessment

Number of patients weighted	
Reference	13.716
Exposed	8.697
Risk per 1,000 patients	44.38
Desired HR from RCT	0.72
Alpha (2-sided)	0.05
Number of events expected	994.7
Power	1.00

F. Action Report Links

Action report link:

Optum

<https://bwh-dope.aetion.com/substantiate/project/3076/rwrs/156175>

<https://bwh-dope.aetion.com/substantiate/project/3076/rwrs/156177>

Marketscan

<https://bwh-dope.aetion.com/substantiate/project/3083/rwrs/156179>

<https://bwh-dope.aetion.com/substantiate/project/3083/rwrs/156181>

Medicare

<https://bwh-dope.aetion.com/substantiate/project/3084/rwrs/156186>

<https://bwh-dope.aetion.com/substantiate/project/3084/rwrs/156187>

G. Review by principal investigator and FDA

Stop analyses until feasibility and power are reviewed by primary investigators and FDA.

First review by FDA	Date reviewed:	May 22, 2026; Marie Bradley
Final review and approval by FDA after comments were addressed	Date reviewed:	June 2, 2026; Marie Bradley

Appendix 5. 2nd Feasibility Assessment

Table of Contents

- A. Median Follow up Time by Treatment Group
- B. Reasons for Censoring by Treatment Group
- C. Final Power Assessment
- D. Action report Links
- E. Review by Principal Investigator and FDA

In order to complete the initial power analysis, a dummy outcome of a 90-day gap in database enrollment was used. This outcome is used to ensure that no information on the comparative risks of the outcomes of interest are available at this stage. We completed a 1:1 PS-matched comparative analysis using this outcome. The PS included only 3 covariates: age, sex, and combined comorbidity index. Power calculations are based on the formulas from Chow et al. (2008).

Optum: Study period between (Aug 01, 2014 and Aug 31, 2024)
 Marketscan: Study period between (Aug 01, 2014 and Sep 30, 2023)
 Medicare: Study period between (Aug 01, 2014 and Sep 30, 2020)

A. Median Follow Up Time by Treatment Group (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Patient Group	Median Follow-Up	Median Follow-Up Time (Days)	Median
Overall Patient	156 [86, 365]	148 [84, 330]	125 [58, 297]

B. Summary Parameters of Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Variable	Value	Value	Value
Number of patients	12,327	4,090	7,538
Number of patients	0,00	1,00	0,00
Number of patients	73	10	32
Number of patients	12,254	4,079	7,506
Number of events	547	197	314
Number of person-	6,529,56	2,099,17	3,591,90
Number of patients	2,722	1,404	5,073
Number of patients	9,532	2,675	2,433
Risk per 1,000	44,64	48,3	41,83
Rate per 1,000	83,77	93,85	87,42

C. Reasons for Censoring in Overall Study Population (Step 1)

UNMATCHED	Optum	Marketscan	Medicare
Overall	Value	Value	Value
Outcome	547 (4.5%)	197 (4.8%)	314 (4.2%)
Death	0 (0.0%)	0 (0.0%)	52 (0.7%)
Start of an	177 (1.4%)	82 (2.0%)	122 (1.6%)
End of index	6,130 (50.0%)	1,801 (44.2%)	3,526 (47.0%)
Maximum follow-	3,159 (25.8%)	914 (22.4%)	1,441 (19.2%)
Specified date	0 (0.0%)	371 (9.1%)	1,001 (13.3%)
End of patient	1,235 (10.1%)	602 (14.8%)	286 (3.8%)
Censor: Other DPP-	1,006 (8.2%)	112 (2.7%)	764 (10.2%)

Weighted number	Optum	Marketscan	Medicare
Exposure	2,201	803	1,818

Reference	1.373	639	2.691
-----------	-------	-----	-------

E. Initial Power Assessment

Number of patients	
Reference	4.822
Exposed	4.703
Risk per 1,000	44,38
Desired HR from	0,72
Alpha (2-sided)	0,05
Number of events	422,7
Power	0,92

F. Aetion Report Links

Aetion report link:

Optum

<https://bwh-dope.aetion.com/substantiate/project/3076/rwrs/156240>

Marketscan

<https://bwh-dope.aetion.com/substantiate/project/3083/rwrs/156237>

Medicare

<https://bwh-dope.aetion.com/substantiate/project/3084/rwrs/156239>


G. Review by principal investigator and FDA

Stop analyses until feasibility and power are reviewed by primary investigators and FDA.




First review by FDA	Date reviewed:	May 22, 2026; Marie Bradley
Final review and	Date reviewed:	June 2, 2026; Marie Bradley

Appendix 6. Balance Assessment - PS Distribution and C-Statistic



Optum c-stat: Unmatched 0.953, matched 0.51



Marketscan c-stat: Unmatched 0.943, matched 0.51



Medicare c-stat: Unmatched 0.845, matched 0.499



PSA test; n (%)	427 (15.7%)	1,601 (16.8%)	0.03	144.7 (17.1%)	144.7 (17.1%)	0.00	201 (14.4%)	413 (15.5%)	0.03	61.2 (17.4%)	61.2 (17.4%)	0.00	887 (17.5%)	479 (19.7%)	0.06	213.8 (19.7%)	213.8 (19.7%)	0.00
Fecal occult blood test; n (%)	93 (3.4%)	228 (2.4%)	0.06	26.7 (3.2%)	26.7 (3.2%)	0.00	32 (2.3%)	54 (2.0%)	0.02	8.8 (2.5%)	8.8 (2.5%)	0.00	164 (3.2%)	60 (2.5%)	0.05	33.2 (3.1%)	33.2 (3.1%)	0.00
Urine tests ; n (%)	1,541 (56.8%)	5,092 (53.5%)	0.07	470.5 (55.7%)	470.5 (55.7%)	0.00	641 (46.0%)	1,316 (49.3%)	0.07	167.8 (47.6%)	167.8 (47.6%)	0.00	2,825 (55.8%)	1,392 (57.3%)	0.03	615.4 (56.7%)	615.4 (56.7%)	0.00
Combined comorbidity score, 180 days; mean (SD)	4.32 (1.97)	4.06 (1.87)	0.14	4.13 (1.87)	4.13 (1.87)	0.00	3.35 (1.68)	3.26 (1.51)	0.05	3.23 (1.59)	3.23 (1.58)	0.00	3.15 (2.00)	3.05 (1.75)	0.06	3.03 (1.84)	3.03 (1.80)	0.00
Frailty Score: Empirical Version 180 days (ICD-9 and ICD-10); mean (SD)	0.19 (0.05)	0.19 (0.04)	0.17	0.19 (0.04)	0.19 (0.05)	0.00	0.18 (0.04)	0.17 (0.03)	0.17	0.17 (0.04)	0.17 (0.04)	0.00	0.21 (0.06)	0.20 (0.04)	0.30	0.20 (0.05)	0.20 (0.05)	0.00
Number of hospitalizations (0, 1, 2 or more)																		
≤ 1; n (%)	2,019 (74.4%)	6,880 (72.3%)	0.05	631.3 (74.7%)	631.3 (74.7%)	0.00	1,041 (74.7%)	2,082 (78.0%)	0.08	274.3 (77.9%)	274.3 (77.9%)	0.00	3,716 (73.4%)	1,977 (81.4%)	0.19	862.9 (79.5%)	862.9 (79.5%)	0.00
1 - 2; n (%)	453 (16.7%)	2,000 (21.0%)	0.11	148.5 (17.6%)	148.5 (17.6%)	0.00	24 (1.7%)	40 (1.5%)	0.02	6.3 (1.8%)	6.3 (1.8%)	0.00	970 (19.2%)	339 (14.0%)	0.14	165.1 (15.2%)	165.1 (15.2%)	0.00
≥ 2; n (%)	243 (9.0%)	635 (6.7%)	0.09	64.9 (7.7%)	64.9 (7.7%)	0.00	328 (23.5%)	547 (20.5%)	0.07	71.6 (20.3%)	71.6 (20.3%)	0.00	379 (7.5%)	114 (4.7%)	0.12	57.8 (5.3%)	57.8 (5.3%)	0.00
Number of hospitalizations for heart failure (0, 1, 2 or more)																		
≤ 1; n (%)	970 (35.7%)	3,028 (31.8%)	0.08	307.1 (36.4%)	307.1 (36.4%)	0.00	1,234 (88.6%)	2,352 (88.1%)	0.01	316.6 (89.9%)	316.6 (89.9%)	0.00	4,777 (94.3%)	2,313 (95.2%)	0.04	1,034.3 (95.3%)	1,034.3 (95.3%)	0.00
1 - 2; n (%)	572 (21.1%)	1,876 (19.7%)	0.03	170.5 (20.2%)	170.5 (20.2%)	0.00	54 (3.9%)	76 (2.8%)	0.06	8.8 (2.5%)	8.8 (2.5%)	0.00	265 (5.2%)	103 (4.2%)	0.05	45.5 (4.2%)	45.5 (4.2%)	0.00
≥ 2; n (%)	1,173 (43.2%)	4,611 (48.5%)	0.11	367.2 (43.5%)	367.2 (43.5%)	0.00	105 (7.5%)	241 (9.0%)	0.05	26.7 (7.6%)	26.7 (7.6%)	0.00	23 (0.5%)	14 (0.6%)	0.02	6.0 (0.5%)	6.0 (0.5%)	0.00
Dual status/low income subsidy; n (%)													1,509 (29.8%)	521 (21.4%)	0.19	262.8 (24.2%)	262.8 (24.2%)	0.00